



Business data terms and groups	Usage	Business data terms and groups description	
<b>Order response</b>		Context:	The order response business document is used by the seller to respond to a received purchase order under conditions agreed between the seller and the buyer. To fully confirm acceptance of the received purchase order with no changes, the business document order response can be used via two different methods: - No order response lines are specified - All the lines specified in the received purchase order are specified as order response lines For both methods is the code ACCEPTED to be specified for the business data term "BDTG00000381 Received order document status code".
— <b>Business document creation date time</b>	0..1	SDD-ID: Definition: Context:	<b>BDT00000047</b> The date and optional time when the business document was issued. The date when the order response was created.
— <b>Business document status code</b>	0..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000050</b> The code specifying the status of a business document. ORIGINAL DocumentStatusEnumeration <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentStatusEnumeration">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentStatusEnumeration</a>
— <b>Business document action code</b>	0..1	SDD-ID: Definition:  Usage:  Used code list: Link to code list:	<b>BDT00000045</b> The code indicating the action to be taken by a process within the IT system of the recipient of the business document. By the received code the IT-system can start the relevant IT process such as adding an original business document transaction when the code ADD is specified, or delete a previously received document transaction when the code DELETE is specified (a reference to the document transaction for deletion is required). DocumentActionEnumeration <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentActionEnumeration">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentActionEnumeration</a>
— <b>Business document standard version</b>	0..1	SDD-ID: Definition:	<b>BDT00000046</b> The version number of the standard used for the business document.
— <b>Business document last update date time</b>	0..1	SDD-ID: Definition:	<b>BDT00000048</b> The last date and time when a business document was updated.
— <b>Revision number</b>	0..1	SDD-ID: Definition:	<b>BDT00000119</b> The number assigned to a specific release of a document to keep track of changes and updates between revisions.
— <b>Business document identification information</b>	1..1	SDD-ID: Definition:	<b>BDTG00000480</b> The information specifying the identification details of the business document.
— <b>Entity identification</b>	0..1	SDD-ID: Definition:	<b>BDT00000056</b> The identity of an entity such as a document or an object.
— <b>Document content owner</b>	0..1	SDD-ID: Definition:	<b>BDTG00000196</b> The information specifying the party that is responsible for the content of a document.
— <b>Global location number GLN</b>	0..1	SDD-ID: Definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal



Business data terms and groups	Usage	Business data terms and groups description	
		Ref. definition:	entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
Additional party identification type code	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Document effective date time	0..1		
Received order document status code	0..1	SDD-ID: Definition: Context:	<b>BDTG00000381</b> The code specifying the status of the received order document. The business data term is used to indicate whether the received order is accepted, modified or rejected.
Received order document status code content	1..1	Example: SDD-ID: Definition: Used code list: Link to code list:	ACCEPTED <b>BDT00000698</b> The code specifying the status of the received order document. ResponseStatusCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponseStatusCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponseStatusCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Reason for status of business document code	0..1	SDD-ID: Definition:	<b>BDTG00000247</b> The code specifying the reason for the specified status of the received business document.
Reason for status of business document code content	1..1	Context: Example: SDD-ID: Definition:	The business data term is to be used in accordance with specified code in "BDT00000381 Received order document status code". The business data term is used to indicate a reason for why the received order is modified or rejected. INVALID BUYER IDENTIFICATION <b>BDT00000696</b> The code specifying the reason for the specified status of the received business



Business data terms and groups	Usage	Business data terms and groups description	
		Example: Used code list: Link to code list:	document. ITEM_TEMPORARILY_NOT_AVAILABLE ErrorOrWarningCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ErrorOrWarningCode&amp;release=3">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ErrorOrWarningCode&amp;release=3</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Total monetary net amount	0..1	SDD-ID: Definition:	<b>BDTG00000332</b> The total monetary amount excluding all taxes.
Total monetary net amount content	1..1	SDD-ID: Definition:	<b>BDT00000705</b> The total monetary amount excluding all taxes.
Currency code	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000589</b> The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Total monetary amount	0..1	SDD-ID: Definition: Synonyms:	<b>BDTG00000331</b> The total monetary amount including taxes. BDTG00000409 Total invoice monetary amount
Total monetary amount content	1..1	SDD-ID: Definition:	<b>BDT00000704</b> The total monetary amount including taxes.
Currency code	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000589</b> The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Total tax monetary amount	0..1	SDD-ID: Definition:	<b>BDTG00000333</b> The total tax monetary amount.
Total tax monetary amount content	1..1	SDD-ID: Definition: Usage:	<b>BDT00000601</b> The total tax monetary amount. The Invoice total tax amount is the sum of all category tax amounts.
Currency code	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID: Definition:	<b>BDT00000589</b> The code specifying the currency of a monetary amount.



Business data terms and groups	Usage	Business data terms and groups description	
		Example: Used code list:	EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Notation	0..1	SDD-ID: Definition:	<b>BDTG00000244</b> The descriptive information expressed as text to be read and not to be processed by a receiving IT application.
Notation content	1..1	SDD-ID: Definition:	<b>BDT00000670</b> The descriptive information expressed as text to be read and not to be processed by a receiving IT application.
Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Buyer party information	0..1	SDD-ID: Definition: Usage:	<b>BDTG00000162</b> The information specifying details of the party that purchases products or services. To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
Buyer party registered in the European Union indicator	0..1	SDD-ID: Definition: Usage:	<b>BDT00000404</b> The code indicating if the company specified as the buyer is registered as a company in a member state of the European Union. The business data term is used for fighting illicit trade.
Global location number, GLN	0..1	SDD-ID: Definition: Example: Ref. definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. 9501101530003 GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>

Business data terms and groups	Usage	Business data terms and groups description
<ul style="list-style-type: none"> <li>Additional party identification type code content</li> </ul>	1..1	Definition: The code specifying the additional identification type of the party. SDD-ID: <b>BDT00000570</b> Definition: The code specifying the additional identification type of the party. Used code list: AdditionalPartyIdentificationTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Electronic address information	0..1	SDD-ID: <b>BDTG00000784</b> Definition: The information about the electronic address of a party
Electronic address identification scheme	1..1	SDD-ID: <b>BDT00000786</b> Definition: The identification scheme of of the electronic address
Electronic address identification	1..1	SDD-ID: <b>BDT00000785</b> Definition: The identifier of of the electronic address to which a business document should be delivered
Address information	0..1	SDD-ID: <b>BDTG00000144</b> Definition: The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: <b>BDT00000020</b> Definition: The name of the city, town or village.
City code	0..1	SDD-ID: <b>BDT00000019</b> Definition: The code specifying a city.
County code	0..1	SDD-ID: <b>BDT00000034</b> Definition: The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition: The street crossing another street.
Party name	0..1	SDD-ID: <b>BDT00000106</b> Definition: The name of the party expressed as text.
Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition: The number of a post office box located on the premises of a post office station or other postal service location. Synonyms: P.O. box, postal box
Postal code	0..1	SDD-ID: <b>BDT00000114</b> Definition: The code according to the relevant postal system or service to specify a geographical area. Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID: <b>BDT00000117</b> Definition: The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID: <b>BDT00000127</b> Definition: The political unit that a country can be divided into. Example: California

Business data terms and groups	Usage	Business data terms and groups description	
— <b>Street address one</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
— <b>Street address two</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
— <b>Street address three</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
— <b>Country code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
— <b>Country code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
— <b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
— <b>Geographical coordinates information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
— <b>Latitude</b>	1..1	SDD-ID: Definition: Example:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north–south position of a point on the Earth's surface. 23°26'12.2" S
— <b>Longitude</b>	1..1	SDD-ID: Definition: Example:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east–west position of a point on the Earth's surface. 18°3'59.0616"
— <b>Business contact information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
— <b>Person name</b>	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
— <b>Department name</b>	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
— <b>Job title</b>	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
— <b>Contact type code</b>	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
— <b>Contact type code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000571</b> The code specifying the function or role of a contact person.
— <b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.

Business data terms and groups	Usage	Business data terms and groups description	
<b>Business contact responsibility description</b>	0..unbounde	SDD-ID:	<b>BDTG00000159</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
<b>Business contact responsibility description content</b>	1..1	SDD-ID:	<b>BDT00000580</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Communication information</b>	0..unbounde	SDD-ID:	<b>BDTG00000176</b>
		Definition:	The information specifying details of a contact person's communication channel.
<b>Communication channel code</b>	1..1	SDD-ID:	<b>BDTG00000175</b>
		Definition:	The code specifying the channel for communication.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Communication channel code content</b>	1..1	SDD-ID:	<b>BDT00000525</b>
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Communication channel identification</b>	1..1	SDD-ID:	<b>BDT00000032</b>
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
<b>Communication channel name</b>	0..1	SDD-ID:	<b>BDT00000033</b>
		Definition:	The name of a communication channel expressed as text.
<b>After hours communication information</b>	0..unbounde	SDD-ID:	<b>BDTG00000145</b>
		Definition:	The information specifying details of communication channels to use after regular business hours.
<b>Communication channel code</b>	1..1	SDD-ID:	<b>BDTG00000175</b>
		Definition:	The code specifying the channel for communication.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Communication channel code content</b>	1..1	SDD-ID:	<b>BDT00000525</b>
		Definition:	The code specifying the channel for communication.



Business data terms and groups	Usage	Business data terms and groups description
		Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Communication channel identification	1..1	SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID: <b>BDTG00000326</b> Definition: The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID: <b>BDT00000369</b> Definition: The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID: <b>BDTG00000585</b> Definition: The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID: <b>BDT00000584</b> Definition: The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID: <b>BDTG00000587</b> Definition: The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: <b>BDT00000074</b> Definition: The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: <b>BDT00000073</b> Definition: The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID: <b>BDTG00000586</b> Definition: The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID: <b>BDT00000583</b> Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Tax type code	0..1	SDD-ID: <b>BDTG00000328</b> Definition: The code specifying the type of tax. Context: Registered tax type for the party. Example: VAT
Tax type code content	1..1	SDD-ID: <b>BDT00000576</b> Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:</a>



## Order response

Business data terms and groups	Usage	Business data terms and groups description
<b>Code list version</b>	0..1	SDD-ID: <a href="#">DutyFeeTaxTypeCode</a> Definition: <b>BDT00000028</b> The version number of the code list.
<b>Tax description</b>	0..1	SDD-ID: <b>BDTG00000322</b> Definition: The description of the tax expressed as text.
<b>Tax description content</b>	1..1	SDD-ID: <b>BDT00000754</b> Definition: The description of the tax expressed as text.
<b>Language code</b>	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Tax registration type code</b>	0..1	SDD-ID: <b>BDTG00000327</b> Definition: The code specifying the type of tax registration number assigned by a national authority. Example: VA
<b>Tax registration type code content</b>	1..1	SDD-ID: <b>BDT00000588</b> Definition: The code specifying the type of tax registration number assigned by a national authority. Used code list: <a href="#">DutyFeeTaxRegistrationTypeCode</a> Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Customs duty registration information</b>	0..unbounded	SDD-ID: <b>BDTG00000375</b> Definition: The information specifying details of a party registered for customs duty.
<b>Customs authority name</b>	0..1	SDD-ID: <b>BDT00000370</b> Definition: The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
<b>Customs registration identification information</b>	1..1	SDD-ID: <b>BDTG00000621</b> Definition: The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
<b>Customs registration identification content</b>	1..1	SDD-ID: <b>BDT00000622</b> Definition: The identity assigned to a party registered for customs duty according to a national customs register.
<b>Identification scheme information</b>	0..1	SDD-ID: <b>BDTG00000587</b> Definition: The information specifying details of the used identification scheme.
<b>Identification scheme name</b>	0..1	SDD-ID: <b>BDT00000074</b> Definition: The name of the identification scheme.

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
			Definition:	The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
			Definition:	The code specifying the type of tax.
	Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
			Definition:	The code specifying the type of tax.
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Customs duty description	0..1	SDD-ID:	<b>BDTG00000378</b>
			Definition:	The description of the customs duty expressed as text.
	Customs duty description content	1..1	SDD-ID:	<b>BDT00000563</b>
			Definition:	The description of the customs duty expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Customs registration type code	0..1	SDD-ID:	<b>BDTG00000623</b>
			Definition:	The code specifying the type of customs registration number assigned by a national authority.
	Customs registration type code content	1..1	SDD-ID:	<b>BDT00000624</b>
			Definition:	The code specifying the type of customs registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>



Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The version number of the code list.
<b>Organisation legal information</b>	0..1	SDD-ID:	<b>BDTG00000262</b>
		Definition:	The information specifying details of a legal organisation.
<b>Organisation name</b>	1..1	SDD-ID:	<b>BDT00000102</b>
		Definition:	The official and legal name of the organisation.
<b>Language of the party code</b>	0..1	SDD-ID:	<b>BDTG00000228</b>
		Definition:	The code specifying the language of a party.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Currency of party code</b>	0..1	SDD-ID:	<b>BDTG00000184</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
<b>Currency of party code content</b>	1..1	SDD-ID:	<b>BDT00000710</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Official address</b>	0..1	SDD-ID:	<b>BDTG00000246</b>
		Definition:	The registered legal address of the organisation.
<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
		Definition:	The code indicating a geographical region in a country.
<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.
<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
		Definition:	The code specifying a city.
<b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
		Definition:	The street crossing another street.
<b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
<b>Postal code</b>	0..1	SDD-ID:	<b>BDT00000114</b>
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90



Business data terms and groups		Usage	Business data terms and groups description	
	<b>Province identity</b>	0..1	Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
			SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	<b>State</b>	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	<b>Street address one</b>	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	<b>Street address two</b>	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	<b>Street address three</b>	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	<b>Country code</b>	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	<b>Country code content</b>	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Geographical coordinates information</b>	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	<b>Latitude</b>	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	<b>Longitude</b>	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	<b>Issued capital</b>	0..1	SDD-ID:	<b>BDTG00000225</b>
			Definition:	The monetary amount representing the value of the issued capital of a company.
	<b>Issued capital content</b>	1..1	SDD-ID:	<b>BDT00000655</b>
			Definition:	The monetary amount representing the issued capital of a company.
	<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
			Definition:	The code specifying the currency of a monetary amount.
	<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>

## Order response

Business data terms and groups	Usage	Business data terms and groups description	
<b>Legal structure description</b>	0..1	Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG00000231</b>
<b>Legal structure description content</b>	1..1	Definition:	The description of the legal structure expressed as text.
		SDD-ID:	<b>BDTG00000659</b>
<b>Language code</b>	0..1	Definition:	The description of the legal structure expressed as text.
		SDD-ID:	<b>BDTG00000523</b>
<b>Language code content</b>	1..1	Definition:	The code specifying the language.
		SDD-ID:	<b>BDTG00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDTG0000028</b>
		Definition:	The version number of the code list.
<b>Registered legal information</b>	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
<b>Legal registration number</b>	1..1	SDD-ID:	<b>BDTG0000087</b>
		Definition:	The identification number of an organisation according to a legal register.
<b>Legal registration additional information</b>	0..1	SDD-ID:	<b>BDTG0000086</b>
		Definition:	The additional information related to the legal registration expressed as text.
<b>Legal registration type code</b>	1..1	SDD-ID:	<b>BDTG00000230</b>
		Definition:	The code specifying the type of legal registration.
<b>Legal registration type code content</b>	1..1	SDD-ID:	<b>BDTG00000658</b>
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDTG0000028</b>
		Definition:	The version number of the code list.
<b>Financial institution and financial account information</b>	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
		Definition:	The information specifying details of a financial institution and financial account.
<b>Financial institution name</b>	0..1	SDD-ID:	<b>BDTG0000061</b>
		Definition:	The name of a financial institution expressed as text.
<b>Financial institution division name</b>	0..1	SDD-ID:	<b>BDTG0000060</b>
		Definition:	The name of a division or branch within a financial institution expressed as text.
<b>Financial account information</b>	0..1	SDD-ID:	<b>BDTG00000207</b>
		Definition:	The information specifying details of a financial account.
<b>Financial account name</b>	0..1	SDD-ID:	<b>BDTG0000058</b>
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
<b>Financial account number</b>	1..1	SDD-ID:	<b>BDTG0000059</b>
		Definition:	The number of a financial account expressed as text.

Business data terms and groups		Usage	Business data terms and groups description	
	Financial account number type code	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000208</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Financial account number type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000645</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Financial institution routing number information	0..1	SDD-ID: Definition:	<b>BDTG00000210</b> The information specifying details on a routing number of a financial institution.
	Financial routing number	1..1	SDD-ID: Definition:  Business rule:	<b>BDT00000062</b> The routing number of a financial transaction according to the specified financial routing type. This business data term must be used in conjunction with the Financial routing number type code class.
	Financial routing number type code	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000211</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Financial routing number type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000644</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Additional financial institution description	0..1	SDD-ID: Definition:	<b>BDTG00000522</b> The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID: Definition:	<b>BDT00000521</b> The text value describing the additional financial institution.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>

Business data terms and groups	Usage	Business data terms and groups description	
<b>Address information</b>	0..1	Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG00000144</b>
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.
<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
		Definition:	The code specifying a city.
<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
		Definition:	The code indicating a geographical region in a country.
<b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
		Definition:	The street crossing another street.
<b>Party name</b>	0..1	SDD-ID:	<b>BDT00000106</b>
		Definition:	The name of the party expressed as text.
<b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
<b>Postal code</b>	0..1	SDD-ID:	<b>BDT00000114</b>
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
<b>Province identity</b>	0..1	SDD-ID:	<b>BDT00000117</b>
		Definition:	The identity of a province according to national codes assigned to provinces.
<b>State</b>	0..1	SDD-ID:	<b>BDT00000127</b>
		Definition:	The political unit that a country can be divided into.
		Example:	California
<b>Street address one</b>	0..1	SDD-ID:	<b>BDT00000128</b>
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
<b>Street address two</b>	0..1	SDD-ID:	<b>BDT00000130</b>
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
<b>Street address three</b>	0..1	SDD-ID:	<b>BDT00000129</b>
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
<b>Country code</b>	0..1	SDD-ID:	<b>BDTG00000179</b>
		Definition:	The code specifying a country.
<b>Country code content</b>	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>





Business data terms and groups	Usage	Business data terms and groups description	
<b>Geographical coordinates information</b>	0..1	Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG00000214</b>
<b>Latitude</b>	1..1	Definition:	The information specifying details on a location using geographical coordinates.
		SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
<b>Longitude</b>	1..1	SDD-ID:	<b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
<b>Seller party information</b>	0..1	SDD-ID:	<b>BDTG00000305</b>
		Definition:	The information specifying the party that sells products or services.
		Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
		Synonyms:	Supplier
<b>Global location number, GLN</b>	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<b>Party commercial name</b>	0..1	SDD-ID:	<b>BDT00000787</b>
		Definition:	The commercial name of the party expressed as text.
<b>Additional party identification information</b>	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<b>Additional party identification content</b>	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
<b>Additional party identification type code</b>	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
<b>Additional party identification type code content</b>	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Electronic address information</b>	0..1	SDD-ID:	<b>BDTG00000784</b>
		Definition:	The information about the electronic address of a party
<b>Electronic address identification scheme</b>	1..1	SDD-ID:	<b>BDT00000786</b>

Business data terms and groups		Usage	Business data terms and groups description	
Electronic address identification		1..1	Definition:	The identification scheme of of the electronic address
			SDD-ID:	<b>BDT00000785</b>
Address information		0..1	Definition:	The identifier of of the electronic address to which a business document should be delivered
			SDD-ID:	<b>BDTG00000144</b>
City name		0..1	Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
			SDD-ID:	<b>BDT00000020</b>
City code		0..1	Definition:	The name of the city, town or village.
			SDD-ID:	<b>BDT00000019</b>
County code		0..1	Definition:	The code specifying a city.
			SDD-ID:	<b>BDT00000034</b>
Cross street		0..1	Definition:	The code indicating a geographical region in a country.
			SDD-ID:	<b>BDT00000035</b>
Party name		0..1	Definition:	The street crossing another street.
			SDD-ID:	<b>BDT00000106</b>
Post office box number		0..1	Definition:	The name of the party expressed as text.
			SDD-ID:	<b>BDT00000113</b>
Postal code		0..1	Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
Province identity		0..1	Definition:	The code according to the relevant postal system or service to specify a geographical area.
			SDD-ID:	<b>BDT00000114</b>
State		0..1	Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Street address one		0..1	Definition:	The identity of a province according to national codes assigned to provinces.
			SDD-ID:	<b>BDT00000117</b>
Street address two		0..1	Definition:	The political unit that a country can be divided into.
			SDD-ID:	<b>BDT00000127</b>
Street address three		0..1	Example:	California
			SDD-ID:	<b>BDT00000128</b>
Country code		0..1	Definition:	The first street address line of a structured address.
			SDD-ID:	<b>BDT00000130</b>
			Example:	Avenue Louise 326
			SDD-ID:	<b>BDT00000129</b>
			Definition:	The second street address line of a structured address.
			SDD-ID:	<b>BDT00000130</b>
			Example:	Blue Tower
			SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			SDD-ID:	<b>BDT00000129</b>
			Example:	Floor 4
			SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
			SDD-ID:	<b>BDTG00000179</b>

## Order response

Business data terms and groups	Usage	Business data terms and groups description	
Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business contact information	0..unbounded	SDD-ID:	<b>BDTG00000158</b>
		Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID:	<b>BDT00000112</b>
		Definition:	The name of an individual person expressed as text.
Department name	0..1	SDD-ID:	<b>BDT00000044</b>
		Definition:	The name of the department.
Job title	0..1	SDD-ID:	<b>BDT00000083</b>
		Definition:	The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID:	<b>BDTG00000178</b>
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
Contact type code content	1..1	SDD-ID:	<b>BDT00000571</b>
		Definition:	The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID:	<b>BDT00000580</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en

Business data terms and groups	Usage	Business data terms and groups description
		Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Communication information	0..unbounded	SDD-ID: <b>BDTG00000176</b> Definition: The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID: <b>BDTG00000175</b> Definition: The code specifying the channel for communication. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Communication channel code content	1..1	SDD-ID: <b>BDT00000525</b> Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Communication channel identification	1..1	SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID: <b>BDTG00000145</b> Definition: The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID: <b>BDTG00000175</b> Definition: The code specifying the channel for communication. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Communication channel code content	1..1	SDD-ID: <b>BDT00000525</b> Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Communication channel identification	1..1	SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.



Business data terms and groups	Usage	Business data terms and groups description	
<b>Tax registration information</b>	0..unbounded	SDD-ID:	<b>BDTG00000326</b>
		Definition:	The information specifying details of a party registered for tax.
<b>Tax authority name</b>	0..1	SDD-ID:	<b>BDT00000369</b>
		Definition:	The name of the authority administrating the collection of taxes expressed as text.
<b>Tax registration identification information</b>	1..1	SDD-ID:	<b>BDTG00000585</b>
		Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
<b>Tax registration identification content</b>	1..1	SDD-ID:	<b>BDT00000584</b>
		Definition:	The identity assigned to a party registered for tax according to a national tax register.
<b>Identification scheme information</b>	0..1	SDD-ID:	<b>BDTG00000587</b>
		Definition:	The information specifying details of the used identification scheme.
<b>Identification scheme name</b>	0..1	SDD-ID:	<b>BDT00000074</b>
		Definition:	The name of the identification scheme.
<b>Identification scheme agency name</b>	0..1	SDD-ID:	<b>BDT00000073</b>
		Definition:	The name of the agency responsible for a identification scheme.
<b>Identification scheme responsible agency code</b>	0..1	SDD-ID:	<b>BDTG00000586</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID:	<b>BDT00000583</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax type code</b>	0..1	SDD-ID:	<b>BDTG00000328</b>
		Definition:	The code specifying the type of tax.
<b>Tax type code content</b>	1..1	SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax description</b>	0..1	SDD-ID:	<b>BDTG00000322</b>
		Definition:	The description of the tax expressed as text.
<b>Tax description content</b>	1..1	SDD-ID:	<b>BDT00000754</b>
		Definition:	The description of the tax expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code



Business data terms and groups	Usage	Business data terms and groups description	
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition:	list is available at <a href="http://www.iso.org">www.iso.org</a> . The version number of the code list.
<b>Tax registration type code</b>	0..1	SDD-ID: <b>BDTG00000327</b> Definition:	The code specifying the type of tax registration number assigned by a national authority.
<b>Tax registration type code content</b>	1..1	SDD-ID: <b>BDT00000588</b> Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Used code list: <b>DutyFeeTaxRegistrationTypeCode</b> Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>	
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
<b>Customs duty registration information</b>	0..unbounded	SDD-ID: <b>BDTG00000375</b> Definition:	The information specifying details of a party registered for customs duty.
<b>Customs authority name</b>	0..1	SDD-ID: <b>BDT00000370</b> Definition:	The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
<b>Customs registration identification information</b>	1..1	SDD-ID: <b>BDTG00000621</b> Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
<b>Customs registration identification content</b>	1..1	SDD-ID: <b>BDT00000622</b> Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
<b>Identification scheme information</b>	0..1	SDD-ID: <b>BDTG00000587</b> Definition:	The information specifying details of the used identification scheme.
<b>Identification scheme name</b>	0..1	SDD-ID: <b>BDT00000074</b> Definition:	The name of the identification scheme.
<b>Identification scheme agency name</b>	0..1	SDD-ID: <b>BDT00000073</b> Definition:	The name of the agency responsible for a identification scheme.
<b>Identification scheme responsible agency code</b>	0..1	SDD-ID: <b>BDTG00000586</b> Definition:	The code specifying the agency responsible for the identification scheme.
<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: <b>BDT00000583</b> Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list: <b>ResponsibleAgencyCode</b> Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>	
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
<b>Tax type code</b>	0..1	SDD-ID: <b>BDTG00000328</b> Definition:	The code specifying the type of tax.
<b>Tax type code content</b>	1..1	SDD-ID: <b>BDT00000576</b>	

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Customs duty description	0..1	SDD-ID:	<b>BDTG00000378</b>
		Definition:	The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID:	<b>BDT00000563</b>
		Definition:	The description of the customs duty expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Customs registration type code	0..1	SDD-ID:	<b>BDTG00000623</b>
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
Customs registration type code content	1..1	SDD-ID:	<b>BDT00000624</b>
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Organisation legal information	0..1	SDD-ID:	<b>BDTG00000262</b>
		Definition:	The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID:	<b>BDT00000102</b>
		Definition:	The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID:	<b>BDTG00000228</b>
		Definition:	The code specifying the language of a party.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.



Business data terms and groups	Usage	Business data terms and groups description
Currency of party code	0..1	SDD-ID: <b>BDTG00000184</b> Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID: <b>BDT00000710</b> Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax. Link to code list: <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Official address	0..1	SDD-ID: <b>BDTG00000246</b> Definition: The registered legal address of the organisation.
County code	0..1	SDD-ID: <b>BDT00000034</b> Definition: The code indicating a geographical region in a country.
City name	0..1	SDD-ID: <b>BDT00000020</b> Definition: The name of the city, town or village.
City code	0..1	SDD-ID: <b>BDT00000019</b> Definition: The code specifying a city.
Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition: The street crossing another street.
Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition: The number of a post office box located on the premises of a post office station or other postal service location. Synonyms: P.O. box, postal box
Postal code	0..1	SDD-ID: <b>BDT00000114</b> Definition: The code according to the relevant postal system or service to specify a geographical area. Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID: <b>BDT00000117</b> Definition: The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID: <b>BDT00000127</b> Definition: The political unit that a country can be divided into. Example: California
Street address one	0..1	SDD-ID: <b>BDT00000128</b> Definition: The first street address line of a structured address. Example: Avenue Louise 326
Street address two	0..1	SDD-ID: <b>BDT00000130</b> Definition: The second street address line of a structured address. Example: Blue Tower
Street address three	0..1	SDD-ID: <b>BDT00000129</b> Definition: The third street address line of a structured address.



Business data terms and groups		Usage	Business data terms and groups description	
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Issued capital	0..1	SDD-ID:	<b>BDTG00000225</b>
			Definition:	The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID:	<b>BDT00000655</b>
			Definition:	The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
			Definition:	The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Legal structure description	0..1	SDD-ID:	<b>BDTG00000231</b>
			Definition:	The description of the legal structure expressed as text.
	Legal structure description content	1..1	SDD-ID:	<b>BDT00000659</b>
			Definition:	The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.

Business data terms and groups	Usage	Business data terms and groups description	
<b>Registered legal information</b>	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
<b>Legal registration number</b>	1..1	SDD-ID:	<b>BDT00000087</b>
		Definition:	The identification number of an organisation according to a legal register.
<b>Legal registration additional information</b>	0..1	SDD-ID:	<b>BDT00000086</b>
		Definition:	The additional information related to the legal registration expressed as text.
<b>Legal registration type code</b>	1..1	SDD-ID:	<b>BDTG00000230</b>
		Definition:	The code specifying the type of legal registration.
<b>Legal registration type code content</b>	1..1	SDD-ID:	<b>BDT00000658</b>
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Financial institution and financial account information</b>	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
		Definition:	The information specifying details of a financial institution and financial account.
<b>Financial institution name</b>	0..1	SDD-ID:	<b>BDT00000061</b>
		Definition:	The name of a financial institution expressed as text.
<b>Financial institution division name</b>	0..1	SDD-ID:	<b>BDT00000060</b>
		Definition:	The name of a division or branch within a financial institution expressed as text.
<b>Financial account information</b>	0..1	SDD-ID:	<b>BDTG00000207</b>
		Definition:	The information specifying details of a financial account.
<b>Financial account name</b>	0..1	SDD-ID:	<b>BDT00000058</b>
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
<b>Financial account number</b>	1..1	SDD-ID:	<b>BDT00000059</b>
		Definition:	The number of a financial account expressed as text.
<b>Financial account number type code</b>	1..1	SDD-ID:	<b>BDTG00000208</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
<b>Financial account number type code content</b>	1..1	SDD-ID:	<b>BDT00000645</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Financial institution routing number information</b>	0..1	SDD-ID:	<b>BDTG00000210</b>
		Definition:	The information specifying details on a routing number of a financial institution.



Business data terms and groups	Usage	Business data terms and groups description	
Financial routing number	1..1	SDD-ID: Definition: Business rule:	<b>BDT00000062</b> The routing number of a financial transaction according to the specified financial routing type. This business data term must be used in conjunction with the Financial routing number type code class.
Financial routing number type code	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000211</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
Financial routing number type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000644</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Additional financial institution description	0..1	SDD-ID: Definition:	<b>BDTG00000522</b> The additional description of a financial institution expressed as text.
Additional financial institution description content	1..1	SDD-ID: Definition:	<b>BDT00000521</b> The text value describing the additional financial institution.
Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Address information	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
Party name	0..1	SDD-ID:	<b>BDT00000106</b>

Business data terms and groups		Usage	Business data terms and groups description	
<ul style="list-style-type: none"> <li>Post office box number</li> <li>Postal code</li> <li>Province identity</li> <li>State</li> <li>Street address one</li> <li>Street address two</li> <li>Street address three</li> <li>Country code</li> <li>Country code content</li> <li>Code list version</li> <li>Geographical coordinates information</li> <li>Latitude</li> <li>Longitude</li> <li>Bill to party information</li> </ul>		0..1	Definition:	The name of the party expressed as text.
			SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
		0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
		0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
		0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
		0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
		0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
		0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
		1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
		0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
		0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
		1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
		1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
		0..1	SDD-ID:	<b>BDTG00000157</b>
			Definition:	The information specifying details of the party who receives the invoice.
			Context:	Used if the invoice is to be sent to another party than the buyer, which occur when the



Business data terms and groups	Usage	Business data terms and groups description	
		Usage:	buyer has engaged another company to pay the invoices, so called factoring.
		Usage rule:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
		Synonyms:	Invoicee
Global location number GLN	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Example:	7300015207788
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	<b>BDT00000019</b>
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	<b>BDT00000034</b>
		Definition:	The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
		Definition:	The street crossing another street.
Party name	0..1	SDD-ID:	<b>BDT00000106</b>
		Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>

Business data terms and groups		Usage	Business data terms and groups description	
Postal code		0..1	Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
Province identity		0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
State		0..1	Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Street address one		0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
Street address two		0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
Street address three		0..1	Example:	California
			SDD-ID:	<b>BDT00000128</b>
Country code		0..1	Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
Country code content		1..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
Code list version		0..1	Example:	Blue Tower
			SDD-ID:	<b>BDT00000129</b>
Geographical coordinates information		0..1	Definition:	The third street address line of a structured address.
			Example:	Floor 4
Latitude		1..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
Longitude		1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
Business contact information		0..unbounded	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
Person name		0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
			SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
			SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
			SDD-ID:	<b>BDTG00000158</b>
			Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
			SDD-ID:	<b>BDT00000112</b>
			Definition:	The name of an individual person expressed as text.





Business data terms and groups	Usage	Business data terms and groups description	
Department name	0..1	SDD-ID:	<b>BDT00000044</b>
		Definition:	The name of the department.
Job title	0..1	SDD-ID:	<b>BDT00000083</b>
		Definition:	The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID:	<b>BDTG00000178</b>
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
Contact type code content	1..1	SDD-ID:	<b>BDT00000571</b>
		Definition:	The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID:	<b>BDT00000580</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Communication information	0..unbounded	SDD-ID:	<b>BDTG00000176</b>
		Definition:	The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID:	<b>BDTG00000175</b>
		Definition:	The code specifying the channel for communication.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Communication channel code content	1..1	SDD-ID:	<b>BDT00000525</b>
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	<b>BDT00000032</b>

## Order response

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>
		Definition:	The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID:	<b>BDTG00000145</b>
		Definition:	The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID:	<b>BDTG00000175</b>
		Definition:	The code specifying the channel for communication.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Communication channel code content	1..1	SDD-ID:	<b>BDT00000525</b>
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	<b>BDT00000032</b>
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>
		Definition:	The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID:	<b>BDTG00000326</b>
		Definition:	The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID:	<b>BDT00000369</b>
		Definition:	The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID:	<b>BDTG00000585</b>
		Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID:	<b>BDT00000584</b>
		Definition:	The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
		Definition:	The code specifying the agency responsible for the identification scheme.

Business data terms and groups	Usage	Business data terms and groups description
		Used code list: ResponsibleAgencyCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Tax type code	0..1	SDD-ID: <b>BDTG00000328</b> Definition: The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: <b>BDT00000576</b> Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Tax description	0..1	SDD-ID: <b>BDTG00000322</b> Definition: The description of the tax expressed as text.
Tax description content	1..1	SDD-ID: <b>BDT00000754</b> Definition: The description of the tax expressed as text.
Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Tax registration type code	0..1	SDD-ID: <b>BDTG00000327</b> Definition: The code specifying the type of tax registration number assigned by a national authority.
Tax registration type code content	1..1	SDD-ID: <b>BDT00000588</b> Definition: The code specifying the type of tax registration number assigned by a national authority. Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Customs duty registration information	0..unbounded	SDD-ID: <b>BDTG00000375</b> Definition: The information specifying details of a party registered for customs duty.
Customs authority name	0..1	SDD-ID: <b>BDT00000370</b> Definition: The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.

Business data terms and groups	Usage	Business data terms and groups description	
<b>Customs registration identification information</b>	1..1	SDD-ID: <b>BDTG00000621</b> Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
<b>Customs registration identification content</b>	1..1	SDD-ID: <b>BDT00000622</b> Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
<b>Identification scheme information</b>	0..1	SDD-ID: <b>BDTG00000587</b> Definition:	The information specifying details of the used identification scheme.
<b>Identification scheme name</b>	0..1	SDD-ID: <b>BDT00000074</b> Definition:	The name of the identification scheme.
<b>Identification scheme agency name</b>	0..1	SDD-ID: <b>BDT00000073</b> Definition:	The name of the agency responsible for a identification scheme.
<b>Identification scheme responsible agency code</b>	0..1	SDD-ID: <b>BDTG00000586</b> Definition:	The code specifying the agency responsible for the identification scheme.
<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: <b>BDT00000583</b> Definition: Used code list: Link to code list:	The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
<b>Tax type code</b>	0..1	SDD-ID: <b>BDTG00000328</b> Definition:	The code specifying the type of tax.
<b>Tax type code content</b>	1..1	SDD-ID: <b>BDT00000576</b> Definition: Used code list: Link to code list:	The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
<b>Customs duty description</b>	0..1	SDD-ID: <b>BDTG00000378</b> Definition:	The description of the customs duty expressed as text.
<b>Customs duty description content</b>	1..1	SDD-ID: <b>BDT00000563</b> Definition:	The description of the customs duty expressed as text.
<b>Language code</b>	0..1	SDD-ID: <b>BDTG00000523</b> Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID: <b>BDT00000524</b> Definition: Example: Used code list:	The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.

## Order response

Business data terms and groups	Usage	Business data terms and groups description	
Customs registration type code	0..1	SDD-ID: <b>BDTG00000623</b> Definition:	The code specifying the type of customs registration number assigned by a national authority.
Customs registration type code content	1..1	SDD-ID: <b>BDT00000624</b> Definition:	The code specifying the type of customs registration number assigned by a national authority.
		Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
Organisation legal information	0..1	SDD-ID: <b>BDTG00000262</b> Definition:	The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID: <b>BDT00000102</b> Definition:	The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID: <b>BDTG00000228</b> Definition:	The code specifying the language of a party.
Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition:	The code specifying the language.
		Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
Currency of party code	0..1	SDD-ID: <b>BDTG00000184</b> Definition:	The code specifying the currency of a party.
		Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax.	
Currency of party code content	1..1	SDD-ID: <b>BDT00000710</b> Definition:	The code specifying the currency of a party.
		Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax. Link to code list: <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
Official address	0..1	SDD-ID: <b>BDTG00000246</b> Definition:	The registered legal address of the organisation.
County code	0..1	SDD-ID: <b>BDT00000034</b> Definition:	The code indicating a geographical region in a country.
City name	0..1	SDD-ID: <b>BDT00000020</b> Definition:	The name of the city, town or village.
City code	0..1	SDD-ID: <b>BDT00000019</b> Definition:	The code specifying a city.

Business data terms and groups		Usage	Business data terms and groups description	
	Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID: Definition:	<b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID: Definition:	<b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: Definition:	<b>BDT00000127</b> The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID: Definition:	<b>BDT00000128</b> The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition:	<b>BDT00000130</b> The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID: Definition:	<b>BDT00000129</b> The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
	Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID: Definition:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Issued capital	0..1	SDD-ID: Definition:	<b>BDTG00000225</b> The monetary amount representing the value of the issued capital of a company.



Business data terms and groups	Usage	Business data terms and groups description	
Issued capital content	1..1	SDD-ID:	<b>BDT00000655</b>
		Definition:	The monetary amount representing the issued capital of a company.
Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Legal structure description	0..1	SDD-ID:	<b>BDTG00000231</b>
		Definition:	The description of the legal structure expressed as text.
Legal structure description content	1..1	SDD-ID:	<b>BDT00000659</b>
		Definition:	The description of the legal structure expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Registered legal information	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID:	<b>BDT00000087</b>
		Definition:	The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID:	<b>BDTG00000086</b>
		Definition:	The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID:	<b>BDTG00000230</b>
		Definition:	The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID:	<b>BDT00000658</b>
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
		Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID:	<b>BDT00000061</b>



Business data terms and groups	Usage	Business data terms and groups description	
<b>Financial institution division name</b>	0..1	Definition:	The name of a financial institution expressed as text.
		SDD-ID:	<b>BDT00000060</b>
<b>Financial account information</b>	0..1	Definition:	The name of a division or branch within a financial institution expressed as text.
		SDD-ID:	<b>BDTG00000207</b>
<b>Financial account name</b>	0..1	Definition:	The information specifying details of a financial account.
		SDD-ID:	<b>BDT00000058</b>
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
<b>Financial account number</b>	1..1	SDD-ID:	<b>BDT00000059</b>
		Definition:	The number of a financial account expressed as text.
<b>Financial account number type code</b>	1..1	SDD-ID:	<b>BDTG00000208</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
<b>Financial account number type code content</b>	1..1	SDD-ID:	<b>BDT00000645</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Financial institution routing number information</b>	0..1	SDD-ID:	<b>BDTG00000210</b>
		Definition:	The information specifying details on a routing number of a financial institution.
<b>Financial routing number</b>	1..1	SDD-ID:	<b>BDT00000062</b>
		Definition:	The routing number of a financial transaction according to the specified financial routing type.
		Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
<b>Financial routing number type code</b>	1..1	SDD-ID:	<b>BDTG00000211</b>
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
<b>Financial routing number type code content</b>	1..1	SDD-ID:	<b>BDT00000644</b>
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Additional financial institution description</b>	0..1	SDD-ID:	<b>BDTG00000522</b>
		Definition:	The additional description of a financial institution expressed as text.



Business data terms and groups		Usage	Business data terms and groups description	
	Additional financial institution description content	1..1	SDD-ID:	<b>BDT00000521</b>
	Language code	0..1	Definition:	The text value describing the additional financial institution.
	Language code content	1..1	SDD-ID:	<b>BDTG00000523</b>
	Code list version	0..1	Definition:	The code specifying the language.
	Address information	0..1	SDD-ID:	<b>BDT00000524</b>
	City name	0..1	Definition:	The code specifying the language.
	City code	0..1	Example:	en
	County code	0..1	Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Cross street	0..1	SDD-ID:	<b>BDT00000028</b>
	Party name	0..1	Definition:	The version number of the code list.
	Post office box number	0..1	SDD-ID:	<b>BDTG00000144</b>
	Postal code	0..1	Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	Province identity	0..1	SDD-ID:	<b>BDT00000020</b>
	State	0..1	Definition:	The name of the city, town or village.
	Street address one	0..1	SDD-ID:	<b>BDT00000019</b>
	Street address two	0..1	Definition:	The code specifying a city.
		0..1	SDD-ID:	<b>BDT00000034</b>
		0..1	Definition:	The code indicating a geographical region in a country.
		0..1	SDD-ID:	<b>BDT00000035</b>
		0..1	Definition:	The street crossing another street.
		0..1	SDD-ID:	<b>BDT00000106</b>
		0..1	Definition:	The name of the party expressed as text.
		0..1	SDD-ID:	<b>BDT00000113</b>
		0..1	Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		0..1	Synonyms:	P.O. box, postal box
		0..1	SDD-ID:	<b>BDT00000114</b>
		0..1	Definition:	The code according to the relevant postal system or service to specify a geographical area.
		0..1	Example:	SE 190 90
		0..1	Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		0..1	SDD-ID:	<b>BDT00000117</b>
		0..1	Definition:	The identity of a province according to national codes assigned to provinces.
		0..1	SDD-ID:	<b>BDT00000127</b>
		0..1	Definition:	The political unit that a country can be divided into.
		0..1	Example:	California
		0..1	SDD-ID:	<b>BDT00000128</b>
		0..1	Definition:	The first street address line of a structured address.
		0..1	Example:	Avenue Louise 326
		0..1	SDD-ID:	<b>BDT00000130</b>



Business data terms and groups		Usage	Business data terms and groups description	
<ul style="list-style-type: none"> <li>Street address three</li> <li>Country code</li> <li>Country code content</li> <li>Code list version</li> <li>Geographical coordinates information</li> <li>Latitude</li> <li>Longitude</li> </ul>			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
		0..1	SDD-ID:	<b>BDTG00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
		0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
		1..1	SDD-ID:	<b>BDTG00000774</b>
			Definition:	The code specifying a country.
		0..1	SDD-ID:	<b>BDTG00000028</b>
<ul style="list-style-type: none"> <li>Pick up from party information</li> <li>Global location number GLN</li> <li>Additional party identification</li> <li>Additional party identification content</li> <li>Additional party identification type code</li> <li>Additional party identification type code content</li> </ul>			Definition:	The version number of the code list.
		0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
		1..1	SDD-ID:	<b>BDTG00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
		1..1	SDD-ID:	<b>BDTG00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
		0..1	SDD-ID:	<b>BDTG00000275</b>
			Definition:	The information specifying the location for picking up goods.
			Usage:	To identify a party or a location, either of "BDTG00000063 Global location number, GLN" or "BDTG00000578 Additional party identification content" is used, or both.
		0..1	SDD-ID:	<b>BDTG00000063</b>
			Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
			Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
		0..unbounded	SDD-ID:	<b>BDTG00000577</b>
			Definition:	The information specifying the additional identification details of a party.
			Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
		1..1	SDD-ID:	<b>BDTG00000578</b>
			Definition:	The additional identity of a party.
		1..1	SDD-ID:	<b>BDTG00000579</b>
			Definition:	The code specifying the additional identification type of the party.
		1..1	SDD-ID:	<b>BDTG00000570</b>
			Definition:	The code specifying the additional identification type of the party.
			Used code list:	AdditionalPartyIdentificationTypeCode

Business data terms and groups	Usage	Business data terms and groups description
		Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Address information	0..1	SDD-ID: <b>BDTG00000144</b> Definition: The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: <b>BDT00000020</b> Definition: The name of the city, town or village.
City code	0..1	SDD-ID: <b>BDT00000019</b> Definition: The code specifying a city.
County code	0..1	SDD-ID: <b>BDT00000034</b> Definition: The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition: The street crossing another street.
Party name	0..1	SDD-ID: <b>BDT00000106</b> Definition: The name of the party expressed as text.
Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition: The number of a post office box located on the premises of a post office station or other postal service location.
Postal code	0..1	Synonyms: P.O. box, postal box SDD-ID: <b>BDT00000114</b> Definition: The code according to the relevant postal system or service to specify a geographical area. Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID: <b>BDT00000117</b> Definition: The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID: <b>BDT00000127</b> Definition: The political unit that a country can be divided into. Example: California
Street address one	0..1	SDD-ID: <b>BDT00000128</b> Definition: The first street address line of a structured address. Example: Avenue Louise 326
Street address two	0..1	SDD-ID: <b>BDT00000130</b> Definition: The second street address line of a structured address. Example: Blue Tower
Street address three	0..1	SDD-ID: <b>BDT00000129</b> Definition: The third street address line of a structured address. Example: Floor 4
Country code	0..1	SDD-ID: <b>BDTG00000179</b> Definition: The code specifying a country.

## Order response

Business data terms and groups	Usage	Business data terms and groups description	
Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business contact information	0..1	SDD-ID:	<b>BDTG00000158</b>
		Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID:	<b>BDT00000112</b>
		Definition:	The name of an individual person expressed as text.
Department name	0..1	SDD-ID:	<b>BDT00000044</b>
		Definition:	The name of the department.
Job title	0..1	SDD-ID:	<b>BDT00000083</b>
		Definition:	The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID:	<b>BDTG00000178</b>
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
Contact type code content	1..1	SDD-ID:	<b>BDT00000571</b>
		Definition:	The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID:	<b>BDT00000580</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en

Business data terms and groups	Usage	Business data terms and groups description
		Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Communication information	0..unbounded	SDD-ID: <b>BDTG00000176</b> Definition: The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID: <b>BDTG00000175</b> Definition: The code specifying the channel for communication. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Communication channel code content	1..1	SDD-ID: <b>BDT00000525</b> Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Communication channel identification	1..1	SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID: <b>BDTG00000145</b> Definition: The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID: <b>BDTG00000175</b> Definition: The code specifying the channel for communication. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Communication channel code content	1..1	SDD-ID: <b>BDT00000525</b> Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Communication channel identification	1..1	SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.

Business data terms and groups	Usage	Business data terms and groups description	
<b>Tax registration information</b>	0..unbounded	SDD-ID:	<b>BDTG00000326</b>
		Definition:	The information specifying details of a party registered for tax.
<b>Tax authority name</b>	0..1	SDD-ID:	<b>BDT00000369</b>
		Definition:	The name of the authority administrating the collection of taxes expressed as text.
<b>Tax registration identification information</b>	1..1	SDD-ID:	<b>BDTG00000585</b>
		Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
<b>Tax registration identification content</b>	1..1	SDD-ID:	<b>BDT00000584</b>
		Definition:	The identity assigned to a party registered for tax according to a national tax register.
<b>Identification scheme information</b>	0..1	SDD-ID:	<b>BDTG00000587</b>
		Definition:	The information specifying details of the used identification scheme.
<b>Identification scheme name</b>	0..1	SDD-ID:	<b>BDT00000074</b>
		Definition:	The name of the identification scheme.
<b>Identification scheme agency name</b>	0..1	SDD-ID:	<b>BDT00000073</b>
		Definition:	The name of the agency responsible for a identification scheme.
<b>Identification scheme responsible agency code</b>	0..1	SDD-ID:	<b>BDTG00000586</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID:	<b>BDT00000583</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax type code</b>	0..1	SDD-ID:	<b>BDTG00000328</b>
		Definition:	The code specifying the type of tax.
<b>Tax type code content</b>	1..1	SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax description</b>	0..1	SDD-ID:	<b>BDTG00000322</b>
		Definition:	The description of the tax expressed as text.
<b>Tax description content</b>	1..1	SDD-ID:	<b>BDT00000754</b>
		Definition:	The description of the tax expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code





Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	list is available at <a href="http://www.iso.org">www.iso.org</a> .
Tax registration type code	0..1	SDD-ID: <b>BDTG00000327</b> Definition: The code specifying the type of tax registration number assigned by a national authority.	
Tax registration type code content	1..1	SDD-ID: <b>BDT00000588</b> Definition: The code specifying the type of tax registration number assigned by a national authority. Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Customs duty registration information	0..unbounded	SDD-ID: <b>BDTG00000375</b> Definition: The information specifying details of a party registered for customs duty.	
Customs authority name	0..1	SDD-ID: <b>BDT00000370</b> Definition: The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.	
Customs registration identification information	1..1	SDD-ID: <b>BDTG00000621</b> Definition: The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.	
Customs registration identification content	1..1	SDD-ID: <b>BDT00000622</b> Definition: The identity assigned to a party registered for customs duty according to a national customs register.	
Identification scheme information	0..1	SDD-ID: <b>BDTG00000587</b> Definition: The information specifying details of the used identification scheme.	
Identification scheme name	0..1	SDD-ID: <b>BDT00000074</b> Definition: The name of the identification scheme.	
Identification scheme agency name	0..1	SDD-ID: <b>BDT00000073</b> Definition: The name of the agency responsible for a identification scheme.	
Identification scheme responsible agency code	0..1	SDD-ID: <b>BDTG00000586</b> Definition: The code specifying the agency responsible for the identification scheme.	
Identification scheme responsible agency code content	1..1	SDD-ID: <b>BDT00000583</b> Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Tax type code	0..1	SDD-ID: <b>BDTG00000328</b> Definition: The code specifying the type of tax.	
Tax type code content	1..1	SDD-ID: <b>BDT00000576</b>	

## Order response

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Customs duty description	0..1	SDD-ID:	<b>BDTG00000378</b>
		Definition:	The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID:	<b>BDT00000563</b>
		Definition:	The description of the customs duty expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Customs registration type code	0..1	SDD-ID:	<b>BDTG00000623</b>
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
Customs registration type code content	1..1	SDD-ID:	<b>BDT00000624</b>
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Organisation legal information	0..1	SDD-ID:	<b>BDTG00000262</b>
		Definition:	The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID:	<b>BDT00000102</b>
		Definition:	The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID:	<b>BDTG00000228</b>
		Definition:	The code specifying the language of a party.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.

Business data terms and groups		Usage	Business data terms and groups description	
	Currency of party code	0..1	SDD-ID: Definition: Example: Used code list:	<b>BDTG00000184</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax.
	Currency of party code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000710</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax. <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Official address	0..1	SDD-ID: Definition:	<b>BDTG00000246</b> The registered legal address of the organisation.
	County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
	Province identity	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
	Street address one	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
	Street address three	0..1	SDD-ID: Definition:	<b>BDT00000129</b> The third street address line of a structured address.



Business data terms and groups		Usage	Business data terms and groups description	
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Issued capital	0..1	SDD-ID:	<b>BDTG00000225</b>
			Definition:	The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID:	<b>BDT00000655</b>
			Definition:	The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
			Definition:	The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Legal structure description	0..1	SDD-ID:	<b>BDTG00000231</b>
			Definition:	The description of the legal structure expressed as text.
	Legal structure description content	1..1	SDD-ID:	<b>BDT00000659</b>
			Definition:	The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.

## Order response

Business data terms and groups	Usage	Business data terms and groups description	
<b>Registered legal information</b>	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
<b>Legal registration number</b>	1..1	SDD-ID:	<b>BDT00000087</b>
		Definition:	The identification number of an organisation according to a legal register.
<b>Legal registration additional information</b>	0..1	SDD-ID:	<b>BDT00000086</b>
		Definition:	The additional information related to the legal registration expressed as text.
<b>Legal registration type code</b>	1..1	SDD-ID:	<b>BDTG00000230</b>
		Definition:	The code specifying the type of legal registration.
<b>Legal registration type code content</b>	1..1	SDD-ID:	<b>BDT00000658</b>
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Financial institution and financial account information</b>	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
		Definition:	The information specifying details of a financial institution and financial account.
<b>Financial institution name</b>	0..1	SDD-ID:	<b>BDT00000061</b>
		Definition:	The name of a financial institution expressed as text.
<b>Financial institution division name</b>	0..1	SDD-ID:	<b>BDT00000060</b>
		Definition:	The name of a division or branch within a financial institution expressed as text.
<b>Financial account information</b>	0..1	SDD-ID:	<b>BDTG00000207</b>
		Definition:	The information specifying details of a financial account.
<b>Financial account name</b>	0..1	SDD-ID:	<b>BDT00000058</b>
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
<b>Financial account number</b>	1..1	SDD-ID:	<b>BDT00000059</b>
		Definition:	The number of a financial account expressed as text.
<b>Financial account number type code</b>	1..1	SDD-ID:	<b>BDTG00000208</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
<b>Financial account number type code content</b>	1..1	SDD-ID:	<b>BDT00000645</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Financial institution routing number information</b>	0..1	SDD-ID:	<b>BDTG00000210</b>
		Definition:	The information specifying details on a routing number of a financial institution.



Business data terms and groups	Usage	Business data terms and groups description	
Financial routing number	1..1	SDD-ID: <b>BDT00000062</b> Definition: The routing number of a financial transaction according to the specified financial routing type. Business rule: This business data term must be used in conjunction with the Financial routing number type code class.	
Financial routing number type code	1..1	SDD-ID: <b>BDTG00000211</b> Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>	
Financial routing number type code content	1..1	SDD-ID: <b>BDT00000644</b> Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Additional financial institution description	0..1	SDD-ID: <b>BDTG00000522</b> Definition: The additional description of a financial institution expressed as text.	
Additional financial institution description content	1..1	SDD-ID: <b>BDT00000521</b> Definition: The text value describing the additional financial institution.	
Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.	
Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Address information	0..1	SDD-ID: <b>BDTG00000144</b> Definition: The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.	
City name	0..1	SDD-ID: <b>BDT00000020</b> Definition: The name of the city, town or village.	
City code	0..1	SDD-ID: <b>BDT00000019</b> Definition: The code specifying a city.	
County code	0..1	SDD-ID: <b>BDT00000034</b> Definition: The code indicating a geographical region in a country.	
Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition: The street crossing another street.	
Party name	0..1	SDD-ID: <b>BDT00000106</b>	

Business data terms and groups		Usage	Business data terms and groups description	
<ul style="list-style-type: none"> <li>Post office box number</li> <li>Postal code</li> <li>Province identity</li> <li>State</li> <li>Street address one</li> <li>Street address two</li> <li>Street address three</li> <li>Country code</li> <li>Country code content</li> <li>Code list version</li> <li>Geographical coordinates information</li> <li>Latitude</li> <li>Longitude</li> <li>Ship to party information</li> </ul>		0..1	Definition:	The name of the party expressed as text.
			SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
		0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
		0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
		0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
		0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
		0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
		0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
		1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
		0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
		0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
		1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
		1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
		0..1	SDD-ID:	<b>BDTG00000311</b>
			Definition:	The information specifying the location to which goods are shipped.
			Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN"





Business data terms and groups	Usage	Business data terms and groups description	
		or "BDT00000578 Additional party identification content" is used, or both.	
Global location number GLN	0..1	SDD-ID: Definition: Ref. definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
Additional party identification type code	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Address information	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
Party name	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical

Business data terms and groups		Usage	Business data terms and groups description	
			Example:	area. SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Business contact information	0..unbounded	SDD-ID:	<b>BDTG00000158</b>
			Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
	Person name	0..1	SDD-ID:	<b>BDT00000112</b>
			Definition:	The name of an individual person expressed as text.
	Department name	0..1	SDD-ID:	<b>BDT00000044</b>
			Definition:	The name of the department.
	Job title	0..1	SDD-ID:	<b>BDT00000083</b>
			Definition:	The title of a position or the role of a person holding the position.
	Contact type code	0..1	SDD-ID:	<b>BDTG00000178</b>

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code specifying the function or role of a contact person.
			Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	— <b>Contact type code content</b>	1..1	SDD-ID:	<b>BDT00000571</b>
			Definition:	The code specifying the function or role of a contact person.
	— <b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	— <b>Business contact responsibility description</b>	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
			Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
	— <b>Business contact responsibility description content</b>	1..1	SDD-ID:	<b>BDT00000580</b>
			Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
	— <b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	— <b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	— <b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	— <b>Communication information</b>	0..unbounded	SDD-ID:	<b>BDTG00000176</b>
			Definition:	The information specifying details of a contact person's communication channel.
	— <b>Communication channel code</b>	1..1	SDD-ID:	<b>BDTG00000175</b>
			Definition:	The code specifying the channel for communication.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	— <b>Communication channel code content</b>	1..1	SDD-ID:	<b>BDT00000525</b>
			Definition:	The code specifying the channel for communication.
			Example:	TELEPHONE
			Used code list:	CommunicationChannelCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	— <b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	— <b>Communication channel identification</b>	1..1	SDD-ID:	<b>BDT00000032</b>
			Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	— <b>Communication channel name</b>	0..1	SDD-ID:	<b>BDT00000033</b>
			Definition:	The name of a communication channel expressed as text.
	— <b>After hours communication information</b>	0..unbounded	SDD-ID:	<b>BDTG00000145</b>

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The information specifying details of communication channels to use after regular business hours.
	<b>Communication channel code</b>	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Communication channel code content</b>	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Communication channel identification</b>	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	<b>Communication channel name</b>	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	<b>Tax registration information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000326</b> The information specifying details of a party registered for tax.
	<b>Tax authority name</b>	0..1	SDD-ID: Definition:	<b>BDT00000369</b> The name of the authority administering the collection of taxes expressed as text.
	<b>Tax registration identification information</b>	1..1	SDD-ID: Definition:	<b>BDTG00000585</b> The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
	<b>Tax registration identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000584</b> The identity assigned to a party registered for tax according to a national tax register.
	<b>Identification scheme information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
	<b>Identification scheme name</b>	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
	<b>Identification scheme agency name</b>	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
	<b>Identification scheme responsible agency code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
	<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.



Business data terms and groups	Usage	Business data terms and groups description	
<b>Tax type code</b>	0..1	SDD-ID:	<b>BDTG00000328</b>
		Definition:	The code specifying the type of tax.
<b>Tax type code content</b>	1..1	SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax description</b>	0..1	SDD-ID:	<b>BDTG00000322</b>
		Definition:	The description of the tax expressed as text.
<b>Tax description content</b>	1..1	SDD-ID:	<b>BDT00000754</b>
		Definition:	The description of the tax expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax registration type code</b>	0..1	SDD-ID:	<b>BDTG00000327</b>
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
<b>Tax registration type code content</b>	1..1	SDD-ID:	<b>BDT00000588</b>
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Customs duty registration information</b>	0..unbounded	SDD-ID:	<b>BDTG00000375</b>
		Definition:	The information specifying details of a party registered for customs duty.
<b>Customs authority name</b>	0..1	SDD-ID:	<b>BDT00000370</b>
		Definition:	The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
<b>Customs registration identification information</b>	1..1	SDD-ID:	<b>BDTG00000621</b>
		Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
<b>Customs registration identification content</b>	1..1	SDD-ID:	<b>BDT00000622</b>
		Definition:	The identity assigned to a party registered for customs duty according to a national

## Order response

Business data terms and groups	Usage	Business data terms and groups description
		customs register.
Identification scheme information	0..1	SDD-ID: <b>BDTG00000587</b> Definition: The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: <b>BDT00000074</b> Definition: The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: <b>BDT00000073</b> Definition: The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID: <b>BDTG00000586</b> Definition: The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID: <b>BDT00000583</b> Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Tax type code	0..1	SDD-ID: <b>BDTG00000328</b> Definition: The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: <b>BDT00000576</b> Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Customs duty description	0..1	SDD-ID: <b>BDTG00000378</b> Definition: The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID: <b>BDT00000563</b> Definition: The description of the customs duty expressed as text.
Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Customs registration type code	0..1	SDD-ID: <b>BDTG00000623</b> Definition: The code specifying the type of customs registration number assigned by a national authority.
Customs registration type code content	1..1	SDD-ID: <b>BDT00000624</b> Definition: The code specifying the type of customs registration number assigned by a national

## Order response

Business data terms and groups	Usage	Business data terms and groups description	
		Used code list:	authority. DutyFeeTaxRegistrationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Organisation legal information	0..1	SDD-ID:	<b>BDTG00000262</b>
		Definition:	The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID:	<b>BDT00000102</b>
		Definition:	The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID:	<b>BDTG00000228</b>
		Definition:	The code specifying the language of a party.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Currency of party code	0..1	SDD-ID:	<b>BDTG00000184</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID:	<b>BDT00000710</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Official address	0..1	SDD-ID:	<b>BDTG00000246</b>
		Definition:	The registered legal address of the organisation.
County code	0..1	SDD-ID:	<b>BDT00000034</b>
		Definition:	The code indicating a geographical region in a country.
City name	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	<b>BDT00000019</b>
		Definition:	The code specifying a city.
Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
		Definition:	The street crossing another street.
Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.



Business data terms and groups		Usage	Business data terms and groups description	
	<b>Postal code</b>	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
	<b>Province identity</b>	0..1	Synonyms: SDD-ID: Definition:	postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
	<b>State</b>	0..1	SDD-ID: Definition:	<b>BDT00000127</b> The political unit that a country can be divided into.
			Example:	California
	<b>Street address one</b>	0..1	SDD-ID: Definition:	<b>BDT00000128</b> The first street address line of a structured address.
			Example:	Avenue Louise 326
	<b>Street address two</b>	0..1	SDD-ID: Definition:	<b>BDT00000130</b> The second street address line of a structured address.
			Example:	Blue Tower
	<b>Street address three</b>	0..1	SDD-ID: Definition:	<b>BDT00000129</b> The third street address line of a structured address.
			Example:	Floor 4
	<b>Country code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
	<b>Country code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Geographical coordinates information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
	<b>Latitude</b>	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	<b>Longitude</b>	1..1	SDD-ID: Definition:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	<b>Issued capital</b>	0..1	SDD-ID: Definition:	<b>BDTG00000225</b> The monetary amount representing the value of the issued capital of a company.
	<b>Issued capital content</b>	1..1	SDD-ID: Definition:	<b>BDT00000655</b> The monetary amount representing the issued capital of a company.
	<b>Currency code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
	<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Legal structure description	0..1	SDD-ID:	<b>BDTG00000231</b>
		Definition:	The description of the legal structure expressed as text.
Legal structure description content	1..1	SDD-ID:	<b>BDT00000659</b>
		Definition:	The description of the legal structure expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Registered legal information	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID:	<b>BDT00000087</b>
		Definition:	The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID:	<b>BDT00000086</b>
		Definition:	The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID:	<b>BDTG00000230</b>
		Definition:	The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID:	<b>BDT00000658</b>
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
		Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID:	<b>BDT00000061</b>
		Definition:	The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID:	<b>BDT00000060</b>
		Definition:	The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID:	<b>BDTG00000207</b>
		Definition:	The information specifying details of a financial account.

Business data terms and groups		Usage	Business data terms and groups description	
<ul style="list-style-type: none"> <li>Financial account name</li> <li>Financial account number</li> <li>Financial account number type code</li> <li>Financial account number type code content</li> <li>Code list version</li> <li>Financial institution routing number information</li> <li>Financial routing number</li> <li>Financial routing number type code</li> <li>Financial routing number type code content</li> <li>Code list version</li> <li>Additional financial institution description</li> <li>Additional financial institution description content</li> <li>Language code</li> <li>Language code content</li> </ul>	Financial account name	0..1	SDD-ID:	<b>BDT00000058</b>
			Definition:	The name of a financial account expressed as text.
			Example:	John Doe
	Financial account number	1..1	SDD-ID:	<b>BDT00000059</b>
			Definition:	The number of a financial account expressed as text.
	Financial account number type code	1..1	SDD-ID:	<b>BDTG00000208</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Financial account number type code content	1..1	SDD-ID:	<b>BDT00000645</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Financial institution routing number information	0..1	SDD-ID:	<b>BDTG00000210</b>
			Definition:	The information specifying details on a routing number of a financial institution.
	Financial routing number	1..1	SDD-ID:	<b>BDT00000062</b>
			Definition:	The routing number of a financial transaction according to the specified financial routing type.
			Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
	Financial routing number type code	1..1	SDD-ID:	<b>BDTG00000211</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Financial routing number type code content	1..1	SDD-ID:	<b>BDT00000644</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Additional financial institution description	0..1	SDD-ID:	<b>BDTG00000522</b>
			Definition:	The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID:	<b>BDT00000521</b>
			Definition:	The text value describing the additional financial institution.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>



Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4

Business data terms and groups	Usage	Business data terms and groups description	
Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Requested modification of delivery date information	0..1	SDD-ID:	<b>BDTG00000383</b>
		Definition:	The information specifying when ordered trade items can be delivered.
		Usage:	The information specifying other date time or period for when ordered trade items can be delivered if requested date and time specified in the order document can't be fulfilled.
Requested delivery time period	0..1	SDD-ID:	<b>BDTG00000295</b>
		Definition:	The date (and time) of the period during which ordered trade items are requested to be delivered.
Begin time period	0..1	SDD-ID:	<b>BDT00000010</b>
		Definition:	The first point in time of a period of time or date period.
Begin period date	0..1	SDD-ID:	<b>BDT00000009</b>
		Definition:	The first date of a date period.
End date period	0..1	SDD-ID:	<b>BDT00000054</b>
		Definition:	The last date of a date period.
End time period	0..1	SDD-ID:	<b>BDT00000055</b>
		Definition:	The end time of a period of time or date time period.
Requested ship date time period	0..1	SDD-ID:	<b>BDTG00000298</b>
		Definition:	The date (and time) of the period during which ordered trade items are requested to be shipped.
Begin time period	0..1	SDD-ID:	<b>BDT00000010</b>
		Definition:	The first point in time of a period of time or date period.
Begin period date	0..1	SDD-ID:	<b>BDT00000009</b>
		Definition:	The first date of a date period.
End date period	0..1	SDD-ID:	<b>BDT00000054</b>
		Definition:	The last date of a date period.
End time period	0..1	SDD-ID:	<b>BDT00000055</b>
		Definition:	The end time of a period of time or date time period.

Business data terms and groups	Usage	Business data terms and groups description	
<b>Requested delivery date time period at ultimate consignee</b>	0..1	SDD-ID:	<b>BDTG00000294</b>
		Definition:	The date (and time) of the period during which ordered trade items are requested to be delivered at ultimate consignee.
<b>Begin time period</b>	0..1	SDD-ID:	<b>BDT00000010</b>
		Definition:	The first point in time of a period of time or date period.
<b>Begin period date</b>	0..1	SDD-ID:	<b>BDT00000009</b>
		Definition:	The first date of a date period.
<b>End date period</b>	0..1	SDD-ID:	<b>BDT00000054</b>
		Definition:	The last date of a date period.
<b>End time period</b>	0..1	SDD-ID:	<b>BDT00000055</b>
		Definition:	The end time of a period of time or date time period.
<b>Requested delivery date time</b>	0..1	SDD-ID:	<b>BDTG00000291</b>
		Definition:	The date and optional time when the ordered trade items are requested to be delivered.
<b>Date</b>	0..1	SDD-ID:	<b>BDT00000040</b>
		Definition:	The day of a year as a calendar date.
		Example:	2020-06-15
<b>Time</b>	0..1	SDD-ID:	<b>BDT00000133</b>
		Definition:	The indication of a point in time.
		Example:	08:01:15
<b>Requested ship date time</b>	0..1	SDD-ID:	<b>BDTG00000297</b>
		Definition:	The date (and time) when the ordered trade items are requested to be despatched.
<b>Date</b>	0..1	SDD-ID:	<b>BDT00000040</b>
		Definition:	The day of a year as a calendar date.
		Example:	2020-06-15
<b>Time</b>	0..1	SDD-ID:	<b>BDT00000133</b>
		Definition:	The indication of a point in time.
		Example:	08:01:15
<b>Requested date time for pick up</b>	0..1	SDD-ID:	<b>BDTG00000290</b>
		Definition:	The date (and time) when the ordered trade items are requested to be available for pick up.
<b>Date</b>	0..1	SDD-ID:	<b>BDT00000040</b>
		Definition:	The day of a year as a calendar date.
		Example:	2020-06-15
<b>Time</b>	0..1	SDD-ID:	<b>BDT00000133</b>
		Definition:	The indication of a point in time.
		Example:	08:01:15
<b>Requested delivery date time at ultimate consignee</b>	0..1	SDD-ID:	<b>BDTG00000292</b>
		Definition:	The date (and time) when the ordered trade items are requested to be delivered at ultimate consignee.
<b>Date</b>	0..1	SDD-ID:	<b>BDT00000040</b>
		Definition:	The day of a year as a calendar date.
		Example:	2020-06-15



Business data terms and groups	Usage	Business data terms and groups description	
Time	0..1	SDD-ID: <b>BDT00000133</b> Definition: The indication of a point in time. Example: 08:01:15	
Charge information	0..1	SDD-ID: <b>BDTG00000167</b> Definition: The information specifying details of a charge.	
Settlement charge code	1..1	SDD-ID: <b>BDTG00000309</b> Definition: The code specifying how the charge is to be settled.	
Settlement charge code content	1..1	SDD-ID: <b>BDT00000617</b> Definition: The code specifying how the charge is to be settled. Used code list: SettlementTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode</a>	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Charge percentage	0..1	SDD-ID: <b>BDT00000018</b> Definition: The percentage used when calculating the charge. Example: 20	
Bracket criteria	0..1	SDD-ID: <b>BDT00000012</b> Definition: The minimum and optionally maximum value of a bracket tier. Usage: Bracket criteria may be expressed in monetary amount or measurement tiers. Pricing for a product or service may be conditional on specified bracket criteria. Example: 500-1000 pieces 10-100 EUR	
Calculation sequence number	0..1	SDD-ID: <b>BDT00000014</b> Definition: The sequence number used to indicate the order in which the allowance or charge is to be calculated.	
Charge monetary amount per unit	0..1	SDD-ID: <b>BDTG00000169</b> Definition: The charge per unit as a monetary amount.	
Charge monetary amount per unit content	1..1	SDD-ID: <b>BDT00000620</b> Definition: The charge per unit as a monetary amount.	
Currency code	0..1	SDD-ID: <b>BDTG00000590</b> Definition: The code specifying the currency of a monetary amount.	
Currency code content	1..1	SDD-ID: <b>BDT00000589</b> Definition: The code specifying the currency of a monetary amount. Example: EUR Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Charge type code	1..1	SDD-ID: <b>BDTG00000171</b> Definition: The code specifying the type of charge. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode</a>	



Business data terms and groups	Usage	Business data terms and groups description	
Charge type code content	1..1	SDD-ID: <b>BDT00000618</b> Definition: The code specifying the type of charge. Used code list: AllowanceChargeTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode</a>	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Settlement charge code	0..1	SDD-ID: <b>BDTG00000309</b> Definition: The code specifying how the charge is to be settled.	
Settlement charge code content	1..1	SDD-ID: <b>BDT00000617</b> Definition: The code specifying how the charge is to be settled. Used code list: SettlementTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode</a>	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Charge monetary amount	0..1	SDD-ID: <b>BDTG00000168</b> Definition: The monetary amount of the charge.	
Charge monetary amount content	0..1	SDD-ID: <b>BDT00000619</b> Definition: The monetary amount of the charge.	
Currency code	0..1	SDD-ID: <b>BDTG00000590</b> Definition: The code specifying the currency of a monetary amount.	
Currency code content	1..1	SDD-ID: <b>BDT00000589</b> Definition: The code specifying the currency of a monetary amount. Example: EUR Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Charge basis monetary amount	0..1	SDD-ID: <b>BDTG00000164</b> Definition: The basis monetary amount on which the charge is calculated.	
Charge basis monetary amount content	1..1	SDD-ID: <b>BDT00000614</b> Definition: The basis monetary amount on which the charge is calculated.	
Currency code	0..1	SDD-ID: <b>BDTG00000590</b> Definition: The code specifying the currency of a monetary amount.	
Currency code content	1..1	SDD-ID: <b>BDT00000589</b> Definition: The code specifying the currency of a monetary amount. Example: EUR Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Charge quantity basis	0..1	SDD-ID: <b>BDTG00000170</b>	

Business data terms and groups	Usage	Business data terms and groups description	
<b>Charge quantity basis content</b>	1..1	Definition:	The basis for charge expressed as a quantity.
		SDD-ID:	<b>BDT00000753</b>
<b>Measurement unit code</b>	0..1	Definition:	The basis for charge expressed as a quantity.
		SDD-ID:	<b>BDTG00000608</b>
<b>Measurement unit code content</b>	1..1	Definition:	The code specifying the unambiguous representation of a unit of measure.
		SDD-ID:	<b>BDT00000607</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.
		Used code list:	MeasurementUnitCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Charge effective date type code</b>	0..1	SDD-ID:	<b>BDTG00000166</b>
		Definition:	The code specifying the type of circumstance for when a charge should apply.
<b>Charge effective date type code content</b>	1..1	SDD-ID:	<b>BDT00000615</b>
		Definition:	The code specifying the type of circumstance for when a charge should apply.
		Used code list:	EffectiveDateTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:EffectiveDateTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:EffectiveDateTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Special service type code</b>	0..1	SDD-ID:	<b>BDTG00000318</b>
		Definition:	The code specifying a special service.
<b>Special service type code content</b>	1..1	SDD-ID:	<b>BDT00000534</b>
		Definition:	The code specifying a special service.
		Used code list:	SpecialServiceDescriptionCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SpecialServiceDescriptionCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SpecialServiceDescriptionCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Charge description</b>	0..1	SDD-ID:	<b>BDTG00000165</b>
		Definition:	The description of the charge expressed as text.
<b>Charge description content</b>	1..1	SDD-ID:	<b>BDT00000573</b>
		Definition:	The description of the charge expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.



Business data terms and groups	Usage	Business data terms and groups description	
<b>Applicable tax information</b>	0..unbounde	SDD-ID:	<b>BDTG00000254</b>
		Definition:	The information specifying the details of the applicable tax.
<b>Tax authority name</b>	0..1	SDD-ID:	<b>BDT00000369</b>
		Definition:	The name of the authority administrating the collection of taxes expressed as text.
<b>Tax category code</b>	0..1	SDD-ID:	<b>BDTG00000321</b>
		Definition:	The code specifying the category of a tax.
<b>Tax category code content</b>	1..1	SDD-ID:	<b>BDT00000537</b>
		Definition:	The code specifying the category of a tax.
		Used code list:	TaxCategoryCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TaxCategoryCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TaxCategoryCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax rate</b>	0..1	SDD-ID:	<b>BDT00000371</b>
		Definition:	The rate of the tax expressed in percentages.
		Usage:	The tax rate is used to calculate the tax monetary amount.
<b>Tax point date</b>	0..1	SDD-ID:	<b>BDT00000377</b>
		Definition:	The date on which the tax applicable for the sales transaction is due or calculated.
		Usage rule:	BDT00000766 and BDT00000377 are mutually exclusive
<b>Tax accounting currency code</b>	0..1	SDD-ID:	<b>BDTG00000365</b>
		Definition:	The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices.
<b>Tax accounting currency code content</b>	1..1	SDD-ID:	<b>BDT00000538</b>
		Definition:	The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices.
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Taxable monetary amount</b>	0..1	SDD-ID:	<b>BDTG00000329</b>
		Definition:	The monetary amount used for calculating the tax amount.
		Usage:	The taxable monetary amount is used for calculating the tax amount for a specific tax type, tax category and tax rate.
<b>Taxable monetary amount content</b>	1..1	SDD-ID:	<b>BDT00000559</b>
		Definition:	The monetary amount used for calculating the tax amount.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>

## Order response

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The version number of the code list.
<b>Tax monetary amount</b>	0..1	SDD-ID:	<b>BDTG00000367</b>
		Definition:	The monetary amount of the tax.
<b>Tax monetary amount content</b>	1..1	SDD-ID:	<b>BDT00000562</b>
		Definition:	The monetary amount of the tax.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax monetary amount in accounting currency</b>	0..1	SDD-ID:	<b>BDTG00000368</b>
		Definition:	The tax monetary amount expressed in the accounting currency.
<b>Tax monetary amount in accounting currency content</b>	1..1	SDD-ID:	<b>BDT00000561</b>
		Definition:	The tax monetary amount expressed in the accounting currency.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Taxable monetary amount in accounting currency</b>	0..1	SDD-ID:	<b>BDTG00000366</b>
		Definition:	The taxable monetary amount expressed in the accounting currency.
		Usage:	The taxable monetary amount in accounting currency is used when the taxable monetary amount is expressed in another currency than the currency used for the accounting system. The taxable monetary amount in accounting currency is normally important only for the issuer of the business transaction.
<b>Taxable monetary amount in accounting currency content</b>	1..1	SDD-ID:	<b>BDT00000560</b>
		Definition:	The taxable monetary amount expressed in the accounting currency.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The version number of the code list.
<b>Tax description</b>	0..1	SDD-ID:	<b>BDTG00000322</b>
		Definition:	The description of the tax expressed as text.
<b>Tax description content</b>	1..1	SDD-ID:	<b>BDT00000754</b>
		Definition:	The description of the tax expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax exemption reason description</b>	0..1	SDD-ID:	<b>BDTG00000324</b>
		Definition:	The description of the reason for exemption of tax expressed as text.
<b>Tax exemption reason description content</b>	1..1	SDD-ID:	<b>BDT00000574</b>
		Definition:	The description of the reason for exemption of tax expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax exemption reason code</b>	0..1	SDD-ID:	<b>BDTG00000323</b>
		Definition:	The code specifying the reason for exemption of tax.
<b>Tax exemption reason code content</b>	1..1	SDD-ID:	<b>BDT00000575</b>
		Definition:	The code specifying the reason for exemption of tax.
		Used code list:	DutyFeeTaxExemptionReasonCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxExemptionReasonCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxExemptionReasonCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax type code</b>	0..1	SDD-ID:	<b>BDTG00000328</b>
		Definition:	The code specifying the type of tax.
<b>Tax type code content</b>	1..1	SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxTypeCode</a>



Business data terms and groups	Usage	Business data terms and groups description	
└─ <b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
└─ <b>Allowance information</b>	0..1	SDD-ID:	<b>BDTG00000149</b>
		Definition:	The information specifying details of an allowance.
└─ <b>Allowance percentage</b>	0..1	SDD-ID:	<b>BDT00000006</b>
		Definition:	The percentage used when calculating the allowance.
		Example:	25
└─ <b>Bracket criteria</b>	0..1	SDD-ID:	<b>BDT00000012</b>
		Definition:	The minimum and optionally maximum value of a bracket tier.
		Usage:	Bracket criteria may be expressed in monetary amount or measurement tiers. Pricing for a product or service may be conditional on specified bracket criteria.
		Example:	500-1000 pieces 10-100 EUR
└─ <b>Calculation sequence number</b>	0..1	SDD-ID:	<b>BDT00000014</b>
		Definition:	The sequence number used to indicate the order in which the allowance or charge is to be calculated.
└─ <b>Allowance type code</b>	1..1	SDD-ID:	<b>BDTG00000153</b>
		Definition:	The code specifying the type of allowance.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode</a>
└─ <b>Allowance type code content</b>	1..1	SDD-ID:	<b>BDT00000531</b>
		Definition:	The code specifying the type of allowance.
		Used code list:	AllowanceChargeTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode</a>
└─ <b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
└─ <b>Settlement allowance code</b>	1..1	SDD-ID:	<b>BDTG00000308</b>
		Definition:	The code specifying how the allowance is to be settled.
└─ <b>Settlement allowance code content</b>	1..1	SDD-ID:	<b>BDT00000532</b>
		Definition:	The code specifying how the allowance is to be settled.
		Used code list:	SettlementTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode</a>
└─ <b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
└─ <b>Allowance monetary amount</b>	0..1	SDD-ID:	<b>BDTG00000150</b>
		Definition:	The monetary amount of the allowance.
└─ <b>Allowance monetary amount content</b>	1..1	SDD-ID:	<b>BDT00000528</b>
		Definition:	The allowance monetary amount.
└─ <b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
└─ <b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Allowance monetary amount per unit	0..1	SDD-ID:	<b>BDTG00000151</b>
		Definition:	The allowance per unit as a monetary amount.
Allowance monetary amount per unit content	1..1	SDD-ID:	<b>BDT00000529</b>
		Definition:	The allowance per unit as a monetary amount.
Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Allowance basis monetary amount	0..1	SDD-ID:	<b>BDTG00000146</b>
		Definition:	The basis monetary amount on which the allowance is calculated.
Allowance basis monetary amount content	1..1	SDD-ID:	<b>BDT00000526</b>
		Definition:	The basis monetary amount on which the allowance is calculated.
Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Allowance quantity basis	0..1	SDD-ID:	<b>BDTG00000152</b>
		Definition:	The basis for allowance expressed as a quantity.
Allowance quantity basis content	1..1	SDD-ID:	<b>BDT00000533</b>
		Definition:	The basis for allowance expressed as a quantity.
Measurement unit code	0..1	SDD-ID:	<b>BDTG00000608</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID:	<b>BDT00000607</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.
		Used code list:	MeasurementUnitCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>





Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Allowance effective date type code	0..1	SDD-ID:	<b>BDTG00000148</b>
		Definition:	The code specifying the type of circumstance for when a discount should apply.
		Used code list:	EffectiveDateTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:EffectiveDateTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:EffectiveDateTypeCode</a>
Allowance effective date type code content	1..1	SDD-ID:	<b>BDT00000530</b>
		Definition:	The code for specifying the type of circumstance for when a discount should apply.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Special service type code	0..1	SDD-ID:	<b>BDTG00000318</b>
		Definition:	The code specifying a special service.
Special service type code content	1..1	SDD-ID:	<b>BDT00000534</b>
		Definition:	The code specifying a special service.
		Used code list:	SpecialServiceDescriptionCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SpecialServiceDescriptionCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SpecialServiceDescriptionCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Allowance description	0..1	SDD-ID:	<b>BDTG00000147</b>
		Definition:	The description of the allowance expressed as text.
Allowance description content	1..1	SDD-ID:	<b>BDT00000527</b>
		Definition:	The text describing the allowance.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Applicable tax information	0..unbounded	SDD-ID:	<b>BDTG00000254</b>
		Definition:	The information specifying the details of the applicable tax.
Tax authority name	0..1	SDD-ID:	<b>BDT00000369</b>
		Definition:	The name of the authority administering the collection of taxes expressed as text.
Tax category code	0..1	SDD-ID:	<b>BDTG00000321</b>
		Definition:	The code specifying the category of a tax.
Tax category code content	1..1	SDD-ID:	<b>BDT00000537</b>
		Definition:	The code specifying the category of a tax.
		Used code list:	TaxCategoryCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TaxCategoryCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TaxCategoryCode</a>



## Order response

Business data terms and groups	Usage	Business data terms and groups description	
		<a href="#">TaxCategoryCode</a>	
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax rate	0..1	SDD-ID:	<b>BDT00000371</b>
		Definition:	The rate of the tax expressed in percentages.
		Usage:	The tax rate is used to calculate the tax monetary amount.
Tax point date	0..1	SDD-ID:	<b>BDT00000377</b>
		Definition:	The date on which the tax applicable for the sales transaction is due or calculated.
		Usage rule:	BDT00000766 and BDT00000377 are mutually exclusive
Tax accounting currency code	0..1	SDD-ID:	<b>BDTG00000365</b>
		Definition:	The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices.
Tax accounting currency code content	1..1	SDD-ID:	<b>BDT00000538</b>
		Definition:	The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices.
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Taxable monetary amount	0..1	SDD-ID:	<b>BDTG00000329</b>
		Definition:	The monetary amount used for calculating the tax amount.
		Usage:	The taxable monetary amount is used for calculating the tax amount for a specific tax type, tax category and tax rate.
Taxable monetary amount content	1..1	SDD-ID:	<b>BDT00000559</b>
		Definition:	The monetary amount used for calculating the tax amount.
Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax monetary amount	0..1	SDD-ID:	<b>BDTG00000367</b>
		Definition:	The monetary amount of the tax.
Tax monetary amount content	1..1	SDD-ID:	<b>BDT00000562</b>
		Definition:	The monetary amount of the tax.
Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR

## Order response

Business data terms and groups	Usage	Business data terms and groups description
		Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Tax monetary amount in accounting currency	0..1	SDD-ID: <b>BDTG00000368</b> Definition: The tax monetary amount expressed in the accounting currency.
Tax monetary amount in accounting currency content	1..1	SDD-ID: <b>BDT00000561</b> Definition: The tax monetary amount expressed in the accounting currency.
Currency code	0..1	SDD-ID: <b>BDTG00000590</b> Definition: The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID: <b>BDT00000589</b> Definition: The code specifying the currency of a monetary amount. Example: EUR Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Taxable monetary amount in accounting currency	0..1	SDD-ID: <b>BDTG00000366</b> Definition: The taxable monetary amount expressed in the accounting currency. Usage: The taxable monetary amount in accounting currency is used when the taxable monetary amount is expressed in another currency than the currency used for the accounting system. The taxable monetary amount in accounting currency is normally important only for the issuer of the business transaction.
Taxable monetary amount in accounting currency content	1..1	SDD-ID: <b>BDT00000560</b> Definition: The taxable monetary amount expressed in the accounting currency.
Currency code	0..1	SDD-ID: <b>BDTG00000590</b> Definition: The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID: <b>BDT00000589</b> Definition: The code specifying the currency of a monetary amount. Example: EUR Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Tax description	0..1	SDD-ID: <b>BDTG00000322</b> Definition: The description of the tax expressed as text.
Tax description content	1..1	SDD-ID: <b>BDT00000754</b> Definition: The description of the tax expressed as text.
Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en

Business data terms and groups	Usage	Business data terms and groups description	
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax exemption reason description	0..1	SDD-ID:	<b>BDTG00000324</b>
		Definition:	The description of the reason for exemption of tax expressed as text.
Tax exemption reason description content	1..1	SDD-ID:	<b>BDT00000574</b>
		Definition:	The description of the reason for exemption of tax expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax exemption reason code	0..1	SDD-ID:	<b>BDTG00000323</b>
		Definition:	The code specifying the reason for exemption of tax.
Tax exemption reason code content	1..1	SDD-ID:	<b>BDT00000575</b>
		Definition:	The code specifying the reason for exemption of tax.
		Used code list:	DutyFeeTaxExemptionReasonCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxExemptionReasonCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxExemptionReasonCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Referenced order document information	0..1	SDD-ID:	<b>BDTG00000384</b>
		Definition:	The information specifying the details of a reference to an order document.
Entity identification	1..1	SDD-ID:	<b>BDT00000056</b>
		Definition:	The identity of an entity such as a document or an object.
Business document creation date time	0..1	SDD-ID:	<b>BDT00000047</b>
		Definition:	The date and optional time when the business document was issued.
Revision number	0..1	SDD-ID:	<b>BDT00000119</b>
		Definition:	The number assigned to a specific release of a document to keep track of changes and



Business data terms and groups	Usage	Business data terms and groups description	
			updates between revisions.
Referenced document external location	0..1	SDD-ID: Definition: Usage:	<b>BDT00000118</b> The external location of the referenced document expressed as an uniform resource locator. The external location can be an internet address to a document stored in a server on the internet.
Document line number	0..1	SDD-ID: Definition:	<b>BDT00000049</b> The sequence number of a line within the business document.
Document content owner	0..1	SDD-ID: Definition:	<b>BDTG00000196</b> The information specifying the party that is responsible for the content of a document.
Global location number GLN	0..1	SDD-ID: Definition: Ref. definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
Additional party identification type code	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Referenced sales order document information	0..1	SDD-ID: Definition:	<b>BDTG00000385</b> The information specifying the details of a reference to a sales order document.
Entity identification	1..1	SDD-ID: Definition:	<b>BDT00000056</b> The identity of an entity such as a document or an object.
Business document creation date time	0..1	SDD-ID: Definition:	<b>BDT00000047</b> The date and optional time when the business document was issued.
Revision number	0..1	SDD-ID: Definition:	<b>BDT00000119</b> The number assigned to a specific release of a document to keep track of changes and updates between revisions.
Referenced document external location	0..1	SDD-ID: Definition:	<b>BDT00000118</b> The external location of the referenced document expressed as an uniform resource



Business data terms and groups	Usage	Business data terms and groups description	
		Usage:	locator. The external location can be an internet address to a document stored in a server on the internet.
Document line number	0..1	SDD-ID:	<b>BDT00000049</b>
		Definition:	The sequence number of a line within the business document.
Document content owner	0..1	SDD-ID:	<b>BDTG00000196</b>
		Definition:	The information specifying the party that is responsible for the content of a document.
Global location number GLN	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Delivery terms information	0..1	SDD-ID:	<b>BDTG00000189</b>
		Definition:	The information specifying details on terms for proof of delivery, foreign trade and cost for transportation.
Signature required indicator	0..1	SDD-ID:	<b>BDT00000080</b>
		Definition:	The code indicating if a signature on a proof of delivery of the ordered trade items is required.
		Usage:	The signature on the proof of delivery can be used in support of possible later claims issues.
		Example:	YES
		Used code list:	Available codes: "YES" and "NO"
Incoterms code	0..1	SDD-ID:	<b>BDTG00000221</b>
		Definition:	The code specifying an international rule for the interpretation of a commonly used trade terms in foreign trade.
Incoterms code content	1..1	SDD-ID:	<b>BDT000000649</b>

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The code specifying an international rule for the interpretation of a commonly used trade terms in foreign trade.
		Used code list:	UN/ECE Recommendation 5
		Link to code list:	<a href="http://tfiq.unece.org/contents/recommendation-5.htm">http://tfiq.unece.org/contents/recommendation-5.htm</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Alternative delivery terms code	0..1	SDD-ID:	<b>BDTG00000154</b>
		Definition:	The code specifying the delivery terms according to an alternative system other than the Incoterms.
Alternative delivery terms code content	1..1	SDD-ID:	<b>BDT00000535</b>
		Definition:	The code specifying the delivery terms according to an alternative system other than the Incoterms.
Code description	0..1	SDD-ID:	<b>BDT00000022</b>
		Definition:	The description of a code value expressed as text.
Code list agency code	0..1	SDD-ID:	<b>BDT00000023</b>
		Definition:	The code specifying the agency responsible for a code list.
Code list agency code list version	0..1	SDD-ID:	<b>BDT00000024</b>
		Definition:	The version number of a code list issued by the responsible agency for the code list.
Code list agency name	0..1	SDD-ID:	<b>BDT00000025</b>
		Definition:	The name of the agency responsible for a code list.
Code list name	0..1	SDD-ID:	<b>BDT00000026</b>
		Definition:	The name of the code list expressed as text.
Code list URL	0..1	SDD-ID:	<b>BDT00000027</b>
		Definition:	The character string that identifies the location of the code list in a network.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Delivery instructions description	0..1	SDD-ID:	<b>BDTG00000187</b>
		Definition:	The description of the instructions on the final delivery of the goods expressed as text.
Delivery instructions description content	1..1	SDD-ID:	<b>BDT00000641</b>
		Definition:	The description of the instructions on the final delivery of the goods expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Transport cost payment code	0..1	SDD-ID:	<b>BDTG00000349</b>
		Definition:	The code specifying the payer of expenses for transportation.
Transport cost payment code content	1..1	SDD-ID:	<b>BDT00000701</b>
		Definition:	The code specifying the payer of expenses for transportation.



Business data terms and groups	Usage	Business data terms and groups description	
		Example:	WE
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportChargesPaymentMethodCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportChargesPaymentMethodCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Delivery terms for location information	0..1	SDD-ID:	<b>BDTG00000188</b>
		Definition:	The information specifying details of the delivery location associated with the delivery terms.
Global location number GLN	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Sub location identification	0..1	SDD-ID:	<b>BDT00000132</b>
		Definition:	The identity of a further specification of an exact location.
		Example:	Door 5
Logistics location name	0..1	SDD-ID:	<b>BDT00000088</b>
		Definition:	The name of a logistics location.
Universal Time Coordinated UTC offset	0..1	SDD-ID:	<b>BDT00000137</b>
		Definition:	The amount of time subtracted from or added to coordinated universal time, UTC, to get the current local time, whether it is standard time or daylight saving time, DST.
		Example:	+01
UN location code, UN/LOCODE	0..1	SDD-ID:	<b>BDTG00000358</b>
		Definition:	The code specifying a location according to United Nations Code for Trade and Transport Locations, UN/LOCODE.
		Example:	BE BRU
		Used code list:	UN/LOCODE Code List
United Nations location code, UN/LOCODE content	1..1	SDD-ID:	<b>BDT00000690</b>
		Definition:	The code specifying a location according to United Nations Code for Trade and Transport Locations, UN/LOCODE.
		Example:	BE BRU
		Link to code list:	<a href="https://www.unece.org/cefact/locode/service/location.html">https://www.unece.org/cefact/locode/service/location.html</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Additional physical location identification	0..unbounded	SDD-ID:	<b>BDTG00000274</b>
		Definition:	The additional identity of a physical location.
		Usage:	The identity is specified by another identification system than the GS1 Global Location Number, GLN. Only used if no GS1 Global Location Number, GLN, is available for the physical location.
Physical location identification content	1..1	SDD-ID:	<b>BDT00000627</b>
		Definition:	The value of the identity of a physical location.
Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>



## Order response

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
			Definition:	The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
			Definition:	The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Specific instructions location description	0..1	SDD-ID:	<b>BDTG00000319</b>
			Definition:	The description of the instructions regarding the pick-up or drop-off of goods at a location expressed as text.
	Specific instructions location description content	1..1	SDD-ID:	<b>BDT00000744</b>
			Definition:	The description of the instructions regarding the pick-up or drop-off of goods at a location expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Language of the party code	0..1	SDD-ID:	<b>BDTG00000228</b>
			Definition:	The code specifying the language of a party.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Currency of party code	0..1	SDD-ID:	<b>BDTG00000184</b>
			Definition:	The code specifying the currency of a party.
			Example:	EUR
			Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
	Currency of party code content	1..1	SDD-ID:	<b>BDT00000710</b>





Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code specifying the currency of a party.
			Example:	EUR
			Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
			Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
<ul style="list-style-type: none"> <li>Country code</li> <li>Country code content</li> <li>Code list version</li> <li>Geographical coordinates information <ul style="list-style-type: none"> <li>Latitude</li> <li>Longitude</li> </ul> </li> <li>Business contact information <ul style="list-style-type: none"> <li>Person name</li> <li>Department name</li> <li>Job title</li> <li>Contact type code <ul style="list-style-type: none"> <li>Contact type code content</li> <li>Code list version</li> </ul> </li> <li>Business contact responsibility description <ul style="list-style-type: none"> <li>Business contact responsibility description content</li> <li>Language code</li> <li>Language code content</li> </ul> </li> </ul> </li></ul>		0..1	SDD-ID:	<b>BDTG00000179</b>
		1..1	Definition:	The code specifying a country.
		0..1	SDD-ID:	<b>BDT00000774</b>
		0..1	Definition:	The code specifying a country.
		0..1	SDD-ID:	<b>BDT00000028</b>
		0..1	Definition:	The version number of the code list.
		0..1	SDD-ID:	<b>BDTG00000214</b>
		1..1	Definition:	The information specifying details on a location using geographical coordinates.
		1..1	SDD-ID:	<b>BDT00000085</b>
		1..1	Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		1..1	Example:	23°26'12.2" S
		1..1	SDD-ID:	<b>BDT00000089</b>
		0..1	Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		0..1	Example:	18°3'59.0616"
		0..1	SDD-ID:	<b>BDTG00000158</b>
		0..1	Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
		0..1	SDD-ID:	<b>BDT00000112</b>
		0..1	Definition:	The name of an individual person expressed as text.
		0..1	SDD-ID:	<b>BDT00000044</b>
		0..1	Definition:	The name of the department.
		0..1	SDD-ID:	<b>BDT00000083</b>
		0..1	Definition:	The title of a position or the role of a person holding the position.
		0..1	SDD-ID:	<b>BDTG00000178</b>
		0..1	Definition:	The code specifying the function or role of a contact person.
		0..1	Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		0..1	Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
		1..1	SDD-ID:	<b>BDT00000571</b>
		0..1	Definition:	The code specifying the function or role of a contact person.
		0..1	SDD-ID:	<b>BDT00000028</b>
		0..unbounde	Definition:	The version number of the code list.
		0..unbounde	SDD-ID:	<b>BDTG00000159</b>
		1..1	Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
		1..1	SDD-ID:	<b>BDT00000580</b>
		0..1	Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
		0..1	SDD-ID:	<b>BDTG00000523</b>
		1..1	Definition:	The code specifying the language.
		1..1	SDD-ID:	<b>BDT00000524</b>



Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Communication information	0..unbounded	SDD-ID:	<b>BDTG00000176</b>
			Definition:	The information specifying details of a contact person's communication channel.
	Communication channel code	1..1	SDD-ID:	<b>BDTG00000175</b>
			Definition:	The code specifying the channel for communication.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID:	<b>BDT00000525</b>
			Definition:	The code specifying the channel for communication.
			Example:	TELEPHONE
			Used code list:	CommunicationChannelCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Communication channel identification	1..1	SDD-ID:	<b>BDT00000032</b>
			Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>
			Definition:	The name of a communication channel expressed as text.
	After hours communication information	0..unbounded	SDD-ID:	<b>BDTG00000145</b>
			Definition:	The information specifying details of communication channels to use after regular business hours.
	Communication channel code	1..1	SDD-ID:	<b>BDTG00000175</b>
			Definition:	The code specifying the channel for communication.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID:	<b>BDT00000525</b>
			Definition:	The code specifying the channel for communication.
			Example:	TELEPHONE
			Used code list:	CommunicationChannelCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Communication channel identification	1..1	SDD-ID:	<b>BDT00000032</b>
			Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.

## Order response

Business data terms and groups	Usage	Business data terms and groups description	
Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>
		Definition:	The name of a communication channel expressed as text.
Regular operating hours information	0..1	SDD-ID:	<b>BDTG00000289</b>
		Definition:	The information specifying details of the regular operating hours.
		Usage:	Information specifying details of communication channels to use after regular business hours.
Day of the week code	0..1	SDD-ID:	<b>BDTG00000042</b>
		Definition:	The code specifying the day of the week.
Day of the week code content	1..1	SDD-ID:	<b>BDT00000745</b>
		Definition:	The code specifying the day of the week.
		Example:	TUESDAY
		Used code list:	DayOfTheWeekEnumeration
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DayOfTheWeekEnumeration">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DayOfTheWeekEnumeration</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Business operational indicator	0..1	SDD-ID:	<b>BDT00000078</b>
		Definition:	The code indicating if a business or facility is operational on a specific day.
		Usage rule:	Available codes: "YES" and "NO"
		Example:	NO
Closing time	0..1	SDD-ID:	<b>BDT00000021</b>
		Definition:	The time at which a business or facility close.
Opening time	0..1	SDD-ID:	<b>BDT00000098</b>
		Definition:	The time on which the business or facility will open on a specified day.
Special operating hours information	0..1	SDD-ID:	<b>BDTG00000317</b>
		Definition:	The information specifying the special operating hours.
Business operational indicator	0..1	SDD-ID:	<b>BDT00000078</b>
		Definition:	The code indicating if a business or facility is operational on a specific day.
		Usage rule:	Available codes: "YES" and "NO"
		Example:	NO
Special date	0..1	SDD-ID:	<b>BDT00000126</b>
		Definition:	The date for which extraordinary operating hours apply.
		Example:	2020-12-25
Closing time	0..1	SDD-ID:	<b>BDT00000021</b>
		Definition:	The time at which a business or facility close.
Opening time	0..1	SDD-ID:	<b>BDT00000098</b>
		Definition:	The time on which the business or facility will open on a specified day.
Name of special day	0..1	SDD-ID:	<b>BDTG00000241</b>
		Definition:	The name of a special day expressed as text.
		Usage:	Used for specifying operating hours for a special day such as a religious holiday.
Name of special day content	1..1	SDD-ID:	<b>BDT00000669</b>
		Definition:	The name of a special day expressed as text.
		Example:	Christmas eve, Mawlid-al-nabi

## Order response

Business data terms and groups	Usage	Business data terms and groups description	
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Order response line	0..unbounded	Context:	On terms agreed between the seller and the buyer, the seller can respond with changes to a received order line, such as changing the ordered quantity or changing the delivery date of the trade item. An order response line is specified for each order line in the received purchase order that is changed or rejected. The ordered trade item can be replaced with another trade item, or be rejected. To confirm acceptance of a received order line the order response line can be used, but an order response line is not required for an order line accepted without changes.
Document line number	1..1		
Referenced business document line	0..1	SDD-ID:	<b>BDT00000387</b>
		Definition:	The sequence number of a referenced line within a document.
Parent line item number	0..1	SDD-ID:	<b>BDT00000105</b>
		Definition:	The line item number of the line item containing information at the higher level pertaining to the current line item.
Confirmed trade item delivery date time	0..1	SDD-ID:	<b>BDT00000388</b>
		Definition:	Confirmed date and time of delivery of the ordered trade item.
Confirmed quantity	0..1	SDD-ID:	<b>BDTG00000390</b>
		Definition:	The quantity of an ordered trade item confirmed to be delivered.
Confirmed quantity content	1..1	SDD-ID:	<b>BDT00000683</b>
		Definition:	The quantity of an ordered trade item confirmed to be delivered.
Measurement unit code	0..1	SDD-ID:	<b>BDTG00000608</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID:	<b>BDT00000607</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.
		Used code list:	MeasurementUnitCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:MeasurementUnitCode&amp;release=1</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Deviating amount	0..1		
First delivery date and time	0..1	SDD-ID:	<b>BDTG00000786</b>
		Definition:	The first possible delivery date and time of a trade item.
Date	0..1	SDD-ID:	<b>BDT00000040</b>
		Definition:	The day of a year as a calendar date.

Business data terms and groups	Usage	Business data terms and groups description	
<b>Time</b>	0..1	Example: SDD-ID: Definition: Example:	2020-06-15 <b>BDT00000133</b> The indication of a point in time. 08:01:15
<b>Business document line action code</b>	0..1	SDD-ID: Definition:  Used code list: Link to code list:	<b>BDTG00000250</b> The code specifying how the recipient of the business document should handle the business document line. LineActionCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LineActionCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LineActionCode</a>
<b>Business document line action code content</b>	1..1	SDD-ID: Definition:  Used code list: Link to code list:	<b>BDT00000581</b> The code specifying how the recipient of the business document should handle the business document line. LineActionCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LineActionCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LineActionCode</a>
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Business document line response code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000386</b> The response to a line of the received business document.
<b>Business document line response code content</b>	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000706</b> The code specifying the response to a line of the received business document. ResponseStatusCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponseStatusCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponseStatusCode</a>
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Reason for status of business document code</b>	0..1	SDD-ID: Definition:  Context:  Example:	<b>BDTG00000247</b> The code specifying the reason for the specified status of the received business document. Provides the reason why details of ordered trade items are changed by the receiver of the order. ITEM_TEMPORARILY_NOT_AVAILABLE
<b>Reason for status of business document code content</b>	1..1	SDD-ID: Definition:  Example: Used code list: Link to code list:	<b>BDT00000696</b> The code specifying the reason for the specified status of the received business document. ITEM_TEMPORARILY_NOT_AVAILABLE ErrorOrWarningCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl&gt;ErrorOrWarningCode&amp;release=3">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl&gt;ErrorOrWarningCode&amp;release=3</a>
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Order line instruction description</b>	0..1	Context:	The business data term group should only be used on exceptional occasions in the

Business data terms and groups	Usage	Business data terms and groups description	
		order response when specific trade item information is important for the buyer to know about but has not previously been exchanged or synchronized.	
Trade item net price	0..1	SDD-ID: Definition:	<b>BDTG00000421</b> The price for a unit of the trade item including any allowance or charge and excluding any taxes applicable to the sales transaction.
Trade item net price content	1..1	SDD-ID: Definition:	<b>BDTG00000606</b> The price for a unit of the trade item including any allowance or charge and excluding any taxes applicable to the sales transaction.
Currency code	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDTG00000589</b> The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: Definition:	<b>BDTG00000028</b> The version number of the code list.
Line item net monetary amount	0..1	SDD-ID: Definition:	<b>BDTG00000242</b> The line item net monetary amount of the trade item.
Line item net monetary amount content	1..1	SDD-ID: Definition:	<b>BDTG00000660</b> The line item net monetary amount of the trade item.
Currency code	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDTG00000589</b> The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: Definition:	<b>BDTG00000028</b> The version number of the code list.
Monetary amount excluding all taxes	0..1	SDD-ID: Definition:	<b>BDTG00000239</b> The monetary amount excluding all taxes.
Monetary amount excluding all taxes content	1..1	SDD-ID: Definition:	<b>BDTG00000667</b> The monetary amount excluding all taxes.
Currency code	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDTG00000589</b> The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: Definition:	<b>BDTG00000028</b> The version number of the code list.



Business data terms and groups	Usage	Business data terms and groups description	
<b>Monetary amount including all taxes</b>	0..1	SDD-ID:	<b>BDTG00000240</b>
		Definition:	The total monetary amount including all taxes.
<b>Monetary amount including all taxes content</b>	1..1	SDD-ID:	<b>BDT00000668</b>
		Definition:	The total monetary amount including all taxes.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Notation</b>	0..1	SDD-ID:	<b>BDTG00000244</b>
		Definition:	The descriptive information expressed as text to be read and not to be processed by a receiving IT application.
<b>Notation content</b>	1..1	SDD-ID:	<b>BDT00000670</b>
		Definition:	The descriptive information expressed as text to be read and not to be processed by a receiving IT application.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Responded trade item information</b>	0..1	SDD-ID:	<b>BDTG00000393</b>
		Definition:	The information specifying the response to a requested trade item in a business document transaction.
<b>Global trade item number, GTIN</b>	0..1	SDD-ID:	<b>BDT00000066</b>
		Definition:	The identity according to the GS1 identification system for unique identification of products and services.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify trade items. The key comprises a GS1 Company Prefix, an item reference and check digit.
		Example:	07300015200192
<b>Product variant identifier</b>	0..1	SDD-ID:	<b>BDT00000115</b>
		Definition:	The product variant expressed as text.
		Usage:	Used when there are multiple variants of one and the same GTIN. Used to distinguishing trade items with the same GTIN from each other.
		Example:	Christmas edition





Business data terms and groups	Usage	Business data terms and groups description	
		Book cover in blue	
		Book cover in green	
Butter fat reference	0..1	SDD-ID: <b>BDT00000013</b>	
		Definition:	The reference number assigned by customs authorities to butter based fat products.
		Usage:	Used for customs declarations when importing or exporting goods.
Additional trade item identification	0..unbounded	SDD-ID: <b>BDTG00000142</b>	
		Definition:	The information specifying the additional identification details of a trade item.
Additional trade item identification content	1..1	SDD-ID: <b>BDT00000516</b>	
		Definition:	The additional identity of a trade item.
Additional trade item identification type code	0..unbounded	SDD-ID: <b>BDTG00000519</b>	
		Definition:	The code specifying the type of additional identifier for a shipment.
Additional trade item identification type code content	1..1	SDD-ID: <b>BDT00000518</b>	
		Definition:	The code of the additional trade item identification type.
Code list version	0..1	SDD-ID: <b>BDT00000028</b>	
		Definition:	The version number of the code list.
Trade item quantity	0..1	SDD-ID: <b>BDTG00000341</b>	
		Definition:	The quantity of a trade item.
		Usage rule:	To be applied when no other quantity information, such as the requested quantity or the invoiced quantity, is present.
Trade item quantity content	1..1	SDD-ID: <b>BDT00000678</b>	
		Definition:	The quantity value of the over allocation.
Measurement unit code	0..1	SDD-ID: <b>BDTG00000608</b>	
		Definition:	The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID: <b>BDT00000607</b>	
		Definition:	The code specifying the unambiguous representation of a unit of measure.
		Used code list:	MeasurementUnitCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b>	
		Definition:	The version number of the code list.
Trade item description	0..1	SDD-ID: <b>BDTG00000335</b>	
		Definition:	The description of the trade item expressed as text.
Trade item description content	1..1	SDD-ID: <b>BDT00000684</b>	
		Definition:	The description of the trade item expressed as text.
Language code	0..1	SDD-ID: <b>BDTG00000523</b>	
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID: <b>BDT00000524</b>	
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b>	
		Definition:	The version number of the code list.

Business data terms and groups	Usage	Business data terms and groups description	
Item type code	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000226</b> The code specifying the type of the trade item. ItemTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ItemTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ItemTypeCode</a>
Item type code content	1..1	SDD-ID: Definition:	<b>BDT00000656</b> The code specifying the type of the trade item.
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Trade item transactional data owner code	0..1	SDD-ID: Definition:	<b>BDTG00000342</b> The code specifying the responsible party of the transactional data.
Trade item transactional data owner code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000700</b> The code specifying the responsible party of the transactional data. SELLER TradeItemDataOwnerCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TradeItemDataOwnerCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TradeItemDataOwnerCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Dynamic trade item information	0..unbounded	SDD-ID: Definition:  Example:	<b>BDTG00000203</b> The information specifying the details of dynamic characteristics of individual instances of a trade item.  Best before date, batch number and serial number are examples of dynamic characteristics of an individual instance of a trade item.
Available for sale date	0..1	SDD-ID: Definition:	<b>BDT00000007</b> The date when a trade item is available for sale.
Batch number	0..1	SDD-ID: Definition:	<b>BDT00000008</b> The identification number of the production batch that relates to a date and time for the production of a product.
Best before date	0..1	SDD-ID: Definition:	<b>BDT00000011</b> The date indicating when the product characteristics and quality are no longer guaranteed by the manufacturer.
Country of origin	0..1	SDD-ID: Definition:	<b>BDTG00000180</b> The code specifying the country of manufacture, production, or growth where a trade item or product comes from.
Country of origin code content	1..1	SDD-ID: Definition:  Used code list:	<b>BDT00000572</b> The code specifying the country of manufacture, production, or growth where a trade item or product comes from. ISO 3166-1 or equivalent representation in specific syntax.
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Expiration date	0..1	SDD-ID: Definition:	<b>BDT00000057</b> The date after which the product should not be used or consumed.



Business data terms and groups		Usage	Business data terms and groups description	
	<b>Lot number</b>	0..1	SDD-ID: Definition:	<b>BDT00000090</b> The identification number for a lot consisting of products produced within different production batches.
	<b>Packaging date</b>	0..1	SDD-ID: Definition:	<b>BDT00000104</b> The date on which a product is placed in a container or package.
	<b>Production date</b>	0..1	SDD-ID: Definition:	<b>BDT00000116</b> The date the product was produced.
	<b>Sell by date</b>	0..1	SDD-ID: Definition:	<b>BDT00000120</b> The date after which the product should not be sold.
	<b>Serial number</b>	0..unbounded	SDD-ID: Definition:  Usage:	<b>BDT00000121</b> The serial number assigned to an individual instance of a specific identified product or trade item to make an instance of a product or trade item unique. The code need not be strictly numerical and can contain letters and other typographical symbols or may consist entirely of a character string.
	<b>Shelf life</b>	0..1	SDD-ID: Definition:	<b>BDT00000122</b> The length of time a product can be stored and remain suitable for its intended function expressed as text.
	<b>Item in contact with food product indicator</b>	0..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000082</b> The code indicating if the trade item can be in contact with food products. NO Available codes: "YES" and "NO"
	<b>Logistic unit packaging pattern information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000235</b> The information specifying the packaging of the logistic unit.
	<b>Number of layers</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000095</b> The number of layers of packages in a package. 3
	<b>Number of units per layer</b>	0..1	SDD-ID: Definition:	<b>BDT00000096</b> The number of packs per layer in a package.
	<b>Number of units per platform</b>	0..1	SDD-ID:	<b>BDT00000097</b>
	<b>Maximum stacking factor</b>	1..1	SDD-ID: Definition:  Example:	<b>BDT00000091</b> The maximum number of levels for a specific unit that can exist in a stack without impacting the quality of the product. 3
	<b>Packaging terms and conditions code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000265</b> The code specifying the terms and conditions that apply to the packaging of the logistic unit.
	<b>Packaging terms and conditions code content</b>	1..1	SDD-ID: Definition:  Used code list: Link to code list:	<b>BDT00000663</b> The code specifying the terms and conditions that apply to the packaging of the logistic unit. PackagingTermsAndConditionsCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PackagingTermsAndConditionsCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PackagingTermsAndConditionsCode</a>



Business data terms and groups		Usage	Business data terms and groups description	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Package type code	0..1	SDD-ID: <b>BDTG00000264</b> Definition: The code specifying the type of package used for the trade item. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PackageTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PackageTypeCode</a> Version: 20191004 KD: To be semantic I think the version of a code list should be specified in a separate business data term.	
	Package type code content	1..1	SDD-ID: <b>BDT00000664</b> Definition: The code specifying the type of package used for the trade item.	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Returnable package return transport payment code	0..1	SDD-ID: <b>BDTG00000301</b> Definition: The code specifying who is paying for the return of the empty returnable containers.	
	Returnable package return transport payment code content	1..1	SDD-ID: <b>BDT00000665</b> Definition: The code specifying who is paying for the return of the empty returnable containers. Used code list: TransportChargesPaymentMethodCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportChargesPaymentMethodCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportChargesPaymentMethodCode</a>	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Logistic unit dimensions information	0..1	SDD-ID: <b>BDTG00000233</b> Definition: The information specifying measurements of a logistic unit.	
	Depth measurement	1..1	SDD-ID: <b>BDTG00000190</b> Definition: The measure of an item from front to back.	
	Depth measurement content	1..1	SDD-ID: <b>BDT00000661</b> Definition: The measure of an item from front to back.	
	Measurement unit code	0..1	SDD-ID: <b>BDTG00000608</b> Definition: The code specifying the unambiguous representation of a unit of measure.	
	Measurement unit code content	1..1	SDD-ID: <b>BDT00000607</b> Definition: The code specifying the unambiguous representation of a unit of measure. Used code list: MeasurementUnitCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Height measurement	1..1	SDD-ID: <b>BDTG00000220</b> Definition: The vertical dimension of an item from the lowest extremity to the highest extremity.	
	Height measurement content	1..1	SDD-ID: <b>BDT00000650</b> Definition: The vertical dimension of an item from the lowest extremity to the highest extremity.	
	Measurement unit code	0..1	SDD-ID: <b>BDTG00000608</b> Definition: The code specifying the unambiguous representation of a unit of measure.	
	Measurement unit code content	1..1	SDD-ID: <b>BDT00000607</b>	

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code specifying the unambiguous representation of a unit of measure.
			Used code list:	MeasurementUnitCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Width measurement	1..1	SDD-ID:	<b>BDTG00000360</b>
			Definition:	The horizontal dimension from one side of the item to the other side.
	Width measurement content	1..1	SDD-ID:	<b>BDT00000662</b>
			Definition:	The horizontal dimension from one side of the item to the other side.
	Measurement unit code	0..1	SDD-ID:	<b>BDTG00000608</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
	Measurement unit code content	1..1	SDD-ID:	<b>BDT00000607</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
			Used code list:	MeasurementUnitCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Product quality value	0..1	SDD-ID:	<b>BDTG00000277</b>
			Definition:	The quality of the product expressed as a quantity value.
			Usage:	The quality can be expressed as a grade, strength or other.
	Product quality value content	1..1	SDD-ID:	<b>BDT00000695</b>
			Definition:	The quality of the product expressed as a quantity value.
	Measurement unit code	0..1	SDD-ID:	<b>BDTG00000608</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
	Measurement unit code content	1..1	SDD-ID:	<b>BDT00000607</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
			Used code list:	MeasurementUnitCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Trade item quantity	0..1	SDD-ID:	<b>BDTG00000341</b>
			Definition:	The quantity of a trade item.
			Usage rule:	To be applied when no other quantity information, such as the requested quantity or the invoiced quantity, is present.
	Trade item quantity content	1..1	SDD-ID:	<b>BDT00000678</b>
			Definition:	The quantity value of the over allocation.
	Measurement unit code	0..1	SDD-ID:	<b>BDTG00000608</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
	Measurement unit code content	1..1	SDD-ID:	<b>BDT00000607</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.

Business data terms and groups	Usage	Business data terms and groups description
		Used code list: MeasurementUnitCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Trade item weight information	0..unbounded	SDD-ID: <b>BDTG00000346</b> Definition: The information specifying the weight of a trade item.
Trade item weight content	1..1	SDD-ID: <b>BDT00000728</b> Definition: The weight of the trade item.
Measurement unit code	0..1	SDD-ID: <b>BDTG00000608</b> Definition: The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID: <b>BDT00000607</b> Definition: The code specifying the unambiguous representation of a unit of measure. Used code list: MeasurementUnitCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Measurement type code	1..1	SDD-ID: <b>BDTG00000237</b> Definition: The code specifying the way in which a trade item or logistic unit has been measured or calculated. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementTypeCode</a>
Measurement type code content	1..1	SDD-ID: <b>BDT00000666</b> Definition: The code specifying the way in which a trade item or logistic unit has been measured or calculated. Used code list: MeasurementTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementTypeCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Trade item volume information	0..unbounded	SDD-ID: <b>BDTG00000344</b> Definition: The information specifying the volume of a trade item.
Trade item volume content	1..1	SDD-ID: <b>BDT00000752</b> Definition: The volume of the trade item.
Measurement unit code	1..1	SDD-ID: <b>BDTG00000608</b> Definition: The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID: <b>BDT00000607</b> Definition: The code specifying the unambiguous representation of a unit of measure. Used code list: MeasurementUnitCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b>

Business data terms and groups		Usage	Business data terms and groups description	
	Measurement type code	1..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000237</b>
	Measurement type code content	1..1	Definition:	The code specifying the way in which a trade item or logistic unit has been measured or calculated.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Serial number range	0..unbounded	SDD-ID:	<b>BDTG00000307</b>
			Definition:	The range of serial numbers formed by a start number and an end number.
	Maximum value	0..1	SDD-ID:	<b>BDT00000092</b>
			Definition:	The highest value in a number series.
	Minimum value	0..1	SDD-ID:	<b>BDT00000094</b>
			Definition:	The lowest value in a number series.
	Trade item measurements information	0..unbounded	SDD-ID:	<b>BDTG00000336</b>
			Definition:	The information specifying the measurements of a trade item.
	Depth measurement	1..1	SDD-ID:	<b>BDTG00000190</b>
			Definition:	The measure of an item from front to back.
	Depth measurement content	1..1	SDD-ID:	<b>BDT00000661</b>
			Definition:	The measure of an item from front to back.
	Measurement unit code	0..1	SDD-ID:	<b>BDTG00000608</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
	Measurement unit code content	1..1	SDD-ID:	<b>BDT00000607</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
			Used code list:	MeasurementUnitCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Height measurement	1..1	SDD-ID:	<b>BDTG00000220</b>
			Definition:	The vertical dimension of an item from the lowest extremity to the highest extremity.
	Height measurement content	1..1	SDD-ID:	<b>BDT00000650</b>
			Definition:	The vertical dimension of an item from the lowest extremity to the highest extremity.
	Measurement unit code	0..1	SDD-ID:	<b>BDTG00000608</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
	Measurement unit code content	1..1	SDD-ID:	<b>BDT00000607</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.





Business data terms and groups		Usage	Business data terms and groups description	
			Used code list:	MeasurementUnitCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Width measurement	1..1	SDD-ID:	<b>BDTG00000360</b>
			Definition:	The horizontal dimension from one side of the item to the other side.
	Width measurement content	1..1	SDD-ID:	<b>BDT00000662</b>
			Definition:	The horizontal dimension from one side of the item to the other side.
	Measurement unit code	0..1	SDD-ID:	<b>BDTG00000608</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
	Measurement unit code content	1..1	SDD-ID:	<b>BDT00000607</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
			Used code list:	MeasurementUnitCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Global trade item number format and type of carrier information	0..1	SDD-ID:	<b>BDTG00000216</b>
			Definition:	The information specifying details of the format and type of data carrier for a GS1 global trade item number, GTIN, of a trade item.
	GS1 global trade item number format code	0..1	SDD-ID:	<b>BDTG00000217</b>
			Definition:	The code specifying the format of a GS1 global trade item number.
	GS1 global trade item number format code content	1..1	SDD-ID:	<b>BDT00000646</b>
			Definition:	The code specifying the format of a GS1 global trade item number.
			Example:	GTIN_13
			Used code list:	GS1TradeItemIdentificationKeyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:GS1TradeItemIdentificationKeyTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:GS1TradeItemIdentificationKeyTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Data carrier type code	0..1	SDD-ID:	<b>BDTG00000185</b>
			Definition:	The code specifying a type of data carrier.
			Used code list:	DataCarrierTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DataCarrierTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DataCarrierTypeCode</a>
	Data carrier type code content	1..1	SDD-ID:	<b>BDT00000639</b>
			Definition:	The code specifying a type of data carrier.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Trade item waste information	0..unbounded	SDD-ID:	<b>BDTG00000345</b>
			Definition:	The information specifying details of the waste generated by the trade item.
	Waste identification	0..1	SDD-ID:	<b>BDT00000138</b>





## Order response

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The identity for a type of waste according to the GS1 identification system for unique identification of products and services.
			Example:	04098765000119
	Waste type code	0..unbounded	SDD-ID:	<b>BDTG00000359</b>
			Definition:	The information specifying the details of the code specifying the type of waste.
	Waste type code content	1..1	SDD-ID:	<b>BDT00000702</b>
			Definition:	The code specifying the type of waste.
	Code description	0..1	SDD-ID:	<b>BDT00000022</b>
			Definition:	The description of a code value expressed as text.
	Code list agency code	0..1	SDD-ID:	<b>BDT00000023</b>
			Definition:	The code specifying the agency responsible for a code list.
	Code list agency code list version	0..1	SDD-ID:	<b>BDT00000024</b>
			Definition:	The version number of a code list issued by the responsible agency for the code list.
	Code list agency name	0..1	SDD-ID:	<b>BDT00000025</b>
			Definition:	The name of the agency responsible for a code list.
	Code list name	0..1	SDD-ID:	<b>BDT00000026</b>
			Definition:	The name of the code list expressed as text.
	Code list URL	0..1	SDD-ID:	<b>BDT00000027</b>
			Definition:	The character string that identifies the location of the code list in a network.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Trade item organic information	0..1	SDD-ID:	<b>BDTG00000338</b>
			Definition:	The information specifying organic data for a trade item.
	Trade item organic indicator	1..1	SDD-ID:	<b>BDT00000081</b>
			Definition:	The code indicating if the trade item is claimed to be organic.
			Example:	NO
			Used code list:	Available codes: "YES" and "NO"
	Organic certification information	0..1	SDD-ID:	<b>BDTG00000261</b>
			Definition:	The information specifying the certificate for a trade item which claims the product to be organic.
	Certification value	0..1	SDD-ID:	<b>BDT00000017</b>
			Definition:	The certification value.
			Example:	need an reliable example
	Certification agency name	0..1	SDD-ID:	<b>BDT00000015</b>
			Definition:	The name of the organization issuing a certification as a confirmation that certain requirements have been met.
	Certification standard name	0..1	SDD-ID:	<b>BDT00000016</b>
			Definition:	The name of the certification standard expressed as text.
			Example:	GlobalGAP
	Colour information	0..unbounded	SDD-ID:	<b>BDTG00000174</b>
			Definition:	The information specifying the colour of a trade item.
	Colour code	0..1	SDD-ID:	<b>BDTG00000172</b>
			Definition:	The code specifying the colour of an object or a product according to a colour system.

Business data terms and groups		Usage	Business data terms and groups description	
<ul style="list-style-type: none"> <li>Colour code content</li> <li>Colour code system code</li> <li>Colour code system description</li> <li>Code list version</li> <li>Colour code system version</li> <li>Colour description</li> <li>Colour description content</li> <li>Language code</li> <li>Language code content</li> <li>Code list version</li> </ul>		1..1	SDD-ID:	<b>BDT00000736</b>
			Definition:	The code specifying the colour of an object or a product according to a colour system.
		1..1	SDD-ID:	<b>BDT00000029</b>
			Definition:	The code specifying the colour coding system.
			Example:	10
			Used code list:	ColourCodeListCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ColourCodeListCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ColourCodeListCode</a>
		0..1	SDD-ID:	<b>BDT00000030</b>
			Definition:	The description of the colour code system expressed as text.
			Example:	National Retail Federation – Standard Colour & Size Codes
<ul style="list-style-type: none"> <li>Code list version</li> <li>Colour code system version</li> <li>Colour description</li> <li>Colour description content</li> <li>Language code</li> <li>Language code content</li> <li>Code list version</li> <li>Size information</li> <li>Size description</li> <li>Size description content</li> <li>Language code</li> <li>Language code content</li> </ul>		0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
		0..1	SDD-ID:	<b>BDT00000031</b>
			Definition:	The version number of the colour code system.
		0..1	SDD-ID:	<b>BDTG00000173</b>
			Definition:	Colour descriptionThe description of a colour expressed as text.
			Usage:	Only used if no coded value for the colour is available using the business data term Colour code.
		1..1	SDD-ID:	<b>BDT00000737</b>
			Definition:	The description of a colour expressed as text.
		0..1	SDD-ID:	<b>BDTG00000523</b>
<ul style="list-style-type: none"> <li>Language code</li> <li>Language code content</li> <li>Code list version</li> <li>Size information</li> <li>Size description</li> <li>Size description content</li> <li>Language code</li> <li>Language code content</li> </ul>			Definition:	The code specifying the language.
		1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
		0..unbounde	SDD-ID:	<b>BDTG00000316</b>
			Definition:	The information specifying the size of a trade item.
		0..1	SDD-ID:	<b>BDTG00000315</b>
<ul style="list-style-type: none"> <li>Size description</li> <li>Size description content</li> <li>Language code</li> <li>Language code content</li> </ul>			Definition:	The description of a size expressed as text.
		1..1	SDD-ID:	<b>BDT00000679</b>
			Definition:	The description of a size expressed as text.
		0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
		1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .



Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Size code	0..1	SDD-ID:	<b>BDTG00000313</b>
		Definition:	The code specifying the size of an object or a product according to a size system.
Size code content	1..1	SDD-ID:	<b>BDT00000680</b>
		Definition:	The code specifying the size of an object or a product according to a size system.
Size code list code	1..1	SDD-ID:	<b>BDTG00000314</b>
		Definition:	The code specifying the system of size codes.
Size code list code content	1..1	SDD-ID:	<b>BDT00000681</b>
		Definition:	The code specifying the system of size codes.
		Example:	1
		Used code list:	SizeCodeListCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SizeCodeListCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SizeCodeListCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Size code list description	0..1	SDD-ID:	<b>BDT00000124</b>
		Definition:	The description of the size code system expressed as text.
		Example:	National Retail Federation – Standard Colour & Size Codes
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Size code list version	0..1	SDD-ID:	<b>BDT00000125</b>
		Definition:	The version number of the code list of the size code system.
Trade item classification information	0..1	SDD-ID:	<b>BDTG00000334</b>
		Definition:	The information specifying the product classification of a trade item.
GS1 global product classification GPC brick code	1..1	SDD-ID:	<b>BDT00000070</b>
		Definition:	The code specifying the product category of similar products according to GS1 global product classification standard GPC.
		Business rule:	According to GS1 global product classification standard a GTIN can be assigned to only one brick code.
		Example:	10000025
GS1 global product classification GPC brick name	0..1	SDD-ID:	<b>BDT00000071</b>
		Definition:	The name of the product category of similar products according to GS1 global product classification standard GPC.
		Business rule:	To be used in conjunction with the business data term "GS1 global product classification brick code". (Is this a Business rule or a Usage rule?)
		Example:	Milk
Alternative trade item product classification code	0..unbounded	SDD-ID:	<b>BDTG00000155</b>
		Definition:	The information specifying the details of the alternative trade item product classification code.
		Usage:	The product classification system is an alternative to the GS1 Global Product Classification standard.
Alternative trade item product classification	1..1	SDD-ID:	<b>BDT00000536</b>



Business data terms and groups		Usage	Business data terms and groups description	
	<b>code content</b>		Definition:	The code specifying the product classification of a trade item according to an alternative product classification system.
	<b>Additional trade item classification scheme code</b>	0..1	SDD-ID: Definition:  Usage: Example: Used code list: Link to code list:	<b>BDT00000002</b> The code specifying the classification scheme used for an additional classification of a trade item. Meant to be used in addition to GS1 Global Product Classification standard. 5 AdditionalTradeItemClassificationCodeListCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalTradeItemClassificationCodeListCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalTradeItemClassificationCodeListCode</a>
	<b>Additional trade item classification scheme version</b>	0..1	SDD-ID: Definition:  Example:	<b>BDT00000003</b> The version number of the classification scheme used for additional trade item classification. 9
	<b>Code description</b>	0..1	SDD-ID: Definition:	<b>BDT000000022</b> The description of a code value expressed as text.
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT000000028</b> The version number of the code list.
	<b>Global Product Classification attributes</b>	0..unbounded	SDD-ID: Definition:  Usage:	<b>BDTG000000215</b> The information specifying details to identify classification properties and their property values for a trade item according to the GS1 Global Product Classification standard, GPC. The class is optional to use. The class can be repeated for a trade item if the trade item has different classification properties (attribute types) and these, together with their respective property value (attribute value), are to be specified. (This text is to be inserted in the model of the Order instead.)
	<b>GS1 global product classification GPC attribute type code</b>	1..1	SDD-ID: Definition:  Example:	<b>BDT000000067</b> The code specifying the type of attribute according to GS1 global product classification standard GPC. 20000123
	<b>GS1 global product classification GPC attribute value code</b>	1..1	SDD-ID: Definition:  Usage:  Example:	<b>BDT000000068</b> The code specifying the attribute value according to GS1 global product classification standard GPC. Used in conjunction with the attribute type to further characterise the product specified by the brick. 3001082
	<b>Global product classification GPC attribute type name</b>	0..1	SDD-ID: Definition:  Example:	<b>BDT000000064</b> The name of the attribute type according to GS1 global product classification standard GPC. Level of Fat Claim
	<b>GS1 global product classification GPC attribute value name</b>	0..1	SDD-ID: Definition:	<b>BDT000000069</b> The name of the attribute value according to GS1 global product classification standard GPC.



Business data terms and groups	Usage	Business data terms and groups description	
<b>Replaced trade item information</b>	0..1	Example: SDD-ID: Definition: Context:	FULL FAT <b>BDTG00000391</b> The information specifying the replaced trade item in a business document transaction. The business data term group is to be used to specify the original requested trade item which is replaced by another trade item specified by the business data term group "BDTG00000393 Responded trade item information".
<b>Global trade item number, GTIN</b>	0..1	SDD-ID: Definition: Ref. definition:	<b>BDT00000066</b> The identity according to the GS1 identification system for unique identification of products and services. GS1 General Specifications: The GS1 identification key used to identify trade items. The key comprises a GS1 Company Prefix, an item reference and check digit.
<b>Product variant identifier</b>	0..1	Example: SDD-ID: Definition: Usage:	07300015200192 <b>BDT00000115</b> The product variant expressed as text. Used when there are multiple variants of one and the same GTIN. Used to distinguishing trade items with the same GTIN from each other.
<b>Butter fat reference</b>	0..1	Example: SDD-ID: Definition: Usage:	Christmas edition Book cover in blue Book cover in green <b>BDT00000013</b> The reference number assigned by customs authorities to butter based fat products. Used for customs declarations when importing or exporting goods.
<b>Additional trade item identification</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000142</b> The information specifying the additional identification details of a trade item.
<b>Additional trade item identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000516</b> The additional identity of a trade item.
<b>Additional trade item identification type code</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000519</b> The code specifying the type of additional identifier for a shipment.
<b>Additional trade item identification type code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000518</b> The code of the additional trade item identification type.
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Trade item quantity</b>	0..1	SDD-ID: Definition: Usage rule:	<b>BDTG00000341</b> The quantity of a trade item. To be applied when no other quantity information, such as the requested quantity or the invoiced quantity, is present.
<b>Trade item quantity content</b>	1..1	SDD-ID: Definition:	<b>BDT00000678</b> The quantity value of the over allocation.
<b>Measurement unit code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000608</b> The code specifying the unambiguous representation of a unit of measure.
<b>Measurement unit code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000607</b> The code specifying the unambiguous representation of a unit of measure.

## Order response

Business data terms and groups	Usage	Business data terms and groups description	
		Used code list:	MeasurementUnitCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Trade item description	0..1	SDD-ID:	<b>BDTG00000335</b>
		Definition:	The description of the trade item expressed as text.
Trade item description content	1..1	SDD-ID:	<b>BDT00000684</b>
		Definition:	The description of the trade item expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Item type code	0..1	SDD-ID:	<b>BDTG00000226</b>
		Definition:	The code specifying the type of the trade item.
		Used code list:	ItemTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ItemTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ItemTypeCode</a>
Item type code content	1..1	SDD-ID:	<b>BDT00000656</b>
		Definition:	The code specifying the type of the trade item.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Trade item transactional data owner code	0..1	SDD-ID:	<b>BDTG00000342</b>
		Definition:	The code specifying the responsible party of the transactional data.
Trade item transactional data owner code content	1..1	SDD-ID:	<b>BDT00000700</b>
		Definition:	The code specifying the responsible party of the transactional data.
		Example:	SELLER
		Used code list:	TradeItemDataOwnerCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TradeItemDataOwnerCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TradeItemDataOwnerCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Dynamic trade item information	0..unbounded	SDD-ID:	<b>BDTG00000203</b>
		Definition:	The information specifying the details of dynamic characteristics of individual instances of a trade item.
		Example:	Best before date, batch number and serial number are examples of dynamic characteristics of an individual instance of a trade item.
Available for sale date	0..1	SDD-ID:	<b>BDT00000007</b>

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Batch number</b>	0..1	Definition:	The date when a trade item is available for sale.
			SDD-ID:	<b>BDT00000008</b>
			Definition:	The identification number of the production batch that relates to a date and time for the production of a product.
	<b>Best before date</b>	0..1	SDD-ID:	<b>BDT00000011</b>
			Definition:	The date indicating when the product characteristics and quality are no longer guaranteed by the manufacturer.
	<b>Country of origin</b>	0..1	SDD-ID:	<b>BDTG00000180</b>
			Definition:	The code specifying the country of manufacture, production, or growth where a trade item or product comes from.
	<b>Country of origin code content</b>	1..1	SDD-ID:	<b>BDT00000572</b>
			Definition:	The code specifying the country of manufacture, production, or growth where a trade item or product comes from.
	<b>Code list version</b>	0..1	Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
			SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Expiration date</b>	0..1	SDD-ID:	<b>BDT00000057</b>
			Definition:	The date after which the product should not be used or consumed.
	<b>Lot number</b>	0..1	SDD-ID:	<b>BDT00000090</b>
			Definition:	The identification number for a lot consisting of products produced within different production batches.
	<b>Packaging date</b>	0..1	SDD-ID:	<b>BDT00000104</b>
			Definition:	The date on which a product is placed in a container or package.
	<b>Production date</b>	0..1	SDD-ID:	<b>BDT00000116</b>
			Definition:	The date the product was produced.
	<b>Sell by date</b>	0..1	SDD-ID:	<b>BDT00000120</b>
			Definition:	The date after which the product should not be sold.
	<b>Serial number</b>	0..unbounded	SDD-ID:	<b>BDT00000121</b>
			Definition:	The serial number assigned to an individual instance of a specific identified product or trade item to make an instance of a product or trade item unique.
			Usage:	The code need not be strictly numerical and can contain letters and other typographical symbols or may consist entirely of a character string.
	<b>Shelf life</b>	0..1	SDD-ID:	<b>BDT00000122</b>
			Definition:	The length of time a product can be stored and remain suitable for its intended function expressed as text.
			Example:	1 year
	<b>Item in contact with food product indicator</b>	0..1	SDD-ID:	<b>BDT00000082</b>
			Definition:	The code indicating if the trade item can be in contact with food products.
			Example:	NO
			Used code list:	Available codes: "YES" and "NO"
	<b>Logistic unit packaging pattern information</b>	0..1	SDD-ID:	<b>BDTG00000235</b>
			Definition:	The information specifying the packaging of the logistic unit.
	<b>Number of layers</b>	0..1	SDD-ID:	<b>BDT00000095</b>





Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The number of layers of packages in a package.
			Example:	3
	Number of units per layer	0..1	SDD-ID:	<b>BDT00000096</b>
			Definition:	The number of packs per layer in a package.
	Number of units per platform	0..1	SDD-ID:	<b>BDT00000097</b>
	Maximum stacking factor	1..1	SDD-ID:	<b>BDT00000091</b>
			Definition:	The maximum number of levels for a specific unit that can exist in a stack without impacting the quality of the product.
			Example:	3
	Packaging terms and conditions code	0..1	SDD-ID:	<b>BDTG00000265</b>
			Definition:	The code specifying the terms and conditions that apply to the packaging of the logistic unit.
	Packaging terms and conditions code content	1..1	SDD-ID:	<b>BDT00000663</b>
			Definition:	The code specifying the terms and conditions that apply to the packaging of the logistic unit.
			Used code list:	PackagingTermsAndConditionsCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PackagingTermsAndConditionsCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PackagingTermsAndConditionsCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Package type code	0..1	SDD-ID:	<b>BDTG00000264</b>
			Definition:	The code specifying the type of package used for the trade item.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PackageTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PackageTypeCode</a>
			Version:	20191004 KD: To be semantic I think the version of a code list should be specified in a separate business data term.
	Package type code content	1..1	SDD-ID:	<b>BDT00000664</b>
			Definition:	The code specifying the type of package used for the trade item.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Returnable package return transport payment code	0..1	SDD-ID:	<b>BDTG00000301</b>
			Definition:	The code specifying who is paying for the return of the empty returnable containers.
	Returnable package return transport payment code content	1..1	SDD-ID:	<b>BDT00000665</b>
			Definition:	The code specifying who is paying for the return of the empty returnable containers.
			Used code list:	TransportChargesPaymentMethodCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportChargesPaymentMethodCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportChargesPaymentMethodCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Logistic unit dimensions information	0..1	SDD-ID:	<b>BDTG00000233</b>
			Definition:	The information specifying measurements of a logistic unit.
	Depth measurement	1..1	SDD-ID:	<b>BDTG00000190</b>
			Definition:	The measure of an item from front to back.





## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	Depth measurement content	1..1	SDD-ID:	<b>BDT00000661</b>
			Definition:	The measure of an item from front to back.
	Measurement unit code	0..1	SDD-ID:	<b>BDTG00000608</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
	Measurement unit code content	1..1	SDD-ID:	<b>BDT00000607</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
			Used code list:	MeasurementUnitCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Height measurement	1..1	SDD-ID:	<b>BDTG00000220</b>
			Definition:	The vertical dimension of an item from the lowest extremity to the highest extremity.
	Height measurement content	1..1	SDD-ID:	<b>BDT00000650</b>
			Definition:	The vertical dimension of an item from the lowest extremity to the highest extremity.
	Measurement unit code	0..1	SDD-ID:	<b>BDTG00000608</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
	Measurement unit code content	1..1	SDD-ID:	<b>BDT00000607</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
			Used code list:	MeasurementUnitCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Width measurement	1..1	SDD-ID:	<b>BDTG00000360</b>
			Definition:	The horizontal dimension from one side of the item to the other side.
	Width measurement content	1..1	SDD-ID:	<b>BDT00000662</b>
			Definition:	The horizontal dimension from one side of the item to the other side.
	Measurement unit code	0..1	SDD-ID:	<b>BDTG00000608</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
	Measurement unit code content	1..1	SDD-ID:	<b>BDT00000607</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
			Used code list:	MeasurementUnitCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Product quality value	0..1	SDD-ID:	<b>BDTG00000277</b>
			Definition:	The quality of the product expressed as a quantity value.
	Product quality value content	1..1	Usage:	The quality can be expressed as a grade, strength or other.
			SDD-ID:	<b>BDT00000695</b>
			Definition:	The quality of the product expressed as a quantity value.
	Measurement unit code	0..1	SDD-ID:	<b>BDTG00000608</b>



Business data terms and groups		Usage	Business data terms and groups description	
	Measurement unit code content	1..1	Definition: SDD-ID: Definition: Used code list: Link to code list:	The code specifying the unambiguous representation of a unit of measure. <b>BDT00000607</b> The code specifying the unambiguous representation of a unit of measure. MeasurementUnitCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Trade item quantity	0..1	SDD-ID: Definition: Usage rule:	<b>BDTG00000341</b> The quantity of a trade item. To be applied when no other quantity information, such as the requested quantity or the invoiced quantity, is present.
	Trade item quantity content	1..1	SDD-ID: Definition:	<b>BDT00000678</b> The quantity value of the over allocation.
	Measurement unit code	0..1	SDD-ID: Definition:	<b>BDTG00000608</b> The code specifying the unambiguous representation of a unit of measure.
	Measurement unit code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000607</b> The code specifying the unambiguous representation of a unit of measure. MeasurementUnitCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Trade item weight information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000346</b> The information specifying the weight of a trade item.
	Trade item weight content	1..1	SDD-ID: Definition:	<b>BDT00000728</b> The weight of the trade item.
	Measurement unit code	0..1	SDD-ID: Definition:	<b>BDTG00000608</b> The code specifying the unambiguous representation of a unit of measure.
	Measurement unit code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000607</b> The code specifying the unambiguous representation of a unit of measure. MeasurementUnitCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Measurement type code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000237</b> The code specifying the way in which a trade item or logistic unit has been measured or calculated. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementTypeCode</a>
	Measurement type code content	1..1	SDD-ID: Definition:	<b>BDT00000666</b> The code specifying the way in which a trade item or logistic unit has been measured or



Business data terms and groups	Usage	Business data terms and groups description
		calculated. MeasurementTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementTypeCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Trade item volume information	0..unbounded	SDD-ID: <b>BDTG00000344</b> Definition: The information specifying the volume of a trade item.
Trade item volume content	1..1	SDD-ID: <b>BDT00000752</b> Definition: The volume of the trade item.
Measurement unit code	1..1	SDD-ID: <b>BDTG00000608</b> Definition: The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID: <b>BDT00000607</b> Definition: The code specifying the unambiguous representation of a unit of measure. Used code list: MeasurementUnitCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Measurement type code	1..1	SDD-ID: <b>BDTG00000237</b> Definition: The code specifying the way in which a trade item or logistic unit has been measured or calculated. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementTypeCode</a>
Measurement type code content	1..1	SDD-ID: <b>BDT00000666</b> Definition: The code specifying the way in which a trade item or logistic unit has been measured or calculated. Used code list: MeasurementTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementTypeCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Serial number range	0..unbounded	SDD-ID: <b>BDTG00000307</b> Definition: The range of serial numbers formed by a start number and an end number.
Maximum value	0..1	SDD-ID: <b>BDT00000092</b> Definition: The highest value in a number series.
Minimum value	0..1	SDD-ID: <b>BDT00000094</b> Definition: The lowest value in a number series.
Trade item measurements information	0..unbounded	SDD-ID: <b>BDTG00000336</b> Definition: The information specifying the measurements of a trade item.
Depth measurement	1..1	SDD-ID: <b>BDTG00000190</b> Definition: The measure of an item from front to back.
Depth measurement content	1..1	SDD-ID: <b>BDT00000661</b>



Business data terms and groups		Usage	Business data terms and groups description	
	<b>Measurement unit code</b>	0..1	Definition:	The measure of an item from front to back.
			SDD-ID:	<b>BDTG00000608</b>
	<b>Measurement unit code content</b>	1..1	Definition:	The code specifying the unambiguous representation of a unit of measure.
			SDD-ID:	<b>BDT00000607</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
			Used code list:	MeasurementUnitCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:MeasurementUnitCode&amp;release=1</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Height measurement</b>	1..1	SDD-ID:	<b>BDTG00000220</b>
			Definition:	The vertical dimension of an item from the lowest extremity to the highest extremity.
	<b>Height measurement content</b>	1..1	SDD-ID:	<b>BDT00000650</b>
			Definition:	The vertical dimension of an item from the lowest extremity to the highest extremity.
	<b>Measurement unit code</b>	0..1	SDD-ID:	<b>BDTG00000608</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
	<b>Measurement unit code content</b>	1..1	SDD-ID:	<b>BDT00000607</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
			Used code list:	MeasurementUnitCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:MeasurementUnitCode&amp;release=1</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Width measurement</b>	1..1	SDD-ID:	<b>BDTG00000360</b>
			Definition:	The horizontal dimension from one side of the item to the other side.
	<b>Width measurement content</b>	1..1	SDD-ID:	<b>BDT00000662</b>
			Definition:	The horizontal dimension from one side of the item to the other side.
	<b>Measurement unit code</b>	0..1	SDD-ID:	<b>BDTG00000608</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
	<b>Measurement unit code content</b>	1..1	SDD-ID:	<b>BDT00000607</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
			Used code list:	MeasurementUnitCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:MeasurementUnitCode&amp;release=1</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Global trade item number format and type of carrier information</b>	0..1	SDD-ID:	<b>BDTG00000216</b>
			Definition:	The information specifying details of the format and type of data carrier for a GS1 global trade item number, GTIN, of a trade item.
	<b>GS1 global trade item number format code</b>	0..1	SDD-ID:	<b>BDTG00000217</b>
			Definition:	The code specifying the format of a GS1 global trade item number.
	<b>GS1 global trade item number format code content</b>	1..1	SDD-ID:	<b>BDT00000646</b>
			Definition:	The code specifying the format of a GS1 global trade item number.



Business data terms and groups		Usage	Business data terms and groups description	
			Example:	GTIN_13
			Used code list:	GS1TradeItemIdentificationKeyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:GS1TradeItemIdentificationKeyTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:GS1TradeItemIdentificationKeyTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Data carrier type code	0..1	SDD-ID:	<b>BDTG00000185</b>
			Definition:	The code specifying a type of data carrier.
			Used code list:	DataCarrierTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DataCarrierTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DataCarrierTypeCode</a>
	Data carrier type code content	1..1	SDD-ID:	<b>BDT00000639</b>
			Definition:	The code specifying a type of data carrier.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Trade item waste information	0..unbounded	SDD-ID:	<b>BDTG00000345</b>
			Definition:	The information specifying details of the waste generated by the trade item.
	Waste identification	0..1	SDD-ID:	<b>BDT00000138</b>
			Definition:	The identity for a type of waste according to the GS1 identification system for unique identification of products and services.
			Example:	04098765000119
	Waste type code	0..unbounded	SDD-ID:	<b>BDTG00000359</b>
			Definition:	The information specifying the details of the code specifying the type of waste.
	Waste type code content	1..1	SDD-ID:	<b>BDT00000702</b>
			Definition:	The code specifying the type of waste.
	Code description	0..1	SDD-ID:	<b>BDT00000022</b>
			Definition:	The description of a code value expressed as text.
	Code list agency code	0..1	SDD-ID:	<b>BDT00000023</b>
			Definition:	The code specifying the agency responsible for a code list.
	Code list agency code list version	0..1	SDD-ID:	<b>BDT00000024</b>
			Definition:	The version number of a code list issued by the responsible agency for the code list.
	Code list agency name	0..1	SDD-ID:	<b>BDT00000025</b>
			Definition:	The name of the agency responsible for a code list.
	Code list name	0..1	SDD-ID:	<b>BDT00000026</b>
			Definition:	The name of the code list expressed as text.
	Code list URL	0..1	SDD-ID:	<b>BDT00000027</b>
			Definition:	The character string that identifies the location of the code list in a network.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Trade item organic information	0..1	SDD-ID:	<b>BDTG00000338</b>
			Definition:	The information specifying organic data for a trade item.
	Trade item organic indicator	1..1	SDD-ID:	<b>BDT00000081</b>
			Definition:	The code indicating if the trade item is claimed to be organic.

## Order response

Business data terms and groups	Usage	Business data terms and groups description	
		Example:	NO
		Used code list:	Available codes: "YES" and "NO"
Organic certification information	0..1	SDD-ID:	<b>BDTG00000261</b>
		Definition:	The information specifying the certificate for a trade item which claims the product to be organic.
Certification value	0..1	SDD-ID:	<b>BDT00000017</b>
		Definition:	The certification value.
		Example:	need an reliable example
Certification agency name	0..1	SDD-ID:	<b>BDT00000015</b>
		Definition:	The name of the organization issuing a certification as a confirmation that certain requirements have been met.
Certification standard name	0..1	SDD-ID:	<b>BDT00000016</b>
		Definition:	The name of the certification standard expressed as text.
		Example:	GlobalGAP
Colour information	0..unbounded	SDD-ID:	<b>BDTG00000174</b>
		Definition:	The information specifying the colour of a trade item.
Colour code	0..1	SDD-ID:	<b>BDTG00000172</b>
		Definition:	The code specifying the colour of an object or a product according to a colour system.
Colour code content	1..1	SDD-ID:	<b>BDT00000736</b>
		Definition:	The code specifying the colour of an object or a product according to a colour system.
Colour code system code	1..1	SDD-ID:	<b>BDT00000029</b>
		Definition:	The code specifying the colour coding system.
		Example:	10
		Used code list:	ColourCodeListCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ColourCodeListCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ColourCodeListCode</a>
Colour code system description	0..1	SDD-ID:	<b>BDT00000030</b>
		Definition:	The description of the colour code system expressed as text.
		Example:	National Retail Federation – Standard Colour & Size Codes
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Colour code system version	0..1	SDD-ID:	<b>BDT00000031</b>
		Definition:	The version number of the colour code system.
Colour description	0..1	SDD-ID:	<b>BDTG00000173</b>
		Definition:	Colour descriptionThe description of a colour expressed as text.
		Usage:	Only used if no coded value for the colour is available using the business data term Colour code.
Colour description content	1..1	SDD-ID:	<b>BDT00000737</b>
		Definition:	The description of a colour expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.



Business data terms and groups	Usage	Business data terms and groups description	
		Example: Used code list:	en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Size information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000316</b> The information specifying the size of a trade item.
Size description	0..1	SDD-ID: Definition:	<b>BDTG00000315</b> The description of a size expressed as text.
Size description content	1..1	SDD-ID: Definition:	<b>BDT00000679</b> The description of a size expressed as text.
Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Size code	0..1	SDD-ID: Definition:	<b>BDTG00000313</b> The code specifying the size of an object or a product according to a size system.
Size code content	1..1	SDD-ID: Definition:	<b>BDT00000680</b> The code specifying the size of an object or a product according to a size system.
Size code list code	1..1	SDD-ID: Definition:	<b>BDTG00000314</b> The code specifying the system of size codes.
Size code list code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000681</b> The code specifying the system of size codes. 1 SizeCodeListCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SizeCodeListCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SizeCodeListCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Size code list description	0..1	SDD-ID: Definition: Example:	<b>BDT00000124</b> The description of the size code system expressed as text. National Retail Federation – Standard Colour & Size Codes
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Size code list version	0..1	SDD-ID: Definition:	<b>BDT00000125</b> The version number of the code list of the size code system.
Trade item classification information	0..1	SDD-ID: Definition:	<b>BDTG00000334</b> The information specifying the product classification of a trade item.





Business data terms and groups		Usage	Business data terms and groups description	
<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<b>GS1 global product classification GPC brick code</b>	1..1	SDD-ID: Definition: Business rule: Example:	<b>BDT00000070</b> The code specifying the product category of similar products according to GS1 global product classification standard GPC. According to GS1 global product classification standard a GTIN can be assigned to only one brick code. 10000025
	<b>GS1 global product classification GPC brick name</b>	0..1	SDD-ID: Definition: Business rule: Example:	<b>BDT00000071</b> The name of the product category of similar products according to GS1 global product classification standard GPC. To be used in conjunction with the business data term "GS1 global product classification brick code". (Is this a Business rule or a Usage rule?) Milk
	<b>Alternative trade item product classification code</b>	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000155</b> The information specifying the details of the alternative trade item product classification code. The product classification system is an alternative to the GS1 Global Product Classification standard.
	<b>Alternative trade item product classification code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000536</b> The code specifying the product classification of a trade item according to an alternative product classification system.
	<b>Additional trade item classification scheme code</b>	0..1	SDD-ID: Definition: Usage: Example: Used code list: Link to code list:	<b>BDT00000002</b> The code specifying the classification scheme used for an additional classification of a trade item. Meant to be used in addition to GS1 Global Product Classification standard. 5 AdditionalTradeItemClassificationCodeListCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalTradeItemClassificationCodeListCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalTradeItemClassificationCodeListCode</a>
	<b>Additional trade item classification scheme version</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000003</b> The version number of the classification scheme used for additional trade item classification. 9
	<b>Code description</b>	0..1	SDD-ID: Definition:	<b>BDT00000022</b> The description of a code value expressed as text.
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Global Product Classification attributes</b>	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000215</b> The information specifying details to identify classification properties and their property values for a trade item according to the GS1 Global Product Classification standard, GPC. The class is optional to use. The class can be repeated for a trade item if the trade item has different classification properties (attribute types) and these, together with their respective property value (attribute value), are to be specified. (This text is to be





Business data terms and groups		Usage	Business data terms and groups description	
			inserted in the model of the Order instead.)	
	<b>GS1 global product classification GPC attribute type code</b>	1..1	SDD-ID: Definition:	<b>BDT00000067</b> The code specifying the type of attribute according to GS1 global product classification standard GPC.
			Example:	20000123
	<b>GS1 global product classification GPC attribute value code</b>	1..1	SDD-ID: Definition:	<b>BDT00000068</b> The code specifying the attribute value according to GS1 global product classification standard GPC.
			Usage:	Used in conjunction with the attribute type to further characterise the product specified by the brick.
			Example:	3001082
	<b>Global product classification GPC attribute type name</b>	0..1	SDD-ID: Definition:	<b>BDT00000064</b> The name of the attribute type according to GS1 global product classification standard GPC.
			Example:	Level of Fat Claim
	<b>GS1 global product classification GPC attribute value name</b>	0..1	SDD-ID: Definition:	<b>BDT00000069</b> The name of the attribute value according to GS1 global product classification standard GPC.
			Example:	FULL FAT
	<b>Allowance information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000149</b> The information specifying details of an allowance.
			Context:	Specifies the allowance for the ordered trade item.
	<b>Allowance percentage</b>	0..1	SDD-ID: Definition:	<b>BDT00000006</b> The percentage used when calculating the allowance.
			Example:	25
	<b>Bracket criteria</b>	0..1	SDD-ID: Definition:	<b>BDT00000012</b> The minimum and optionally maximum value of a bracket tier.
			Usage:	Bracket criteria may be expressed in monetary amount or measurement tiers. Pricing for a product or service may be conditional on specified bracket criteria.
			Example:	500-1000 pieces 10-100 EUR
	<b>Calculation sequence number</b>	0..1	SDD-ID: Definition:	<b>BDT00000014</b> The sequence number used to indicate the order in which the allowance or charge is to be calculated.
	<b>Allowance type code</b>	1..1	SDD-ID: Definition:	<b>BDTG00000153</b> The code specifying the type of allowance.
			Example:	64
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AllowanceChargeTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AllowanceChargeTypeCode</a>
	<b>Allowance type code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000531</b> The code specifying the type of allowance.
			Used code list:	AllowanceChargeTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:</a>

Business data terms and groups	Usage	Business data terms and groups description	
<b>Code list version</b>	0..1	SDD-ID:	<a href="#">AllowanceChargeTypeCode</a> <b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Settlement allowance code</b>	1..1	SDD-ID:	<b>BDTG00000308</b>
		Definition:	The code specifying how the allowance is to be settled.
		Example:	2
<b>Settlement allowance code content</b>	1..1	SDD-ID:	<b>BDT00000532</b>
		Definition:	The code specifying how the allowance is to be settled.
		Used code list:	SettlementTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Allowance monetary amount</b>	0..1	SDD-ID:	<b>BDTG00000150</b>
		Definition:	The monetary amount of the allowance.
<b>Allowance monetary amount content</b>	1..1	SDD-ID:	<b>BDT00000528</b>
		Definition:	The allowance monetary amount.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Allowance monetary amount per unit</b>	0..1	SDD-ID:	<b>BDTG00000151</b>
		Definition:	The allowance per unit as a monetary amount.
<b>Allowance monetary amount per unit content</b>	1..1	SDD-ID:	<b>BDT00000529</b>
		Definition:	The allowance per unit as a monetary amount.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Allowance basis monetary amount</b>	0..1	SDD-ID:	<b>BDTG00000146</b>
		Definition:	The basis monetary amount on which the allowance is calculated.
<b>Allowance basis monetary amount content</b>	1..1	SDD-ID:	<b>BDT00000526</b>
		Definition:	The basis monetary amount on which the allowance is calculated.

## Order response

Business data terms and groups	Usage	Business data terms and groups description	
Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Allowance quantity basis	0..1	SDD-ID:	<b>BDTG00000152</b>
		Definition:	The basis for allowance expressed as a quantity.
Allowance quantity basis content	1..1	SDD-ID:	<b>BDT00000533</b>
		Definition:	The basis for allowance expressed as a quantity.
Measurement unit code	0..1	SDD-ID:	<b>BDTG00000608</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID:	<b>BDT00000607</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.
		Used code list:	MeasurementUnitCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Allowance effective date type code	0..1	SDD-ID:	<b>BDTG00000148</b>
		Definition:	The code specifying the type of circumstance for when a discount should apply.
		Used code list:	EffectiveDateTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:EffectiveDateTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:EffectiveDateTypeCode</a>
Allowance effective date type code content	1..1	SDD-ID:	<b>BDT00000530</b>
		Definition:	The code for specifying the type of circumstance for when a discount should apply.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Special service type code	0..1	SDD-ID:	<b>BDTG00000318</b>
		Definition:	The code specifying a special service.
Special service type code content	1..1	SDD-ID:	<b>BDT00000534</b>
		Definition:	The code specifying a special service.
		Used code list:	SpecialServiceDescriptionCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SpecialServiceDescriptionCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SpecialServiceDescriptionCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Allowance description	0..1	SDD-ID:	<b>BDTG00000147</b>
		Definition:	The description of the allowance expressed as text.
Allowance description content	1..1	SDD-ID:	<b>BDT00000527</b>

Business data terms and groups	Usage	Business data terms and groups description	
Language code	0..1	Definition:	The text describing the allowance.
Language code content	1..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Code list version	0..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Applicable tax information	0..unbounded	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax authority name	0..1	SDD-ID:	<b>BDTG00000254</b>
		Definition:	The information specifying the details of the applicable tax.
Tax category code	0..1	SDD-ID:	<b>BDT00000369</b>
		Definition:	The name of the authority administrating the collection of taxes expressed as text.
Tax category code content	1..1	SDD-ID:	<b>BDTG00000321</b>
		Definition:	The code specifying the category of a tax.
		SDD-ID:	<b>BDT00000537</b>
		Definition:	The code specifying the category of a tax.
		Used code list:	TaxCategoryCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:TaxCategoryCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:TaxCategoryCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax rate	0..1	SDD-ID:	<b>BDT00000371</b>
		Definition:	The rate of the tax expressed in percentages.
		Usage:	The tax rate is used to calculate the tax monetary amount.
Tax point date	0..1	SDD-ID:	<b>BDT00000377</b>
		Definition:	The date on which the tax applicable for the sales transaction is due or calculated.
		Usage rule:	BDT00000766 and BDT00000377 are mutually exclusive
Tax accounting currency code	0..1	SDD-ID:	<b>BDT00000365</b>
		Definition:	The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices.
Tax accounting currency code content	1..1	SDD-ID:	<b>BDT00000538</b>
		Definition:	The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices.
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Taxable monetary amount	0..1	SDD-ID:	<b>BDTG00000329</b>
		Definition:	The monetary amount used for calculating the tax amount.
		Usage:	The taxable monetary amount is used for calculating the tax amount for a specific tax type, tax category and tax rate.

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Taxable monetary amount content</b>	1..1	SDD-ID:	<b>BDT00000559</b>
			Definition:	The monetary amount used for calculating the tax amount.
	<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
			Definition:	The code specifying the currency of a monetary amount.
	<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Tax monetary amount</b>	0..1	SDD-ID:	<b>BDTG00000367</b>
			Definition:	The monetary amount of the tax.
	<b>Tax monetary amount content</b>	1..1	SDD-ID:	<b>BDT00000562</b>
			Definition:	The monetary amount of the tax.
	<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
			Definition:	The code specifying the currency of a monetary amount.
	<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Tax monetary amount in accounting currency</b>	0..1	SDD-ID:	<b>BDTG00000368</b>
			Definition:	The tax monetary amount expressed in the accounting currency.
	<b>Tax monetary amount in accounting currency content</b>	1..1	SDD-ID:	<b>BDT00000561</b>
			Definition:	The tax monetary amount expressed in the accounting currency.
	<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
			Definition:	The code specifying the currency of a monetary amount.
	<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Taxable monetary amount in accounting currency</b>	0..1	SDD-ID:	<b>BDTG00000366</b>
			Definition:	The taxable monetary amount expressed in the accounting currency.
			Usage:	The taxable monetary amount in accounting currency is used when the taxable monetary amount is expressed in another currency than the currency used for the accounting system. The taxable monetary amount in accounting currency is normally important only for the issuer of the business transaction.

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Taxable monetary amount in accounting currency content</b>	1..1	SDD-ID:	<b>BDT00000560</b>
			Definition:	The taxable monetary amount expressed in the accounting currency.
	<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
			Definition:	The code specifying the currency of a monetary amount.
	<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Tax description</b>	0..1	SDD-ID:	<b>BDTG00000322</b>
			Definition:	The description of the tax expressed as text.
	<b>Tax description content</b>	1..1	SDD-ID:	<b>BDT00000754</b>
			Definition:	The description of the tax expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Tax exemption reason description</b>	0..1	SDD-ID:	<b>BDTG00000324</b>
			Definition:	The description of the reason for exemption of tax expressed as text.
	<b>Tax exemption reason description content</b>	1..1	SDD-ID:	<b>BDT00000574</b>
			Definition:	The description of the reason for exemption of tax expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Tax exemption reason code</b>	0..1	SDD-ID:	<b>BDTG00000323</b>
			Definition:	The code specifying the reason for exemption of tax.
	<b>Tax exemption reason code content</b>	1..1	SDD-ID:	<b>BDT00000575</b>
			Definition:	The code specifying the reason for exemption of tax.
			Used code list:	DutyFeeTaxExemptionReasonCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:</a>

Business data terms and groups	Usage	Business data terms and groups description	
<b>Code list version</b>	0..1	SDD-ID: <a href="#">DutyFeeTaxExemptionReasonCode</a> Definition: The version number of the code list.	<b>BDT00000028</b>
<b>Tax type code</b>	0..1	SDD-ID: <a href="#">DutyFeeTaxTypeCode</a> Definition: The code specifying the type of tax.	<b>BDTG00000328</b>
<b>Tax type code content</b>	1..1	SDD-ID: <a href="#">DutyFeeTaxTypeCode</a> Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>	<b>BDT00000576</b>
<b>Code list version</b>	0..1	SDD-ID: <a href="#">SettlementTypeCode</a> Definition: The version number of the code list.	<b>BDT00000028</b>
<b>Charge information</b>	0..unbounded	SDD-ID: <a href="#">SettlementTypeCode</a> Definition: The information specifying details of a charge.	<b>BDTG00000167</b>
<b>Settlement charge code</b>	1..1	SDD-ID: <a href="#">SettlementTypeCode</a> Definition: The code specifying how the charge is to be settled.	<b>BDTG00000309</b>
<b>Settlement charge code content</b>	1..1	SDD-ID: <a href="#">SettlementTypeCode</a> Definition: The code specifying how the charge is to be settled. Used code list: SettlementTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode</a>	<b>BDT00000617</b>
<b>Code list version</b>	0..1	SDD-ID: <a href="#">SettlementTypeCode</a> Definition: The version number of the code list.	<b>BDT00000028</b>
<b>Charge percentage</b>	0..1	SDD-ID: <a href="#">SettlementTypeCode</a> Definition: The percentage used when calculating the charge. Example: 20	<b>BDT00000018</b>
<b>Bracket criteria</b>	0..1	SDD-ID: <a href="#">SettlementTypeCode</a> Definition: The minimum and optionally maximum value of a bracket tier. Usage: Bracket criteria may be expressed in monetary amount or measurement tiers. Pricing for a product or service may be conditional on specified bracket criteria. Example: 500-1000 pieces 10-100 EUR	<b>BDT00000012</b>
<b>Calculation sequence number</b>	0..1	SDD-ID: <a href="#">SettlementTypeCode</a> Definition: The sequence number used to indicate the order in which the allowance or charge is to be calculated.	<b>BDT00000014</b>
<b>Charge monetary amount per unit</b>	0..1	SDD-ID: <a href="#">SettlementTypeCode</a> Definition: The charge per unit as a monetary amount.	<b>BDTG00000169</b>
<b>Charge monetary amount per unit content</b>	1..1	SDD-ID: <a href="#">SettlementTypeCode</a> Definition: The charge per unit as a monetary amount.	<b>BDT00000620</b>
<b>Currency code</b>	0..1	SDD-ID: <a href="#">SettlementTypeCode</a> Definition: The code specifying the currency of a monetary amount.	<b>BDTG00000590</b>
<b>Currency code content</b>	1..1	SDD-ID: <a href="#">SettlementTypeCode</a> Definition: The code specifying the currency of a monetary amount.	<b>BDT00000589</b>





Business data terms and groups	Usage	Business data terms and groups description	
		Example: Used code list:	EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Charge type code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000171</b> The code specifying the type of charge. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode</a>
Charge type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000618</b> The code specifying the type of charge. AllowanceChargeTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Settlement charge code	0..1	SDD-ID: Definition:	<b>BDTG00000309</b> The code specifying how the charge is to be settled.
Settlement charge code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000617</b> The code specifying how the charge is to be settled. SettlementTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Charge monetary amount	0..1	SDD-ID: Definition:	<b>BDTG00000168</b> The monetary amount of the charge.
Charge monetary amount content	0..1	SDD-ID: Definition:	<b>BDT00000619</b> The monetary amount of the charge.
Currency code	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000589</b> The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Charge basis monetary amount	0..1	SDD-ID: Definition:	<b>BDTG00000164</b> The basis monetary amount on which the charge is calculated.
Charge basis monetary amount content	1..1	SDD-ID: Definition:	<b>BDT00000614</b> The basis monetary amount on which the charge is calculated.
Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>



Business data terms and groups	Usage	Business data terms and groups description	
<b>Currency code content</b>	1..1	Definition:	The code specifying the currency of a monetary amount.
		SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Charge quantity basis</b>	0..1	SDD-ID:	<b>BDTG00000170</b>
		Definition:	The basis for charge expressed as a quantity.
<b>Charge quantity basis content</b>	1..1	SDD-ID:	<b>BDT00000753</b>
		Definition:	The basis for charge expressed as a quantity.
<b>Measurement unit code</b>	0..1	SDD-ID:	<b>BDTG00000608</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.
<b>Measurement unit code content</b>	1..1	SDD-ID:	<b>BDT00000607</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.
		Used code list:	MeasurementUnitCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Charge effective date type code</b>	0..1	SDD-ID:	<b>BDTG00000166</b>
		Definition:	The code specifying the type of circumstance for when a charge should apply.
<b>Charge effective date type code content</b>	1..1	SDD-ID:	<b>BDT00000615</b>
		Definition:	The code specifying the type of circumstance for when a charge should apply.
		Used code list:	EffectiveDateTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:EffectiveDateTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:EffectiveDateTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Special service type code</b>	0..1	SDD-ID:	<b>BDTG00000318</b>
		Definition:	The code specifying a special service.
<b>Special service type code content</b>	1..1	SDD-ID:	<b>BDT00000534</b>
		Definition:	The code specifying a special service.
		Used code list:	SpecialServiceDescriptionCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SpecialServiceDescriptionCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SpecialServiceDescriptionCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Charge description</b>	0..1	SDD-ID:	<b>BDTG00000165</b>
		Definition:	The description of the charge expressed as text.
<b>Charge description content</b>	1..1	SDD-ID:	<b>BDT00000573</b>
		Definition:	The description of the charge expressed as text.

Business data terms and groups	Usage	Business data terms and groups description	
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Applicable tax information	0..unbounded	SDD-ID:	<b>BDTG00000254</b>
		Definition:	The information specifying the details of the applicable tax.
Tax authority name	0..1	SDD-ID:	<b>BDT00000369</b>
		Definition:	The name of the authority administrating the collection of taxes expressed as text.
Tax category code	0..1	SDD-ID:	<b>BDTG00000321</b>
		Definition:	The code specifying the category of a tax.
Tax category code content	1..1	SDD-ID:	<b>BDT00000537</b>
		Definition:	The code specifying the category of a tax.
		Used code list:	TaxCategoryCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TaxCategoryCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TaxCategoryCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax rate	0..1	SDD-ID:	<b>BDT00000371</b>
		Definition:	The rate of the tax expressed in percentages.
		Usage:	The tax rate is used to calculate the tax monetary amount.
Tax point date	0..1	SDD-ID:	<b>BDT00000377</b>
		Definition:	The date on which the tax applicable for the sales transaction is due or calculated.
		Usage rule:	BDT00000766 and BDT00000377 are mutually exclusive
Tax accounting currency code	0..1	SDD-ID:	<b>BDTG00000365</b>
		Definition:	The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices.
Tax accounting currency code content	1..1	SDD-ID:	<b>BDT00000538</b>
		Definition:	The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices.
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Taxable monetary amount	0..1	SDD-ID:	<b>BDTG00000329</b>
		Definition:	The monetary amount used for calculating the tax amount.
		Usage:	The taxable monetary amount is used for calculating the tax amount for a specific tax type, tax category and tax rate.
Taxable monetary amount content	1..1	SDD-ID:	<b>BDT00000559</b>



Business data terms and groups		Usage	Business data terms and groups description	
	<b>Currency code</b>	0..1	Definition:	The monetary amount used for calculating the tax amount.
			SDD-ID:	<b>BDTG00000590</b>
	<b>Currency code content</b>	1..1	Definition:	The code specifying the currency of a monetary amount.
			SDD-ID:	<b>BDT00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Tax monetary amount</b>	0..1	SDD-ID:	<b>BDTG00000367</b>
			Definition:	The monetary amount of the tax.
	<b>Tax monetary amount content</b>	1..1	SDD-ID:	<b>BDT00000562</b>
			Definition:	The monetary amount of the tax.
	<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
			Definition:	The code specifying the currency of a monetary amount.
	<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Tax monetary amount in accounting currency</b>	0..1	SDD-ID:	<b>BDTG00000368</b>
			Definition:	The tax monetary amount expressed in the accounting currency.
	<b>Tax monetary amount in accounting currency content</b>	1..1	SDD-ID:	<b>BDT00000561</b>
			Definition:	The tax monetary amount expressed in the accounting currency.
	<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
			Definition:	The code specifying the currency of a monetary amount.
	<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Taxable monetary amount in accounting currency</b>	0..1	SDD-ID:	<b>BDTG00000366</b>
			Definition:	The taxable monetary amount expressed in the accounting currency.
			Usage:	The taxable monetary amount in accounting currency is used when the taxable monetary amount is expressed in another currency than the currency used for the accounting system. The taxable monetary amount in accounting currency is normally important only for the issuer of the business transaction.
	<b>Taxable monetary amount in accounting</b>	1..1	SDD-ID:	<b>BDT00000560</b>

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	<b>currency content</b>	0..1	Definition:	The taxable monetary amount expressed in the accounting currency.
	<b>Currency code</b>		SDD-ID:	<b>BDTG00000590</b>
	<b>Currency code content</b>	1..1	Definition:	The code specifying the currency of a monetary amount.
	<b>Code list version</b>		SDD-ID:	<b>BDTG00000589</b>
	<b>Tax description</b>	0..1	Definition:	The code specifying the currency of a monetary amount.
	<b>Tax description content</b>		Example:	EUR
	<b>Language code</b>	0..1	Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Language code content</b>		SDD-ID:	<b>BDTG0000028</b>
	<b>Code list version</b>	0..1	Definition:	The version number of the code list.
	<b>Tax exemption reason description</b>		SDD-ID:	<b>BDTG00000322</b>
	<b>Tax exemption reason description content</b>	1..1	Definition:	The description of the tax expressed as text.
	<b>Code list version</b>		SDD-ID:	<b>BDTG00000754</b>
	<b>Language code</b>	0..1	Definition:	The description of the tax expressed as text.
	<b>Language code content</b>		SDD-ID:	<b>BDTG00000523</b>
	<b>Code list version</b>	0..1	Definition:	The code specifying the language.
	<b>Tax exemption reason description</b>		SDD-ID:	<b>BDTG00000524</b>
	<b>Tax exemption reason description content</b>	1..1	Definition:	The code specifying the language.
	<b>Code list version</b>		Example:	en
	<b>Language code</b>	0..1	Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Language code content</b>		SDD-ID:	<b>BDTG0000028</b>
	<b>Code list version</b>	0..1	Definition:	The version number of the code list.
	<b>Tax exemption reason description</b>		SDD-ID:	<b>BDTG00000324</b>
	<b>Tax exemption reason description content</b>	1..1	Definition:	The description of the reason for exemption of tax expressed as text.
	<b>Code list version</b>		SDD-ID:	<b>BDTG00000574</b>
	<b>Language code</b>	0..1	Definition:	The description of the reason for exemption of tax expressed as text.
	<b>Language code content</b>		SDD-ID:	<b>BDTG00000523</b>
	<b>Code list version</b>	0..1	Definition:	The code specifying the language.
	<b>Tax exemption reason description</b>		SDD-ID:	<b>BDTG00000524</b>
	<b>Tax exemption reason description content</b>	1..1	Definition:	The code specifying the language.
	<b>Code list version</b>		Example:	en
	<b>Language code</b>	0..1	Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Language code content</b>		SDD-ID:	<b>BDTG0000028</b>
	<b>Code list version</b>	0..1	Definition:	The version number of the code list.
	<b>Tax exemption reason code</b>		SDD-ID:	<b>BDTG00000323</b>
	<b>Tax exemption reason code content</b>	1..1	Definition:	The code specifying the reason for exemption of tax.
	<b>Code list version</b>		SDD-ID:	<b>BDTG00000575</b>
	<b>Tax exemption reason code</b>	0..1	Definition:	The code specifying the reason for exemption of tax.
	<b>Tax exemption reason code content</b>		Used code list:	DutyFeeTaxExemptionReasonCode
	<b>Tax exemption reason code</b>	0..1	Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxExemptionReasonCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxExemptionReasonCode</a>
	<b>Tax exemption reason code content</b>		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxExemptionReasonCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxExemptionReasonCode</a>



## Order response

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Pick up from party information	0..1	SDD-ID:	<b>BDTG00000275</b>
		Definition:	The information specifying the location for picking up goods.
		Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
Global location number GLN	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.

Business data terms and groups		Usage	Business data terms and groups description	
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S



Business data terms and groups	Usage	Business data terms and groups description	
Longitude	1..1	SDD-ID: Definition:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business contact information	0..1	SDD-ID: Definition:	<b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
Department name	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
Job title	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
Contact type code content	1..1	SDD-ID: Definition:	<b>BDT00000571</b> The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID: Definition:	<b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID: Definition:	<b>BDT00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Communication information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>



Business data terms and groups	Usage	Business data terms and groups description	
Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000145</b> The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:CommunicationChannelCode</a>
Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000326</b> The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID: Definition:	<b>BDT00000369</b> The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID: Definition:	<b>BDTG00000585</b> The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID: Definition:	<b>BDT00000584</b> The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	Identification scheme name	0..1	Definition:	The information specifying details of the used identification scheme.
			SDD-ID:	<b>BDT00000074</b>
	Identification scheme agency name	0..1	Definition:	The name of the identification scheme.
			SDD-ID:	<b>BDT00000073</b>
	Identification scheme responsible agency code	0..1	Definition:	The name of the agency responsible for a identification scheme.
			SDD-ID:	<b>BDTG00000586</b>
	Identification scheme responsible agency code content	1..1	Definition:	The code specifying the agency responsible for the identification scheme.
			SDD-ID:	<b>BDT00000583</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
			Definition:	The code specifying the type of tax.
	Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
			Definition:	The code specifying the type of tax.
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax description	0..1	SDD-ID:	<b>BDTG00000322</b>
			Definition:	The description of the tax expressed as text.
	Tax description content	1..1	SDD-ID:	<b>BDT00000754</b>
			Definition:	The description of the tax expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax registration type code	0..1	SDD-ID:	<b>BDTG00000327</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
	Tax registration type code content	1..1	SDD-ID:	<b>BDT00000588</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode

Business data terms and groups	Usage	Business data terms and groups description
		Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Customs duty registration information	0..unbounded	SDD-ID: <b>BDTG00000375</b> Definition: The information specifying details of a party registered for customs duty.
Customs authority name	0..1	SDD-ID: <b>BDT00000370</b> Definition: The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
Customs registration identification information	1..1	SDD-ID: <b>BDTG00000621</b> Definition: The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
Customs registration identification content	1..1	SDD-ID: <b>BDT00000622</b> Definition: The identity assigned to a party registered for customs duty according to a national customs register.
Identification scheme information	0..1	SDD-ID: <b>BDTG00000587</b> Definition: The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: <b>BDT00000074</b> Definition: The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: <b>BDT00000073</b> Definition: The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID: <b>BDTG00000586</b> Definition: The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID: <b>BDT00000583</b> Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Tax type code	0..1	SDD-ID: <b>BDTG00000328</b> Definition: The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: <b>BDT00000576</b> Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Customs duty description	0..1	SDD-ID: <b>BDTG00000378</b> Definition: The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID: <b>BDT00000563</b> Definition: The description of the customs duty expressed as text.

## Order response

Business data terms and groups	Usage	Business data terms and groups description	
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Customs registration type code	0..1	SDD-ID:	<b>BDTG00000623</b>
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
Customs registration type code content	1..1	SDD-ID:	<b>BDT00000624</b>
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Organisation legal information	0..1	SDD-ID:	<b>BDTG00000262</b>
		Definition:	The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID:	<b>BDT00000102</b>
		Definition:	The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID:	<b>BDTG00000228</b>
		Definition:	The code specifying the language of a party.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Currency of party code	0..1	SDD-ID:	<b>BDTG00000184</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID:	<b>BDT00000710</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The version number of the code list.
	Official address	0..1	SDD-ID:	<b>BDTG00000246</b>
			Definition:	The registered legal address of the organisation.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Issued capital	0..1	SDD-ID:	<b>BDTG00000225</b>
			Definition:	The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID:	<b>BDT00000655</b>
			Definition:	The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
			Definition:	The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Legal structure description	0..1	SDD-ID:	<b>BDTG00000231</b>
			Definition:	The description of the legal structure expressed as text.
	Legal structure description content	1..1	SDD-ID:	<b>BDT00000659</b>
			Definition:	The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Registered legal information	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
			Definition:	The information specifying the registered data on a legal entity in accordance with national law.
	Legal registration number	1..1	SDD-ID:	<b>BDT00000087</b>
			Definition:	The identification number of an organisation according to a legal register.
	Legal registration additional information	0..1	SDD-ID:	<b>BDT00000086</b>
			Definition:	The additional information related to the legal registration expressed as text.
	Legal registration type code	1..1	SDD-ID:	<b>BDTG00000230</b>
			Definition:	The code specifying the type of legal registration.
	Legal registration type code content	1..1	SDD-ID:	<b>BDT00000658</b>

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code specifying the type of legal registration.
			Used code list:	LegalRegistrationCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Financial institution and financial account information</b>	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
			Definition:	The information specifying details of a financial institution and financial account.
	<b>Financial institution name</b>	0..1	SDD-ID:	<b>BDT00000061</b>
			Definition:	The name of a financial institution expressed as text.
	<b>Financial institution division name</b>	0..1	SDD-ID:	<b>BDT00000060</b>
			Definition:	The name of a division or branch within a financial institution expressed as text.
	<b>Financial account information</b>	0..1	SDD-ID:	<b>BDTG00000207</b>
			Definition:	The information specifying details of a financial account.
	<b>Financial account name</b>	0..1	SDD-ID:	<b>BDT00000058</b>
			Definition:	The name of a financial account expressed as text.
			Example:	John Doe
	<b>Financial account number</b>	1..1	SDD-ID:	<b>BDT00000059</b>
			Definition:	The number of a financial account expressed as text.
	<b>Financial account number type code</b>	1..1	SDD-ID:	<b>BDTG00000208</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Financial account number type code content</b>	1..1	SDD-ID:	<b>BDT00000645</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Financial institution routing number information</b>	0..1	SDD-ID:	<b>BDTG00000210</b>
			Definition:	The information specifying details on a routing number of a financial institution.
	<b>Financial routing number</b>	1..1	SDD-ID:	<b>BDT00000062</b>
			Definition:	The routing number of a financial transaction according to the specified financial routing type.
			Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
	<b>Financial routing number type code</b>	1..1	SDD-ID:	<b>BDTG00000211</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>



Business data terms and groups		Usage	Business data terms and groups description	
	Financial routing number type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000644</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Additional financial institution description	0..1	SDD-ID: Definition:	<b>BDTG00000522</b> The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID: Definition:	<b>BDT00000521</b> The text value describing the additional financial institution.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Address information	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	Party name	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
	Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
			Example: Synonyms:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
<div> <div>Province identity</div> <div>State</div> <div>Street address one</div> <div>Street address two</div> <div>Street address three</div> <div>Country code</div> <div>Country code content</div> <div>Code list version</div> <div>Geographical coordinates information</div> <div>Latitude</div> <div>Longitude</div> </div>	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
<div> <div>Country code</div> <div>Country code content</div> <div>Code list version</div> <div>Geographical coordinates information</div> <div>Latitude</div> <div>Longitude</div> </div>	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
<div> <div>Shipment transportation information</div> <div>Handling instruction code</div> <div>Handling instruction code content</div> <div>Code list version</div> <div>Transport means type code</div> </div>	Shipment transportation information	0..1	SDD-ID:	<b>BDTG00000312</b>
			Definition:	The information specifying details about the transportation of goods.
	Handling instruction code	0..unbounded	SDD-ID:	<b>BDTG00000218</b>
			Definition:	The code specifying how the ordered trade items are to be handled and loaded.
	Handling instruction code content	1..1	SDD-ID:	<b>BDT00000647</b>
			Definition:	The code specifying how the ordered trade items are to be handled and loaded.
			Used code list:	HandlingInstructionCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:HandlingInstructionCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:HandlingInstructionCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Transport means type code	0..1	SDD-ID:	<b>BDTG00000351</b>
			Definition:	The code specifying the means for transporting goods.

## Order response

Business data terms and groups	Usage	Business data terms and groups description	
<ul style="list-style-type: none"> <li>Transport means type code content</li> </ul>	1..1	SDD-ID: <b>BDT00000687</b> Definition: The code specifying the means for transporting goods. Example: 31 Used code list: TransportMeansTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:TransportMeansTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:TransportMeansTypeCode</a>	
<ul style="list-style-type: none"> <li>Code list version</li> </ul>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
<ul style="list-style-type: none"> <li>Transport means identification</li> </ul>	0..1	SDD-ID: <b>BDTG00000350</b> Definition: The information specifying the details of the identification number according to a specified identification scheme assigned to a means of transportation such as a vehicle license plate of a truck or an aircraft registration number of a helicopter.	
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Transport means identification content</li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDT00000625</b> Definition: The identification number according to a specified identification scheme assigned to a means of transportation such as a vehicle license plate of a truck or an aircraft registration number of a helicopter.	
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Identification scheme information</li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDTG00000587</b> Definition: The information specifying details of the used identification scheme.	
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Identification scheme name</li> </ul> </li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDT00000074</b> Definition: The name of the identification scheme.	
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Identification scheme agency name</li> </ul> </li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDT00000073</b> Definition: The name of the agency responsible for a identification scheme.	
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Identification scheme responsible agency code</li> </ul> </li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDTG00000586</b> Definition: The code specifying the agency responsible for the identification scheme.	
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Identification scheme responsible agency code content</li> </ul> </li> </ul> </li> </ul>	1..1	SDD-ID: <b>BDT00000583</b> Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:ResponsibleAgencyCode&amp;release=5</a>	
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Code list version</li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
<ul style="list-style-type: none"> <li>Transport mode code</li> </ul>	0..1	SDD-ID: <b>BDTG00000352</b> Definition: Code specifying the mode of transport.	
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Transport mode code content</li> </ul> </li> </ul>	1..1	SDD-ID: <b>BDT00000688</b> Definition: The code specifying the mode of transport. Example: 3 Used code list: TransportServiceCategoryCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:TransportServiceCategoryCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:TransportServiceCategoryCode</a>	
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Code list version</li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
<ul style="list-style-type: none"> <li>Transport service level code</li> </ul>	0..1	SDD-ID: <b>BDTG00000354</b> Definition: The code specifying the service level for the transport of a shipment.	

Business data terms and groups	Usage	Business data terms and groups description	
<ul style="list-style-type: none"> <li>Transport service level code content</li> </ul>	1..1	SDD-ID: <b>BDT00000689</b> Definition: The code specifying the service level for the transport of a shipment. Used code list: TransportServiceLevelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportServiceLevelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportServiceLevelCode</a>	
<ul style="list-style-type: none"> <li>Code list version</li> </ul>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
<ul style="list-style-type: none"> <li>Transport route identification</li> </ul>	0..1	SDD-ID: <b>BDTG00000353</b> Definition: The information specifying the details of identification number assigned to a transport route according to a specified identification scheme.	
<ul style="list-style-type: none"> <li>Transport route identification content</li> </ul>	1..1	SDD-ID: <b>BDT00000626</b> Definition: The identification number assigned to a transport route according to a specified identification scheme.	
<ul style="list-style-type: none"> <li>Identification scheme information</li> </ul>	0..1	SDD-ID: <b>BDTG00000587</b> Definition: The information specifying details of the used identification scheme.	
<ul style="list-style-type: none"> <li>Identification scheme name</li> </ul>	0..1	SDD-ID: <b>BDT00000074</b> Definition: The name of the identification scheme.	
<ul style="list-style-type: none"> <li>Identification scheme agency name</li> </ul>	0..1	SDD-ID: <b>BDT00000073</b> Definition: The name of the agency responsible for a identification scheme.	
<ul style="list-style-type: none"> <li>Identification scheme responsible agency code</li> </ul>	0..1	SDD-ID: <b>BDTG00000586</b> Definition: The code specifying the agency responsible for the identification scheme.	
<ul style="list-style-type: none"> <li>Identification scheme responsible agency code content</li> </ul>	1..1	SDD-ID: <b>BDT00000583</b> Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>	
<ul style="list-style-type: none"> <li>Code list version</li> </ul>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
<ul style="list-style-type: none"> <li>Handling instruction description</li> </ul>	0..unbounded	SDD-ID: <b>BDTG00000219</b> Definition: The handling instruction expressed as text. Usage rule: Only used if no coded value for the handling instruction is available using the business data term "BDTG00000218 Handling instruction code".	
<ul style="list-style-type: none"> <li>Handling instruction description content</li> </ul>	1..1	SDD-ID: <b>BDT00000648</b> Definition: The handling instruction expressed as text.	
<ul style="list-style-type: none"> <li>Language code</li> </ul>	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.	
<ul style="list-style-type: none"> <li>Language code content</li> </ul>	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .	
<ul style="list-style-type: none"> <li>Code list version</li> </ul>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	



Business data terms and groups	Usage	Business data terms and groups description	
<b>Carrier party information</b>	0..1	SDD-ID: Definition: Usage:	<b>BDTG00000163</b> The information specifying details of the party transporting shipments. To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
<b>Global location number, GLN</b>	0..1	SDD-ID: Definition:  Ref. definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<b>Additional party identification information</b>	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<b>Additional party identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
<b>Additional party identification type code</b>	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
<b>Additional party identification type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Address information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
<b>City name</b>	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
<b>City code</b>	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
<b>County code</b>	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
<b>Cross street</b>	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
<b>Party name</b>	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
<b>Post office box number</b>	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.

Business data terms and groups		Usage	Business data terms and groups description	
	Postal code	0..1	Synonyms:	P.O. box, postal box
			SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
	Province identity	0..1	Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
			SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Business contact information	0..unbounded	SDD-ID:	<b>BDTG00000158</b>
			Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
	Person name	0..1	SDD-ID:	<b>BDT00000112</b>
			Definition:	The name of an individual person expressed as text.
	Department name	0..1	SDD-ID:	<b>BDT00000044</b>
			Definition:	The name of the department.

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Job title</b>	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
	<b>Contact type code</b>	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	<b>Contact type code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000571</b> The code specifying the function or role of a contact person.
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Business contact responsibility description</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Business contact responsibility description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
	<b>Communication channel code</b>	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Communication channel code content</b>	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Communication channel identification</b>	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.



Business data terms and groups		Usage	Business data terms and groups description	
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	After hours communication information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000145</b> The information specifying details of communication channels to use after regular business hours.
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	Tax registration information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000326</b> The information specifying details of a party registered for tax.
	Tax authority name	0..1	SDD-ID: Definition:	<b>BDT00000369</b> The name of the authority administering the collection of taxes expressed as text.
	Tax registration identification information	1..1	SDD-ID: Definition:	<b>BDTG00000585</b> The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
	Tax registration identification content	1..1	SDD-ID: Definition:	<b>BDT00000584</b> The identity assigned to a party registered for tax according to a national tax register.
	Identification scheme information	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:</a>



Business data terms and groups		Usage	Business data terms and groups description	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	<a href="#">ResponsibleAgencyCode&amp;release=5</a> The version number of the code list.
	Tax type code	0..1	SDD-ID: <b>BDTG00000328</b> Definition:	The code specifying the type of tax.
	Tax type code content	1..1	SDD-ID: <b>BDT00000576</b> Definition:	The code specifying the type of tax.
			Used code list: <a href="#">DutyFeeTaxTypeCode</a> Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
	Tax description	0..1	SDD-ID: <b>BDTG00000322</b> Definition:	The description of the tax expressed as text.
	Tax description content	1..1	SDD-ID: <b>BDT00000754</b> Definition:	The description of the tax expressed as text.
	Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition:	The code specifying the language.
			Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
	Tax registration type code	0..1	SDD-ID: <b>BDTG00000327</b> Definition:	The code specifying the type of tax registration number assigned by a national authority.
	Tax registration type code content	1..1	SDD-ID: <b>BDT00000588</b> Definition:	The code specifying the type of tax registration number assigned by a national authority.
			Used code list: <a href="#">DutyFeeTaxRegistrationTypeCode</a> Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
	Organisation legal information	0..1	SDD-ID: <b>BDTG00000262</b> Definition:	The information specifying details of a legal organisation.
	Organisation name	1..1	SDD-ID: <b>BDT00000102</b> Definition:	The official and legal name of the organisation.
	Language of the party code	0..1	SDD-ID: <b>BDTG00000228</b> Definition:	The code specifying the language of a party.
	Language code content	1..1	SDD-ID: <b>BDT00000524</b>	

Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The code specifying the language.
				Example:	en
				Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Currency of party code	0..1	SDD-ID:	<b>BDTG00000184</b>
				Definition:	The code specifying the currency of a party.
				Example:	EUR
				Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Currency of party code content	1..1	SDD-ID:	<b>BDT00000710</b>
				Definition:	The code specifying the currency of a party.
				Example:	EUR
				Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
				Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Official address	0..1	SDD-ID:	<b>BDTG00000246</b>
				Definition:	The registered legal address of the organisation.
		County code	0..1	SDD-ID:	<b>BDT00000034</b>
				Definition:	The code indicating a geographical region in a country.
		City name	0..1	SDD-ID:	<b>BDT00000020</b>
				Definition:	The name of the city, town or village.
		City code	0..1	SDD-ID:	<b>BDT00000019</b>
				Definition:	The code specifying a city.
		Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
				Definition:	The street crossing another street.
		Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
				Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
				Synonyms:	P.O. box, postal box
		Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
				Definition:	The code according to the relevant postal system or service to specify a geographical area.
				Example:	SE 190 90
				Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
				Definition:	The identity of a province according to national codes assigned to provinces.
		State	0..1	SDD-ID:	<b>BDT00000127</b>
				Definition:	The political unit that a country can be divided into.
				Example:	California
		Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
				Definition:	The first street address line of a structured address.



Business data terms and groups			Usage	Business data terms and groups description	
		<b>Street address two</b>	0..1	Example: SDD-ID: Definition: Example:	Avenue Louise 326 <b>BDT00000130</b> The second street address line of a structured address. Blue Tower
		<b>Street address three</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
		<b>Country code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
		<b>Country code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Geographical coordinates information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
		<b>Latitude</b>	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		<b>Longitude</b>	1..1	Example: SDD-ID: Definition:	23°26'12.2" S <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		<b>Issued capital</b>	0..1	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000225</b> The monetary amount representing the value of the issued capital of a company.
		<b>Issued capital content</b>	1..1	SDD-ID: Definition:	<b>BDT00000655</b> The monetary amount representing the issued capital of a company.
		<b>Currency code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
		<b>Currency code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000589</b> The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org.
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Legal structure description</b>	0..1	SDD-ID: Definition:	<b>BDTG00000231</b> The description of the legal structure expressed as text.
		<b>Legal structure description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000659</b> The description of the legal structure expressed as text.
		<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
		<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Registered legal information	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
			Definition:	The information specifying the registered data on a legal entity in accordance with national law.
	Legal registration number	1..1	SDD-ID:	<b>BDT00000087</b>
			Definition:	The identification number of an organisation according to a legal register.
	Legal registration additional information	0..1	SDD-ID:	<b>BDT00000086</b>
			Definition:	The additional information related to the legal registration expressed as text.
	Legal registration type code	1..1	SDD-ID:	<b>BDTG00000230</b>
			Definition:	The code specifying the type of legal registration.
	Legal registration type code content	1..1	SDD-ID:	<b>BDT00000658</b>
			Definition:	The code specifying the type of legal registration.
			Used code list:	LegalRegistrationCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Financial institution and financial account information	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
			Definition:	The information specifying details of a financial institution and financial account.
	Financial institution name	0..1	SDD-ID:	<b>BDT00000061</b>
			Definition:	The name of a financial institution expressed as text.
	Financial institution division name	0..1	SDD-ID:	<b>BDT00000060</b>
			Definition:	The name of a division or branch within a financial institution expressed as text.
	Financial account information	0..1	SDD-ID:	<b>BDTG00000207</b>
			Definition:	The information specifying details of a financial account.
	Financial account name	0..1	SDD-ID:	<b>BDT00000058</b>
			Definition:	The name of a financial account expressed as text.
			Example:	John Doe
	Financial account number	1..1	SDD-ID:	<b>BDT00000059</b>
			Definition:	The number of a financial account expressed as text.
	Financial account number type code	1..1	SDD-ID:	<b>BDTG00000208</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Financial account number type code content	1..1	SDD-ID:	<b>BDT00000645</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Financial institution routing number information	0..1	SDD-ID:	<b>BDTG00000210</b>
			Definition:	The information specifying details on a routing number of a financial institution.
	Financial routing number	1..1	SDD-ID:	<b>BDT00000062</b>
			Definition:	The routing number of a financial transaction according to the specified financial routing type.
			Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
	Financial routing number type code	1..1	SDD-ID:	<b>BDTG00000211</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Financial routing number type code content	1..1	SDD-ID:	<b>BDT00000644</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Additional financial institution description	0..1	SDD-ID:	<b>BDTG00000522</b>
			Definition:	The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID:	<b>BDT00000521</b>
			Definition:	The text value describing the additional financial institution.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>

Business data terms and groups		Usage	Business data terms and groups description	
	County code	0..1	Definition:	The code specifying a city.
			SDD-ID:	<b>BDT00000034</b>
	Cross street	0..1	Definition:	The code indicating a geographical region in a country.
			SDD-ID:	<b>BDT00000035</b>
	Party name	0..1	Definition:	The street crossing another street.
			SDD-ID:	<b>BDT00000106</b>
	Post office box number	0..1	Definition:	The name of the party expressed as text.
			SDD-ID:	<b>BDT00000113</b>
	Postal code	0..1	Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Province identity	0..1	Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
	State	0..1	Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
			SDD-ID:	<b>BDT00000117</b>
	Street address one	0..1	Definition:	The identity of a province according to national codes assigned to provinces.
			SDD-ID:	<b>BDT00000127</b>
	Street address two	0..1	Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address three	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
	Country code	0..1	Example:	Avenue Louise 326
			SDD-ID:	<b>BDT00000130</b>
	Country code content	1..1	Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Code list version	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
	Geographical coordinates information	0..1	Example:	Floor 4
			SDD-ID:	<b>BDTG00000179</b>
	Latitude	1..1	Definition:	The code specifying a country.
			SDD-ID:	<b>BDT00000774</b>
	Longitude	1..1	Definition:	The code specifying a country.
			SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
			SDD-ID:	<b>BDT00000085</b>
			Example:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			SDD-ID:	23°26'12.2" S
			Example:	
			SDD-ID:	<b>BDT00000089</b>





Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
<b>Freight forwarder party information</b>	0..1	SDD-ID:	<b>BDTG00000213</b>
		Definition:	The information specifying details of the party that arranges carriage of goods including connected services such as preparing and processing customs documentation and performing activities pertaining to international shipments.
		Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
<b>Global location number GLN</b>	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<b>Additional party identification information</b>	0..1	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<b>Additional party identification content</b>	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
<b>Additional party identification type code</b>	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
<b>Additional party identification type code content</b>	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Address information</b>	0..1	SDD-ID:	<b>BDTG00000144</b>
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.
<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
		Definition:	The code specifying a city.
<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
		Definition:	The code indicating a geographical region in a country.
<b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
		Definition:	The street crossing another street.

Business data terms and groups		Usage	Business data terms and groups description	
	Party name	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
	Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID: Definition:	<b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID: Definition:	<b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: Definition:	<b>BDT00000127</b> The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID: Definition:	<b>BDT00000128</b> The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition:	<b>BDT00000130</b> The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID: Definition:	<b>BDT00000129</b> The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
	Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID: Definition:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Business contact information	0..1	SDD-ID: Definition:	<b>BDTG00000158</b> The information specifying details of the person or department who can give special



Business data terms and groups		Usage	Business data terms and groups description	
				assistance regarding a business transaction.
	Person name	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
	Department name	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
	Job title	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
	Contact type code	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	Contact type code content	1..1	SDD-ID: Definition:	<b>BDT00000571</b> The code specifying the function or role of a contact person.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Business contact responsibility description	0..unbounded	SDD-ID: Definition:	<b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	Business contact responsibility description content	1..1	SDD-ID: Definition:	<b>BDT00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>



Business data terms and groups		Usage	Business data terms and groups description	
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	After hours communication information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000145</b> The information specifying details of communication channels to use after regular business hours.
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	Tax registration information	0..1	SDD-ID: Definition:	<b>BDTG00000326</b> The information specifying details of a party registered for tax.
	Tax authority name	0..1	SDD-ID: Definition:	<b>BDT00000369</b> The name of the authority administering the collection of taxes expressed as text.
	Tax registration identification information	1..1	SDD-ID: Definition:	<b>BDTG00000585</b> The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
	Tax registration identification content	1..1	SDD-ID: Definition:	<b>BDT00000584</b> The identity assigned to a party registered for tax according to a national tax register.
	Identification scheme information	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency	0..1	SDD-ID:	<b>BDTG00000586</b>

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	<b>code</b>		Definition:	The code specifying the agency responsible for the identification scheme.
	<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Tax type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.
	<b>Tax type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Tax description</b>	0..1	SDD-ID: Definition:	<b>BDTG00000322</b> The description of the tax expressed as text.
	<b>Tax description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000754</b> The description of the tax expressed as text.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Tax registration type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000327</b> The code specifying the type of tax registration number assigned by a national authority.
	<b>Tax registration type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000588</b> The code specifying the type of tax registration number assigned by a national authority. DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Organisation legal information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000262</b> The information specifying details of a legal organisation.

Business data terms and groups		Usage	Business data terms and groups description	
	Organisation name	1..1	SDD-ID: Definition:	<b>BDT00000102</b> The official and legal name of the organisation.
	Language of the party code	0..1	SDD-ID: Definition:	<b>BDTG00000228</b> The code specifying the language of a party.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Currency of party code	0..1	SDD-ID: Definition: Example: Used code list:	<b>BDTG00000184</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax.
	Currency of party code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000710</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax. <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Official address	0..1	SDD-ID: Definition:	<b>BDTG00000246</b> The registered legal address of the organisation.
	County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	Post office box number	0..1	SDD-ID: Definition: Synonyms:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location. P.O. box, postal box
	Postal code	0..1	SDD-ID: Definition: Example: Synonyms:	<b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area. SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID: Definition:	<b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.

Business data terms and groups		Usage	Business data terms and groups description	
	State	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
	Street address one	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
	Street address three	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
	Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
	Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
	Longitude	1..1	SDD-ID: Definition:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
	Issued capital	0..1	SDD-ID: Definition:	<b>BDTG00000225</b> The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID: Definition:	<b>BDT00000655</b> The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000589</b> The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Legal structure description	0..1	SDD-ID: Definition:	<b>BDTG00000231</b> The description of the legal structure expressed as text.



Business data terms and groups		Usage	Business data terms and groups description	
	Legal structure description content	1..1	SDD-ID: Definition:	<b>BDT00000659</b> The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Registered legal information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000288</b> The information specifying the registered data on a legal entity in accordance with national law.
	Legal registration number	1..1	SDD-ID: Definition:	<b>BDT00000087</b> The identification number of an organisation according to a legal register.
	Legal registration additional information	0..1	SDD-ID: Definition:	<b>BDT00000086</b> The additional information related to the legal registration expressed as text.
	Legal registration type code	1..1	SDD-ID: Definition:	<b>BDTG00000230</b> The code specifying the type of legal registration.
	Legal registration type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000658</b> The code specifying the type of legal registration. LegalRegistrationCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Financial institution and financial account information	0..1	SDD-ID: Definition:	<b>BDTG00000209</b> The information specifying details of a financial institution and financial account.
	Financial institution name	0..1	SDD-ID: Definition:	<b>BDT00000061</b> The name of a financial institution expressed as text.
	Financial institution division name	0..1	SDD-ID: Definition:	<b>BDT00000060</b> The name of a division or branch within a financial institution expressed as text.
	Financial account information	0..1	SDD-ID: Definition:	<b>BDTG00000207</b> The information specifying details of a financial account.
	Financial account name	0..1	SDD-ID: Definition: Example:	<b>BDT00000058</b> The name of a financial account expressed as text. John Doe
	Financial account number	1..1	SDD-ID: Definition:	<b>BDT00000059</b> The number of a financial account expressed as text.
	Financial account number type code	1..1	SDD-ID: Definition: Used code list:	<b>BDTG00000208</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Financial account number type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000645</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Financial institution routing number information	0..1	SDD-ID: Definition:	<b>BDTG00000210</b> The information specifying details on a routing number of a financial institution.
	Financial routing number	1..1	SDD-ID: Definition:  Business rule:	<b>BDT00000062</b> The routing number of a financial transaction according to the specified financial routing type. This business data term must be used in conjunction with the Financial routing number type code class.
	Financial routing number type code	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000211</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Financial routing number type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000644</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Additional financial institution description	0..1	SDD-ID: Definition:	<b>BDTG00000522</b> The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID: Definition:	<b>BDT00000521</b> The text value describing the additional financial institution.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Address information	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person,

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
				a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: <b>BDT00000020</b> Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID: <b>BDT00000019</b> Definition:	The code specifying a city.
	County code	0..1	SDD-ID: <b>BDT00000034</b> Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition:	The street crossing another street.
	Party name	0..1	SDD-ID: <b>BDT00000106</b> Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: P.O. box, postal box SDD-ID: <b>BDT00000114</b> Definition:	The code according to the relevant postal system or service to specify a geographical area.
	Province identity	0..1	Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode SDD-ID: <b>BDT00000117</b> Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: <b>BDT00000127</b> Definition:	The political unit that a country can be divided into.
	Street address one	0..1	Example: California SDD-ID: <b>BDT00000128</b> Definition:	The first street address line of a structured address.
	Street address two	0..1	Example: Avenue Louise 326 SDD-ID: <b>BDT00000130</b> Definition:	The second street address line of a structured address.
	Street address three	0..1	Example: Blue Tower SDD-ID: <b>BDT00000129</b> Definition:	The third street address line of a structured address.
	Country code	0..1	Example: Floor 4 SDD-ID: <b>BDTG00000179</b> Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID: <b>BDT00000774</b> Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: <b>BDTG00000214</b> Definition:	The information specifying details on a location using geographical coordinates.

Business data terms and groups	Usage	Business data terms and groups description	
Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Applicable tax information	0..1	SDD-ID:	<b>BDTG00000254</b>
		Definition:	The information specifying the details of the applicable tax.
Tax authority name	0..1	SDD-ID:	<b>BDT00000369</b>
		Definition:	The name of the authority administrating the collection of taxes expressed as text.
Tax category code	0..1	SDD-ID:	<b>BDTG00000321</b>
		Definition:	The code specifying the category of a tax.
Tax category code content	1..1	SDD-ID:	<b>BDT00000537</b>
		Definition:	The code specifying the category of a tax.
		Used code list:	TaxCategoryCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TaxCategoryCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TaxCategoryCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax rate	0..1	SDD-ID:	<b>BDT00000371</b>
		Definition:	The rate of the tax expressed in percentages.
		Usage:	The tax rate is used to calculate the tax monetary amount.
Tax point date	0..1	SDD-ID:	<b>BDT00000377</b>
		Definition:	The date on which the tax applicable for the sales transaction is due or calculated.
		Usage rule:	BDT00000766 and BDT00000377 are mutually exclusive
Tax accounting currency code	0..1	SDD-ID:	<b>BDTG00000365</b>
		Definition:	The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices.
Tax accounting currency code content	1..1	SDD-ID:	<b>BDT00000538</b>
		Definition:	The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices.
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Taxable monetary amount	0..1	SDD-ID:	<b>BDTG00000329</b>
		Definition:	The monetary amount used for calculating the tax amount.
		Usage:	The taxable monetary amount is used for calculating the tax amount for a specific tax type, tax category and tax rate.
Taxable monetary amount content	1..1	SDD-ID:	<b>BDT00000559</b>
		Definition:	The monetary amount used for calculating the tax amount.

## Order response

Business data terms and groups	Usage	Business data terms and groups description	
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax monetary amount</b>	0..1	SDD-ID:	<b>BDTG00000367</b>
		Definition:	The monetary amount of the tax.
<b>Tax monetary amount content</b>	1..1	SDD-ID:	<b>BDT00000562</b>
		Definition:	The monetary amount of the tax.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax monetary amount in accounting currency</b>	0..1	SDD-ID:	<b>BDTG00000368</b>
		Definition:	The tax monetary amount expressed in the accounting currency.
<b>Tax monetary amount in accounting currency content</b>	1..1	SDD-ID:	<b>BDT00000561</b>
		Definition:	The tax monetary amount expressed in the accounting currency.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Taxable monetary amount in accounting currency</b>	0..1	SDD-ID:	<b>BDTG00000366</b>
		Definition:	The taxable monetary amount expressed in the accounting currency.
		Usage:	The taxable monetary amount in accounting currency is used when the taxable monetary amount is expressed in another currency than the currency used for the accounting system. The taxable monetary amount in accounting currency is normally important only for the issuer of the business transaction.
<b>Taxable monetary amount in accounting currency content</b>	1..1	SDD-ID:	<b>BDT00000560</b>
		Definition:	The taxable monetary amount expressed in the accounting currency.

## Order response

Business data terms and groups	Usage	Business data terms and groups description	
Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax description	0..1	SDD-ID:	<b>BDTG00000322</b>
		Definition:	The description of the tax expressed as text.
Tax description content	1..1	SDD-ID:	<b>BDT00000754</b>
		Definition:	The description of the tax expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax exemption reason description	0..1	SDD-ID:	<b>BDTG00000324</b>
		Definition:	The description of the reason for exemption of tax expressed as text.
Tax exemption reason description content	1..1	SDD-ID:	<b>BDT00000574</b>
		Definition:	The description of the reason for exemption of tax expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax exemption reason code	0..1	SDD-ID:	<b>BDTG00000323</b>
		Definition:	The code specifying the reason for exemption of tax.
Tax exemption reason code content	1..1	SDD-ID:	<b>BDT00000575</b>
		Definition:	The code specifying the reason for exemption of tax.
		Used code list:	DutyFeeTaxExemptionReasonCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxExemptionReasonCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxExemptionReasonCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>

Business data terms and groups	Usage	Business data terms and groups description	
<b>Tax type code</b>	0..1	Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG00000328</b>
<b>Tax type code content</b>	1..1	Definition:	The code specifying the type of tax.
		SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Applicable customs duty information</b>	0..1	SDD-ID:	<b>BDTG00000379</b>
		Definition:	The information specifying the details of the applicable customs duty.
<b>Duty regime type code</b>	0..1	SDD-ID:	<b>BDTG00000777</b>
		Definition:	Code specifying a type of duty regime.
		Used code list:	EDIFACT 9213 code list
		Link to code list:	<a href="http://apps.gs1.org/GDD/bms/EANCOM/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:9213DutyRegimeTypeCode&amp;release=2">http://apps.gs1.org/GDD/bms/EANCOM/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:9213DutyRegimeTypeCode&amp;release=2</a>
<b>Contact type code content</b>	1..1	SDD-ID:	<b>BDT00000571</b>
		Definition:	The code specifying the function or role of a contact person.
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Customs authority name</b>	0..1	SDD-ID:	<b>BDT00000370</b>
		Definition:	The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.
<b>Tax category code</b>	0..1	SDD-ID:	<b>BDTG00000321</b>
		Definition:	The code specifying the category of a tax.
<b>Tax category code content</b>	1..1	SDD-ID:	<b>BDT00000537</b>
		Definition:	The code specifying the category of a tax.
		Used code list:	TaxCategoryCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:TaxCategoryCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:TaxCategoryCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Customs duty rate</b>	0..1	SDD-ID:	<b>BDT00000374</b>
		Definition:	The rate of the customs duty.
		Usage:	The rate used when calculating the monetary amount of a duty.
<b>Tax point date</b>	0..1	SDD-ID:	<b>BDT00000377</b>
		Definition:	The date on which the tax applicable for the sales transaction is due or calculated.
		Usage rule:	BDT00000766 and BDT00000377 are mutually exclusive
<b>Tax accounting currency code</b>	0..1	SDD-ID:	<b>BDTG00000365</b>
		Definition:	The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices.
<b>Tax accounting currency code content</b>	1..1	SDD-ID:	<b>BDT00000538</b>



## Order response

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices.
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Taxable monetary amount	0..1	SDD-ID:	<b>BDTG00000329</b>
		Definition:	The monetary amount used for calculating the tax amount.
		Usage:	The taxable monetary amount is used for calculating the tax amount for a specific tax type, tax category and tax rate.
Taxable monetary amount content	1..1	SDD-ID:	<b>BDT00000559</b>
		Definition:	The monetary amount used for calculating the tax amount.
Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax monetary amount in accounting currency	0..1	SDD-ID:	<b>BDTG00000368</b>
		Definition:	The tax monetary amount expressed in the accounting currency.
Tax monetary amount in accounting currency content	1..1	SDD-ID:	<b>BDT00000561</b>
		Definition:	The tax monetary amount expressed in the accounting currency.
Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Taxable monetary amount in accounting currency	0..1	SDD-ID:	<b>BDTG00000366</b>
		Definition:	The taxable monetary amount expressed in the accounting currency.
		Usage:	The taxable monetary amount in accounting currency is used when the taxable monetary amount is expressed in another currency than the currency used for the accounting system. The taxable monetary amount in accounting currency is normally important only for the issuer of the business transaction.
Taxable monetary amount in accounting currency content	1..1	SDD-ID:	<b>BDT00000560</b>
		Definition:	The taxable monetary amount expressed in the accounting currency.
Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>

## Order response

Business data terms and groups	Usage	Business data terms and groups description
<b>Currency code content</b>	1..1	Definition: The code specifying the currency of a monetary amount. SDD-ID: <b>BDT00000589</b> Definition: The code specifying the currency of a monetary amount. Example: EUR Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Tax monetary amount</b>	0..1	SDD-ID: <b>BDTG00000367</b> Definition: The monetary amount of the tax.
<b>Tax monetary amount content</b>	1..1	SDD-ID: <b>BDT00000562</b> Definition: The monetary amount of the tax.
<b>Currency code</b>	0..1	SDD-ID: <b>BDTG00000590</b> Definition: The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID: <b>BDT00000589</b> Definition: The code specifying the currency of a monetary amount. Example: EUR Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Tax description</b>	0..1	SDD-ID: <b>BDTG00000322</b> Definition: The description of the tax expressed as text.
<b>Tax description content</b>	1..1	SDD-ID: <b>BDT00000754</b> Definition: The description of the tax expressed as text.
<b>Language code</b>	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Customs duty description</b>	0..1	SDD-ID: <b>BDTG00000378</b> Definition: The description of the customs duty expressed as text.
<b>Customs duty description content</b>	1..1	SDD-ID: <b>BDT00000563</b> Definition: The description of the customs duty expressed as text.
<b>Language code</b>	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en

Business data terms and groups	Usage	Business data terms and groups description	
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Customs duty and import tax monetary amount	0..1	SDD-ID:	<b>BDTG00000373</b>
		Definition:	The monetary amount for customs duty and import tax.
Customs duty and import tax monetary amount content	1..1	SDD-ID:	<b>BDT00000564</b>
		Definition:	The monetary amount for customs duty and import tax.
Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax exemption reason description	0..1	SDD-ID:	<b>BDTG00000324</b>
		Definition:	The description of the reason for exemption of tax expressed as text.
Tax exemption reason description content	1..1	SDD-ID:	<b>BDT00000574</b>
		Definition:	The description of the reason for exemption of tax expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax exemption reason code	0..1	SDD-ID:	<b>BDTG00000323</b>
		Definition:	The code specifying the reason for exemption of tax.
Tax exemption reason code content	1..1	SDD-ID:	<b>BDT00000575</b>
		Definition:	The code specifying the reason for exemption of tax.
		Used code list:	DutyFeeTaxExemptionReasonCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxExemptionReasonCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxExemptionReasonCode</a>



Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Back order information	0..1	SDD-ID:	<b>BDTG00000389</b>
		Definition:	The information specifying the details of requested trade items to be delivered at another date compared to requested delivery date of the order.
Total requested quantity	0..1	SDD-ID:	<b>BDTG00000296</b>
		Definition:	The total ordered quantity of a trade item.
Total requested quantity content	1..1	SDD-ID:	<b>BDT00000566</b>
		Definition:	The total ordered quantity of a trade item.
		Example:	100
Measurement unit code	0..1	SDD-ID:	<b>BDTG00000608</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID:	<b>BDT00000607</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.
		Used code list:	MeasurementUnitCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Ordered trade item logistical information	0..1	SDD-ID:	<b>BDTG00000259</b>
		Definition:	The information specifying various requirements of logistical nature for ordered trade item.
Logistic label customer information	0..1	SDD-ID:	<b>BDT00000788</b>
		Definition:	The customer defined text to be printed on the logistics label(s) of the logistic unit(s)
Shipment split method code	0..1	SDD-ID:	<b>BDTG00000396</b>
		Definition:	The code specifying the method by which a shipment of ordered trade items may be split.
Shipment split method code content	1..1	SDD-ID:	<b>BDT00000567</b>
		Definition:	The code specifying the method by which a shipment of ordered trade items may be split.
		Used code list:	ShipmentSplitMethodCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ShipmentSplitMethodCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ShipmentSplitMethodCode&amp;release=1</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>



Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The version number of the code list.
	<b>Transport cargo type code</b>	0..1	SDD-ID:	<b>BDTG00000348</b>
			Definition:	The code specifying the type of transport cargo.
	<b>Transport cargo type code content</b>	1..1	SDD-ID:	<b>BDT00000568</b>
			Definition:	The code specifying the type of transport cargo.
	<b>Code description</b>	0..1	SDD-ID:	<b>BDT00000022</b>
			Definition:	The description of a code value expressed as text.
	<b>Code list agency code</b>	0..1	SDD-ID:	<b>BDT00000023</b>
			Definition:	The code specifying the agency responsible for a code list.
	<b>Code list agency code list version</b>	0..1	SDD-ID:	<b>BDT00000024</b>
			Definition:	The version number of a code list issued by the responsible agency for the code list.
	<b>Code list agency name</b>	0..1	SDD-ID:	<b>BDT00000025</b>
			Definition:	The name of the agency responsible for a code list.
	<b>Code list name</b>	0..1	SDD-ID:	<b>BDT00000026</b>
			Definition:	The name of the code list expressed as text.
	<b>Code list URL</b>	0..1	SDD-ID:	<b>BDT00000027</b>
			Definition:	The character string that identifies the location of the code list in a network.
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Ship from party information</b>	0..1	SDD-ID:	<b>BDTG00000310</b>
			Definition:	The information specifying the location from which goods are shipped.
			Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
	<b>Global location number GLN</b>	0..1	SDD-ID:	<b>BDT00000063</b>
			Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
			Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	<b>Additional party identification information</b>	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
			Definition:	The information specifying the additional identification details of a party.
			Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	<b>Additional party identification content</b>	1..1	SDD-ID:	<b>BDT00000578</b>
			Definition:	The additional identity of a party.
	<b>Additional party identification type code</b>	1..1	SDD-ID:	<b>BDTG00000579</b>
			Definition:	The code specifying the additional identification type of the party.
	<b>Additional party identification type code content</b>	1..1	SDD-ID:	<b>BDT00000570</b>
			Definition:	The code specifying the additional identification type of the party.
			Used code list:	AdditionalPartyIdentificationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>

## Order response

Business data terms and groups			Usage	Business data terms and groups description	
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
				Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
		City name	0..1	SDD-ID:	<b>BDT00000020</b>
				Definition:	The name of the city, town or village.
		City code	0..1	SDD-ID:	<b>BDT00000019</b>
				Definition:	The code specifying a city.
		County code	0..1	SDD-ID:	<b>BDT00000034</b>
				Definition:	The code indicating a geographical region in a country.
		Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
				Definition:	The street crossing another street.
		Party name	0..1	SDD-ID:	<b>BDT00000106</b>
				Definition:	The name of the party expressed as text.
		Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
				Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
				Synonyms:	P.O. box, postal box
		Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
				Definition:	The code according to the relevant postal system or service to specify a geographical area.
				Example:	SE 190 90
				Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
				Definition:	The identity of a province according to national codes assigned to provinces.
		State	0..1	SDD-ID:	<b>BDT00000127</b>
				Definition:	The political unit that a country can be divided into.
				Example:	California
		Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
				Definition:	The first street address line of a structured address.
				Example:	Avenue Louise 326
		Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
				Definition:	The second street address line of a structured address.
				Example:	Blue Tower
		Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
				Definition:	The third street address line of a structured address.
				Example:	Floor 4
		Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
				Definition:	The code specifying a country.
		Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
				Definition:	The code specifying a country.

## Order response

Business data terms and groups				Usage	Business data terms and groups description	
			<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			<b>Geographical coordinates information</b>	0..1	SDD-ID:	<b>BDTG00000214</b>
					Definition:	The information specifying details on a location using geographical coordinates.
			<b>Latitude</b>	1..1	SDD-ID:	<b>BDT00000085</b>
					Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
					Example:	23°26'12.2" S
			<b>Longitude</b>	1..1	SDD-ID:	<b>BDT00000089</b>
					Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
					Example:	18°3'59.0616"
			<b>Business contact information</b>	0..unbounded	SDD-ID:	<b>BDTG00000158</b>
					Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
			<b>Person name</b>	0..1	SDD-ID:	<b>BDT00000112</b>
					Definition:	The name of an individual person expressed as text.
			<b>Department name</b>	0..1	SDD-ID:	<b>BDT00000044</b>
					Definition:	The name of the department.
			<b>Job title</b>	0..1	SDD-ID:	<b>BDT00000083</b>
					Definition:	The title of a position or the role of a person holding the position.
			<b>Contact type code</b>	0..1	SDD-ID:	<b>BDTG00000178</b>
					Definition:	The code specifying the function or role of a contact person.
					Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
					Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
			<b>Contact type code content</b>	1..1	SDD-ID:	<b>BDT00000571</b>
					Definition:	The code specifying the function or role of a contact person.
			<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			<b>Business contact responsibility description</b>	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
					Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
			<b>Business contact responsibility description content</b>	1..1	SDD-ID:	<b>BDT00000580</b>
					Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
			<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
					Definition:	The code specifying the language.
			<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
					Definition:	The code specifying the language.
					Example:	en
					Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .



## Order response

Business data terms and groups	Usage	Business data terms and groups description	
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Communication information</b>	0..unbounded	SDD-ID:	<b>BDTG00000176</b>
		Definition:	The information specifying details of a contact person's communication channel.
<b>Communication channel code</b>	1..1	SDD-ID:	<b>BDTG00000175</b>
		Definition:	The code specifying the channel for communication.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Communication channel code content</b>	1..1	SDD-ID:	<b>BDT00000525</b>
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Communication channel identification</b>	1..1	SDD-ID:	<b>BDT00000032</b>
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
<b>Communication channel name</b>	0..1	SDD-ID:	<b>BDT00000033</b>
		Definition:	The name of a communication channel expressed as text.
<b>After hours communication information</b>	0..unbounded	SDD-ID:	<b>BDTG00000145</b>
		Definition:	The information specifying details of communication channels to use after regular business hours.
<b>Communication channel code</b>	1..1	SDD-ID:	<b>BDTG00000175</b>
		Definition:	The code specifying the channel for communication.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Communication channel code content</b>	1..1	SDD-ID:	<b>BDT00000525</b>
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Communication channel identification</b>	1..1	SDD-ID:	<b>BDT00000032</b>
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
<b>Communication channel name</b>	0..1	SDD-ID:	<b>BDT00000033</b>
		Definition:	The name of a communication channel expressed as text.
<b>Tax registration information</b>	0..unbounded	SDD-ID:	<b>BDTG00000326</b>
		Definition:	The information specifying details of a party registered for tax.

## Order response

Business data terms and groups			Usage	Business data terms and groups description	
		<b>Tax authority name</b>	0..1	SDD-ID: Definition:	<b>BDT00000369</b> The name of the authority administrating the collection of taxes expressed as text.
		<b>Tax registration identification information</b>	1..1	SDD-ID: Definition:	<b>BDTG00000585</b> The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
		<b>Tax registration identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000584</b> The identity assigned to a party registered for tax according to a national tax register.
		<b>Identification scheme information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
		<b>Identification scheme name</b>	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
		<b>Identification scheme agency name</b>	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
		<b>Identification scheme responsible agency code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
		<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Tax type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.
		<b>Tax type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Tax description</b>	0..1	SDD-ID: Definition:	<b>BDTG00000322</b> The description of the tax expressed as text.
		<b>Tax description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000754</b> The description of the tax expressed as text.
		<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
		<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Tax registration type code</b>	0..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000327</b>
	<b>Tax registration type code content</b>	1..1	Definition:	The code specifying the type of tax registration number assigned by a national authority.
			SDD-ID:	<b>BDT00000588</b>
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	<b>Code list version</b>	0..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDT00000028</b>
	<b>Customs duty registration information</b>	0..unbounded	Definition:	The information specifying details of a party registered for customs duty.
			SDD-ID:	<b>BDTG00000375</b>
	<b>Customs authority name</b>	0..1	Definition:	The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
			SDD-ID:	<b>BDT00000370</b>
	<b>Customs registration identification information</b>	1..1	Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
			SDD-ID:	<b>BDTG00000621</b>
	<b>Customs registration identification content</b>	1..1	Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
			SDD-ID:	<b>BDT00000622</b>
	<b>Identification scheme information</b>	0..1	Definition:	The information specifying details of the used identification scheme.
			SDD-ID:	<b>BDTG00000587</b>
	<b>Identification scheme name</b>	0..1	Definition:	The name of the identification scheme.
			SDD-ID:	<b>BDT00000074</b>
	<b>Identification scheme agency name</b>	0..1	Definition:	The name of the agency responsible for a identification scheme.
			SDD-ID:	<b>BDT00000073</b>
	<b>Identification scheme responsible agency code</b>	0..1	Definition:	The code specifying the agency responsible for the identification scheme.
			SDD-ID:	<b>BDTG00000586</b>
	<b>Identification scheme responsible agency code content</b>	1..1	Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	<b>Code list version</b>	0..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDT00000028</b>
	<b>Tax type code</b>	0..1	Definition:	The code specifying the type of tax.
			SDD-ID:	<b>BDTG00000328</b>
	<b>Tax type code content</b>	1..1	Definition:	The code specifying the type of tax.
			Used code list:	DutyFeeTaxTypeCode

## Order response

Business data terms and groups			Usage	Business data terms and groups description	
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Customs duty description	0..1	SDD-ID:	<b>BDTG00000378</b>
				Definition:	The description of the customs duty expressed as text.
		Customs duty description content	1..1	SDD-ID:	<b>BDT00000563</b>
				Definition:	The description of the customs duty expressed as text.
		Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
				Definition:	The code specifying the language.
		Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
				Definition:	The code specifying the language.
				Example:	en
				Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Customs registration type code	0..1	SDD-ID:	<b>BDTG00000623</b>
				Definition:	The code specifying the type of customs registration number assigned by a national authority.
		Customs registration type code content	1..1	SDD-ID:	<b>BDT00000624</b>
				Definition:	The code specifying the type of customs registration number assigned by a national authority.
				Used code list:	DutyFeeTaxRegistrationTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Organisation legal information	0..1	SDD-ID:	<b>BDTG00000262</b>
				Definition:	The information specifying details of a legal organisation.
		Organisation name	1..1	SDD-ID:	<b>BDT00000102</b>
				Definition:	The official and legal name of the organisation.
		Language of the party code	0..1	SDD-ID:	<b>BDTG00000228</b>
				Definition:	The code specifying the language of a party.
		Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
				Definition:	The code specifying the language.
				Example:	en
				Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Currency of party code	0..1	SDD-ID:	<b>BDTG00000184</b>
				Definition:	The code specifying the currency of a party.

Business data terms and groups				Usage	Business data terms and groups description	
					Example:	EUR
					Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
				1..1	SDD-ID:	<b>BDT00000710</b>
					Definition:	The code specifying the currency of a party.
					Example:	EUR
					Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
					Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
				0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
				0..1	SDD-ID:	<b>BDTG00000246</b>
					Definition:	The registered legal address of the organisation.
				0..1	SDD-ID:	<b>BDT00000034</b>
					Definition:	The code indicating a geographical region in a country.
				0..1	SDD-ID:	<b>BDT00000020</b>
					Definition:	The name of the city, town or village.
				0..1	SDD-ID:	<b>BDT00000019</b>
					Definition:	The code specifying a city.
				0..1	SDD-ID:	<b>BDT00000035</b>
					Definition:	The street crossing another street.
				0..1	SDD-ID:	<b>BDT00000113</b>
					Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
					Synonyms:	P.O. box, postal box
				0..1	SDD-ID:	<b>BDT00000114</b>
					Definition:	The code according to the relevant postal system or service to specify a geographical area.
					Example:	SE 190 90
					Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
				0..1	SDD-ID:	<b>BDT00000117</b>
					Definition:	The identity of a province according to national codes assigned to provinces.
				0..1	SDD-ID:	<b>BDT00000127</b>
					Definition:	The political unit that a country can be divided into.
					Example:	California
				0..1	SDD-ID:	<b>BDT00000128</b>
					Definition:	The first street address line of a structured address.
					Example:	Avenue Louise 326
				0..1	SDD-ID:	<b>BDT00000130</b>
					Definition:	The second street address line of a structured address.
					Example:	Blue Tower
				0..1	SDD-ID:	<b>BDT00000129</b>
					Definition:	The third street address line of a structured address.
					Example:	Floor 4
				0..1	SDD-ID:	<b>BDTG00000179</b>

## Order response

Business data terms and groups				Usage	Business data terms and groups description	
					Definition:	The code specifying a country.
			Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
					Definition:	The code specifying a country.
			Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
					Definition:	The information specifying details on a location using geographical coordinates.
			Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
					Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
					Example:	23°26'12.2" S
			Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
					Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
					Example:	18°3'59.0616"
			Issued capital	0..1	SDD-ID:	<b>BDTG00000225</b>
					Definition:	The monetary amount representing the value of the issued capital of a company.
			Issued capital content	1..1	SDD-ID:	<b>BDT00000655</b>
					Definition:	The monetary amount representing the issued capital of a company.
			Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
					Definition:	The code specifying the currency of a monetary amount.
			Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
					Definition:	The code specifying the currency of a monetary amount.
					Example:	EUR
					Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			Legal structure description	0..1	SDD-ID:	<b>BDTG00000231</b>
					Definition:	The description of the legal structure expressed as text.
			Legal structure description content	1..1	SDD-ID:	<b>BDT00000659</b>
					Definition:	The description of the legal structure expressed as text.
			Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
					Definition:	The code specifying the language.
			Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
					Definition:	The code specifying the language.
					Example:	en
					Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			Registered legal information	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
					Definition:	The information specifying the registered data on a legal entity in accordance with

Business data terms and groups		Usage	Business data terms and groups description	
				national law.
	Legal registration number	1..1	SDD-ID: Definition:	<b>BDT00000087</b> The identification number of an organisation according to a legal register.
	Legal registration additional information	0..1	SDD-ID: Definition:	<b>BDT00000086</b> The additional information related to the legal registration expressed as text.
	Legal registration type code	1..1	SDD-ID: Definition:	<b>BDTG00000230</b> The code specifying the type of legal registration.
	Legal registration type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000658</b> The code specifying the type of legal registration. LegalRegistrationCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Financial institution and financial account information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000209</b> The information specifying details of a financial institution and financial account.
	Financial institution name	0..1	SDD-ID: Definition:	<b>BDT00000061</b> The name of a financial institution expressed as text.
	Financial institution division name	0..1	SDD-ID: Definition:	<b>BDT00000060</b> The name of a division or branch within a financial institution expressed as text.
	Financial account information	0..1	SDD-ID: Definition:	<b>BDTG00000207</b> The information specifying details of a financial account.
	Financial account name	0..1	SDD-ID: Definition: Example:	<b>BDT00000058</b> The name of a financial account expressed as text. John Doe
	Financial account number	1..1	SDD-ID: Definition:	<b>BDT00000059</b> The number of a financial account expressed as text.
	Financial account number type code	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000208</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Financial account number type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000645</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Financial institution routing number information	0..1	SDD-ID: Definition:	<b>BDTG00000210</b> The information specifying details on a routing number of a financial institution.
	Financial routing number	1..1	SDD-ID: Definition:	<b>BDT00000062</b> The routing number of a financial transaction according to the specified financial routing



Business data terms and groups		Usage	Business data terms and groups description	
			Business rule:	type. This business data term must be used in conjunction with the Financial routing number type code class.
	Financial routing number type code	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000211</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Financial routing number type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000644</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Additional financial institution description	0..1	SDD-ID: Definition:	<b>BDTG00000522</b> The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID: Definition:	<b>BDT00000521</b> The text value describing the additional financial institution.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Address information	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	Party name	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>

Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
				Synonyms:	P.O. box, postal box
		Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
				Definition:	The code according to the relevant postal system or service to specify a geographical area.
				Example:	SE 190 90
		Province identity	0..1	Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
				SDD-ID:	<b>BDT00000117</b>
				Definition:	The identity of a province according to national codes assigned to provinces.
		State	0..1	SDD-ID:	<b>BDT00000127</b>
				Definition:	The political unit that a country can be divided into.
				Example:	California
		Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
				Definition:	The first street address line of a structured address.
				Example:	Avenue Louise 326
		Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
				Definition:	The second street address line of a structured address.
				Example:	Blue Tower
		Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
				Definition:	The third street address line of a structured address.
				Example:	Floor 4
		Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
				Definition:	The code specifying a country.
		Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
				Definition:	The code specifying a country.
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
				Definition:	The information specifying details on a location using geographical coordinates.
		Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
				Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
				Example:	23°26'12.2" S
		Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
				Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
				Example:	18°3'59.0616"
		Ship to party information	0..1	SDD-ID:	<b>BDTG00000311</b>
				Definition:	The information specifying the location to which goods are shipped.
				Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
		Global location number GLN	0..1	SDD-ID:	<b>BDT00000063</b>



Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
				Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
		<b>Additional party identification information</b>	0..unbounde	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
		<b>Additional party identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
		<b>Additional party identification type code</b>	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
		<b>Additional party identification type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Address information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
		<b>City name</b>	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
		<b>City code</b>	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
		<b>County code</b>	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
		<b>Cross street</b>	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
		<b>Party name</b>	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
		<b>Post office box number</b>	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
		<b>Postal code</b>	0..1	Synonyms: SDD-ID: Definition: Example:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area. SE 190 90

## Order response

Business data terms and groups				Usage	Business data terms and groups description	
					Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
			Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
					Definition:	The identity of a province according to national codes assigned to provinces.
			State	0..1	SDD-ID:	<b>BDT00000127</b>
					Definition:	The political unit that a country can be divided into.
					Example:	California
			Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
					Definition:	The first street address line of a structured address.
					Example:	Avenue Louise 326
			Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
					Definition:	The second street address line of a structured address.
					Example:	Blue Tower
			Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
					Definition:	The third street address line of a structured address.
					Example:	Floor 4
			Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
					Definition:	The code specifying a country.
			Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
					Definition:	The code specifying a country.
			Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
					Definition:	The information specifying details on a location using geographical coordinates.
			Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
					Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
					Example:	23°26'12.2" S
			Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
					Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
					Example:	18°3'59.0616"
			Business contact information	0..unbounded	SDD-ID:	<b>BDTG00000158</b>
					Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
			Person name	0..1	SDD-ID:	<b>BDT00000112</b>
					Definition:	The name of an individual person expressed as text.
			Department name	0..1	SDD-ID:	<b>BDT00000044</b>
					Definition:	The name of the department.
			Job title	0..1	SDD-ID:	<b>BDT00000083</b>
					Definition:	The title of a position or the role of a person holding the position.
			Contact type code	0..1	SDD-ID:	<b>BDTG00000178</b>
					Definition:	The code specifying the function or role of a contact person.
					Used code list:	ISO 3166-1 or equivalent representation in specific syntax.



Business data terms and groups				Usage	Business data terms and groups description	
					Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
			— <b>Contact type code content</b>	1..1	SDD-ID:	<b>BDT00000571</b>
					Definition:	The code specifying the function or role of a contact person.
			— <b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			— <b>Business contact responsibility description</b>	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
					Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
			— <b>Business contact responsibility description content</b>	1..1	SDD-ID:	<b>BDT00000580</b>
					Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
			— <b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
					Definition:	The code specifying the language.
			— <b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
					Definition:	The code specifying the language.
					Example:	en
					Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			— <b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			— <b>Communication information</b>	0..unbounded	SDD-ID:	<b>BDTG00000176</b>
					Definition:	The information specifying details of a contact person's communication channel.
			— <b>Communication channel code</b>	1..1	SDD-ID:	<b>BDTG00000175</b>
					Definition:	The code specifying the channel for communication.
					Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
			— <b>Communication channel code content</b>	1..1	SDD-ID:	<b>BDT00000525</b>
					Definition:	The code specifying the channel for communication.
					Example:	TELEPHONE
					Used code list:	CommunicationChannelCode
					Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
			— <b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			— <b>Communication channel identification</b>	1..1	SDD-ID:	<b>BDT00000032</b>
					Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
			— <b>Communication channel name</b>	0..1	SDD-ID:	<b>BDT00000033</b>
					Definition:	The name of a communication channel expressed as text.
			— <b>After hours communication information</b>	0..unbounded	SDD-ID:	<b>BDTG00000145</b>
					Definition:	The information specifying details of communication channels to use after regular business hours.

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	Tax registration information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000326</b> The information specifying details of a party registered for tax.
	Tax authority name	0..1	SDD-ID: Definition:	<b>BDT00000369</b> The name of the authority administering the collection of taxes expressed as text.
	Tax registration identification information	1..1	SDD-ID: Definition:	<b>BDTG00000585</b> The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
	Tax registration identification content	1..1	SDD-ID: Definition:	<b>BDT00000584</b> The identity assigned to a party registered for tax according to a national tax register.
	Identification scheme information	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Tax type code	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.

## Order response

Business data terms and groups			Usage	Business data terms and groups description	
		<b>Tax type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Tax description</b>	0..1	SDD-ID: Definition:	<b>BDTG00000322</b> The description of the tax expressed as text.
		<b>Tax description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000754</b> The description of the tax expressed as text.
		<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
		<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Tax registration type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000327</b> The code specifying the type of tax registration number assigned by a national authority.
		<b>Tax registration type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000588</b> The code specifying the type of tax registration number assigned by a national authority. DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Customs duty registration information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000375</b> The information specifying details of a party registered for customs duty.
		<b>Customs authority name</b>	0..1	SDD-ID: Definition:	<b>BDT00000370</b> The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.
		<b>Customs registration identification information</b>	1..1	SDD-ID: Definition:	<b>BDTG00000621</b> The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
		<b>Customs registration identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000622</b> The identity assigned to a party registered for customs duty according to a national customs register.
		<b>Identification scheme information</b>	0..1	SDD-ID:	<b>BDTG00000587</b>





Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The information specifying details of the used identification scheme.
		Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
				Definition:	The name of the identification scheme.
		Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
				Definition:	The name of the agency responsible for a identification scheme.
		Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
				Definition:	The code specifying the agency responsible for the identification scheme.
		Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
				Definition:	The code specifying the agency responsible for the identification scheme.
				Used code list:	ResponsibleAgencyCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
				Definition:	The code specifying the type of tax.
		Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
				Definition:	The code specifying the type of tax.
				Used code list:	DutyFeeTaxTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Customs duty description	0..1	SDD-ID:	<b>BDTG00000378</b>
				Definition:	The description of the customs duty expressed as text.
		Customs duty description content	1..1	SDD-ID:	<b>BDT00000563</b>
				Definition:	The description of the customs duty expressed as text.
		Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
				Definition:	The code specifying the language.
		Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
				Definition:	The code specifying the language.
				Example:	en
				Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Customs registration type code	0..1	SDD-ID:	<b>BDTG00000623</b>
				Definition:	The code specifying the type of customs registration number assigned by a national authority.
		Customs registration type code content	1..1	SDD-ID:	<b>BDT00000624</b>
				Definition:	The code specifying the type of customs registration number assigned by a national authority.
				Used code list:	DutyFeeTaxRegistrationTypeCode

## Order response

Business data terms and groups			Usage	Business data terms and groups description	
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Organisation legal information	0..1	SDD-ID:	<b>BDTG00000262</b>
				Definition:	The information specifying details of a legal organisation.
		Organisation name	1..1	SDD-ID:	<b>BDT00000102</b>
				Definition:	The official and legal name of the organisation.
		Language of the party code	0..1	SDD-ID:	<b>BDTG00000228</b>
				Definition:	The code specifying the language of a party.
		Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
				Definition:	The code specifying the language.
				Example:	en
				Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Currency of party code	0..1	SDD-ID:	<b>BDTG00000184</b>
				Definition:	The code specifying the currency of a party.
				Example:	EUR
				Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Currency of party code content	1..1	SDD-ID:	<b>BDT00000710</b>
				Definition:	The code specifying the currency of a party.
				Example:	EUR
				Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
				Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Official address	0..1	SDD-ID:	<b>BDTG00000246</b>
				Definition:	The registered legal address of the organisation.
		County code	0..1	SDD-ID:	<b>BDT00000034</b>
				Definition:	The code indicating a geographical region in a country.
		City name	0..1	SDD-ID:	<b>BDT00000020</b>
				Definition:	The name of the city, town or village.
		City code	0..1	SDD-ID:	<b>BDT00000019</b>
				Definition:	The code specifying a city.
		Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
				Definition:	The street crossing another street.
		Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
				Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
				Synonyms:	P.O. box, postal box
		Postal code	0..1	SDD-ID:	<b>BDT00000114</b>

Business data terms and groups				Usage	Business data terms and groups description	
					Definition:	The code according to the relevant postal system or service to specify a geographical area.
					Example:	SE 190 90
					Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
			Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
					Definition:	The identity of a province according to national codes assigned to provinces.
			State	0..1	SDD-ID:	<b>BDT00000127</b>
					Definition:	The political unit that a country can be divided into.
					Example:	California
			Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
					Definition:	The first street address line of a structured address.
					Example:	Avenue Louise 326
			Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
					Definition:	The second street address line of a structured address.
					Example:	Blue Tower
			Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
					Definition:	The third street address line of a structured address.
					Example:	Floor 4
			Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
					Definition:	The code specifying a country.
			Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
					Definition:	The code specifying a country.
			Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
					Definition:	The information specifying details on a location using geographical coordinates.
			Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
					Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
					Example:	23°26'12.2" S
			Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
					Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
					Example:	18°3'59.0616"
			Issued capital	0..1	SDD-ID:	<b>BDTG00000225</b>
					Definition:	The monetary amount representing the value of the issued capital of a company.
			Issued capital content	1..1	SDD-ID:	<b>BDT00000655</b>
					Definition:	The monetary amount representing the issued capital of a company.
			Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
					Definition:	The code specifying the currency of a monetary amount.
			Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
					Definition:	The code specifying the currency of a monetary amount.
					Example:	EUR



Business data terms and groups			Usage	Business data terms and groups description	
				Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Legal structure description</b>	0..1	SDD-ID:	<b>BDTG00000231</b>
				Definition:	The description of the legal structure expressed as text.
		<b>Legal structure description content</b>	1..1	SDD-ID:	<b>BDT00000659</b>
				Definition:	The description of the legal structure expressed as text.
		<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
				Definition:	The code specifying the language.
		<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
				Definition:	The code specifying the language.
				Example:	en
				Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Registered legal information</b>	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
				Definition:	The information specifying the registered data on a legal entity in accordance with national law.
		<b>Legal registration number</b>	1..1	SDD-ID:	<b>BDT00000087</b>
				Definition:	The identification number of an organisation according to a legal register.
		<b>Legal registration additional information</b>	0..1	SDD-ID:	<b>BDT00000086</b>
				Definition:	The additional information related to the legal registration expressed as text.
		<b>Legal registration type code</b>	1..1	SDD-ID:	<b>BDTG00000230</b>
				Definition:	The code specifying the type of legal registration.
		<b>Legal registration type code content</b>	1..1	SDD-ID:	<b>BDT00000658</b>
				Definition:	The code specifying the type of legal registration.
				Used code list:	LegalRegistrationCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode</a>
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Financial institution and financial account information</b>	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
				Definition:	The information specifying details of a financial institution and financial account.
		<b>Financial institution name</b>	0..1	SDD-ID:	<b>BDT00000061</b>
				Definition:	The name of a financial institution expressed as text.
		<b>Financial institution division name</b>	0..1	SDD-ID:	<b>BDT00000060</b>
				Definition:	The name of a division or branch within a financial institution expressed as text.
		<b>Financial account information</b>	0..1	SDD-ID:	<b>BDTG00000207</b>
				Definition:	The information specifying details of a financial account.
		<b>Financial account name</b>	0..1	SDD-ID:	<b>BDT00000058</b>
				Definition:	The name of a financial account expressed as text.



Business data terms and groups			Usage	Business data terms and groups description	
				Example:	John Doe
		Financial account number	1..1	SDD-ID:	<b>BDT00000059</b>
				Definition:	The number of a financial account expressed as text.
		Financial account number type code	1..1	SDD-ID:	<b>BDTG00000208</b>
				Definition:	The code specifying the type of a financial account number.
				Used code list:	FinancialAccountNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
		Financial account number type code content	1..1	SDD-ID:	<b>BDT00000645</b>
				Definition:	The code specifying the type of a financial account number.
				Used code list:	FinancialAccountNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Financial institution routing number information	0..1	SDD-ID:	<b>BDTG00000210</b>
				Definition:	The information specifying details on a routing number of a financial institution.
		Financial routing number	1..1	SDD-ID:	<b>BDT00000062</b>
				Definition:	The routing number of a financial transaction according to the specified financial routing type.
				Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
		Financial routing number type code	1..1	SDD-ID:	<b>BDTG00000211</b>
				Definition:	The code specifying the type of a financial routing number.
				Used code list:	FinancialRoutingNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		Financial routing number type code content	1..1	SDD-ID:	<b>BDT00000644</b>
				Definition:	The code specifying the type of a financial routing number.
				Used code list:	FinancialRoutingNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Additional financial institution description	0..1	SDD-ID:	<b>BDTG00000522</b>
				Definition:	The additional description of a financial institution expressed as text.
		Additional financial institution description content	1..1	SDD-ID:	<b>BDT00000521</b>
				Definition:	The text value describing the additional financial institution.
		Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
				Definition:	The code specifying the language.
		Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
				Definition:	The code specifying the language.
				Example:	en

Business data terms and groups			Usage	Business data terms and groups description	
				Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
				Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
		City name	0..1	SDD-ID:	<b>BDT00000020</b>
				Definition:	The name of the city, town or village.
		City code	0..1	SDD-ID:	<b>BDT00000019</b>
				Definition:	The code specifying a city.
		County code	0..1	SDD-ID:	<b>BDT00000034</b>
				Definition:	The code indicating a geographical region in a country.
		Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
				Definition:	The street crossing another street.
		Party name	0..1	SDD-ID:	<b>BDT00000106</b>
				Definition:	The name of the party expressed as text.
		Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
				Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
				Synonyms:	P.O. box, postal box
		Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
				Definition:	The code according to the relevant postal system or service to specify a geographical area.
				Example:	SE 190 90
				Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
				Definition:	The identity of a province according to national codes assigned to provinces.
		State	0..1	SDD-ID:	<b>BDT00000127</b>
				Definition:	The political unit that a country can be divided into.
				Example:	California
		Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
				Definition:	The first street address line of a structured address.
				Example:	Avenue Louise 326
		Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
				Definition:	The second street address line of a structured address.
				Example:	Blue Tower
		Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
				Definition:	The third street address line of a structured address.
				Example:	Floor 4
		Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
				Definition:	The code specifying a country.



## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
	Longitude	1..1	Example: SDD-ID: Definition:	23°26'12.2" S <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
	Storage location information	0..1	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000224</b> The information specifying details of a location of an inventory such as a warehouse or a store.
	Global location number GLN	0..1	SDD-ID: Definition: Ref. definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	Additional party identification information	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	Additional party identification content	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
	Additional party identification type code	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
	Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Address information	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.



## Order response

Business data terms and groups				Usage	Business data terms and groups description	
			City name	0..1	SDD-ID:	<b>BDT00000020</b>
					Definition:	The name of the city, town or village.
			City code	0..1	SDD-ID:	<b>BDT00000019</b>
					Definition:	The code specifying a city.
			County code	0..1	SDD-ID:	<b>BDT00000034</b>
					Definition:	The code indicating a geographical region in a country.
			Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
					Definition:	The street crossing another street.
			Party name	0..1	SDD-ID:	<b>BDT00000106</b>
					Definition:	The name of the party expressed as text.
			Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
					Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
					Synonyms:	P.O. box, postal box
			Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
					Definition:	The code according to the relevant postal system or service to specify a geographical area.
					Example:	SE 190 90
					Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
			Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
					Definition:	The identity of a province according to national codes assigned to provinces.
			State	0..1	SDD-ID:	<b>BDT00000127</b>
					Definition:	The political unit that a country can be divided into.
					Example:	California
			Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
					Definition:	The first street address line of a structured address.
					Example:	Avenue Louise 326
			Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
					Definition:	The second street address line of a structured address.
					Example:	Blue Tower
			Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
					Definition:	The third street address line of a structured address.
					Example:	Floor 4
			Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
					Definition:	The code specifying a country.
			Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
					Definition:	The code specifying a country.
			Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
					Definition:	The information specifying details on a location using geographical coordinates.
			Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
					Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies



Business data terms and groups			Usage	Business data terms and groups description	
		<b>Longitude</b>	1..1	Example: SDD-ID: Definition:	the north-south position of a point on the Earth's surface. <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		<b>Business contact information</b>	0..unbounded	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
		<b>Person name</b>	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
		<b>Department name</b>	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
		<b>Job title</b>	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
		<b>Contact type code</b>	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
		<b>Contact type code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000571</b> The code specifying the function or role of a contact person.
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Business contact responsibility description</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
		<b>Business contact responsibility description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
		<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
		<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
		<b>Communication channel code</b>	1..1	SDD-ID: Definition:	<b>BDTG00000175</b> The code specifying the channel for communication.

Business data terms and groups			Usage	Business data terms and groups description	
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		<b>Communication channel code content</b>	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Communication channel identification</b>	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
		<b>Communication channel name</b>	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
		<b>After hours communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000145</b> The information specifying details of communication channels to use after regular business hours.
		<b>Communication channel code</b>	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		<b>Communication channel code content</b>	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Communication channel identification</b>	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
		<b>Communication channel name</b>	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
		<b>Tax registration information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000326</b> The information specifying details of a party registered for tax.
		<b>Tax authority name</b>	0..1	SDD-ID: Definition:	<b>BDT00000369</b> The name of the authority administering the collection of taxes expressed as text.
		<b>Tax registration identification information</b>	1..1	SDD-ID: Definition:	<b>BDTG00000585</b> The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
		<b>Tax registration identification content</b>	1..1	SDD-ID:	<b>BDT00000584</b>

## Order response

Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The identity assigned to a party registered for tax according to a national tax register.
		<b>Identification scheme information</b>	0..1	SDD-ID:	<b>BDTG00000587</b>
				Definition:	The information specifying details of the used identification scheme.
		<b>Identification scheme name</b>	0..1	SDD-ID:	<b>BDT00000074</b>
				Definition:	The name of the identification scheme.
		<b>Identification scheme agency name</b>	0..1	SDD-ID:	<b>BDT00000073</b>
				Definition:	The name of the agency responsible for a identification scheme.
		<b>Identification scheme responsible agency code</b>	0..1	SDD-ID:	<b>BDTG00000586</b>
				Definition:	The code specifying the agency responsible for the identification scheme.
		<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID:	<b>BDT00000583</b>
				Definition:	The code specifying the agency responsible for the identification scheme.
				Used code list:	ResponsibleAgencyCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Tax type code</b>	0..1	SDD-ID:	<b>BDTG00000328</b>
				Definition:	The code specifying the type of tax.
		<b>Tax type code content</b>	1..1	SDD-ID:	<b>BDT00000576</b>
				Definition:	The code specifying the type of tax.
				Used code list:	DutyFeeTaxTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Tax description</b>	0..1	SDD-ID:	<b>BDTG00000322</b>
				Definition:	The description of the tax expressed as text.
		<b>Tax description content</b>	1..1	SDD-ID:	<b>BDT00000754</b>
				Definition:	The description of the tax expressed as text.
		<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
				Definition:	The code specifying the language.
		<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
				Definition:	The code specifying the language.
				Example:	en
				Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Tax registration type code</b>	0..1	SDD-ID:	<b>BDTG00000327</b>
				Definition:	The code specifying the type of tax registration number assigned by a national authority.
		<b>Tax registration type code content</b>	1..1	SDD-ID:	<b>BDT00000588</b>
				Definition:	The code specifying the type of tax registration number assigned by a national



Business data terms and groups			Usage	Business data terms and groups description	
				Used code list: Link to code list:	authority. DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Customs duty registration information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000375</b> The information specifying details of a party registered for customs duty.
		Customs authority name	0..1	SDD-ID: Definition:	<b>BDT00000370</b> The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
		Customs registration identification information	1..1	SDD-ID: Definition:	<b>BDTG00000621</b> The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
		Customs registration identification content	1..1	SDD-ID: Definition:	<b>BDT00000622</b> The identity assigned to a party registered for customs duty according to a national customs register.
		Identification scheme information	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
		Identification scheme name	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
		Identification scheme agency name	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
		Identification scheme responsible agency code	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
		Identification scheme responsible agency code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Tax type code	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.
		Tax type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Customs duty description	0..1	SDD-ID: Definition:	<b>BDTG00000378</b> The description of the customs duty expressed as text.

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	Customs duty description content	1..1	SDD-ID: <b>BDT00000563</b> Definition: The description of the customs duty expressed as text.	
	Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.	
	Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Customs registration type code	0..1	SDD-ID: <b>BDTG00000623</b> Definition: The code specifying the type of customs registration number assigned by a national authority.	
	Customs registration type code content	1..1	SDD-ID: <b>BDT00000624</b> Definition: The code specifying the type of customs registration number assigned by a national authority. Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Organisation legal information	0..1	SDD-ID: <b>BDTG00000262</b> Definition: The information specifying details of a legal organisation.	
	Organisation name	1..1	SDD-ID: <b>BDT00000102</b> Definition: The official and legal name of the organisation.	
	Language of the party code	0..1	SDD-ID: <b>BDTG00000228</b> Definition: The code specifying the language of a party.	
	Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Currency of party code	0..1	SDD-ID: <b>BDTG00000184</b> Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax.	
	Currency of party code content	1..1	SDD-ID: <b>BDT00000710</b> Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax.	

Business data terms and groups				Usage	Business data terms and groups description	
					Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
			Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			Official address	0..1	SDD-ID:	<b>BDTG00000246</b>
					Definition:	The registered legal address of the organisation.
			County code	0..1	SDD-ID:	<b>BDT00000034</b>
					Definition:	The code indicating a geographical region in a country.
			City name	0..1	SDD-ID:	<b>BDT00000020</b>
					Definition:	The name of the city, town or village.
			City code	0..1	SDD-ID:	<b>BDT00000019</b>
					Definition:	The code specifying a city.
			Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
					Definition:	The street crossing another street.
			Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
					Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
					Synonyms:	P.O. box, postal box
			Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
					Definition:	The code according to the relevant postal system or service to specify a geographical area.
					Example:	SE 190 90
					Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
			Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
					Definition:	The identity of a province according to national codes assigned to provinces.
			State	0..1	SDD-ID:	<b>BDT00000127</b>
					Definition:	The political unit that a country can be divided into.
					Example:	California
			Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
					Definition:	The first street address line of a structured address.
					Example:	Avenue Louise 326
			Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
					Definition:	The second street address line of a structured address.
					Example:	Blue Tower
			Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
					Definition:	The third street address line of a structured address.
					Example:	Floor 4
			Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
					Definition:	The code specifying a country.
			Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
					Definition:	The code specifying a country.
			Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>



## Order response

Business data terms and groups				Usage	Business data terms and groups description	
			<b>Latitude</b>	1..1	Definition:	The information specifying details on a location using geographical coordinates.
					SDD-ID:	<b>BDT00000085</b>
					Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			<b>Longitude</b>	1..1	Example:	23°26'12.2" S
					SDD-ID:	<b>BDT00000089</b>
					Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
					Example:	18°3'59.0616"
			<b>Issued capital</b>	0..1	SDD-ID:	<b>BDTG00000225</b>
					Definition:	The monetary amount representing the value of the issued capital of a company.
			<b>Issued capital content</b>	1..1	SDD-ID:	<b>BDT00000655</b>
					Definition:	The monetary amount representing the issued capital of a company.
			<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
					Definition:	The code specifying the currency of a monetary amount.
			<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
					Definition:	The code specifying the currency of a monetary amount.
					Example:	EUR
					Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			<b>Legal structure description</b>	0..1	SDD-ID:	<b>BDTG00000231</b>
					Definition:	The description of the legal structure expressed as text.
			<b>Legal structure description content</b>	1..1	SDD-ID:	<b>BDT00000659</b>
					Definition:	The description of the legal structure expressed as text.
			<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
					Definition:	The code specifying the language.
			<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
					Definition:	The code specifying the language.
					Example:	en
					Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			<b>Registered legal information</b>	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
					Definition:	The information specifying the registered data on a legal entity in accordance with national law.
			<b>Legal registration number</b>	1..1	SDD-ID:	<b>BDT00000087</b>
					Definition:	The identification number of an organisation according to a legal register.
			<b>Legal registration additional information</b>	0..1	SDD-ID:	<b>BDT00000086</b>
					Definition:	The additional information related to the legal registration expressed as text.
			<b>Legal registration type code</b>	1..1	SDD-ID:	<b>BDTG00000230</b>

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	Legal registration type code content	1..1	Definition:	The code specifying the type of legal registration.
			SDD-ID:	<b>BDT00000658</b>
	Code list version	0..1	Definition:	The code specifying the type of legal registration.
			Used code list:	LegalRegistrationCode
	Financial institution and financial account information	0..unbounded	Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode</a>
	Financial institution name	0..1	SDD-ID:	<b>BDT00000028</b>
	Financial institution division name	0..1	Definition:	The version number of the code list.
	Financial account information	0..1	SDD-ID:	<b>BDTG00000209</b>
	Financial account name	0..1	Definition:	The information specifying details of a financial institution and financial account.
	Financial account number	0..1	SDD-ID:	<b>BDT00000061</b>
	Financial account number type code	1..1	Definition:	The name of a financial institution expressed as text.
			SDD-ID:	<b>BDT00000060</b>
	Financial account number type code content	1..1	Definition:	The name of a division or branch within a financial institution expressed as text.
			SDD-ID:	<b>BDTG00000207</b>
	Code list version	0..1	Definition:	The information specifying details of a financial account.
	Financial institution routing number information	0..1	SDD-ID:	<b>BDT00000058</b>
	Financial routing number	1..1	Definition:	The name of a financial account expressed as text.
	Financial routing number type code	1..1	Example:	John Doe
			SDD-ID:	<b>BDT00000059</b>
			Definition:	The number of a financial account expressed as text.
			SDD-ID:	<b>BDTG00000208</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:FinancialAccountNumberTypeCode</a>
			SDD-ID:	<b>BDT00000645</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:FinancialAccountNumberTypeCode</a>
			SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000210</b>
			Definition:	The information specifying details on a routing number of a financial institution.
			SDD-ID:	<b>BDT00000062</b>
			Definition:	The routing number of a financial transaction according to the specified financial routing type.
			Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
			SDD-ID:	<b>BDTG00000211</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode



## Order response

Business data terms and groups			Usage	Business data terms and groups description	
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		Financial routing number type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000644</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Additional financial institution description	0..1	SDD-ID: Definition:	<b>BDTG00000522</b> The additional description of a financial institution expressed as text.
		Additional financial institution description content	1..1	SDD-ID: Definition:	<b>BDT00000521</b> The text value describing the additional financial institution.
		Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
		Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Address information	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
		City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
		City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
		County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
		Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
		Party name	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
		Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
		Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.



Business data terms and groups		Usage	Business data terms and groups description	
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Ultimate consignee party information	0..1	SDD-ID:	<b>BDTG00000355</b>
			Definition:	The information specifying the ultimate consignee responsible for the receipt of a shipment.
			Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
	Global location number GLN	0..1	SDD-ID:	<b>BDT00000063</b>
			Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
			Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.



Business data terms and groups		Usage	Business data terms and groups description	
	<b>Additional party identification information</b>	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	<b>Additional party identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
	<b>Additional party identification type code</b>	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
	<b>Additional party identification type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Address information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	<b>City name</b>	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	<b>City code</b>	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	<b>County code</b>	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	<b>Cross street</b>	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	<b>Party name</b>	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
	<b>Post office box number</b>	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
	<b>Postal code</b>	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
	<b>Province identity</b>	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
	<b>State</b>	0..1	SDD-ID: Definition:	<b>BDT00000127</b> The political unit that a country can be divided into.

Business data terms and groups			Usage	Business data terms and groups description	
				Example:	California
		Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
				Definition:	The first street address line of a structured address.
				Example:	Avenue Louise 326
		Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
				Definition:	The second street address line of a structured address.
				Example:	Blue Tower
		Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
				Definition:	The third street address line of a structured address.
				Example:	Floor 4
		Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
				Definition:	The code specifying a country.
		Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
				Definition:	The code specifying a country.
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
				Definition:	The information specifying details on a location using geographical coordinates.
		Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
				Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
				Example:	23°26'12.2" S
		Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
				Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
				Example:	18°3'59.0616"
		Business contact information	0..unbounded	SDD-ID:	<b>BDTG00000158</b>
				Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
		Person name	0..1	SDD-ID:	<b>BDT00000112</b>
				Definition:	The name of an individual person expressed as text.
		Department name	0..1	SDD-ID:	<b>BDT00000044</b>
				Definition:	The name of the department.
		Job title	0..1	SDD-ID:	<b>BDT00000083</b>
				Definition:	The title of a position or the role of a person holding the position.
		Contact type code	0..1	SDD-ID:	<b>BDTG00000178</b>
				Definition:	The code specifying the function or role of a contact person.
				Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
		Contact type code content	1..1	SDD-ID:	<b>BDT00000571</b>
				Definition:	The code specifying the function or role of a contact person.
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>



Business data terms and groups			Usage	Business data terms and groups description	
		<b>Business contact responsibility description</b>	0..unbounded	Definition: SDD-ID: Definition:	The version number of the code list. <b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
		<b>Business contact responsibility description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
		<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
		<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
		<b>Communication channel code</b>	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		<b>Communication channel code content</b>	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Communication channel identification</b>	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
		<b>Communication channel name</b>	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
		<b>After hours communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000145</b> The information specifying details of communication channels to use after regular business hours.
		<b>Communication channel code</b>	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		<b>Communication channel code content</b>	1..1	SDD-ID:	<b>BDT00000525</b>





Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The code specifying the channel for communication.
				Example:	TELEPHONE
				Used code list:	CommunicationChannelCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Communication channel identification</b>	1..1	SDD-ID:	<b>BDT00000032</b>
				Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
		<b>Communication channel name</b>	0..1	SDD-ID:	<b>BDT00000033</b>
				Definition:	The name of a communication channel expressed as text.
		<b>Tax registration information</b>	0..unbounded	SDD-ID:	<b>BDTG00000326</b>
				Definition:	The information specifying details of a party registered for tax.
		<b>Tax authority name</b>	0..1	SDD-ID:	<b>BDT00000369</b>
				Definition:	The name of the authority administering the collection of taxes expressed as text.
		<b>Tax registration identification information</b>	1..1	SDD-ID:	<b>BDTG00000585</b>
				Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
		<b>Tax registration identification content</b>	1..1	SDD-ID:	<b>BDT00000584</b>
				Definition:	The identity assigned to a party registered for tax according to a national tax register.
		<b>Identification scheme information</b>	0..1	SDD-ID:	<b>BDTG00000587</b>
				Definition:	The information specifying details of the used identification scheme.
		<b>Identification scheme name</b>	0..1	SDD-ID:	<b>BDT00000074</b>
				Definition:	The name of the identification scheme.
		<b>Identification scheme agency name</b>	0..1	SDD-ID:	<b>BDT00000073</b>
				Definition:	The name of the agency responsible for a identification scheme.
		<b>Identification scheme responsible agency code</b>	0..1	SDD-ID:	<b>BDTG00000586</b>
				Definition:	The code specifying the agency responsible for the identification scheme.
		<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID:	<b>BDT00000583</b>
				Definition:	The code specifying the agency responsible for the identification scheme.
				Used code list:	ResponsibleAgencyCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Tax type code</b>	0..1	SDD-ID:	<b>BDTG00000328</b>
				Definition:	The code specifying the type of tax.
		<b>Tax type code content</b>	1..1	SDD-ID:	<b>BDT00000576</b>
				Definition:	The code specifying the type of tax.
				Used code list:	DutyFeeTaxTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>

## Order response

Business data terms and groups			Usage	Business data terms and groups description	
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Tax description	0..1	SDD-ID: Definition:	<b>BDTG00000322</b> The description of the tax expressed as text.
		Tax description content	1..1	SDD-ID: Definition:	<b>BDT00000754</b> The description of the tax expressed as text.
		Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
		Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Tax registration type code	0..1	SDD-ID: Definition:	<b>BDTG00000327</b> The code specifying the type of tax registration number assigned by a national authority.
		Tax registration type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000588</b> The code specifying the type of tax registration number assigned by a national authority. DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Customs duty registration information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000375</b> The information specifying details of a party registered for customs duty.
		Customs authority name	0..1	SDD-ID: Definition:	<b>BDT00000370</b> The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.
		Customs registration identification information	1..1	SDD-ID: Definition:	<b>BDTG00000621</b> The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
		Customs registration identification content	1..1	SDD-ID: Definition:	<b>BDT00000622</b> The identity assigned to a party registered for customs duty according to a national customs register.
		Identification scheme information	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
		Identification scheme name	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
		Identification scheme agency name	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
			Definition:	The code specifying the type of tax.
	Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
			Definition:	The code specifying the type of tax.
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Customs duty description	0..1	SDD-ID:	<b>BDTG00000378</b>
			Definition:	The description of the customs duty expressed as text.
	Customs duty description content	1..1	SDD-ID:	<b>BDT00000563</b>
			Definition:	The description of the customs duty expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Customs registration type code	0..1	SDD-ID:	<b>BDTG00000623</b>
			Definition:	The code specifying the type of customs registration number assigned by a national authority.
	Customs registration type code content	1..1	SDD-ID:	<b>BDT00000624</b>
			Definition:	The code specifying the type of customs registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Organisation legal information	0..1	SDD-ID:	<b>BDTG00000262</b>

## Order response

Business data terms and groups				Usage	Business data terms and groups description	
					Definition:	The information specifying details of a legal organisation.
			<b>Organisation name</b>	1..1	SDD-ID:	<b>BDT00000102</b>
					Definition:	The official and legal name of the organisation.
			<b>Language of the party code</b>	0..1	SDD-ID:	<b>BDTG00000228</b>
					Definition:	The code specifying the language of a party.
			<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
					Definition:	The code specifying the language.
					Example:	en
					Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			<b>Currency of party code</b>	0..1	SDD-ID:	<b>BDTG00000184</b>
					Definition:	The code specifying the currency of a party.
					Example:	EUR
					Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
			<b>Currency of party code content</b>	1..1	SDD-ID:	<b>BDT00000710</b>
					Definition:	The code specifying the currency of a party.
					Example:	EUR
					Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
					Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
			<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			<b>Official address</b>	0..1	SDD-ID:	<b>BDTG00000246</b>
					Definition:	The registered legal address of the organisation.
			<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
					Definition:	The code indicating a geographical region in a country.
			<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
					Definition:	The name of the city, town or village.
			<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
					Definition:	The code specifying a city.
			<b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
					Definition:	The street crossing another street.
			<b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>
					Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
					Synonyms:	P.O. box, postal box
			<b>Postal code</b>	0..1	SDD-ID:	<b>BDT00000114</b>
					Definition:	The code according to the relevant postal system or service to specify a geographical area.
					Example:	SE 190 90
					Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
			<b>Province identity</b>	0..1	SDD-ID:	<b>BDT00000117</b>

## Order response

Business data terms and groups				Usage	Business data terms and groups description	
			<b>State</b>	0..1	Definition:	The identity of a province according to national codes assigned to provinces.
					SDD-ID:	<b>BDT00000127</b>
					Definition:	The political unit that a country can be divided into.
					Example:	California
			<b>Street address one</b>	0..1	SDD-ID:	<b>BDT00000128</b>
					Definition:	The first street address line of a structured address.
					Example:	Avenue Louise 326
			<b>Street address two</b>	0..1	SDD-ID:	<b>BDT00000130</b>
					Definition:	The second street address line of a structured address.
					Example:	Blue Tower
			<b>Street address three</b>	0..1	SDD-ID:	<b>BDT00000129</b>
					Definition:	The third street address line of a structured address.
					Example:	Floor 4
			<b>Country code</b>	0..1	SDD-ID:	<b>BDTG00000179</b>
					Definition:	The code specifying a country.
			<b>Country code content</b>	1..1	SDD-ID:	<b>BDT00000774</b>
					Definition:	The code specifying a country.
			<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			<b>Geographical coordinates information</b>	0..1	SDD-ID:	<b>BDTG00000214</b>
					Definition:	The information specifying details on a location using geographical coordinates.
			<b>Latitude</b>	1..1	SDD-ID:	<b>BDT00000085</b>
					Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
					Example:	23°26'12.2" S
			<b>Longitude</b>	1..1	SDD-ID:	<b>BDT00000089</b>
					Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
					Example:	18°3'59.0616"
			<b>Issued capital</b>	0..1	SDD-ID:	<b>BDTG00000225</b>
					Definition:	The monetary amount representing the value of the issued capital of a company.
			<b>Issued capital content</b>	1..1	SDD-ID:	<b>BDT00000655</b>
					Definition:	The monetary amount representing the issued capital of a company.
			<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
					Definition:	The code specifying the currency of a monetary amount.
			<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
					Definition:	The code specifying the currency of a monetary amount.
					Example:	EUR
					Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org.
			<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			<b>Legal structure description</b>	0..1	SDD-ID:	<b>BDTG00000231</b>

Business data terms and groups			Usage	Business data terms and groups description	
		<b>Legal structure description content</b>	1..1	Definition: SDD-ID: <b>BDT00000659</b>	The description of the legal structure expressed as text.
		<b>Language code</b>	0..1	Definition: SDD-ID: <b>BDTG00000523</b>	The description of the legal structure expressed as text.
		<b>Language code content</b>	1..1	Definition: SDD-ID: <b>BDT00000524</b>	The code specifying the language.
		<b>Code list version</b>	0..1	Definition: SDD-ID: <b>BDT00000028</b>	The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		<b>Registered legal information</b>	0..unbounded	Definition: SDD-ID: <b>BDTG00000288</b>	The version number of the code list.
		<b>Legal registration number</b>	1..1	Definition: SDD-ID: <b>BDT00000087</b>	The information specifying the registered data on a legal entity in accordance with national law.
		<b>Legal registration additional information</b>	0..1	Definition: SDD-ID: <b>BDT00000086</b>	The identification number of an organisation according to a legal register.
		<b>Legal registration type code</b>	1..1	Definition: SDD-ID: <b>BDTG00000230</b>	The additional information related to the legal registration expressed as text.
		<b>Legal registration type code content</b>	1..1	Definition: SDD-ID: <b>BDT00000658</b>	The code specifying the type of legal registration.
		<b>Code list version</b>	0..1	Definition: SDD-ID: <b>BDT00000028</b>	The code specifying the type of legal registration. LegalRegistrationCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
		<b>Financial institution and financial account information</b>	0..unbounded	Definition: SDD-ID: <b>BDTG00000209</b>	The version number of the code list.
		<b>Financial institution name</b>	0..1	Definition: SDD-ID: <b>BDT00000061</b>	The information specifying details of a financial institution and financial account.
		<b>Financial institution division name</b>	0..1	Definition: SDD-ID: <b>BDT00000060</b>	The name of a financial institution expressed as text.
		<b>Financial account information</b>	0..1	Definition: SDD-ID: <b>BDTG00000207</b>	The name of a division or branch within a financial institution expressed as text.
		<b>Financial account name</b>	0..1	Definition: SDD-ID: <b>BDT00000058</b>	The information specifying details of a financial account.
		<b>Financial account number</b>	1..1	Definition: SDD-ID: <b>BDT00000059</b>	The name of a financial account expressed as text. John Doe
		<b>Financial account number type code</b>	1..1	Definition: SDD-ID: <b>BDTG00000208</b>	The number of a financial account expressed as text.
				Definition: SDD-ID: <b>BDTG00000208</b>	The code specifying the type of a financial account number.



Business data terms and groups			Usage	Business data terms and groups description	
				Used code list:	FinancialAccountNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
		<b>Financial account number type code content</b>	1..1	SDD-ID:	<b>BDT00000645</b>
				Definition:	The code specifying the type of a financial account number.
				Used code list:	FinancialAccountNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Financial institution routing number information</b>	0..1	SDD-ID:	<b>BDTG00000210</b>
				Definition:	The information specifying details on a routing number of a financial institution.
		<b>Financial routing number</b>	1..1	SDD-ID:	<b>BDT00000062</b>
				Definition:	The routing number of a financial transaction according to the specified financial routing type.
				Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
		<b>Financial routing number type code</b>	1..1	SDD-ID:	<b>BDTG00000211</b>
				Definition:	The code specifying the type of a financial routing number.
				Used code list:	FinancialRoutingNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		<b>Financial routing number type code content</b>	1..1	SDD-ID:	<b>BDT00000644</b>
				Definition:	The code specifying the type of a financial routing number.
				Used code list:	FinancialRoutingNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Additional financial institution description</b>	0..1	SDD-ID:	<b>BDTG00000522</b>
				Definition:	The additional description of a financial institution expressed as text.
		<b>Additional financial institution description content</b>	1..1	SDD-ID:	<b>BDT00000521</b>
				Definition:	The text value describing the additional financial institution.
		<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
				Definition:	The code specifying the language.
		<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
				Definition:	The code specifying the language.
				Example:	en
				Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Address information</b>	0..1	SDD-ID:	<b>BDTG00000144</b>



## Order response

Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
		City name	0..1	SDD-ID:	<b>BDT00000020</b>
		City code	0..1	Definition:	The name of the city, town or village.
		County code	0..1	SDD-ID:	<b>BDT00000019</b>
		Cross street	0..1	Definition:	The code specifying a city.
		Party name	0..1	SDD-ID:	<b>BDT00000034</b>
		Post office box number	0..1	Definition:	The code indicating a geographical region in a country.
		Postal code	0..1	SDD-ID:	<b>BDT00000035</b>
		Province identity	0..1	Definition:	The street crossing another street.
		State	0..1	SDD-ID:	<b>BDT00000106</b>
		Street address one	0..1	Definition:	The name of the party expressed as text.
		Street address two	0..1	SDD-ID:	<b>BDT00000113</b>
		Street address three	0..1	Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Country code	0..1	Synonyms:	P.O. box, postal box
		Country code content	1..1	SDD-ID:	<b>BDT00000114</b>
		Code list version	0..1	Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Geographical coordinates information	0..1	Example:	SE 190 90
				Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
				SDD-ID:	<b>BDT00000117</b>
				Definition:	The identity of a province according to national codes assigned to provinces.
				SDD-ID:	<b>BDT00000127</b>
				Definition:	The political unit that a country can be divided into.
				Example:	California
				SDD-ID:	<b>BDT00000128</b>
				Definition:	The first street address line of a structured address.
				Example:	Avenue Louise 326
				SDD-ID:	<b>BDT00000130</b>
				Definition:	The second street address line of a structured address.
				Example:	Blue Tower
				SDD-ID:	<b>BDT00000129</b>
				Definition:	The third street address line of a structured address.
				Example:	Floor 4
				SDD-ID:	<b>BDTG00000179</b>
				Definition:	The code specifying a country.
				SDD-ID:	<b>BDT00000774</b>
				Definition:	The code specifying a country.
				SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
				SDD-ID:	<b>BDTG00000214</b>



Business data terms and groups		Usage	Business data terms and groups description	
	Latitude	1..1	Definition:	The information specifying details on a location using geographical coordinates.
			SDD-ID:	<b>BDT00000085</b>
	Longitude	1..1	Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Logistics services provider party information	0..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
			SDD-ID:	<b>BDTG00000223</b>
	Global location number, GLN	0..1	Definition:	The information specifying details of a party providing logistics services.
			Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
			SDD-ID:	<b>BDT00000063</b>
			Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
			Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
			SDD-ID:	<b>BDTG00000577</b>
	Additional party identification information	0..1	Definition:	The information specifying the additional identification details of a party.
			Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
			Definition:	The additional identity of a party.
	Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
			Definition:	The code specifying the additional identification type of the party.
	Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
			Definition:	The code specifying the additional identification type of the party.
			Used code list:	AdditionalPartyIdentificationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.

## Order response

Business data terms and groups			Usage	Business data terms and groups description	
		County code	0..1	SDD-ID: <b>BDT00000034</b> Definition:	The code indicating a geographical region in a country.
		Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition:	The street crossing another street.
		Party name	0..1	SDD-ID: <b>BDT00000106</b> Definition:	The name of the party expressed as text.
		Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Postal code	0..1	Synonyms: P.O. box, postal box SDD-ID: <b>BDT00000114</b> Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Province identity	0..1	Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode SDD-ID: <b>BDT00000117</b> Definition:	The identity of a province according to national codes assigned to provinces.
		State	0..1	SDD-ID: <b>BDT00000127</b> Definition:	The political unit that a country can be divided into.
		Street address one	0..1	Example: California SDD-ID: <b>BDT00000128</b> Definition:	The first street address line of a structured address.
		Street address two	0..1	Example: Avenue Louise 326 SDD-ID: <b>BDT00000130</b> Definition:	The second street address line of a structured address.
		Street address three	0..1	Example: Blue Tower SDD-ID: <b>BDT00000129</b> Definition:	The third street address line of a structured address.
		Country code	0..1	Example: Floor 4 SDD-ID: <b>BDTG00000179</b> Definition:	The code specifying a country.
		Country code content	1..1	SDD-ID: <b>BDT00000774</b> Definition:	The code specifying a country.
		Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
		Geographical coordinates information	0..1	SDD-ID: <b>BDTG00000214</b> Definition:	The information specifying details on a location using geographical coordinates.
		Latitude	1..1	SDD-ID: <b>BDT00000085</b> Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Longitude	1..1	Example: 23°26'12.2" S SDD-ID: <b>BDT00000089</b> Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
				specifies the east-west position of a point on the Earth's surface. 18°3'59.0616"
	<b>Business contact information</b>	0..1	Example: SDD-ID: Definition:	<b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
	<b>Person name</b>	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
	<b>Department name</b>	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
	<b>Job title</b>	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
	<b>Contact type code</b>	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	<b>Contact type code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000571</b> The code specifying the function or role of a contact person.
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Business contact responsibility description</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Business contact responsibility description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
	<b>Communication channel code</b>	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Communication channel code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000525</b> The code specifying the channel for communication.

Business data terms and groups				Usage	Business data terms and groups description	
					Example:	TELEPHONE
					Used code list:	CommunicationChannelCode
					Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
			Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			Communication channel identification	1..1	SDD-ID:	<b>BDT00000032</b>
					Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
			Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>
					Definition:	The name of a communication channel expressed as text.
			After hours communication information	0..unbounded	SDD-ID:	<b>BDTG00000145</b>
					Definition:	The information specifying details of communication channels to use after regular business hours.
			Communication channel code	1..1	SDD-ID:	<b>BDTG00000175</b>
					Definition:	The code specifying the channel for communication.
					Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
			Communication channel code content	1..1	SDD-ID:	<b>BDT00000525</b>
					Definition:	The code specifying the channel for communication.
					Example:	TELEPHONE
					Used code list:	CommunicationChannelCode
					Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
			Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			Communication channel identification	1..1	SDD-ID:	<b>BDT00000032</b>
					Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
			Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>
					Definition:	The name of a communication channel expressed as text.
			Tax registration information	0..1	SDD-ID:	<b>BDTG00000326</b>
					Definition:	The information specifying details of a party registered for tax.
			Tax authority name	0..1	SDD-ID:	<b>BDT00000369</b>
					Definition:	The name of the authority administering the collection of taxes expressed as text.
			Tax registration identification information	1..1	SDD-ID:	<b>BDTG00000585</b>
					Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
			Tax registration identification content	1..1	SDD-ID:	<b>BDT00000584</b>
					Definition:	The identity assigned to a party registered for tax according to a national tax register.
			Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
					Definition:	The information specifying details of the used identification scheme.
			Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>

Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The name of the identification scheme.
		Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
				Definition:	The name of the agency responsible for a identification scheme.
		Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
				Definition:	The code specifying the agency responsible for the identification scheme.
		Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
				Definition:	The code specifying the agency responsible for the identification scheme.
				Used code list:	ResponsibleAgencyCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
				Definition:	The code specifying the type of tax.
		Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
				Definition:	The code specifying the type of tax.
				Used code list:	DutyFeeTaxTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Tax description	0..1	SDD-ID:	<b>BDTG00000322</b>
				Definition:	The description of the tax expressed as text.
		Tax description content	1..1	SDD-ID:	<b>BDT00000754</b>
				Definition:	The description of the tax expressed as text.
		Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
				Definition:	The code specifying the language.
		Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
				Definition:	The code specifying the language.
				Example:	en
				Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Tax registration type code	0..1	SDD-ID:	<b>BDTG00000327</b>
				Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Tax registration type code content	1..1	SDD-ID:	<b>BDT00000588</b>
				Definition:	The code specifying the type of tax registration number assigned by a national authority.
				Used code list:	DutyFeeTaxRegistrationTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>

## Order response

Business data terms and groups			Usage	Business data terms and groups description	
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Customs duty registration information	0..1	SDD-ID: Definition:	<b>BDTG00000375</b> The information specifying details of a party registered for customs duty.
		Customs authority name	0..1	SDD-ID: Definition:	<b>BDT00000370</b> The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.
		Customs registration identification information	1..1	SDD-ID: Definition:	<b>BDTG00000621</b> The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
		Customs registration identification content	1..1	SDD-ID: Definition:	<b>BDT00000622</b> The identity assigned to a party registered for customs duty according to a national customs register.
		Identification scheme information	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
		Identification scheme name	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
		Identification scheme agency name	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
		Identification scheme responsible agency code	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
		Identification scheme responsible agency code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Tax type code	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.
		Tax type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Customs duty description	0..1	SDD-ID: Definition:	<b>BDTG00000378</b> The description of the customs duty expressed as text.
		Customs duty description content	1..1	SDD-ID: Definition:	<b>BDT00000563</b> The description of the customs duty expressed as text.
		Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.



## Order response

Business data terms and groups			Usage	Business data terms and groups description	
		Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Customs registration type code	0..1	SDD-ID: Definition:	<b>BDTG00000623</b> The code specifying the type of customs registration number assigned by a national authority.
		Customs registration type code content	1..1	SDD-ID: Definition:  Used code list: Link to code list:	<b>BDT00000624</b> The code specifying the type of customs registration number assigned by a national authority. DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Organisation legal information	0..1	SDD-ID: Definition:	<b>BDTG00000262</b> The information specifying details of a legal organisation.
		Organisation name	1..1	SDD-ID: Definition:	<b>BDT00000102</b> The official and legal name of the organisation.
		Language of the party code	0..1	SDD-ID: Definition:	<b>BDTG00000228</b> The code specifying the language of a party.
		Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Currency of party code	0..1	SDD-ID: Definition: Example: Used code list:	<b>BDTG00000184</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Currency of party code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000710</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax. <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Official address	0..1	SDD-ID:	<b>BDTG00000246</b>

Business data terms and groups				Usage	Business data terms and groups description	
					Definition:	The registered legal address of the organisation.
			County code	0..1	SDD-ID:	<b>BDT00000034</b>
			City name	0..1	Definition:	The code indicating a geographical region in a country.
			City code	0..1	SDD-ID:	<b>BDT00000020</b>
			Cross street	0..1	Definition:	The name of the city, town or village.
			Post office box number	0..1	SDD-ID:	<b>BDT00000019</b>
					Definition:	The code specifying a city.
				0..1	SDD-ID:	<b>BDT00000035</b>
					Definition:	The street crossing another street.
				0..1	SDD-ID:	<b>BDT00000113</b>
					Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
					Synonyms:	P.O. box, postal box
			Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
					Definition:	The code according to the relevant postal system or service to specify a geographical area.
					Example:	SE 190 90
					Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
			Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
					Definition:	The identity of a province according to national codes assigned to provinces.
			State	0..1	SDD-ID:	<b>BDT00000127</b>
					Definition:	The political unit that a country can be divided into.
					Example:	California
			Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
					Definition:	The first street address line of a structured address.
					Example:	Avenue Louise 326
			Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
					Definition:	The second street address line of a structured address.
					Example:	Blue Tower
			Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
					Definition:	The third street address line of a structured address.
					Example:	Floor 4
			Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
					Definition:	The code specifying a country.
			Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
					Definition:	The code specifying a country.
			Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
					Definition:	The information specifying details on a location using geographical coordinates.
			Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
					Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.

Business data terms and groups				Usage	Business data terms and groups description	
			Longitude	1..1	Example: SDD-ID: Definition:	23°26'12.2" S <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Issued capital	0..1	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000225</b> The monetary amount representing the value of the issued capital of a company.
			Issued capital content	1..1	SDD-ID: Definition:	<b>BDT00000655</b> The monetary amount representing the issued capital of a company.
			Currency code	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
			Currency code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000589</b> The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
			Legal structure description	0..1	SDD-ID: Definition:	<b>BDTG00000231</b> The description of the legal structure expressed as text.
			Legal structure description content	1..1	SDD-ID: Definition:	<b>BDT00000659</b> The description of the legal structure expressed as text.
			Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
			Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
			Registered legal information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000288</b> The information specifying the registered data on a legal entity in accordance with national law.
			Legal registration number	1..1	SDD-ID: Definition:	<b>BDT00000087</b> The identification number of an organisation according to a legal register.
			Legal registration additional information	0..1	SDD-ID: Definition:	<b>BDT00000086</b> The additional information related to the legal registration expressed as text.
			Legal registration type code	1..1	SDD-ID: Definition:	<b>BDTG00000230</b> The code specifying the type of legal registration.
			Legal registration type code content	1..1	SDD-ID: Definition: Used code list:	<b>BDT00000658</b> The code specifying the type of legal registration. LegalRegistrationCode

## Order response

Business data terms and groups			Usage	Business data terms and groups description	
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Financial institution and financial account information</b>	0..1	SDD-ID:	<b>BDTG00000209</b>
				Definition:	The information specifying details of a financial institution and financial account.
		<b>Financial institution name</b>	0..1	SDD-ID:	<b>BDT00000061</b>
				Definition:	The name of a financial institution expressed as text.
		<b>Financial institution division name</b>	0..1	SDD-ID:	<b>BDT00000060</b>
				Definition:	The name of a division or branch within a financial institution expressed as text.
		<b>Financial account information</b>	0..1	SDD-ID:	<b>BDTG00000207</b>
				Definition:	The information specifying details of a financial account.
		<b>Financial account name</b>	0..1	SDD-ID:	<b>BDT00000058</b>
				Definition:	The name of a financial account expressed as text.
				Example:	John Doe
		<b>Financial account number</b>	1..1	SDD-ID:	<b>BDT00000059</b>
				Definition:	The number of a financial account expressed as text.
		<b>Financial account number type code</b>	1..1	SDD-ID:	<b>BDTG00000208</b>
				Definition:	The code specifying the type of a financial account number.
				Used code list:	FinancialAccountNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
		<b>Financial account number type code content</b>	1..1	SDD-ID:	<b>BDT00000645</b>
				Definition:	The code specifying the type of a financial account number.
				Used code list:	FinancialAccountNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Financial institution routing number information</b>	0..1	SDD-ID:	<b>BDTG00000210</b>
				Definition:	The information specifying details on a routing number of a financial institution.
		<b>Financial routing number</b>	1..1	SDD-ID:	<b>BDT00000062</b>
				Definition:	The routing number of a financial transaction according to the specified financial routing type.
				Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
		<b>Financial routing number type code</b>	1..1	SDD-ID:	<b>BDTG00000211</b>
				Definition:	The code specifying the type of a financial routing number.
				Used code list:	FinancialRoutingNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		<b>Financial routing number type code content</b>	1..1	SDD-ID:	<b>BDT00000644</b>
				Definition:	The code specifying the type of a financial routing number.



Business data terms and groups			Usage	Business data terms and groups description	
				Used code list:	FinancialRoutingNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Additional financial institution description	0..1	SDD-ID:	<b>BDTG00000522</b>
				Definition:	The additional description of a financial institution expressed as text.
		Additional financial institution description content	1..1	SDD-ID:	<b>BDT00000521</b>
				Definition:	The text value describing the additional financial institution.
		Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
				Definition:	The code specifying the language.
		Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
				Definition:	The code specifying the language.
				Example:	en
				Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
				Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
		City name	0..1	SDD-ID:	<b>BDT00000020</b>
				Definition:	The name of the city, town or village.
		City code	0..1	SDD-ID:	<b>BDT00000019</b>
				Definition:	The code specifying a city.
		County code	0..1	SDD-ID:	<b>BDT00000034</b>
				Definition:	The code indicating a geographical region in a country.
		Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
				Definition:	The street crossing another street.
		Party name	0..1	SDD-ID:	<b>BDT00000106</b>
				Definition:	The name of the party expressed as text.
		Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
				Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
				Synonyms:	P.O. box, postal box
		Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
				Definition:	The code according to the relevant postal system or service to specify a geographical area.
				Example:	SE 190 90
				Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
				Definition:	The identity of a province according to national codes assigned to provinces.

Business data terms and groups		Usage	Business data terms and groups description	
<div> <div> <div>State</div> </div> </div>		0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
<div> <div> <div>Country code</div> </div> </div>		0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
<div> <div> <div>Code list version</div> </div> </div>		0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
<div> <div> <div>Geographical coordinates information</div> </div> </div>		0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
<div> <div> <div>Longitude</div> </div> </div>			Example:	23°26'12.2" S
		1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
<div> <div> <div>Requested delivery date time information</div> </div> </div>		0..1	SDD-ID:	<b>BDTG00000293</b>
			Definition:	The information specifying when ordered trade items are requested to be delivered or be available for pick up.
	Requested delivery time period	0..1	SDD-ID:	<b>BDTG00000295</b>
			Definition:	The date (and time) of the period during which ordered trade items are requested to be delivered.
	Begin time period	0..1	SDD-ID:	<b>BDT00000010</b>
			Definition:	The first point in time of a period of time or date period.
	Begin period date	0..1	SDD-ID:	<b>BDT00000009</b>
			Definition:	The first date of a date period.
	End date period	0..1	SDD-ID:	<b>BDT00000054</b>
			Definition:	The last date of a date period.
<div> <div> <div>End time period</div> </div> </div>		0..1	SDD-ID:	<b>BDT00000055</b>
			Definition:	The end time of a period of time or date time period.
<div> <div> <div>Requested ship date time period</div> </div> </div>		0..1	SDD-ID:	<b>BDTG00000298</b>

Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The date (and time) of the period during which ordered trade items are requested to be shipped.
		Begin time period	0..1	SDD-ID:	<b>BDT00000010</b>
		Begin period date	0..1	Definition:	The first point in time of a period of time or date period.
		End date period	0..1	SDD-ID:	<b>BDT00000009</b>
		End time period	0..1	Definition:	The first date of a date period.
		Requested delivery date time period at ultimate consignee	0..1	SDD-ID:	<b>BDT00000054</b>
		Begin time period	0..1	Definition:	The last date of a date period.
		Begin period date	0..1	SDD-ID:	<b>BDT00000055</b>
		End date period	0..1	Definition:	The end time of a period of time or date time period.
		End time period	0..1	SDD-ID:	<b>BDTG00000294</b>
		Requested delivery date time period at ultimate consignee	0..1	Definition:	The date (and time) of the period during which ordered trade items are requested to be delivered at ultimate consignee.
		Begin time period	0..1	SDD-ID:	<b>BDT00000010</b>
		Begin period date	0..1	Definition:	The first point in time of a period of time or date period.
		End date period	0..1	SDD-ID:	<b>BDT00000009</b>
		End time period	0..1	Definition:	The first date of a date period.
		Requested delivery date time	0..1	SDD-ID:	<b>BDT00000054</b>
		Date	0..1	Definition:	The last date of a date period.
		Time	0..1	SDD-ID:	<b>BDT00000055</b>
		Requested ship date time	0..1	Definition:	The end time of a period of time or date time period.
		Date	0..1	SDD-ID:	<b>BDTG00000291</b>
		Time	0..1	Definition:	The date and optional time when the ordered trade items are requested to be delivered.
		Requested ship date time	0..1	SDD-ID:	<b>BDT00000040</b>
		Date	0..1	Definition:	The day of a year as a calendar date.
		Time	0..1	Example:	2020-06-15
		Requested date time for pick up	0..1	SDD-ID:	<b>BDT00000133</b>
		Date	0..1	Definition:	The indication of a point in time.
		Time	0..1	Example:	08:01:15
		Requested date time for pick up	0..1	SDD-ID:	<b>BDTG00000297</b>
		Date	0..1	Definition:	The date (and time) when the ordered trade items are requested to be despatched.
		Time	0..1	SDD-ID:	<b>BDT00000040</b>
		Requested date time for pick up	0..1	Definition:	The day of a year as a calendar date.
		Date	0..1	Example:	2020-06-15
		Time	0..1	SDD-ID:	<b>BDT00000133</b>
		Requested date time for pick up	0..1	Definition:	The indication of a point in time.
		Date	0..1	Example:	08:01:15
		Time	0..1	SDD-ID:	<b>BDTG00000290</b>
		Requested date time for pick up	0..1	Definition:	The date (and time) when the ordered trade items are requested to be available for pick up.
		Date	0..1	SDD-ID:	<b>BDT00000040</b>
		Time	0..1	Definition:	The day of a year as a calendar date.



Business data terms and groups			Usage	Business data terms and groups description	
				Example:	2020-06-15
		Time	0..1	SDD-ID:	BDT00000133
				Definition:	The indication of a point in time.
				Example:	08:01:15
		Requested delivery date time at ultimate consignee	0..1	SDD-ID:	BDTG00000292
				Definition:	The date (and time) when the ordered trade items are requested to be delivered at ultimate consignee.
		Date	0..1	SDD-ID:	BDT00000040
				Definition:	The day of a year as a calendar date.
				Example:	2020-06-15
		Time	0..1	SDD-ID:	BDT00000133
				Definition:	The indication of a point in time.
				Example:	08:01:15
		Shipment transportation information	0..1	SDD-ID:	BDTG00000312
				Definition:	The information specifying details about the transportation of goods.
		Handling instruction code	0..unbounde	SDD-ID:	BDTG00000218
				Definition:	The code specifying how the ordered trade items are to be handled and loaded.
		Handling instruction code content	1..1	SDD-ID:	BDT00000647
				Definition:	The code specifying how the ordered trade items are to be handled and loaded.
				Used code list:	HandlingInstructionCode
				Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:HandlingInstructionCode
		Code list version	0..1	SDD-ID:	BDT00000028
				Definition:	The version number of the code list.
		Transport means type code	0..1	SDD-ID:	BDTG00000351
				Definition:	The code specifying the means for transporting goods.
		Transport means type code content	1..1	SDD-ID:	BDT00000687
				Definition:	The code specifying the means for transporting goods.
				Example:	31
				Used code list:	TransportMeansTypeCode
				Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportMeansTypeCode
		Code list version	0..1	SDD-ID:	BDT00000028
				Definition:	The version number of the code list.
		Transport means identification	0..1	SDD-ID:	BDTG00000350
				Definition:	The information specifying the details of the identification number according to a specified identification scheme assigned to a means of transportation such as a vehicle license plate of a truck or an aircraft registration number of a helicopter.
		Transport means identification content	0..1	SDD-ID:	BDT00000625
				Definition:	The identification number according to a specified identification scheme assigned to a means of transportation such as a vehicle license plate of a truck or an aircraft registration number of a helicopter.
		Identification scheme information	0..1	SDD-ID:	BDTG00000587

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
			Definition:	The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
			Definition:	The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Transport mode code	0..1	SDD-ID:	<b>BDTG00000352</b>
			Definition:	Code specifying the mode of transport.
	Transport mode code content	1..1	SDD-ID:	<b>BDT00000688</b>
			Definition:	The code specifying the mode of transport.
			Example:	3
			Used code list:	TransportServiceCategoryCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportServiceCategoryCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportServiceCategoryCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Transport service level code	0..1	SDD-ID:	<b>BDTG00000354</b>
			Definition:	The code specifying the service level for the transport of a shipment.
	Transport service level code content	1..1	SDD-ID:	<b>BDT00000689</b>
			Definition:	The code specifying the service level for the transport of a shipment.
			Used code list:	TransportServiceLevelCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportServiceLevelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportServiceLevelCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Transport route identification	0..1	SDD-ID:	<b>BDTG00000353</b>
			Definition:	The information specifying the details of identification number assigned to a transport route according to a specified identification scheme.
	Transport route identification content	1..1	SDD-ID:	<b>BDT00000626</b>
			Definition:	The identification number assigned to a transport route according to a specified identification scheme.
	Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
			Definition:	The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
			Definition:	The name of the identification scheme.



Business data terms and groups		Usage	Business data terms and groups description	
	Identification scheme agency name	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Handling instruction description	0..unbounded	SDD-ID: Definition: Usage rule:	<b>BDTG00000219</b> The handling instruction expressed as text. Only used if no coded value for the handling instruction is available using the business data term "BDTG00000218 Handling instruction code".
	Handling instruction description content	1..1	SDD-ID: Definition:	<b>BDT00000648</b> The handling instruction expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Carrier party information	0..1	SDD-ID: Definition: Usage:	<b>BDTG00000163</b> The information specifying details of the party transporting shipments. To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
	Global location number, GLN	0..1	SDD-ID: Definition:  Ref. definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.  GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	Additional party identification information	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	Additional party identification content	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.



## Order response

Business data terms and groups			Usage	Business data terms and groups description	
		<b>Additional party identification type code</b>	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
		<b>Additional party identification type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Address information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
		<b>City name</b>	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
		<b>City code</b>	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
		<b>County code</b>	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
		<b>Cross street</b>	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
		<b>Party name</b>	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
		<b>Post office box number</b>	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
		<b>Postal code</b>	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
		<b>Province identity</b>	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
		<b>State</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
		<b>Street address one</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
		<b>Street address two</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower

## Order response

Business data terms and groups			Usage	Business data terms and groups description	
		Street address three	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
		Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
		Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
		Latitude	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Longitude	1..1	Example: SDD-ID: Definition:	23°26'12.2" S <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Business contact information	0..unbounded	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
		Person name	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
		Department name	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
		Job title	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
		Contact type code	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
		Contact type code content	1..1	SDD-ID: Definition:	<b>BDT00000571</b> The code specifying the function or role of a contact person.
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Business contact responsibility description	0..unbounded	SDD-ID: Definition:	<b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
		Business contact responsibility description content	1..1	SDD-ID: Definition:	<b>BDT00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.

## Order response

Business data terms and groups				Usage	Business data terms and groups description	

## Order response

Business data terms and groups			Usage	Business data terms and groups description	
		Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
		Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
		Tax registration information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000326</b> The information specifying details of a party registered for tax.
		Tax authority name	0..1	SDD-ID: Definition:	<b>BDT00000369</b> The name of the authority administering the collection of taxes expressed as text.
		Tax registration identification information	1..1	SDD-ID: Definition:	<b>BDTG00000585</b> The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
		Tax registration identification content	1..1	SDD-ID: Definition:	<b>BDT00000584</b> The identity assigned to a party registered for tax according to a national tax register.
		Identification scheme information	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
		Identification scheme name	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
		Identification scheme agency name	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
		Identification scheme responsible agency code	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
		Identification scheme responsible agency code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Tax type code	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.
		Tax type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Tax description	0..1	SDD-ID: Definition:	<b>BDTG00000322</b> The description of the tax expressed as text.
		Tax description content	1..1	SDD-ID: Definition:	<b>BDT00000754</b> The description of the tax expressed as text.
		Language code	0..1	SDD-ID:	<b>BDTG00000523</b>



Business data terms and groups		Usage	Business data terms and groups description	
	Language code content	1..1	Definition:	The code specifying the language.
			SDD-ID:	<b>BDT00000524</b>
	Code list version	0..1	Definition:	The code specifying the language.
			Example:	en
	Tax registration type code	0..1	Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			SDD-ID:	<b>BDTG00000327</b>
	Tax registration type code content	1..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000327</b>
	Code list version	0..1	Definition:	The code specifying the type of tax registration number assigned by a national authority.
			SDD-ID:	<b>BDT00000588</b>
	Organisation legal information	0..1	Definition:	The code specifying the type of tax registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
	Organisation name	1..1	Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
			SDD-ID:	<b>BDT00000028</b>
	Language of the party code	0..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000262</b>
	Language code content	1..1	Definition:	The information specifying details of a legal organisation.
			SDD-ID:	<b>BDT00000102</b>
	Code list version	0..1	Definition:	The official and legal name of the organisation.
			SDD-ID:	<b>BDTG00000228</b>
	Currency of party code	0..1	Definition:	The code specifying the language of a party.
			SDD-ID:	<b>BDT00000524</b>
	Currency of party code content	1..1	Definition:	The code specifying the language.
			Example:	en
	Code list version	0..1	Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			SDD-ID:	<b>BDT00000028</b>
	Currency of party code	0..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000184</b>
	Currency of party code content	1..1	Definition:	The code specifying the currency of a party.
			Example:	EUR
	Code list version	0..1	Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
			SDD-ID:	<b>BDT00000710</b>
	Currency of party code	0..1	Definition:	The code specifying the currency of a party.
			Example:	EUR
	Currency of party code content	1..1	Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
			Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.

## Order response

Business data terms and groups				Usage	Business data terms and groups description	
			<b>Official address</b>	0..1	SDD-ID:	<b>BDTG00000246</b>
					Definition:	The registered legal address of the organisation.
			<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
					Definition:	The code indicating a geographical region in a country.
			<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
					Definition:	The name of the city, town or village.
			<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
					Definition:	The code specifying a city.
			<b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
					Definition:	The street crossing another street.
			<b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>
					Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
					Synonyms:	P.O. box, postal box
			<b>Postal code</b>	0..1	SDD-ID:	<b>BDT00000114</b>
					Definition:	The code according to the relevant postal system or service to specify a geographical area.
					Example:	SE 190 90
					Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
			<b>Province identity</b>	0..1	SDD-ID:	<b>BDT00000117</b>
					Definition:	The identity of a province according to national codes assigned to provinces.
			<b>State</b>	0..1	SDD-ID:	<b>BDT00000127</b>
					Definition:	The political unit that a country can be divided into.
					Example:	California
			<b>Street address one</b>	0..1	SDD-ID:	<b>BDT00000128</b>
					Definition:	The first street address line of a structured address.
					Example:	Avenue Louise 326
			<b>Street address two</b>	0..1	SDD-ID:	<b>BDT00000130</b>
					Definition:	The second street address line of a structured address.
					Example:	Blue Tower
			<b>Street address three</b>	0..1	SDD-ID:	<b>BDT00000129</b>
					Definition:	The third street address line of a structured address.
					Example:	Floor 4
			<b>Country code</b>	0..1	SDD-ID:	<b>BDTG00000179</b>
					Definition:	The code specifying a country.
			<b>Country code content</b>	1..1	SDD-ID:	<b>BDT00000774</b>
					Definition:	The code specifying a country.
			<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			<b>Geographical coordinates information</b>	0..1	SDD-ID:	<b>BDTG00000214</b>
					Definition:	The information specifying details on a location using geographical coordinates.
			<b>Latitude</b>	1..1	SDD-ID:	<b>BDT00000085</b>
					Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies

Business data terms and groups				Usage	Business data terms and groups description	
						the north-south position of a point on the Earth's surface.
			Longitude	1..1	Example: SDD-ID: Definition:	23°26'12.2" S <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Issued capital	0..1	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000225</b> The monetary amount representing the value of the issued capital of a company.
			Issued capital content	1..1	SDD-ID: Definition:	<b>BDT00000655</b> The monetary amount representing the issued capital of a company.
			Currency code	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
			Currency code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000589</b> The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
			Legal structure description	0..1	SDD-ID: Definition:	<b>BDTG00000231</b> The description of the legal structure expressed as text.
			Legal structure description content	1..1	SDD-ID: Definition:	<b>BDT00000659</b> The description of the legal structure expressed as text.
			Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
			Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
			Registered legal information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000288</b> The information specifying the registered data on a legal entity in accordance with national law.
			Legal registration number	1..1	SDD-ID: Definition:	<b>BDT00000087</b> The identification number of an organisation according to a legal register.
			Legal registration additional information	0..1	SDD-ID: Definition:	<b>BDT00000086</b> The additional information related to the legal registration expressed as text.
			Legal registration type code	1..1	SDD-ID: Definition:	<b>BDTG00000230</b> The code specifying the type of legal registration.
			Legal registration type code content	1..1	SDD-ID: Definition:	<b>BDT00000658</b> The code specifying the type of legal registration.

Business data terms and groups			Usage	Business data terms and groups description	
				Used code list:	LegalRegistrationCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Financial institution and financial account information	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
				Definition:	The information specifying details of a financial institution and financial account.
		Financial institution name	0..1	SDD-ID:	<b>BDT00000061</b>
				Definition:	The name of a financial institution expressed as text.
		Financial institution division name	0..1	SDD-ID:	<b>BDT00000060</b>
				Definition:	The name of a division or branch within a financial institution expressed as text.
		Financial account information	0..1	SDD-ID:	<b>BDTG00000207</b>
				Definition:	The information specifying details of a financial account.
		Financial account name	0..1	SDD-ID:	<b>BDT00000058</b>
				Definition:	The name of a financial account expressed as text.
				Example:	John Doe
		Financial account number	1..1	SDD-ID:	<b>BDT00000059</b>
				Definition:	The number of a financial account expressed as text.
		Financial account number type code	1..1	SDD-ID:	<b>BDTG00000208</b>
				Definition:	The code specifying the type of a financial account number.
				Used code list:	FinancialAccountNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
		Financial account number type code content	1..1	SDD-ID:	<b>BDT00000065</b>
				Definition:	The code specifying the type of a financial account number.
				Used code list:	FinancialAccountNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Financial institution routing number information	0..1	SDD-ID:	<b>BDTG00000210</b>
				Definition:	The information specifying details on a routing number of a financial institution.
		Financial routing number	1..1	SDD-ID:	<b>BDT00000062</b>
				Definition:	The routing number of a financial transaction according to the specified financial routing type.
				Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
		Financial routing number type code	1..1	SDD-ID:	<b>BDTG00000211</b>
				Definition:	The code specifying the type of a financial routing number.
				Used code list:	FinancialRoutingNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		Financial routing number type code	1..1	SDD-ID:	<b>BDT00000064</b>



## Order response

Business data terms and groups			Usage	Business data terms and groups description	
		<b>content</b>		Definition:	The code specifying the type of a financial routing number.
				Used code list:	FinancialRoutingNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Additional financial institution description</b>	0..1	SDD-ID:	<b>BDTG00000522</b>
				Definition:	The additional description of a financial institution expressed as text.
		<b>Additional financial institution description content</b>	1..1	SDD-ID:	<b>BDT00000521</b>
				Definition:	The text value describing the additional financial institution.
		<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
				Definition:	The code specifying the language.
		<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
				Definition:	The code specifying the language.
				Example:	en
				Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Address information</b>	0..1	SDD-ID:	<b>BDTG00000144</b>
				Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
		<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
				Definition:	The name of the city, town or village.
		<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
				Definition:	The code specifying a city.
		<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
				Definition:	The code indicating a geographical region in a country.
		<b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
				Definition:	The street crossing another street.
		<b>Party name</b>	0..1	SDD-ID:	<b>BDT00000106</b>
				Definition:	The name of the party expressed as text.
		<b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>
				Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
				Synonyms:	P.O. box, postal box
		<b>Postal code</b>	0..1	SDD-ID:	<b>BDT00000114</b>
				Definition:	The code according to the relevant postal system or service to specify a geographical area.
				Example:	SE 190 90
				Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		<b>Province identity</b>	0..1	SDD-ID:	<b>BDT00000117</b>

Business data terms and groups			Usage	Business data terms and groups description	
		<b>State</b>	0..1	Definition: SDD-ID: Definition: Example:	The identity of a province according to national codes assigned to provinces. <b>BDT00000127</b> The political unit that a country can be divided into. California
		<b>Street address one</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
		<b>Street address two</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
		<b>Street address three</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
		<b>Country code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
		<b>Country code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Geographical coordinates information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
		<b>Latitude</b>	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		<b>Longitude</b>	1..1	Example: SDD-ID: Definition:	23°26'12.2" S <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		<b>Freight forwarder party information</b>	0..1	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000213</b> The information specifying details of the party that arranges carriage of goods including connected services such as preparing and processing customs documentation and performing activities pertaining to international shipments.
		<b>Global location number GLN</b>	0..1	Usage: SDD-ID: Definition:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both. <b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		<b>Additional party identification information</b>	0..1	Ref. definition: SDD-ID: Definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit. <b>BDTG00000577</b> The information specifying the additional identification details of a party.



Business data terms and groups			Usage	Business data terms and groups description	
			Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.	
		Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
				Definition:	The additional identity of a party.
		Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
				Definition:	The code specifying the additional identification type of the party.
		Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
				Definition:	The code specifying the additional identification type of the party.
				Used code list:	AdditionalPartyIdentificationTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
				Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
		City name	0..1	SDD-ID:	<b>BDT00000020</b>
				Definition:	The name of the city, town or village.
		City code	0..1	SDD-ID:	<b>BDT00000019</b>
				Definition:	The code specifying a city.
		County code	0..1	SDD-ID:	<b>BDT00000034</b>
				Definition:	The code indicating a geographical region in a country.
		Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
				Definition:	The street crossing another street.
		Party name	0..1	SDD-ID:	<b>BDT00000106</b>
				Definition:	The name of the party expressed as text.
		Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
				Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
				Synonyms:	P.O. box, postal box
		Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
				Definition:	The code according to the relevant postal system or service to specify a geographical area.
				Example:	SE 190 90
				Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
				Definition:	The identity of a province according to national codes assigned to provinces.
		State	0..1	SDD-ID:	<b>BDT00000127</b>
				Definition:	The political unit that a country can be divided into.
				Example:	California
		Street address one	0..1	SDD-ID:	<b>BDT00000128</b>



## Order response

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Business contact information	0..1	SDD-ID:	<b>BDTG00000158</b>
			Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
	Person name	0..1	SDD-ID:	<b>BDT00000112</b>
			Definition:	The name of an individual person expressed as text.
	Department name	0..1	SDD-ID:	<b>BDT00000044</b>
			Definition:	The name of the department.
	Job title	0..1	SDD-ID:	<b>BDT00000083</b>
			Definition:	The title of a position or the role of a person holding the position.
	Contact type code	0..1	SDD-ID:	<b>BDTG00000178</b>
			Definition:	The code specifying the function or role of a contact person.
			Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	Contact type code content	1..1	SDD-ID:	<b>BDT00000571</b>
			Definition:	The code specifying the function or role of a contact person.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Business contact responsibility description	0..unbounded	SDD-ID:	<b>BDTG00000159</b>

Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
		<b>Business contact responsibility description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
		<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
		<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
		<b>Communication channel code</b>	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		<b>Communication channel code content</b>	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Communication channel identification</b>	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
		<b>Communication channel name</b>	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
		<b>After hours communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000145</b> The information specifying details of communication channels to use after regular business hours.
		<b>Communication channel code</b>	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		<b>Communication channel code content</b>	1..1	SDD-ID: Definition: Example:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE



Business data terms and groups			Usage	Business data terms and groups description	
				Used code list:	CommunicationChannelCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Communication channel identification	1..1	SDD-ID:	<b>BDT00000032</b>
				Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
		Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>
				Definition:	The name of a communication channel expressed as text.
		Tax registration information	0..1	SDD-ID:	<b>BDTG00000326</b>
				Definition:	The information specifying details of a party registered for tax.
		Tax authority name	0..1	SDD-ID:	<b>BDT00000369</b>
				Definition:	The name of the authority administrating the collection of taxes expressed as text.
		Tax registration identification information	1..1	SDD-ID:	<b>BDTG00000585</b>
				Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
		Tax registration identification content	1..1	SDD-ID:	<b>BDT00000584</b>
				Definition:	The identity assigned to a party registered for tax according to a national tax register.
		Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
				Definition:	The information specifying details of the used identification scheme.
		Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
				Definition:	The name of the identification scheme.
		Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
				Definition:	The name of the agency responsible for a identification scheme.
		Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
				Definition:	The code specifying the agency responsible for the identification scheme.
		Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
				Definition:	The code specifying the agency responsible for the identification scheme.
				Used code list:	ResponsibleAgencyCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
				Definition:	The code specifying the type of tax.
		Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
				Definition:	The code specifying the type of tax.
				Used code list:	DutyFeeTaxTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	Tax description	0..1	SDD-ID:	<b>BDTG00000322</b>
			Definition:	The description of the tax expressed as text.
	Tax description content	1..1	SDD-ID:	<b>BDT00000754</b>
			Definition:	The description of the tax expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax registration type code	0..1	SDD-ID:	<b>BDTG00000327</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
	Tax registration type code content	1..1	SDD-ID:	<b>BDT00000588</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Organisation legal information	0..1	SDD-ID:	<b>BDTG00000262</b>
			Definition:	The information specifying details of a legal organisation.
	Organisation name	1..1	SDD-ID:	<b>BDT00000102</b>
			Definition:	The official and legal name of the organisation.
	Language of the party code	0..1	SDD-ID:	<b>BDTG00000228</b>
			Definition:	The code specifying the language of a party.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Currency of party code	0..1	SDD-ID:	<b>BDTG00000184</b>
			Definition:	The code specifying the currency of a party.
			Example:	EUR
			Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
	Currency of party code content	1..1	SDD-ID:	<b>BDT00000710</b>
			Definition:	The code specifying the currency of a party.

## Order response

Business data terms and groups			Usage	Business data terms and groups description	
				Example:	EUR
				Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
				Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Official address	0..1	SDD-ID:	<b>BDTG00000246</b>
				Definition:	The registered legal address of the organisation.
		County code	0..1	SDD-ID:	<b>BDT00000034</b>
				Definition:	The code indicating a geographical region in a country.
		City name	0..1	SDD-ID:	<b>BDT00000020</b>
				Definition:	The name of the city, town or village.
		City code	0..1	SDD-ID:	<b>BDT00000019</b>
				Definition:	The code specifying a city.
		Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
				Definition:	The street crossing another street.
		Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
				Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
				Synonyms:	P.O. box, postal box
		Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
				Definition:	The code according to the relevant postal system or service to specify a geographical area.
				Example:	SE 190 90
				Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
				Definition:	The identity of a province according to national codes assigned to provinces.
		State	0..1	SDD-ID:	<b>BDT00000127</b>
				Definition:	The political unit that a country can be divided into.
				Example:	California
		Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
				Definition:	The first street address line of a structured address.
				Example:	Avenue Louise 326
		Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
				Definition:	The second street address line of a structured address.
				Example:	Blue Tower
		Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
				Definition:	The third street address line of a structured address.
				Example:	Floor 4
		Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
				Definition:	The code specifying a country.
		Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
				Definition:	The code specifying a country.
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Geographical coordinates information</b>	0..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000214</b>
	<b>Latitude</b>	1..1	Definition:	The information specifying details on a location using geographical coordinates.
			SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	<b>Longitude</b>	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	<b>Issued capital</b>	0..1	SDD-ID:	<b>BDTG00000225</b>
			Definition:	The monetary amount representing the value of the issued capital of a company.
	<b>Issued capital content</b>	1..1	SDD-ID:	<b>BDT00000655</b>
			Definition:	The monetary amount representing the issued capital of a company.
	<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
			Definition:	The code specifying the currency of a monetary amount.
	<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Legal structure description</b>	0..1	SDD-ID:	<b>BDTG00000231</b>
			Definition:	The description of the legal structure expressed as text.
	<b>Legal structure description content</b>	1..1	SDD-ID:	<b>BDT00000659</b>
			Definition:	The description of the legal structure expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Registered legal information</b>	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
			Definition:	The information specifying the registered data on a legal entity in accordance with national law.
	<b>Legal registration number</b>	1..1	SDD-ID:	<b>BDT00000087</b>
			Definition:	The identification number of an organisation according to a legal register.
	<b>Legal registration additional information</b>	0..1	SDD-ID:	<b>BDT00000086</b>

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Legal registration type code</b>	1..1	Definition:	The additional information related to the legal registration expressed as text.
			SDD-ID:	<b>BDTG00000230</b>
	<b>Legal registration type code content</b>	1..1	Definition:	The code specifying the type of legal registration.
			SDD-ID:	<b>BDTG00000658</b>
			Definition:	The code specifying the type of legal registration.
			Used code list:	LegalRegistrationCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDTG00000028</b>
			Definition:	The version number of the code list.
	<b>Financial institution and financial account information</b>	0..1	SDD-ID:	<b>BDTG00000209</b>
			Definition:	The information specifying details of a financial institution and financial account.
	<b>Financial institution name</b>	0..1	SDD-ID:	<b>BDTG00000061</b>
			Definition:	The name of a financial institution expressed as text.
	<b>Financial institution division name</b>	0..1	SDD-ID:	<b>BDTG00000060</b>
			Definition:	The name of a division or branch within a financial institution expressed as text.
	<b>Financial account information</b>	0..1	SDD-ID:	<b>BDTG00000207</b>
			Definition:	The information specifying details of a financial account.
	<b>Financial account name</b>	0..1	SDD-ID:	<b>BDTG00000058</b>
			Definition:	The name of a financial account expressed as text.
			Example:	John Doe
	<b>Financial account number</b>	1..1	SDD-ID:	<b>BDTG00000059</b>
			Definition:	The number of a financial account expressed as text.
	<b>Financial account number type code</b>	1..1	SDD-ID:	<b>BDTG00000208</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Financial account number type code content</b>	1..1	SDD-ID:	<b>BDTG00000645</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDTG00000028</b>
			Definition:	The version number of the code list.
	<b>Financial institution routing number information</b>	0..1	SDD-ID:	<b>BDTG00000210</b>
			Definition:	The information specifying details on a routing number of a financial institution.
	<b>Financial routing number</b>	1..1	SDD-ID:	<b>BDTG00000062</b>
			Definition:	The routing number of a financial transaction according to the specified financial routing type.
			Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
	<b>Financial routing number type code</b>	1..1	SDD-ID:	<b>BDTG00000211</b>



## Order response

Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The code specifying the type of a financial routing number.
				Used code list:	FinancialRoutingNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		<b>Financial routing number type code content</b>	1..1	SDD-ID:	<b>BDT00000644</b>
				Definition:	The code specifying the type of a financial routing number.
				Used code list:	FinancialRoutingNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Additional financial institution description</b>	0..1	SDD-ID:	<b>BDTG00000522</b>
				Definition:	The additional description of a financial institution expressed as text.
		<b>Additional financial institution description content</b>	1..1	SDD-ID:	<b>BDT00000521</b>
				Definition:	The text value describing the additional financial institution.
		<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
				Definition:	The code specifying the language.
		<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
				Definition:	The code specifying the language.
				Example:	en
				Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Address information</b>	0..1	SDD-ID:	<b>BDTG00000144</b>
				Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
		<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
				Definition:	The name of the city, town or village.
		<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
				Definition:	The code specifying a city.
		<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
				Definition:	The code indicating a geographical region in a country.
		<b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
				Definition:	The street crossing another street.
		<b>Party name</b>	0..1	SDD-ID:	<b>BDT00000106</b>
				Definition:	The name of the party expressed as text.
		<b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>
				Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
				Synonyms:	P.O. box, postal box
		<b>Postal code</b>	0..1	SDD-ID:	<b>BDT00000114</b>

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Referenced purchase conditions information	0..1	SDD-ID:	<b>BDTG00000284</b>
			Definition:	The information specifying the details of a reference to an agreement of purchase conditions for a trade item.
	Entity identification	1..1	SDD-ID:	<b>BDT00000056</b>
			Definition:	The identity of an entity such as a document or an object.
	Business document creation date time	0..1	SDD-ID:	<b>BDT00000047</b>
			Definition:	The date and optional time when the business document was issued.
	Revision number	0..1	SDD-ID:	<b>BDT00000119</b>
			Definition:	The number assigned to a specific release of a document to keep track of changes and



Business data terms and groups	Usage	Business data terms and groups description	
		updates between revisions.	
Document line number	0..1	SDD-ID: <b>BDT00000049</b> Definition:	The sequence number of a line within the business document.
Referenced document external location	0..1	SDD-ID: <b>BDT00000118</b> Definition:	The external location of the referenced document expressed as an uniform resource locator.
		Usage:	The external location can be an internet address to a document stored in a server on the internet.
Document content owner	0..1	SDD-ID: <b>BDTG00000196</b> Definition:	The information specifying the party that is responsible for the content of a document.
Global location number GLN	0..1	SDD-ID: <b>BDT00000063</b> Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID: <b>BDTG00000577</b> Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID: <b>BDT00000578</b> Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID: <b>BDTG00000579</b> Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID: <b>BDT00000570</b> Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
Order response line item shipping detail information	0..1	SDD-ID: <b>BDTG00000392</b> Definition:	The information specifying modified shipping details of the requested trade item.
Confirmed quantity	0..1	SDD-ID: <b>BDTG00000390</b> Definition:	The quantity of an ordered trade item confirmed to be delivered.
Confirmed quantity content	1..1	SDD-ID: <b>BDT00000683</b> Definition:	The quantity of an ordered trade item confirmed to be delivered.
Measurement unit code	0..1	SDD-ID: <b>BDTG00000608</b> Definition:	The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID: <b>BDT00000607</b> Definition:	The code specifying the unambiguous representation of a unit of measure.
		Used code list:	MeasurementUnitCode



Business data terms and groups	Usage	Business data terms and groups description	
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Ordered trade item logistical information	0..1	SDD-ID:	<b>BDTG00000259</b>
		Definition:	The information specifying various requirements of logistical nature for ordered trade item.
Logistic label customer information	0..1	SDD-ID:	<b>BDT00000788</b>
		Definition:	The customer defined text to be printed on the logistics label(s) of the logistic unit(s)
Shipment split method code	0..1	SDD-ID:	<b>BDTG00000396</b>
		Definition:	The code specifying the method by which a shipment of ordered trade items may be split.
Shipment split method code content	1..1	SDD-ID:	<b>BDT00000567</b>
		Definition:	The code specifying the method by which a shipment of ordered trade items may be split.
		Used code list:	ShipmentSplitMethodCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ShipmentSplitMethodCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ShipmentSplitMethodCode&amp;release=1</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Transport cargo type code	0..1	SDD-ID:	<b>BDTG00000348</b>
		Definition:	The code specifying the type of transport cargo.
Transport cargo type code content	1..1	SDD-ID:	<b>BDT00000568</b>
		Definition:	The code specifying the type of transport cargo.
Code description	0..1	SDD-ID:	<b>BDT00000022</b>
		Definition:	The description of a code value expressed as text.
Code list agency code	0..1	SDD-ID:	<b>BDT00000023</b>
		Definition:	The code specifying the agency responsible for a code list.
Code list agency code list version	0..1	SDD-ID:	<b>BDT00000024</b>
		Definition:	The version number of a code list issued by the responsible agency for the code list.
Code list agency name	0..1	SDD-ID:	<b>BDT00000025</b>
		Definition:	The name of the agency responsible for a code list.
Code list name	0..1	SDD-ID:	<b>BDT00000026</b>
		Definition:	The name of the code list expressed as text.
Code list URL	0..1	SDD-ID:	<b>BDT00000027</b>
		Definition:	The character string that identifies the location of the code list in a network.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Ship from party information	0..1	SDD-ID:	<b>BDTG00000310</b>
		Definition:	The information specifying the location from which goods are shipped.
		Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
Global location number GLN	0..1	SDD-ID:	<b>BDT00000063</b>



Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
			Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	<b>Additional party identification information</b>	0..unbounde	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	<b>Additional party identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
	<b>Additional party identification type code</b>	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
	<b>Additional party identification type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Address information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	<b>City name</b>	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	<b>City code</b>	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	<b>County code</b>	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	<b>Cross street</b>	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	<b>Party name</b>	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
	<b>Post office box number</b>	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
	<b>Postal code</b>	0..1	Synonyms: SDD-ID: Definition: Example:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area. SE 190 90

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Business contact information	0..unbounded	SDD-ID:	<b>BDTG00000158</b>
			Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
	Person name	0..1	SDD-ID:	<b>BDT00000112</b>
			Definition:	The name of an individual person expressed as text.
	Department name	0..1	SDD-ID:	<b>BDT00000044</b>
			Definition:	The name of the department.
	Job title	0..1	SDD-ID:	<b>BDT00000083</b>
			Definition:	The title of a position or the role of a person holding the position.
	Contact type code	0..1	SDD-ID:	<b>BDTG00000178</b>
			Definition:	The code specifying the function or role of a contact person.
			Used code list:	ISO 3166-1 or equivalent representation in specific syntax.



Business data terms and groups			Usage	Business data terms and groups description	
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
		<b>Contact type code content</b>	1..1	SDD-ID:	<b>BDT00000571</b>
				Definition:	The code specifying the function or role of a contact person.
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Business contact responsibility description</b>	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
				Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
		<b>Business contact responsibility description content</b>	1..1	SDD-ID:	<b>BDT00000580</b>
				Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
		<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
				Definition:	The code specifying the language.
		<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
				Definition:	The code specifying the language.
				Example:	en
				Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Communication information</b>	0..unbounded	SDD-ID:	<b>BDTG00000176</b>
				Definition:	The information specifying details of a contact person's communication channel.
		<b>Communication channel code</b>	1..1	SDD-ID:	<b>BDTG00000175</b>
				Definition:	The code specifying the channel for communication.
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		<b>Communication channel code content</b>	1..1	SDD-ID:	<b>BDT00000525</b>
				Definition:	The code specifying the channel for communication.
				Example:	TELEPHONE
				Used code list:	CommunicationChannelCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Communication channel identification</b>	1..1	SDD-ID:	<b>BDT00000032</b>
				Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
		<b>Communication channel name</b>	0..1	SDD-ID:	<b>BDT00000033</b>
				Definition:	The name of a communication channel expressed as text.
		<b>After hours communication information</b>	0..unbounded	SDD-ID:	<b>BDTG00000145</b>
				Definition:	The information specifying details of communication channels to use after regular business hours.



## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	Tax registration information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000326</b> The information specifying details of a party registered for tax.
	Tax authority name	0..1	SDD-ID: Definition:	<b>BDT00000369</b> The name of the authority administering the collection of taxes expressed as text.
	Tax registration identification information	1..1	SDD-ID: Definition:	<b>BDTG00000585</b> The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
	Tax registration identification content	1..1	SDD-ID: Definition:	<b>BDT00000584</b> The identity assigned to a party registered for tax according to a national tax register.
	Identification scheme information	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Tax type code	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.

Business data terms and groups		Usage	Business data terms and groups description	
	Tax type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Tax description	0..1	SDD-ID: Definition:	<b>BDTG00000322</b> The description of the tax expressed as text.
	Tax description content	1..1	SDD-ID: Definition:	<b>BDT00000754</b> The description of the tax expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Tax registration type code	0..1	SDD-ID: Definition:	<b>BDTG00000327</b> The code specifying the type of tax registration number assigned by a national authority.
	Tax registration type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000588</b> The code specifying the type of tax registration number assigned by a national authority. DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Customs duty registration information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000375</b> The information specifying details of a party registered for customs duty.
	Customs authority name	0..1	SDD-ID: Definition:	<b>BDT00000370</b> The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.
	Customs registration identification information	1..1	SDD-ID: Definition:	<b>BDTG00000621</b> The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
	Customs registration identification content	1..1	SDD-ID: Definition:	<b>BDT00000622</b> The identity assigned to a party registered for customs duty according to a national customs register.
	Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>



## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	Identification scheme name	0..1	Definition:	The information specifying details of the used identification scheme.
			SDD-ID:	<b>BDT00000074</b>
	Identification scheme agency name	0..1	Definition:	The name of the identification scheme.
			SDD-ID:	<b>BDT00000073</b>
	Identification scheme responsible agency code	0..1	Definition:	The name of the agency responsible for a identification scheme.
			SDD-ID:	<b>BDTG00000586</b>
	Identification scheme responsible agency code content	1..1	Definition:	The code specifying the agency responsible for the identification scheme.
			SDD-ID:	<b>BDT00000583</b>
	Code list version	0..1	Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
			SDD-ID:	<b>BDT00000028</b>
	Tax type code	0..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000328</b>
	Tax type code content	1..1	Definition:	The code specifying the type of tax.
			SDD-ID:	<b>BDT00000576</b>
			Definition:	The code specifying the type of tax.
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
			SDD-ID:	<b>BDT00000028</b>
	Code list version	0..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000378</b>
	Customs duty description	0..1	Definition:	The description of the customs duty expressed as text.
			SDD-ID:	<b>BDT00000563</b>
	Customs duty description content	1..1	Definition:	The description of the customs duty expressed as text.
			SDD-ID:	<b>BDTG00000523</b>
	Language code	0..1	Definition:	The code specifying the language.
			SDD-ID:	<b>BDT00000524</b>
	Language code content	1..1	Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			SDD-ID:	<b>BDT00000028</b>
	Code list version	0..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000623</b>
	Customs registration type code	0..1	Definition:	The code specifying the type of customs registration number assigned by a national authority.
			SDD-ID:	<b>BDT00000624</b>
	Customs registration type code content	1..1	Definition:	The code specifying the type of customs registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Organisation legal information	0..1	SDD-ID:	<b>BDTG00000262</b>
			Definition:	The information specifying details of a legal organisation.
	Organisation name	1..1	SDD-ID:	<b>BDT00000102</b>
			Definition:	The official and legal name of the organisation.
	Language of the party code	0..1	SDD-ID:	<b>BDTG00000228</b>
			Definition:	The code specifying the language of a party.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Currency of party code	0..1	SDD-ID:	<b>BDTG00000184</b>
			Definition:	The code specifying the currency of a party.
			Example:	EUR
			Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
	Currency of party code content	1..1	SDD-ID:	<b>BDT00000710</b>
			Definition:	The code specifying the currency of a party.
			Example:	EUR
			Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
			Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Official address	0..1	SDD-ID:	<b>BDTG00000246</b>
			Definition:	The registered legal address of the organisation.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>

Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The code according to the relevant postal system or service to specify a geographical area.
				Example:	SE 190 90
				Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
				Definition:	The identity of a province according to national codes assigned to provinces.
		State	0..1	SDD-ID:	<b>BDT00000127</b>
				Definition:	The political unit that a country can be divided into.
				Example:	California
		Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
				Definition:	The first street address line of a structured address.
				Example:	Avenue Louise 326
		Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
				Definition:	The second street address line of a structured address.
				Example:	Blue Tower
		Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
				Definition:	The third street address line of a structured address.
				Example:	Floor 4
		Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
				Definition:	The code specifying a country.
		Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
				Definition:	The code specifying a country.
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
				Definition:	The information specifying details on a location using geographical coordinates.
		Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
				Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
				Example:	23°26'12.2" S
		Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
				Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
				Example:	18°3'59.0616"
		Issued capital	0..1	SDD-ID:	<b>BDTG00000225</b>
				Definition:	The monetary amount representing the value of the issued capital of a company.
		Issued capital content	1..1	SDD-ID:	<b>BDT00000655</b>
				Definition:	The monetary amount representing the issued capital of a company.
		Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
				Definition:	The code specifying the currency of a monetary amount.
		Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
				Definition:	The code specifying the currency of a monetary amount.
				Example:	EUR



Business data terms and groups		Usage	Business data terms and groups description	
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Legal structure description	0..1	SDD-ID:	<b>BDTG00000231</b>
			Definition:	The description of the legal structure expressed as text.
	Legal structure description content	1..1	SDD-ID:	<b>BDT00000659</b>
			Definition:	The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Registered legal information	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
			Definition:	The information specifying the registered data on a legal entity in accordance with national law.
	Legal registration number	1..1	SDD-ID:	<b>BDT00000087</b>
			Definition:	The identification number of an organisation according to a legal register.
	Legal registration additional information	0..1	SDD-ID:	<b>BDT00000086</b>
			Definition:	The additional information related to the legal registration expressed as text.
	Legal registration type code	1..1	SDD-ID:	<b>BDTG00000230</b>
			Definition:	The code specifying the type of legal registration.
	Legal registration type code content	1..1	SDD-ID:	<b>BDT00000658</b>
			Definition:	The code specifying the type of legal registration.
			Used code list:	LegalRegistrationCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Financial institution and financial account information	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
			Definition:	The information specifying details of a financial institution and financial account.
	Financial institution name	0..1	SDD-ID:	<b>BDT00000061</b>
			Definition:	The name of a financial institution expressed as text.
	Financial institution division name	0..1	SDD-ID:	<b>BDT00000060</b>
			Definition:	The name of a division or branch within a financial institution expressed as text.
	Financial account information	0..1	SDD-ID:	<b>BDTG00000207</b>
			Definition:	The information specifying details of a financial account.
	Financial account name	0..1	SDD-ID:	<b>BDT00000058</b>
			Definition:	The name of a financial account expressed as text.

Business data terms and groups		Usage	Business data terms and groups description	
			Example:	John Doe
	Financial account number	1..1	SDD-ID:	<b>BDT00000059</b>
			Definition:	The number of a financial account expressed as text.
	Financial account number type code	1..1	SDD-ID:	<b>BDTG00000208</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Financial account number type code content	1..1	SDD-ID:	<b>BDT00000645</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Financial institution routing number information	0..1	SDD-ID:	<b>BDTG00000210</b>
			Definition:	The information specifying details on a routing number of a financial institution.
	Financial routing number	1..1	SDD-ID:	<b>BDT00000062</b>
			Definition:	The routing number of a financial transaction according to the specified financial routing type.
			Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
	Financial routing number type code	1..1	SDD-ID:	<b>BDTG00000211</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Financial routing number type code content	1..1	SDD-ID:	<b>BDT00000644</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Additional financial institution description	0..1	SDD-ID:	<b>BDTG00000522</b>
			Definition:	The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID:	<b>BDT00000521</b>
			Definition:	The text value describing the additional financial institution.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en



Business data terms and groups		Usage	Business data terms and groups description	
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.



Business data terms and groups		Usage	Business data terms and groups description	
	Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
	Longitude	1..1	Example: SDD-ID: Definition:	23°26'12.2" S <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
	Ship to party information	0..1	Example: SDD-ID: Definition: Usage:	18°3'59.0616" <b>BDTG00000311</b> The information specifying the location to which goods are shipped. To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
	Global location number GLN	0..1	SDD-ID: Definition: Ref. definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	Additional party identification information	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	Additional party identification content	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
	Additional party identification type code	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
	Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Address information	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in



Business data terms and groups			Usage	Business data terms and groups description	
					the routing of mail.
		City name	0..1	SDD-ID: <b>BDT00000020</b> Definition:	The name of the city, town or village.
		City code	0..1	SDD-ID: <b>BDT00000019</b> Definition:	The code specifying a city.
		County code	0..1	SDD-ID: <b>BDT00000034</b> Definition:	The code indicating a geographical region in a country.
		Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition:	The street crossing another street.
		Party name	0..1	SDD-ID: <b>BDT00000106</b> Definition:	The name of the party expressed as text.
		Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
				Synonyms:	P.O. box, postal box
		Postal code	0..1	SDD-ID: <b>BDT00000114</b> Definition:	The code according to the relevant postal system or service to specify a geographical area.
				Example:	SE 190 90
				Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		Province identity	0..1	SDD-ID: <b>BDT00000117</b> Definition:	The identity of a province according to national codes assigned to provinces.
		State	0..1	SDD-ID: <b>BDT00000127</b> Definition:	The political unit that a country can be divided into.
				Example:	California
		Street address one	0..1	SDD-ID: <b>BDT00000128</b> Definition:	The first street address line of a structured address.
				Example:	Avenue Louise 326
		Street address two	0..1	SDD-ID: <b>BDT00000130</b> Definition:	The second street address line of a structured address.
				Example:	Blue Tower
		Street address three	0..1	SDD-ID: <b>BDT00000129</b> Definition:	The third street address line of a structured address.
				Example:	Floor 4
		Country code	0..1	SDD-ID: <b>BDTG00000179</b> Definition:	The code specifying a country.
		Country code content	1..1	SDD-ID: <b>BDT00000774</b> Definition:	The code specifying a country.
		Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
		Geographical coordinates information	0..1	SDD-ID: <b>BDTG00000214</b> Definition:	The information specifying details on a location using geographical coordinates.
		Latitude	1..1	SDD-ID: <b>BDT00000085</b>	

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Longitude</b>	1..1	Definition: Example: SDD-ID: Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. 23°26'12.2" S <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
	<b>Business contact information</b>	0..unbounded	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
	<b>Person name</b>	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
	<b>Department name</b>	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
	<b>Job title</b>	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
	<b>Contact type code</b>	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	<b>Contact type code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000571</b> The code specifying the function or role of a contact person.
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Business contact responsibility description</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Business contact responsibility description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
	<b>Communication channel code</b>	1..1	SDD-ID:	<b>BDTG00000175</b>

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code specifying the channel for communication.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Communication channel code content</b>	1..1	SDD-ID:	<b>BDT00000525</b>
			Definition:	The code specifying the channel for communication.
			Example:	TELEPHONE
			Used code list:	CommunicationChannelCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Communication channel identification</b>	1..1	SDD-ID:	<b>BDT00000032</b>
			Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	<b>Communication channel name</b>	0..1	SDD-ID:	<b>BDT00000033</b>
			Definition:	The name of a communication channel expressed as text.
	<b>After hours communication information</b>	0..unbounded	SDD-ID:	<b>BDTG00000145</b>
			Definition:	The information specifying details of communication channels to use after regular business hours.
	<b>Communication channel code</b>	1..1	SDD-ID:	<b>BDTG00000175</b>
			Definition:	The code specifying the channel for communication.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Communication channel code content</b>	1..1	SDD-ID:	<b>BDT00000525</b>
			Definition:	The code specifying the channel for communication.
			Example:	TELEPHONE
			Used code list:	CommunicationChannelCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Communication channel identification</b>	1..1	SDD-ID:	<b>BDT00000032</b>
			Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	<b>Communication channel name</b>	0..1	SDD-ID:	<b>BDT00000033</b>
			Definition:	The name of a communication channel expressed as text.
	<b>Tax registration information</b>	0..unbounded	SDD-ID:	<b>BDTG00000326</b>
			Definition:	The information specifying details of a party registered for tax.
	<b>Tax authority name</b>	0..1	SDD-ID:	<b>BDT00000369</b>
			Definition:	The name of the authority administering the collection of taxes expressed as text.
	<b>Tax registration identification information</b>	1..1	SDD-ID:	<b>BDTG00000585</b>
			Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Tax registration identification content</b>	1..1	SDD-ID: <b>BDT00000584</b> Definition: The identity assigned to a party registered for tax according to a national tax register.	
	<b>Identification scheme information</b>	0..1	SDD-ID: <b>BDTG00000587</b> Definition: The information specifying details of the used identification scheme.	
	<b>Identification scheme name</b>	0..1	SDD-ID: <b>BDT00000074</b> Definition: The name of the identification scheme.	
	<b>Identification scheme agency name</b>	0..1	SDD-ID: <b>BDT00000073</b> Definition: The name of the agency responsible for a identification scheme.	
	<b>Identification scheme responsible agency code</b>	0..1	SDD-ID: <b>BDTG00000586</b> Definition: The code specifying the agency responsible for the identification scheme.	
	<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: <b>BDT00000583</b> Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>	
	<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	<b>Tax type code</b>	0..1	SDD-ID: <b>BDTG00000328</b> Definition: The code specifying the type of tax.	
	<b>Tax type code content</b>	1..1	SDD-ID: <b>BDT00000576</b> Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>	
	<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	<b>Tax description</b>	0..1	SDD-ID: <b>BDTG00000322</b> Definition: The description of the tax expressed as text.	
	<b>Tax description content</b>	1..1	SDD-ID: <b>BDT00000754</b> Definition: The description of the tax expressed as text.	
	<b>Language code</b>	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.	
	<b>Language code content</b>	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .	
	<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	<b>Tax registration type code</b>	0..1	SDD-ID: <b>BDTG00000327</b> Definition: The code specifying the type of tax registration number assigned by a national authority.	
	<b>Tax registration type code content</b>	1..1	SDD-ID: <b>BDT00000588</b>	

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Customs duty registration information	0..unbounded	SDD-ID:	<b>BDTG00000375</b>
			Definition:	The information specifying details of a party registered for customs duty.
	Customs authority name	0..1	SDD-ID:	<b>BDT00000370</b>
			Definition:	The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
	Customs registration identification information	1..1	SDD-ID:	<b>BDTG00000621</b>
			Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
	Customs registration identification content	1..1	SDD-ID:	<b>BDT00000622</b>
			Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
	Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
			Definition:	The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
			Definition:	The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
			Definition:	The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
			Definition:	The code specifying the type of tax.
	Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
			Definition:	The code specifying the type of tax.
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Customs duty description	0..1	SDD-ID:	<b>BDTG00000378</b>



## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Customs duty description content</b>	1..1	Definition:	The description of the customs duty expressed as text.
			SDD-ID:	<b>BDT00000563</b>
	<b>Language code</b>	0..1	Definition:	The description of the customs duty expressed as text.
			SDD-ID:	<b>BDTG00000523</b>
	<b>Language code content</b>	1..1	Definition:	The code specifying the language.
			SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Customs registration type code</b>	0..1	SDD-ID:	<b>BDTG00000623</b>
			Definition:	The code specifying the type of customs registration number assigned by a national authority.
	<b>Customs registration type code content</b>	1..1	SDD-ID:	<b>BDT00000624</b>
			Definition:	The code specifying the type of customs registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Organisation legal information</b>	0..1	SDD-ID:	<b>BDTG00000262</b>
			Definition:	The information specifying details of a legal organisation.
	<b>Organisation name</b>	1..1	SDD-ID:	<b>BDT00000102</b>
			Definition:	The official and legal name of the organisation.
	<b>Language of the party code</b>	0..1	SDD-ID:	<b>BDTG00000228</b>
			Definition:	The code specifying the language of a party.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Currency of party code</b>	0..1	SDD-ID:	<b>BDTG00000184</b>
			Definition:	The code specifying the currency of a party.
			Example:	EUR
			Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
	<b>Currency of party code content</b>	1..1	SDD-ID:	<b>BDT00000710</b>
			Definition:	The code specifying the currency of a party.
			Example:	EUR

## Order response

Business data terms and groups			Usage	Business data terms and groups description	
				Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
				Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Official address	0..1	SDD-ID:	<b>BDTG00000246</b>
				Definition:	The registered legal address of the organisation.
		County code	0..1	SDD-ID:	<b>BDT00000034</b>
				Definition:	The code indicating a geographical region in a country.
		City name	0..1	SDD-ID:	<b>BDT00000020</b>
				Definition:	The name of the city, town or village.
		City code	0..1	SDD-ID:	<b>BDT00000019</b>
				Definition:	The code specifying a city.
		Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
				Definition:	The street crossing another street.
		Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
				Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
				Synonyms:	P.O. box, postal box
		Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
				Definition:	The code according to the relevant postal system or service to specify a geographical area.
				Example:	SE 190 90
				Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
				Definition:	The identity of a province according to national codes assigned to provinces.
		State	0..1	SDD-ID:	<b>BDT00000127</b>
				Definition:	The political unit that a country can be divided into.
				Example:	California
		Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
				Definition:	The first street address line of a structured address.
				Example:	Avenue Louise 326
		Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
				Definition:	The second street address line of a structured address.
				Example:	Blue Tower
		Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
				Definition:	The third street address line of a structured address.
				Example:	Floor 4
		Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
				Definition:	The code specifying a country.
		Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
				Definition:	The code specifying a country.
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Geographical coordinates information</b>	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	<b>Latitude</b>	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	<b>Longitude</b>	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	<b>Issued capital</b>	0..1	SDD-ID:	<b>BDTG00000225</b>
			Definition:	The monetary amount representing the value of the issued capital of a company.
	<b>Issued capital content</b>	1..1	SDD-ID:	<b>BDT00000655</b>
			Definition:	The monetary amount representing the issued capital of a company.
	<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
			Definition:	The code specifying the currency of a monetary amount.
	<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Legal structure description</b>	0..1	SDD-ID:	<b>BDTG00000231</b>
			Definition:	The description of the legal structure expressed as text.
	<b>Legal structure description content</b>	1..1	SDD-ID:	<b>BDT00000659</b>
			Definition:	The description of the legal structure expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Registered legal information</b>	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
			Definition:	The information specifying the registered data on a legal entity in accordance with national law.
	<b>Legal registration number</b>	1..1	SDD-ID:	<b>BDT00000087</b>
			Definition:	The identification number of an organisation according to a legal register.
	<b>Legal registration additional information</b>	0..1	SDD-ID:	<b>BDT00000086</b>
			Definition:	The additional information related to the legal registration expressed as text.

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	Legal registration type code	1..1	SDD-ID:	<b>BDTG00000230</b>
			Definition:	The code specifying the type of legal registration.
	Legal registration type code content	1..1	SDD-ID:	<b>BDT00000658</b>
			Definition:	The code specifying the type of legal registration.
			Used code list:	LegalRegistrationCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Financial institution and financial account information	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
			Definition:	The information specifying details of a financial institution and financial account.
	Financial institution name	0..1	SDD-ID:	<b>BDT00000061</b>
			Definition:	The name of a financial institution expressed as text.
	Financial institution division name	0..1	SDD-ID:	<b>BDT00000060</b>
			Definition:	The name of a division or branch within a financial institution expressed as text.
	Financial account information	0..1	SDD-ID:	<b>BDTG00000207</b>
			Definition:	The information specifying details of a financial account.
	Financial account name	0..1	SDD-ID:	<b>BDT00000058</b>
			Definition:	The name of a financial account expressed as text.
			Example:	John Doe
	Financial account number	1..1	SDD-ID:	<b>BDT00000059</b>
			Definition:	The number of a financial account expressed as text.
	Financial account number type code	1..1	SDD-ID:	<b>BDTG00000208</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Financial account number type code content	1..1	SDD-ID:	<b>BDT00000645</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Financial institution routing number information	0..1	SDD-ID:	<b>BDTG00000210</b>
			Definition:	The information specifying details on a routing number of a financial institution.
	Financial routing number	1..1	SDD-ID:	<b>BDT00000062</b>
			Definition:	The routing number of a financial transaction according to the specified financial routing type.
			Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
	Financial routing number type code	1..1	SDD-ID:	<b>BDTG00000211</b>
			Definition:	The code specifying the type of a financial routing number.



Business data terms and groups			Usage	Business data terms and groups description	
				Used code list:	FinancialRoutingNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		<b>Financial routing number type code content</b>	1..1	SDD-ID:	<b>BDT00000644</b>
				Definition:	The code specifying the type of a financial routing number.
				Used code list:	FinancialRoutingNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Additional financial institution description</b>	0..1	SDD-ID:	<b>BDTG00000522</b>
				Definition:	The additional description of a financial institution expressed as text.
		<b>Additional financial institution description content</b>	1..1	SDD-ID:	<b>BDT00000521</b>
				Definition:	The text value describing the additional financial institution.
		<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
				Definition:	The code specifying the language.
		<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
				Definition:	The code specifying the language.
				Example:	en
				Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Address information</b>	0..1	SDD-ID:	<b>BDTG00000144</b>
				Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
		<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
				Definition:	The name of the city, town or village.
		<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
				Definition:	The code specifying a city.
		<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
				Definition:	The code indicating a geographical region in a country.
		<b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
				Definition:	The street crossing another street.
		<b>Party name</b>	0..1	SDD-ID:	<b>BDT00000106</b>
				Definition:	The name of the party expressed as text.
		<b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>
				Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
				Synonyms:	P.O. box, postal box
		<b>Postal code</b>	0..1	SDD-ID:	<b>BDT00000114</b>
				Definition:	The code according to the relevant postal system or service to specify a geographical



Business data terms and groups		Usage	Business data terms and groups description	
			Example:	area. SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Storage location information	0..1	SDD-ID:	<b>BDTG00000224</b>
			Definition:	The information specifying details of a location of an inventory such as a warehouse or a store.
	Global location number GLN	0..1	SDD-ID:	<b>BDT00000063</b>
			Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
			Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	Additional party identification information	0..unbounded	SDD-ID:	<b>BDTG00000577</b>



Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The information specifying the additional identification details of a party.
				Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
		Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
				Definition:	The additional identity of a party.
		Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
				Definition:	The code specifying the additional identification type of the party.
		Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
				Definition:	The code specifying the additional identification type of the party.
				Used code list:	AdditionalPartyIdentificationTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
				Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
		City name	0..1	SDD-ID:	<b>BDT00000020</b>
				Definition:	The name of the city, town or village.
		City code	0..1	SDD-ID:	<b>BDT00000019</b>
				Definition:	The code specifying a city.
		County code	0..1	SDD-ID:	<b>BDT00000034</b>
				Definition:	The code indicating a geographical region in a country.
		Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
				Definition:	The street crossing another street.
		Party name	0..1	SDD-ID:	<b>BDT00000106</b>
				Definition:	The name of the party expressed as text.
		Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
				Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
				Synonyms:	P.O. box, postal box
		Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
				Definition:	The code according to the relevant postal system or service to specify a geographical area.
				Example:	SE 190 90
				Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
				Definition:	The identity of a province according to national codes assigned to provinces.
		State	0..1	SDD-ID:	<b>BDT00000127</b>
				Definition:	The political unit that a country can be divided into.
				Example:	California



Business data terms and groups		Usage	Business data terms and groups description	
	Street address one	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
	Street address three	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
	Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
	Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
	Longitude	1..1	SDD-ID: Definition: Example:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. 23°26'12.2" S 18°3'59.0616"
	Business contact information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
	Person name	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
	Department name	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
	Job title	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
	Contact type code	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	Contact type code content	1..1	SDD-ID: Definition:	<b>BDT00000571</b> The code specifying the function or role of a contact person.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
<div> <div>Business contact responsibility description</div> <div>Business contact responsibility description content</div> <div>Language code</div> <div>Language code content</div> <div>Code list version</div> <div>Communication information</div> <div>Communication channel code</div> <div>Communication channel code content</div> <div>Code list version</div> <div>Communication channel identification</div> <div>Communication channel name</div> <div>After hours communication information</div> <div>Communication channel code</div> <div>Communication channel code content</div> </div>	Business contact responsibility description	0..unbounde	SDD-ID: Definition:	<b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	Business contact responsibility description content	1..1	SDD-ID: Definition:	<b>BDT00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication information	0..unbounde	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	After hours communication information	0..unbounde	SDD-ID: Definition:	<b>BDTG00000145</b> The information specifying details of communication channels to use after regular business hours.
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID: Definition:	<b>BDT00000525</b> The code specifying the channel for communication.

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
			Example: Used code list: Link to code list:	TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	Tax registration information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000326</b> The information specifying details of a party registered for tax.
	Tax authority name	0..1	SDD-ID: Definition:	<b>BDT00000369</b> The name of the authority administering the collection of taxes expressed as text.
	Tax registration identification information	1..1	SDD-ID: Definition:	<b>BDTG00000585</b> The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
	Tax registration identification content	1..1	SDD-ID: Definition:	<b>BDT00000584</b> The identity assigned to a party registered for tax according to a national tax register.
	Identification scheme information	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Tax type code	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.
	Tax type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The version number of the code list.
	<b>Tax description</b>	0..1	SDD-ID:	<b>BDTG00000322</b>
			Definition:	The description of the tax expressed as text.
	<b>Tax description content</b>	1..1	SDD-ID:	<b>BDTG00000754</b>
			Definition:	The description of the tax expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDTG00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDTG00000028</b>
			Definition:	The version number of the code list.
	<b>Tax registration type code</b>	0..1	SDD-ID:	<b>BDTG00000327</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
	<b>Tax registration type code content</b>	1..1	SDD-ID:	<b>BDTG00000588</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDTG00000028</b>
			Definition:	The version number of the code list.
	<b>Customs duty registration information</b>	0..unbounded	SDD-ID:	<b>BDTG00000375</b>
			Definition:	The information specifying details of a party registered for customs duty.
	<b>Customs authority name</b>	0..1	SDD-ID:	<b>BDTG00000370</b>
			Definition:	The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
	<b>Customs registration identification information</b>	1..1	SDD-ID:	<b>BDTG00000621</b>
			Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
	<b>Customs registration identification content</b>	1..1	SDD-ID:	<b>BDTG00000622</b>
			Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
	<b>Identification scheme information</b>	0..1	SDD-ID:	<b>BDTG00000587</b>
			Definition:	The information specifying details of the used identification scheme.
	<b>Identification scheme name</b>	0..1	SDD-ID:	<b>BDTG00000074</b>
			Definition:	The name of the identification scheme.
	<b>Identification scheme agency name</b>	0..1	SDD-ID:	<b>BDTG00000073</b>
			Definition:	The name of the agency responsible for a identification scheme.
	<b>Identification scheme responsible agency</b>	0..1	SDD-ID:	<b>BDTG00000586</b>

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	<b>code</b>		Definition:	The code specifying the agency responsible for the identification scheme.
	<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Tax type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.
	<b>Tax type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Customs duty description</b>	0..1	SDD-ID: Definition:	<b>BDTG00000378</b> The description of the customs duty expressed as text.
	<b>Customs duty description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000563</b> The description of the customs duty expressed as text.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Customs registration type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000623</b> The code specifying the type of customs registration number assigned by a national authority.
	<b>Customs registration type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000624</b> The code specifying the type of customs registration number assigned by a national authority. DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Organisation legal information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000262</b> The information specifying details of a legal organisation.

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	Organisation name	1..1	SDD-ID: Definition:	<b>BDT00000102</b> The official and legal name of the organisation.
	Language of the party code	0..1	SDD-ID: Definition:	<b>BDTG00000228</b> The code specifying the language of a party.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Currency of party code	0..1	SDD-ID: Definition: Example: Used code list:	<b>BDTG00000184</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax.
	Currency of party code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000710</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax. <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Official address	0..1	SDD-ID: Definition:	<b>BDTG00000246</b> The registered legal address of the organisation.
	County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	Post office box number	0..1	SDD-ID: Definition: Synonyms:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location. P.O. box, postal box
	Postal code	0..1	SDD-ID: Definition: Example: Synonyms:	<b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area. SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID: Definition:	<b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.

## Order response

Business data terms and groups			Usage	Business data terms and groups description	
		State	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
		Street address one	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
		Street address two	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
		Street address three	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
		Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
		Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
		Latitude	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Longitude	1..1	SDD-ID: Definition:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Issued capital	0..1	SDD-ID: Definition:	<b>BDTG00000225</b> The monetary amount representing the value of the issued capital of a company.
		Issued capital content	1..1	SDD-ID: Definition:	<b>BDT00000655</b> The monetary amount representing the issued capital of a company.
		Currency code	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
		Currency code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000589</b> The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Legal structure description	0..1	SDD-ID: Definition:	<b>BDTG00000231</b> The description of the legal structure expressed as text.



## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	Legal structure description content	1..1	SDD-ID: Definition:	<b>BDT00000659</b> The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Registered legal information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000288</b> The information specifying the registered data on a legal entity in accordance with national law.
	Legal registration number	1..1	SDD-ID: Definition:	<b>BDT00000087</b> The identification number of an organisation according to a legal register.
	Legal registration additional information	0..1	SDD-ID: Definition:	<b>BDT00000086</b> The additional information related to the legal registration expressed as text.
	Legal registration type code	1..1	SDD-ID: Definition:	<b>BDTG00000230</b> The code specifying the type of legal registration.
	Legal registration type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000658</b> The code specifying the type of legal registration. LegalRegistrationCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Financial institution and financial account information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000209</b> The information specifying details of a financial institution and financial account.
	Financial institution name	0..1	SDD-ID: Definition:	<b>BDT00000061</b> The name of a financial institution expressed as text.
	Financial institution division name	0..1	SDD-ID: Definition:	<b>BDT00000060</b> The name of a division or branch within a financial institution expressed as text.
	Financial account information	0..1	SDD-ID: Definition:	<b>BDTG00000207</b> The information specifying details of a financial account.
	Financial account name	0..1	SDD-ID: Definition: Example:	<b>BDT00000058</b> The name of a financial account expressed as text. John Doe
	Financial account number	1..1	SDD-ID: Definition:	<b>BDT00000059</b> The number of a financial account expressed as text.
	Financial account number type code	1..1	SDD-ID: Definition: Used code list:	<b>BDTG00000208</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode



## Order response

Business data terms and groups			Usage	Business data terms and groups description	
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
		<b>Financial account number type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000645</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Financial institution routing number information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000210</b> The information specifying details on a routing number of a financial institution.
		<b>Financial routing number</b>	1..1	SDD-ID: Definition:  Business rule:	<b>BDT00000062</b> The routing number of a financial transaction according to the specified financial routing type. This business data term must be used in conjunction with the Financial routing number type code class.
		<b>Financial routing number type code</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000211</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		<b>Financial routing number type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000644</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Additional financial institution description</b>	0..1	SDD-ID: Definition:	<b>BDTG00000522</b> The additional description of a financial institution expressed as text.
		<b>Additional financial institution description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000521</b> The text value describing the additional financial institution.
		<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
		<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Address information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person,

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
				a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: <b>BDT00000020</b> Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID: <b>BDT00000019</b> Definition:	The code specifying a city.
	County code	0..1	SDD-ID: <b>BDT00000034</b> Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition:	The street crossing another street.
	Party name	0..1	SDD-ID: <b>BDT00000106</b> Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: P.O. box, postal box SDD-ID: <b>BDT00000114</b> Definition:	The code according to the relevant postal system or service to specify a geographical area.
	Province identity	0..1	Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode SDD-ID: <b>BDT00000117</b> Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: <b>BDT00000127</b> Definition:	The political unit that a country can be divided into.
	Street address one	0..1	Example: California SDD-ID: <b>BDT00000128</b> Definition:	The first street address line of a structured address.
	Street address two	0..1	Example: Avenue Louise 326 SDD-ID: <b>BDT00000130</b> Definition:	The second street address line of a structured address.
	Street address three	0..1	Example: Blue Tower SDD-ID: <b>BDT00000129</b> Definition:	The third street address line of a structured address.
	Country code	0..1	Example: Floor 4 SDD-ID: <b>BDTG00000179</b> Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID: <b>BDT00000774</b> Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: <b>BDTG00000214</b> Definition:	The information specifying details on a location using geographical coordinates.



Business data terms and groups		Usage	Business data terms and groups description	
	Latitude	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
	Longitude	1..1	Example: SDD-ID: Definition:	23°26'12.2" S <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
	Ultimate consignee party information	0..1	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000355</b> The information specifying the ultimate consignee responsible for the receipt of a shipment.
	Global location number GLN	0..1	Usage: SDD-ID: Definition:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both. <b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
	Additional party identification information	0..unbounded	Ref. definition: SDD-ID: Definition: Usage:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit. <b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	Additional party identification content	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
	Additional party identification type code	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
	Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Address information	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	County code	0..1	SDD-ID: <b>BDT00000034</b> Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition:	The street crossing another street.
	Party name	0..1	SDD-ID: <b>BDT00000106</b> Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: P.O. box, postal box SDD-ID: <b>BDT00000114</b> Definition:	The code according to the relevant postal system or service to specify a geographical area.
	Province identity	0..1	Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode SDD-ID: <b>BDT00000117</b> Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: <b>BDT00000127</b> Definition:	The political unit that a country can be divided into.
	Street address one	0..1	Example: California SDD-ID: <b>BDT00000128</b> Definition:	The first street address line of a structured address.
	Street address two	0..1	Example: Avenue Louise 326 SDD-ID: <b>BDT00000130</b> Definition:	The second street address line of a structured address.
	Street address three	0..1	Example: Blue Tower SDD-ID: <b>BDT00000129</b> Definition:	The third street address line of a structured address.
	Country code	0..1	Example: Floor 4 SDD-ID: <b>BDTG00000179</b> Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID: <b>BDT00000774</b> Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: <b>BDTG00000214</b> Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: <b>BDT00000085</b> Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
	Longitude	1..1	Example: 23°26'12.2" S SDD-ID: <b>BDT00000089</b> Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
				specifies the east-west position of a point on the Earth's surface. 18°3'59.0616"
	<b>Business contact information</b>	0..unbounde	Example: SDD-ID: Definition:	<b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
	<b>Person name</b>	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
	<b>Department name</b>	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
	<b>Job title</b>	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
	<b>Contact type code</b>	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	<b>Contact type code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000571</b> The code specifying the function or role of a contact person.
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Business contact responsibility description</b>	0..unbounde	SDD-ID: Definition:	<b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Business contact responsibility description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Communication information</b>	0..unbounde	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
	<b>Communication channel code</b>	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Communication channel code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000525</b> The code specifying the channel for communication.

Business data terms and groups			Usage	Business data terms and groups description	
				Example:	TELEPHONE
				Used code list:	CommunicationChannelCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Communication channel identification	1..1	SDD-ID:	<b>BDT00000032</b>
				Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
		Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>
				Definition:	The name of a communication channel expressed as text.
		After hours communication information	0..unbounded	SDD-ID:	<b>BDTG00000145</b>
				Definition:	The information specifying details of communication channels to use after regular business hours.
		Communication channel code	1..1	SDD-ID:	<b>BDTG00000175</b>
				Definition:	The code specifying the channel for communication.
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		Communication channel code content	1..1	SDD-ID:	<b>BDT00000525</b>
				Definition:	The code specifying the channel for communication.
				Example:	TELEPHONE
				Used code list:	CommunicationChannelCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Communication channel identification	1..1	SDD-ID:	<b>BDT00000032</b>
				Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
		Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>
				Definition:	The name of a communication channel expressed as text.
		Tax registration information	0..unbounded	SDD-ID:	<b>BDTG00000326</b>
				Definition:	The information specifying details of a party registered for tax.
		Tax authority name	0..1	SDD-ID:	<b>BDT00000369</b>
				Definition:	The name of the authority administering the collection of taxes expressed as text.
		Tax registration identification information	1..1	SDD-ID:	<b>BDTG00000585</b>
				Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
		Tax registration identification content	1..1	SDD-ID:	<b>BDT00000584</b>
				Definition:	The identity assigned to a party registered for tax according to a national tax register.
		Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
				Definition:	The information specifying details of the used identification scheme.
		Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>



## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	Identification scheme agency name	0..1	Definition:	The name of the identification scheme.
			SDD-ID:	<b>BDT00000073</b>
	Identification scheme responsible agency code	0..1	Definition:	The name of the agency responsible for a identification scheme.
			SDD-ID:	<b>BDTG00000586</b>
	Identification scheme responsible agency code content	1..1	Definition:	The code specifying the agency responsible for the identification scheme.
			SDD-ID:	<b>BDT00000583</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
	Code list version	0..1	Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
			SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000328</b>
	Tax type code	0..1	Definition:	The code specifying the type of tax.
			SDD-ID:	<b>BDTG00000328</b>
	Tax type code content	1..1	Definition:	The code specifying the type of tax.
			SDD-ID:	<b>BDT00000576</b>
			Definition:	The code specifying the type of tax.
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000322</b>
	Tax description	0..1	Definition:	The description of the tax expressed as text.
			SDD-ID:	<b>BDTG00000322</b>
	Tax description content	1..1	Definition:	The description of the tax expressed as text.
			SDD-ID:	<b>BDT00000754</b>
			Definition:	The description of the tax expressed as text.
			SDD-ID:	<b>BDTG00000523</b>
	Language code	0..1	Definition:	The code specifying the language.
			SDD-ID:	<b>BDTG00000523</b>
	Language code content	1..1	Definition:	The code specifying the language.
			SDD-ID:	<b>BDT00000524</b>
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax registration type code	0..1	SDD-ID:	<b>BDTG00000327</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
	Tax registration type code content	1..1	SDD-ID:	<b>BDT00000588</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Customs duty registration information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000375</b> The information specifying details of a party registered for customs duty.
	Customs authority name	0..1	SDD-ID: Definition:	<b>BDT00000370</b> The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
	Customs registration identification information	1..1	SDD-ID: Definition:	<b>BDTG00000621</b> The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
	Customs registration identification content	1..1	SDD-ID: Definition:	<b>BDT00000622</b> The identity assigned to a party registered for customs duty according to a national customs register.
	Identification scheme information	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Tax type code	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.
	Tax type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Customs duty description	0..1	SDD-ID: Definition:	<b>BDTG00000378</b> The description of the customs duty expressed as text.
	Customs duty description content	1..1	SDD-ID: Definition:	<b>BDT00000563</b> The description of the customs duty expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Customs registration type code	0..1	SDD-ID: Definition:	<b>BDTG00000623</b> The code specifying the type of customs registration number assigned by a national authority.
	Customs registration type code content	1..1	SDD-ID: Definition:  Used code list: Link to code list:	<b>BDT00000624</b> The code specifying the type of customs registration number assigned by a national authority. DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Organisation legal information	0..1	SDD-ID: Definition:	<b>BDTG00000262</b> The information specifying details of a legal organisation.
	Organisation name	1..1	SDD-ID: Definition:	<b>BDT00000102</b> The official and legal name of the organisation.
	Language of the party code	0..1	SDD-ID: Definition:	<b>BDTG00000228</b> The code specifying the language of a party.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Currency of party code	0..1	SDD-ID: Definition: Example: Used code list:	<b>BDTG00000184</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax.
	Currency of party code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000710</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax. <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Official address	0..1	SDD-ID:	<b>BDTG00000246</b>

Business data terms and groups				Usage	Business data terms and groups description	
					Definition:	The registered legal address of the organisation.
			County code	0..1	SDD-ID:	<b>BDT00000034</b>
					Definition:	The code indicating a geographical region in a country.
			City name	0..1	SDD-ID:	<b>BDT00000020</b>
					Definition:	The name of the city, town or village.
			City code	0..1	SDD-ID:	<b>BDT00000019</b>
					Definition:	The code specifying a city.
			Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
					Definition:	The street crossing another street.
			Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
					Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
					Synonyms:	P.O. box, postal box
			Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
					Definition:	The code according to the relevant postal system or service to specify a geographical area.
					Example:	SE 190 90
					Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
			Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
					Definition:	The identity of a province according to national codes assigned to provinces.
			State	0..1	SDD-ID:	<b>BDT00000127</b>
					Definition:	The political unit that a country can be divided into.
					Example:	California
			Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
					Definition:	The first street address line of a structured address.
					Example:	Avenue Louise 326
			Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
					Definition:	The second street address line of a structured address.
					Example:	Blue Tower
			Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
					Definition:	The third street address line of a structured address.
					Example:	Floor 4
			Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
					Definition:	The code specifying a country.
			Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
					Definition:	The code specifying a country.
			Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
					Definition:	The information specifying details on a location using geographical coordinates.
			Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
					Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.

Business data terms and groups		Usage	Business data terms and groups description	
	Longitude	1..1	Example: SDD-ID: Definition:	23°26'12.2" S <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
	Issued capital	0..1	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000225</b> The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID: Definition:	<b>BDT00000655</b> The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000589</b> The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Legal structure description	0..1	SDD-ID: Definition:	<b>BDTG00000231</b> The description of the legal structure expressed as text.
	Legal structure description content	1..1	SDD-ID: Definition:	<b>BDT00000659</b> The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Registered legal information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000288</b> The information specifying the registered data on a legal entity in accordance with national law.
	Legal registration number	1..1	SDD-ID: Definition:	<b>BDT00000087</b> The identification number of an organisation according to a legal register.
	Legal registration additional information	0..1	SDD-ID: Definition:	<b>BDT00000086</b> The additional information related to the legal registration expressed as text.
	Legal registration type code	1..1	SDD-ID: Definition:	<b>BDTG00000230</b> The code specifying the type of legal registration.
	Legal registration type code content	1..1	SDD-ID: Definition: Used code list:	<b>BDT00000658</b> The code specifying the type of legal registration. LegalRegistrationCode

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Financial institution and financial account information</b>	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
			Definition:	The information specifying details of a financial institution and financial account.
	<b>Financial institution name</b>	0..1	SDD-ID:	<b>BDT00000061</b>
			Definition:	The name of a financial institution expressed as text.
	<b>Financial institution division name</b>	0..1	SDD-ID:	<b>BDT00000060</b>
			Definition:	The name of a division or branch within a financial institution expressed as text.
	<b>Financial account information</b>	0..1	SDD-ID:	<b>BDTG00000207</b>
			Definition:	The information specifying details of a financial account.
	<b>Financial account name</b>	0..1	SDD-ID:	<b>BDT00000058</b>
			Definition:	The name of a financial account expressed as text.
			Example:	John Doe
	<b>Financial account number</b>	1..1	SDD-ID:	<b>BDT00000059</b>
			Definition:	The number of a financial account expressed as text.
	<b>Financial account number type code</b>	1..1	SDD-ID:	<b>BDTG00000208</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Financial account number type code content</b>	1..1	SDD-ID:	<b>BDT00000645</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Financial institution routing number information</b>	0..1	SDD-ID:	<b>BDTG00000210</b>
			Definition:	The information specifying details on a routing number of a financial institution.
	<b>Financial routing number</b>	1..1	SDD-ID:	<b>BDT00000062</b>
			Definition:	The routing number of a financial transaction according to the specified financial routing type.
			Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
	<b>Financial routing number type code</b>	1..1	SDD-ID:	<b>BDTG00000211</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	<b>Financial routing number type code content</b>	1..1	SDD-ID:	<b>BDT00000644</b>
			Definition:	The code specifying the type of a financial routing number.



Business data terms and groups		Usage	Business data terms and groups description	
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Additional financial institution description	0..1	SDD-ID:	<b>BDTG00000522</b>
			Definition:	The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID:	<b>BDT00000521</b>
			Definition:	The text value describing the additional financial institution.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.





Business data terms and groups		Usage	Business data terms and groups description	
	State	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
	Street address one	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
	Street address three	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
	Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
	Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
	Longitude	1..1	SDD-ID: Definition: Example:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. 23°26'12.2" S 18°3'59.0616"
	Logistics services provider party information	0..1	SDD-ID: Definition: Usage:	<b>BDTG00000223</b> The information specifying details of a party providing logistics services. To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
	Global location number, GLN	0..1	SDD-ID: Definition: Ref. definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	Additional party identification information	0..1	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.



Business data terms and groups		Usage	Business data terms and groups description	
	Additional party identification content	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
	Additional party identification type code	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
	Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Address information	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	Party name	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
	Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
	Province identity	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
	Street address one	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Business contact information	0..1	SDD-ID:	<b>BDTG00000158</b>
			Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
	Person name	0..1	SDD-ID:	<b>BDT00000112</b>
			Definition:	The name of an individual person expressed as text.
	Department name	0..1	SDD-ID:	<b>BDT00000044</b>
			Definition:	The name of the department.
	Job title	0..1	SDD-ID:	<b>BDT00000083</b>
			Definition:	The title of a position or the role of a person holding the position.
	Contact type code	0..1	SDD-ID:	<b>BDTG00000178</b>
			Definition:	The code specifying the function or role of a contact person.
			Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	Contact type code content	1..1	SDD-ID:	<b>BDT00000571</b>
			Definition:	The code specifying the function or role of a contact person.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Business contact responsibility description	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
			Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
	Business contact responsibility description	1..1	SDD-ID:	<b>BDT00000580</b>

Business data terms and groups			Usage	Business data terms and groups description	
		<b>content</b>		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
		<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
		<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
		<b>Communication channel code</b>	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		<b>Communication channel code content</b>	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Communication channel identification</b>	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
		<b>Communication channel name</b>	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
		<b>After hours communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000145</b> The information specifying details of communication channels to use after regular business hours.
		<b>Communication channel code</b>	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		<b>Communication channel code content</b>	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>

Business data terms and groups			Usage	Business data terms and groups description	
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
		Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
		Tax registration information	0..1	SDD-ID: Definition:	<b>BDTG00000326</b> The information specifying details of a party registered for tax.
		Tax authority name	0..1	SDD-ID: Definition:	<b>BDT00000369</b> The name of the authority administrating the collection of taxes expressed as text.
		Tax registration identification information	1..1	SDD-ID: Definition:	<b>BDTG00000585</b> The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
		Tax registration identification content	1..1	SDD-ID: Definition:	<b>BDT00000584</b> The identity assigned to a party registered for tax according to a national tax register.
		Identification scheme information	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
		Identification scheme name	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
		Identification scheme agency name	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
		Identification scheme responsible agency code	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
		Identification scheme responsible agency code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Tax type code	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.
		Tax type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Tax description	0..1	SDD-ID: Definition:	<b>BDTG00000322</b> The description of the tax expressed as text.
		Tax description content	1..1	SDD-ID:	<b>BDT00000754</b>

Business data terms and groups		Usage	Business data terms and groups description	
	Language code	0..1	Definition:	The description of the tax expressed as text.
			SDD-ID:	<b>BDTG00000523</b>
	Language code content	1..1	Definition:	The code specifying the language.
			SDD-ID:	<b>BDTG00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDTG00000028</b>
			Definition:	The version number of the code list.
	Tax registration type code	0..1	SDD-ID:	<b>BDTG00000327</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
	Tax registration type code content	1..1	SDD-ID:	<b>BDTG00000588</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID:	<b>BDTG00000028</b>
			Definition:	The version number of the code list.
	Customs duty registration information	0..1	SDD-ID:	<b>BDTG00000375</b>
			Definition:	The information specifying details of a party registered for customs duty.
	Customs authority name	0..1	SDD-ID:	<b>BDTG00000370</b>
			Definition:	The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.
	Customs registration identification information	1..1	SDD-ID:	<b>BDTG00000621</b>
			Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
	Customs registration identification content	1..1	SDD-ID:	<b>BDTG00000622</b>
			Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
	Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
			Definition:	The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID:	<b>BDTG00000074</b>
			Definition:	The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID:	<b>BDTG00000073</b>
			Definition:	The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDTG00000583</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode

Business data terms and groups	Usage	Business data terms and groups description
		Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Tax type code	0..1	SDD-ID: <b>BDTG00000328</b> Definition: The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: <b>BDT00000576</b> Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Customs duty description	0..1	SDD-ID: <b>BDTG00000378</b> Definition: The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID: <b>BDT00000563</b> Definition: The description of the customs duty expressed as text.
Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Customs registration type code	0..1	SDD-ID: <b>BDTG00000623</b> Definition: The code specifying the type of customs registration number assigned by a national authority.
Customs registration type code content	1..1	SDD-ID: <b>BDT00000624</b> Definition: The code specifying the type of customs registration number assigned by a national authority. Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Organisation legal information	0..1	SDD-ID: <b>BDTG00000262</b> Definition: The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID: <b>BDT00000102</b> Definition: The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID: <b>BDTG00000228</b> Definition: The code specifying the language of a party.



## Order response

Business data terms and groups			Usage	Business data terms and groups description	
		Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Currency of party code	0..1	SDD-ID: Definition: Example: Used code list:	<b>BDTG00000184</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Currency of party code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000710</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax. <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Official address	0..1	SDD-ID: Definition:	<b>BDTG00000246</b> The registered legal address of the organisation.
		County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
		City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
		City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
		Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
		Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
		Postal code	0..1	Synonyms: SDD-ID: Definition: Example: Synonyms:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area. SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode
		Province identity	0..1	SDD-ID: Definition:	<b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
		State	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
		Street address one	0..1	SDD-ID:	<b>BDT00000128</b>

## Order response

Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The first street address line of a structured address.
				Example:	Avenue Louise 326
		Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
				Definition:	The second street address line of a structured address.
				Example:	Blue Tower
		Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
				Definition:	The third street address line of a structured address.
				Example:	Floor 4
		Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
				Definition:	The code specifying a country.
		Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
				Definition:	The code specifying a country.
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
				Definition:	The information specifying details on a location using geographical coordinates.
		Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
				Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
				Example:	23°26'12.2" S
		Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
				Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
				Example:	18°3'59.0616"
		Issued capital	0..1	SDD-ID:	<b>BDTG00000225</b>
				Definition:	The monetary amount representing the value of the issued capital of a company.
		Issued capital content	1..1	SDD-ID:	<b>BDT00000655</b>
				Definition:	The monetary amount representing the issued capital of a company.
		Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
				Definition:	The code specifying the currency of a monetary amount.
		Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
				Definition:	The code specifying the currency of a monetary amount.
				Example:	EUR
				Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Legal structure description	0..1	SDD-ID:	<b>BDTG00000231</b>
				Definition:	The description of the legal structure expressed as text.
		Legal structure description content	1..1	SDD-ID:	<b>BDT00000659</b>
				Definition:	The description of the legal structure expressed as text.
		Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
				Definition:	The code specifying the language.

Business data terms and groups		Usage	Business data terms and groups description	
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Registered legal information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000288</b> The information specifying the registered data on a legal entity in accordance with national law.
	Legal registration number	1..1	SDD-ID: Definition:	<b>BDT00000087</b> The identification number of an organisation according to a legal register.
	Legal registration additional information	0..1	SDD-ID: Definition:	<b>BDT00000086</b> The additional information related to the legal registration expressed as text.
	Legal registration type code	1..1	SDD-ID: Definition:	<b>BDTG00000230</b> The code specifying the type of legal registration.
	Legal registration type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000658</b> The code specifying the type of legal registration. LegalRegistrationCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Financial institution and financial account information	0..1	SDD-ID: Definition:	<b>BDTG00000209</b> The information specifying details of a financial institution and financial account.
	Financial institution name	0..1	SDD-ID: Definition:	<b>BDT00000061</b> The name of a financial institution expressed as text.
	Financial institution division name	0..1	SDD-ID: Definition:	<b>BDT00000060</b> The name of a division or branch within a financial institution expressed as text.
	Financial account information	0..1	SDD-ID: Definition:	<b>BDTG00000207</b> The information specifying details of a financial account.
	Financial account name	0..1	SDD-ID: Definition: Example:	<b>BDT00000058</b> The name of a financial account expressed as text. John Doe
	Financial account number	1..1	SDD-ID: Definition:	<b>BDT00000059</b> The number of a financial account expressed as text.
	Financial account number type code	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000208</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:FinancialAccountNumberTypeCode</a>
	Financial account number type code content	1..1	SDD-ID: Definition:	<b>BDT00000645</b> The code specifying the type of a financial account number.

Business data terms and groups		Usage	Business data terms and groups description	
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Financial institution routing number information	0..1	SDD-ID:	<b>BDTG00000210</b>
			Definition:	The information specifying details on a routing number of a financial institution.
	Financial routing number	1..1	SDD-ID:	<b>BDT00000062</b>
			Definition:	The routing number of a financial transaction according to the specified financial routing type.
			Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
	Financial routing number type code	1..1	SDD-ID:	<b>BDTG00000211</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Financial routing number type code content	1..1	SDD-ID:	<b>BDT00000064</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Additional financial institution description	0..1	SDD-ID:	<b>BDTG00000522</b>
			Definition:	The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID:	<b>BDT00000521</b>
			Definition:	The text value describing the additional financial institution.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	City code	0..1	SDD-ID: <b>BDT00000019</b> Definition: The code specifying a city.	
	County code	0..1	SDD-ID: <b>BDT00000034</b> Definition: The code indicating a geographical region in a country.	
	Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition: The street crossing another street.	
	Party name	0..1	SDD-ID: <b>BDT00000106</b> Definition: The name of the party expressed as text.	
	Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition: The number of a post office box located on the premises of a post office station or other postal service location.	
	Postal code	0..1	Synonyms: P.O. box, postal box SDD-ID: <b>BDT00000114</b> Definition: The code according to the relevant postal system or service to specify a geographical area. Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode	
	Province identity	0..1	SDD-ID: <b>BDT00000117</b> Definition: The identity of a province according to national codes assigned to provinces.	
	State	0..1	SDD-ID: <b>BDT00000127</b> Definition: The political unit that a country can be divided into. Example: California	
	Street address one	0..1	SDD-ID: <b>BDT00000128</b> Definition: The first street address line of a structured address. Example: Avenue Louise 326	
	Street address two	0..1	SDD-ID: <b>BDT00000130</b> Definition: The second street address line of a structured address. Example: Blue Tower	
	Street address three	0..1	SDD-ID: <b>BDT00000129</b> Definition: The third street address line of a structured address. Example: Floor 4	
	Country code	0..1	SDD-ID: <b>BDTG00000179</b> Definition: The code specifying a country.	
	Country code content	1..1	SDD-ID: <b>BDT00000774</b> Definition: The code specifying a country.	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Geographical coordinates information	0..1	SDD-ID: <b>BDTG00000214</b> Definition: The information specifying details on a location using geographical coordinates.	
	Latitude	1..1	SDD-ID: <b>BDT00000085</b> Definition: The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. Example: 23°26'12.2" S	



Business data terms and groups	Usage	Business data terms and groups description	
└─Longitude	1..1	SDD-ID: Definition:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
└─Requested delivery date time information	0..1	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000293</b> The information specifying when ordered trade items are requested to be delivered or be available for pick up.
└─Requested delivery time period	0..1	SDD-ID: Definition:	<b>BDTG00000295</b> The date (and time) of the period during which ordered trade items are requested to be delivered.
└─Begin time period	0..1	SDD-ID: Definition:	<b>BDT00000010</b> The first point in time of a period of time or date period.
└─Begin period date	0..1	SDD-ID: Definition:	<b>BDT00000009</b> The first date of a date period.
└─End date period	0..1	SDD-ID: Definition:	<b>BDT00000054</b> The last date of a date period.
└─End time period	0..1	SDD-ID: Definition:	<b>BDT00000055</b> The end time of a period of time or date time period.
└─Requested ship date time period	0..1	SDD-ID: Definition:	<b>BDTG00000298</b> The date (and time) of the period during which ordered trade items are requested to be shipped.
└─Begin time period	0..1	SDD-ID: Definition:	<b>BDT00000010</b> The first point in time of a period of time or date period.
└─Begin period date	0..1	SDD-ID: Definition:	<b>BDT00000009</b> The first date of a date period.
└─End date period	0..1	SDD-ID: Definition:	<b>BDT00000054</b> The last date of a date period.
└─End time period	0..1	SDD-ID: Definition:	<b>BDT00000055</b> The end time of a period of time or date time period.
└─Requested delivery date time period at ultimate consignee	0..1	SDD-ID: Definition:	<b>BDTG00000294</b> The date (and time) of the period during which ordered trade items are requested to be delivered at ultimate consignee.
└─Begin time period	0..1	SDD-ID: Definition:	<b>BDT00000010</b> The first point in time of a period of time or date period.
└─Begin period date	0..1	SDD-ID: Definition:	<b>BDT00000009</b> The first date of a date period.
└─End date period	0..1	SDD-ID: Definition:	<b>BDT00000054</b> The last date of a date period.
└─End time period	0..1	SDD-ID: Definition:	<b>BDT00000055</b> The end time of a period of time or date time period.
└─Requested delivery date time	0..1	SDD-ID: Definition:	<b>BDTG00000291</b> The date and optional time when the ordered trade items are requested to be delivered.



Business data terms and groups		Usage	Business data terms and groups description	
	Date	0..1	SDD-ID: Definition: Example:	<b>BDT00000040</b> The day of a year as a calendar date. 2020-06-15
	Time	0..1	SDD-ID: Definition: Example:	<b>BDT00000133</b> The indication of a point in time. 08:01:15
	Requested ship date time	0..1	SDD-ID: Definition:	<b>BDTG00000297</b> The date (and time) when the ordered trade items are requested to be despatched.
	Date	0..1	SDD-ID: Definition: Example:	<b>BDT00000040</b> The day of a year as a calendar date. 2020-06-15
	Time	0..1	SDD-ID: Definition: Example:	<b>BDT00000133</b> The indication of a point in time. 08:01:15
	Requested date time for pick up	0..1	SDD-ID: Definition:	<b>BDTG00000290</b> The date (and time) when the ordered trade items are requested to be available for pick up.
	Date	0..1	SDD-ID: Definition: Example:	<b>BDT00000040</b> The day of a year as a calendar date. 2020-06-15
	Time	0..1	SDD-ID: Definition: Example:	<b>BDT00000133</b> The indication of a point in time. 08:01:15
	Requested delivery date time at ultimate consignee	0..1	SDD-ID: Definition:	<b>BDTG00000292</b> The date (and time) when the ordered trade items are requested to be delivered at ultimate consignee.
	Date	0..1	SDD-ID: Definition: Example:	<b>BDT00000040</b> The day of a year as a calendar date. 2020-06-15
	Time	0..1	SDD-ID: Definition: Example:	<b>BDT00000133</b> The indication of a point in time. 08:01:15
	Shipment transportation information	0..1	SDD-ID: Definition:	<b>BDTG00000312</b> The information specifying details about the transportation of goods.
	Handling instruction code	0..unbounded	SDD-ID: Definition:	<b>BDTG00000218</b> The code specifying how the ordered trade items are to be handled and loaded.
	Handling instruction code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000647</b> The code specifying how the ordered trade items are to be handled and loaded. HandlingInstructionCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:HandlingInstructionCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:HandlingInstructionCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.



## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	Transport means type code	0..1	SDD-ID:	<b>BDTG00000351</b>
			Definition:	The code specifying the means for transporting goods.
	Transport means type code content	1..1	SDD-ID:	<b>BDT00000687</b>
			Definition:	The code specifying the means for transporting goods.
			Example:	31
			Used code list:	TransportMeansTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportMeansTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportMeansTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Transport means identification	0..1	SDD-ID:	<b>BDTG00000350</b>
			Definition:	The information specifying the details of the identification number according to a specified identification scheme assigned to a means of transportation such as a vehicle license plate of a truck or an aircraft registration number of a helicopter.
	Transport means identification content	0..1	SDD-ID:	<b>BDT00000625</b>
			Definition:	The identification number according to a specified identification scheme assigned to a means of transportation such as a vehicle license plate of a truck or an aircraft registration number of a helicopter.
	Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
			Definition:	The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
			Definition:	The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
			Definition:	The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Transport mode code	0..1	SDD-ID:	<b>BDTG00000352</b>
			Definition:	Code specifying the mode of transport.
	Transport mode code content	1..1	SDD-ID:	<b>BDT00000688</b>
			Definition:	The code specifying the mode of transport.
			Example:	3
			Used code list:	TransportServiceCategoryCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportServiceCategoryCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportServiceCategoryCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.

Business data terms and groups		Usage	Business data terms and groups description	
<div> <div>Transport service level code</div> <div> <div>Transport service level code content</div> <div>Code list version</div> </div> </div>	Transport service level code	0..1	SDD-ID: Definition:	<b>BDTG00000354</b> The code specifying the service level for the transport of a shipment.
	Transport service level code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000689</b> The code specifying the service level for the transport of a shipment. TransportServiceLevelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportServiceLevelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportServiceLevelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Transport route identification	0..1	SDD-ID: Definition:	<b>BDTG00000353</b> The information specifying the details of identification number assigned to a transport route according to a specified identification scheme.
		1..1	SDD-ID: Definition:	<b>BDT00000626</b> The identification number assigned to a transport route according to a specified identification scheme.
	Identification scheme information	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
<div> <div>Handling instruction description</div> <div> <div>Handling instruction description content</div> <div>Language code</div> <div>Language code content</div> </div> </div>	Handling instruction description	0..unbounded	SDD-ID: Definition: Usage rule:	<b>BDTG00000219</b> The handling instruction expressed as text. Only used if no coded value for the handling instruction is available using the business data term "BDTG00000218 Handling instruction code".
	Handling instruction description content	1..1	SDD-ID: Definition:	<b>BDT00000648</b> The handling instruction expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .



Business data terms and groups		Usage	Business data terms and groups description	
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Carrier party information	0..1	SDD-ID: Definition: Usage:	<b>BDTG00000163</b> The information specifying details of the party transporting shipments. To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
	Global location number, GLN	0..1	SDD-ID: Definition:  Ref. definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	Additional party identification information	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	Additional party identification content	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
	Additional party identification type code	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
	Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Address information	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	Party name	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>

Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
				Synonyms:	P.O. box, postal box
		Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
				Definition:	The code according to the relevant postal system or service to specify a geographical area.
				Example:	SE 190 90
		Province identity	0..1	Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
				SDD-ID:	<b>BDT00000117</b>
				Definition:	The identity of a province according to national codes assigned to provinces.
		State	0..1	SDD-ID:	<b>BDT00000127</b>
				Definition:	The political unit that a country can be divided into.
				Example:	California
		Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
				Definition:	The first street address line of a structured address.
				Example:	Avenue Louise 326
		Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
				Definition:	The second street address line of a structured address.
				Example:	Blue Tower
		Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
				Definition:	The third street address line of a structured address.
				Example:	Floor 4
		Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
				Definition:	The code specifying a country.
		Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
				Definition:	The code specifying a country.
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
				Definition:	The information specifying details on a location using geographical coordinates.
		Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
				Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
				Example:	23°26'12.2" S
		Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
				Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
				Example:	18°3'59.0616"
		Business contact information	0..unbounded	SDD-ID:	<b>BDTG00000158</b>
				Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
		Person name	0..1	SDD-ID:	<b>BDT00000112</b>
				Definition:	The name of an individual person expressed as text.

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	Department name	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
	Job title	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
	Contact type code	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	Contact type code content	1..1	SDD-ID: Definition:	<b>BDT00000571</b> The code specifying the function or role of a contact person.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Business contact responsibility description	0..unbounded	SDD-ID: Definition:	<b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	Business contact responsibility description content	1..1	SDD-ID: Definition:	<b>BDT00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID:	<b>BDT00000032</b>

## Order response

Business data terms and groups	Usage	Business data terms and groups description
		Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID: <b>BDTG00000145</b> Definition: The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID: <b>BDTG00000175</b> Definition: The code specifying the channel for communication. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Communication channel code content	1..1	SDD-ID: <b>BDT00000525</b> Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Communication channel identification	1..1	SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID: <b>BDTG00000326</b> Definition: The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID: <b>BDT00000369</b> Definition: The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID: <b>BDTG00000585</b> Definition: The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID: <b>BDT00000584</b> Definition: The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID: <b>BDTG00000587</b> Definition: The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: <b>BDT00000074</b> Definition: The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: <b>BDT00000073</b> Definition: The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID: <b>BDTG00000586</b> Definition: The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID: <b>BDT00000583</b> Definition: The code specifying the agency responsible for the identification scheme.

Business data terms and groups	Usage	Business data terms and groups description
		Used code list: ResponsibleAgencyCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Tax type code	0..1	SDD-ID: <b>BDTG00000328</b> Definition: The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: <b>BDT00000576</b> Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Tax description	0..1	SDD-ID: <b>BDTG00000322</b> Definition: The description of the tax expressed as text.
Tax description content	1..1	SDD-ID: <b>BDT00000754</b> Definition: The description of the tax expressed as text.
Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Tax registration type code	0..1	SDD-ID: <b>BDTG00000327</b> Definition: The code specifying the type of tax registration number assigned by a national authority.
Tax registration type code content	1..1	SDD-ID: <b>BDT00000588</b> Definition: The code specifying the type of tax registration number assigned by a national authority. Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Organisation legal information	0..1	SDD-ID: <b>BDTG00000262</b> Definition: The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID: <b>BDT00000102</b> Definition: The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID: <b>BDTG00000228</b>



Business data terms and groups			Usage	Business data terms and groups description	
		Language code content	1..1	Definition:	The code specifying the language of a party.
				SDD-ID:	<b>BDT00000524</b>
		Code list version	0..1	Definition:	The code specifying the language.
				Example:	en
		Currency of party code	0..1	Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
				SDD-ID:	<b>BDT00000028</b>
		Currency of party code content	1..1	Definition:	The version number of the code list.
				SDD-ID:	<b>BDTG00000184</b>
		Code list version	0..1	Definition:	The code specifying the currency of a party.
				Example:	EUR
		Official address	0..1	Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
				SDD-ID:	<b>BDT00000710</b>
		County code	0..1	Definition:	The code specifying the currency of a party.
				Example:	EUR
		City name	0..1	Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
				Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
		City code	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Cross street	0..1	SDD-ID:	<b>BDTG00000246</b>
				Definition:	The registered legal address of the organisation.
		Post office box number	0..1	SDD-ID:	<b>BDT00000034</b>
				Definition:	The code indicating a geographical region in a country.
		Postal code	0..1	SDD-ID:	<b>BDT00000020</b>
				Definition:	The name of the city, town or village.
		Province identity	0..1	SDD-ID:	<b>BDT00000019</b>
				Definition:	The code specifying a city.
		State	0..1	SDD-ID:	<b>BDT00000035</b>
				Definition:	The street crossing another street.
				SDD-ID:	<b>BDT00000113</b>
				Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
				Synonyms:	P.O. box, postal box
				SDD-ID:	<b>BDT00000114</b>
				Definition:	The code according to the relevant postal system or service to specify a geographical area.
				Example:	SE 190 90
				Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
				SDD-ID:	<b>BDT00000117</b>
				Definition:	The identity of a province according to national codes assigned to provinces.
				SDD-ID:	<b>BDT00000127</b>
				Definition:	The political unit that a country can be divided into.
				Example:	California

## Order response

Business data terms and groups			Usage	Business data terms and groups description	
		Street address one	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
		Street address two	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
		Street address three	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
		Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
		Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
		Latitude	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Longitude	1..1	SDD-ID: Definition: Example:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. 23°26'12.2" S
		Issued capital	0..1	SDD-ID: Definition:	<b>BDTG00000225</b> The monetary amount representing the value of the issued capital of a company.
		Issued capital content	1..1	SDD-ID: Definition:	<b>BDT00000655</b> The monetary amount representing the issued capital of a company.
		Currency code	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
		Currency code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000589</b> The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Legal structure description	0..1	SDD-ID: Definition:	<b>BDTG00000231</b> The description of the legal structure expressed as text.
		Legal structure description content	1..1	SDD-ID: Definition:	<b>BDT00000659</b> The description of the legal structure expressed as text.
		Language code	0..1	SDD-ID:	<b>BDTG00000523</b>

Business data terms and groups		Usage	Business data terms and groups description	
	Language code content	1..1	Definition:	The code specifying the language.
			SDD-ID:	<b>BDT00000524</b>
	Code list version	0..1	Definition:	The code specifying the language.
			Example:	en
	Registered legal information	0..unbounded	Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			SDD-ID:	<b>BDT00000028</b>
	Legal registration number	1..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000288</b>
	Legal registration additional information	0..1	Definition:	The information specifying the registered data on a legal entity in accordance with national law.
			SDD-ID:	<b>BDT00000087</b>
	Legal registration type code	1..1	Definition:	The identification number of an organisation according to a legal register.
			SDD-ID:	<b>BDT00000086</b>
	Legal registration type code content	1..1	Definition:	The additional information related to the legal registration expressed as text.
			SDD-ID:	<b>BDTG00000230</b>
	Code list version	0..1	Definition:	The code specifying the type of legal registration.
			SDD-ID:	<b>BDT00000658</b>
	Financial institution and financial account information	0..unbounded	Used code list:	LegalRegistrationCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
	Financial institution name	0..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000209</b>
	Financial institution division name	0..1	Definition:	The information specifying details of a financial institution and financial account.
			SDD-ID:	<b>BDT00000061</b>
	Financial account information	0..1	Definition:	The name of a financial institution expressed as text.
			SDD-ID:	<b>BDT00000060</b>
	Financial account name	0..1	Definition:	The name of a division or branch within a financial institution expressed as text.
			SDD-ID:	<b>BDTG00000207</b>
	Financial account number	1..1	Definition:	The information specifying details of a financial account.
			SDD-ID:	<b>BDT00000058</b>
	Financial account number type code	1..1	Example:	John Doe
			SDD-ID:	<b>BDT00000059</b>
	Financial account number type code	1..1	Definition:	The number of a financial account expressed as text.
			SDD-ID:	<b>BDTG00000208</b>
	Financial account number type code	1..1	Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Financial account number type code	1..1	Definition:	The code specifying the type of a financial account number.
			SDD-ID:	<b>BDT00000645</b>

## Order response

Business data terms and groups			Usage	Business data terms and groups description	
		<b>content</b>		Definition:	The code specifying the type of a financial account number.
				Used code list:	FinancialAccountNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Financial institution routing number information</b>	0..1	SDD-ID:	<b>BDTG00000210</b>
				Definition:	The information specifying details on a routing number of a financial institution.
		<b>Financial routing number</b>	1..1	SDD-ID:	<b>BDT00000062</b>
				Definition:	The routing number of a financial transaction according to the specified financial routing type.
				Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
		<b>Financial routing number type code</b>	1..1	SDD-ID:	<b>BDTG00000211</b>
				Definition:	The code specifying the type of a financial routing number.
				Used code list:	FinancialRoutingNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		<b>Financial routing number type code content</b>	1..1	SDD-ID:	<b>BDT00000644</b>
				Definition:	The code specifying the type of a financial routing number.
				Used code list:	FinancialRoutingNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Additional financial institution description</b>	0..1	SDD-ID:	<b>BDTG00000522</b>
				Definition:	The additional description of a financial institution expressed as text.
		<b>Additional financial institution description content</b>	1..1	SDD-ID:	<b>BDT00000521</b>
				Definition:	The text value describing the additional financial institution.
		<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
				Definition:	The code specifying the language.
		<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
				Definition:	The code specifying the language.
				Example:	en
				Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Address information</b>	0..1	SDD-ID:	<b>BDTG00000144</b>
				Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
		<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>

## Order response

Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The name of the city, town or village.
		City code	0..1	SDD-ID:	<b>BDT00000019</b>
				Definition:	The code specifying a city.
		County code	0..1	SDD-ID:	<b>BDT00000034</b>
				Definition:	The code indicating a geographical region in a country.
		Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
				Definition:	The street crossing another street.
		Party name	0..1	SDD-ID:	<b>BDT00000106</b>
				Definition:	The name of the party expressed as text.
		Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
				Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
				Synonyms:	P.O. box, postal box
		Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
				Definition:	The code according to the relevant postal system or service to specify a geographical area.
				Example:	SE 190 90
				Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
				Definition:	The identity of a province according to national codes assigned to provinces.
		State	0..1	SDD-ID:	<b>BDT00000127</b>
				Definition:	The political unit that a country can be divided into.
				Example:	California
		Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
				Definition:	The first street address line of a structured address.
				Example:	Avenue Louise 326
		Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
				Definition:	The second street address line of a structured address.
				Example:	Blue Tower
		Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
				Definition:	The third street address line of a structured address.
				Example:	Floor 4
		Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
				Definition:	The code specifying a country.
		Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
				Definition:	The code specifying a country.
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
				Definition:	The information specifying details on a location using geographical coordinates.
		Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
				Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.



Business data terms and groups		Usage	Business data terms and groups description	
	<b>Longitude</b>	1..1	Example: SDD-ID: Definition:	23°26'12.2" S <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
	<b>Freight forwarder party information</b>	0..1	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000213</b> The information specifying details of the party that arranges carriage of goods including connected services such as preparing and processing customs documentation and performing activities pertaining to international shipments.
	<b>Global location number GLN</b>	0..1	Usage: SDD-ID: Definition:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both. <b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
	<b>Additional party identification information</b>	0..1	Ref. definition: SDD-ID: Definition: Usage:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit. <b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	<b>Additional party identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
	<b>Additional party identification type code</b>	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
	<b>Additional party identification type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Address information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	<b>City name</b>	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	<b>City code</b>	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	<b>County code</b>	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition: The street crossing another street.	
	Party name	0..1	SDD-ID: <b>BDT00000106</b> Definition: The name of the party expressed as text.	
	Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition: The number of a post office box located on the premises of a post office station or other postal service location. Synonyms: P.O. box, postal box	
	Postal code	0..1	SDD-ID: <b>BDT00000114</b> Definition: The code according to the relevant postal system or service to specify a geographical area. Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode	
	Province identity	0..1	SDD-ID: <b>BDT00000117</b> Definition: The identity of a province according to national codes assigned to provinces.	
	State	0..1	SDD-ID: <b>BDT00000127</b> Definition: The political unit that a country can be divided into. Example: California	
	Street address one	0..1	SDD-ID: <b>BDT00000128</b> Definition: The first street address line of a structured address. Example: Avenue Louise 326	
	Street address two	0..1	SDD-ID: <b>BDT00000130</b> Definition: The second street address line of a structured address. Example: Blue Tower	
	Street address three	0..1	SDD-ID: <b>BDT00000129</b> Definition: The third street address line of a structured address. Example: Floor 4	
	Country code	0..1	SDD-ID: <b>BDTG00000179</b> Definition: The code specifying a country.	
	Country code content	1..1	SDD-ID: <b>BDT00000774</b> Definition: The code specifying a country.	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Geographical coordinates information	0..1	SDD-ID: <b>BDTG00000214</b> Definition: The information specifying details on a location using geographical coordinates.	
	Latitude	1..1	SDD-ID: <b>BDT00000085</b> Definition: The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. Example: 23°26'12.2" S	
	Longitude	1..1	SDD-ID: <b>BDT00000089</b> Definition: The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. Example: 18°3'59.0616"	



## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Business contact information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
	<b>Person name</b>	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
	<b>Department name</b>	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
	<b>Job title</b>	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
	<b>Contact type code</b>	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	<b>Contact type code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000571</b> The code specifying the function or role of a contact person.
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Business contact responsibility description</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Business contact responsibility description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
	<b>Communication channel code</b>	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Communication channel code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode

## Order response

Business data terms and groups	Usage	Business data terms and groups description
		Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Communication channel identification	1..1	SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID: <b>BDTG00000145</b> Definition: The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID: <b>BDTG00000175</b> Definition: The code specifying the channel for communication. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Communication channel code content	1..1	SDD-ID: <b>BDT00000525</b> Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Communication channel identification	1..1	SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.
Tax registration information	0..1	SDD-ID: <b>BDTG00000326</b> Definition: The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID: <b>BDT00000369</b> Definition: The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID: <b>BDTG00000585</b> Definition: The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID: <b>BDT00000584</b> Definition: The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID: <b>BDTG00000587</b> Definition: The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: <b>BDT00000074</b> Definition: The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: <b>BDT00000073</b>

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	Identification scheme responsible agency code	0..1	Definition:	The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDTG00000586</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
	Code list version	0..1	SDD-ID:	<b>BDT00000583</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	Tax type code	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax type code content	1..1	SDD-ID:	<b>BDTG00000328</b>
			Definition:	The code specifying the type of tax.
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax description	0..1	SDD-ID:	<b>BDTG00000322</b>
			Definition:	The description of the tax expressed as text.
	Tax description content	1..1	SDD-ID:	<b>BDT00000754</b>
			Definition:	The description of the tax expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax registration type code	0..1	SDD-ID:	<b>BDTG00000327</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
	Tax registration type code content	1..1	SDD-ID:	<b>BDT00000588</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Organisation legal information</b>	0..1	SDD-ID:	<b>BDTG00000262</b>
			Definition:	The information specifying details of a legal organisation.
	<b>Organisation name</b>	1..1	SDD-ID:	<b>BDT00000102</b>
			Definition:	The official and legal name of the organisation.
	<b>Language of the party code</b>	0..1	SDD-ID:	<b>BDTG00000228</b>
			Definition:	The code specifying the language of a party.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Currency of party code</b>	0..1	SDD-ID:	<b>BDTG00000184</b>
			Definition:	The code specifying the currency of a party.
			Example:	EUR
			Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
	<b>Currency of party code content</b>	1..1	SDD-ID:	<b>BDT00000710</b>
			Definition:	The code specifying the currency of a party.
			Example:	EUR
			Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
			Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Official address</b>	0..1	SDD-ID:	<b>BDTG00000246</b>
			Definition:	The registered legal address of the organisation.
	<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	<b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	<b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	<b>Postal code</b>	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	Province identity	0..1	SDD-ID: Definition:	<b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: Definition:	<b>BDT00000127</b> The political unit that a country can be divided into.
	Street address one	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. California
	Street address two	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Avenue Louise 326
	Street address three	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Blue Tower
	Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
	Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
	Longitude	1..1	SDD-ID: Definition: Example:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. 23°26'12.2" S
	Issued capital	0..1	SDD-ID: Definition:	<b>BDTG00000225</b> The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID: Definition:	<b>BDT00000655</b> The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID: Definition: Example:	<b>BDT00000589</b> The code specifying the currency of a monetary amount. EUR
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.

## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	Legal structure description	0..1	SDD-ID:	<b>BDTG00000231</b>
			Definition:	The description of the legal structure expressed as text.
	Legal structure description content	1..1	SDD-ID:	<b>BDT00000659</b>
			Definition:	The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Registered legal information	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
			Definition:	The information specifying the registered data on a legal entity in accordance with national law.
	Legal registration number	1..1	SDD-ID:	<b>BDT00000087</b>
			Definition:	The identification number of an organisation according to a legal register.
	Legal registration additional information	0..1	SDD-ID:	<b>BDT00000086</b>
			Definition:	The additional information related to the legal registration expressed as text.
	Legal registration type code	1..1	SDD-ID:	<b>BDTG00000230</b>
			Definition:	The code specifying the type of legal registration.
	Legal registration type code content	1..1	SDD-ID:	<b>BDT00000658</b>
			Definition:	The code specifying the type of legal registration.
			Used code list:	LegalRegistrationCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Financial institution and financial account information	0..1	SDD-ID:	<b>BDTG00000209</b>
			Definition:	The information specifying details of a financial institution and financial account.
	Financial institution name	0..1	SDD-ID:	<b>BDT00000061</b>
			Definition:	The name of a financial institution expressed as text.
	Financial institution division name	0..1	SDD-ID:	<b>BDT00000060</b>
			Definition:	The name of a division or branch within a financial institution expressed as text.
	Financial account information	0..1	SDD-ID:	<b>BDTG00000207</b>
			Definition:	The information specifying details of a financial account.
	Financial account name	0..1	SDD-ID:	<b>BDT00000058</b>
			Definition:	The name of a financial account expressed as text.
			Example:	John Doe
	Financial account number	1..1	SDD-ID:	<b>BDT00000059</b>
			Definition:	The number of a financial account expressed as text.
	Financial account number type code	1..1	SDD-ID:	<b>BDTG00000208</b>

## Order response

Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The code specifying the type of a financial account number.
				Used code list:	FinancialAccountNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
		<b>Financial account number type code content</b>	1..1	SDD-ID:	<b>BDT00000645</b>
				Definition:	The code specifying the type of a financial account number.
				Used code list:	FinancialAccountNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Financial institution routing number information</b>	0..1	SDD-ID:	<b>BDTG00000210</b>
				Definition:	The information specifying details on a routing number of a financial institution.
		<b>Financial routing number</b>	1..1	SDD-ID:	<b>BDT00000062</b>
				Definition:	The routing number of a financial transaction according to the specified financial routing type.
				Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
		<b>Financial routing number type code</b>	1..1	SDD-ID:	<b>BDTG00000211</b>
				Definition:	The code specifying the type of a financial routing number.
				Used code list:	FinancialRoutingNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		<b>Financial routing number type code content</b>	1..1	SDD-ID:	<b>BDT00000644</b>
				Definition:	The code specifying the type of a financial routing number.
				Used code list:	FinancialRoutingNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Additional financial institution description</b>	0..1	SDD-ID:	<b>BDTG00000522</b>
				Definition:	The additional description of a financial institution expressed as text.
		<b>Additional financial institution description content</b>	1..1	SDD-ID:	<b>BDT00000521</b>
				Definition:	The text value describing the additional financial institution.
		<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
				Definition:	The code specifying the language.
		<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
				Definition:	The code specifying the language.
				Example:	en
				Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.



## Order response

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Address information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	<b>City name</b>	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	<b>City code</b>	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	<b>County code</b>	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	<b>Cross street</b>	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	<b>Party name</b>	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
	<b>Post office box number</b>	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
	<b>Postal code</b>	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
	<b>Province identity</b>	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
	<b>State</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
	<b>Street address one</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
	<b>Street address two</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
	<b>Street address three</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
	<b>Country code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
	<b>Country code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.



Business data terms and groups	Usage	Business data terms and groups description	
<b>Geographical coordinates information</b>	0..1	SDD-ID:	<b>BDTG00000214</b>
		Definition:	The information specifying details on a location using geographical coordinates.
<b>Latitude</b>	1..1	SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
<b>Longitude</b>	1..1	SDD-ID:	<b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
<b>Referenced purchase conditions information</b>	0..1	SDD-ID:	<b>BDTG00000284</b>
		Definition:	The information specifying the details of a reference to an agreement of purchase conditions for a trade item.
<b>Entity identification</b>	1..1	SDD-ID:	<b>BDT00000056</b>
		Definition:	The identity of an entity such as a document or an object.
<b>Business document creation date time</b>	0..1	SDD-ID:	<b>BDT00000047</b>
		Definition:	The date and optional time when the business document was issued.
<b>Revision number</b>	0..1	SDD-ID:	<b>BDT00000119</b>
		Definition:	The number assigned to a specific release of a document to keep track of changes and updates between revisions.
<b>Document line number</b>	0..1	SDD-ID:	<b>BDT00000049</b>
		Definition:	The sequence number of a line within the business document.
<b>Referenced document external location</b>	0..1	SDD-ID:	<b>BDT00000118</b>
		Definition:	The external location of the referenced document expressed as an uniform resource locator.
		Usage:	The external location can be an internet address to a document stored in a server on the internet.
<b>Document content owner</b>	0..1	SDD-ID:	<b>BDTG00000196</b>
		Definition:	The information specifying the party that is responsible for the content of a document.
<b>Global location number GLN</b>	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<b>Additional party identification information</b>	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<b>Additional party identification content</b>	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
<b>Additional party identification type code</b>	1..1	SDD-ID:	<b>BDTG00000579</b>



Business data terms and groups		Usage	Business data terms and groups description	
<b>Additional party identification type code content</b>		1..1	Definition:	The code specifying the additional identification type of the party.
			SDD-ID:	<b>BDT00000570</b>
<b>Code list version</b>		0..1	Definition:	The code specifying the additional identification type of the party.
			Used code list:	AdditionalPartyIdentificationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
			SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.