



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
001	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order response/Business document creation date time		1 .. 1	<b>creationDateTime</b> <i>Path:</i> orderResponseMessage/orderResponse/creationDateTime
002	BDT00000050		0 .. 1	<b>Business document status code</b> <i>Path:</i> Order response/Business document status code		1 .. 1	<b>documentStatusCode</b> <i>Path:</i> orderResponseMessage/orderResponse/documentStatusCode
003	BDT00000045		0 .. 1	<b>Business document action code</b> <i>Path:</i> Order response/Business document action code		0 .. 1	<b>documentActionCode</b> <i>Path:</i> orderResponseMessage/orderResponse/documentActionCode
004	BDT00000046		0 .. 1	<b>Business document standard version</b> <i>Path:</i> Order response/Business document standard version	1 .. 80	0 .. 1	<b>documentStructureVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/documentStructureVersion
005	BDT00000048		0 .. 1	<b>Business document last update date time</b> <i>Path:</i> Order response/Business document last update date time		0 .. 1	<b>lastUpdateDateTime</b> <i>Path:</i> orderResponseMessage/orderResponse/lastUpdateDateTime
006	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Order response/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/revisionNumber
007	BDT00000698	.. 80	1 .. 1	<b>Received order document status code content</b> <i>Path:</i> Order response/Received order document status code/Received order document status code content	1 .. 80	1 .. 1	<b>responseStatusCode</b> <i>Path:</i> orderResponseMessage/orderResponse/responseStatusCode
008	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Received order document status code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/responseStatusCode/@codeListVersion
009	BDT00000696	.. 80	1 .. 1	<b>Reason for status of business document code content</b> <i>Path:</i> Order response/Reason for status of business document code/Reason for	1 .. 80	0 .. unbounded	<b>orderResponseReasonCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseReasonCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				status of business document code content			
010	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Reason for status of business document code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseReasonCode/@codeListVersion
011	BDT00000705		1 .. 1	<b>Total monetary net amount content</b> <i>Path:</i> Order response/Total monetary net amount/Total monetary net amount content		0 .. 1	<b>totalMonetaryAmountExcludingTaxes</b> <i>Path:</i> orderResponseMessage/orderResponse/totalMonetaryAmountExcludingTaxes
012	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Total monetary net amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/totalMonetaryAmountExcludingTaxes/@currencyCode
013	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Total monetary net amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/totalMonetaryAmountExcludingTaxes/@codeListVersion
014	BDT00000704		1 .. 1	<b>Total monetary amount content</b> <i>Path:</i> Order response/Total monetary amount/Total monetary amount content		0 .. 1	<b>totalMonetaryAmountIncludingTaxes</b> <i>Path:</i> orderResponseMessage/orderResponse/totalMonetaryAmountIncludingTaxes
015	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Total monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/totalMonetaryAmountIncludingTaxes/@currencyCode
016	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Total monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/totalMonetaryAmountIncludingTaxes/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
017	BDT00000601		1 .. 1	<b>Total tax monetary amount content</b> <i>Path:</i> Order response/Total tax monetary amount/Total tax monetary amount content		0 .. 1	<b>totalTaxAmount</b> <i>Path:</i> orderResponseMessage/orderResponse/totalTaxAmount
018	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Total tax monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/totalTaxAmount/@currencyCode
019	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Total tax monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/totalTaxAmount/@codeListVersion
020	BDT00000670	.. 70	1 .. 1	<b>Notation content</b> <i>Path:</i> Order response/Notation/Notation content	1 .. 500	0 .. 1	<b>note</b> <i>Path:</i> orderResponseMessage/orderResponse/note
021	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Notation/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/note/@languageCode
022	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Notation/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/note/@codeListVersion
023	BDT00000618	.. 80	1 .. 1	<b>Charge type code content</b> <i>Path:</i> Order response/Charge information/Charge type code/Charge type code content	1 .. 80	1 .. 1	<b>allowanceChargeType</b> <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargeType
024	BDT00000531	.. 80	1 .. 1	<b>Allowance type code content</b> <i>Path:</i> Order response/Allowance information/Allowance type code/Allowance type code content	1 .. 80	1 .. 1	<b>allowanceChargeType</b> <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargeType

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
025	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Charge information/ Charge type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/allowanceChargeType/ @codeListVersion
026	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Allowance information/Allowance type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/allowanceChargeType/ @codeListVersion
027	BDT000000617	.. 80	1 .. 1	<b>Settlement charge code content</b> <i>Path:</i> Order response/Charge information/ Settlement charge code/Settlement charge code content	1 .. 80	1 .. 1	<b>settlementType</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/settlementType
028	BDT000000532	.. 80	1 .. 1	<b>Settlement allowance code content</b> <i>Path:</i> Order response/Allowance information/Settlement allowance code/Settlement allowance code content	1 .. 80	1 .. 1	<b>settlementType</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/settlementType
029	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Charge information/ Settlement charge code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/settlementType/@codeListVersion
030	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Allowance information/Settlement allowance code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/settlementType/@codeListVersion
031	BDT000000619		0 .. 1	<b>Charge monetary amount content</b> <i>Path:</i> Order response/Charge information/ Charge monetary amount/Charge monetary amount content		0 .. 1	<b>allowanceChargeAmount</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/allowanceChargeAmount

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
032	BDT00000528		1 .. 1	<b>Allowance monetary amount content</b> <i>Path:</i> Order response/Allowance information/Allowance monetary amount/Allowance monetary amount content		0 .. 1	<b>allowanceChargeAmount</b> <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargeAmount
033	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Charge information/Charge monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargeAmount/@currencyCode
034	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Allowance information/Allowance monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargeAmount/@currencyCode
035	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Charge information/Charge monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargeAmount/@codeListVersion
036	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Allowance information/Allowance monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargeAmount/@codeListVersion
037	BDT00000018		0 .. 1	<b>Charge percentage</b> <i>Path:</i> Order response/Charge information/Charge percentage		0 .. 1	<b>allowanceChargePercentage</b> <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargePercentage
038	BDT00000006		0 .. 1	<b>Allowance percentage</b> <i>Path:</i> Order response/Allowance information/Allowance percentage		0 .. 1	<b>allowanceChargePercentage</b> <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargePercentage

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
039	BDT00000620		1 .. 1	<b>Charge monetary amount per unit content</b> <i>Path:</i> Order response/Charge information/ Charge monetary amount per unit/ Charge monetary amount per unit content		0 .. 1	<b>amountPerUnit</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/amountPerUnit
040	BDT00000529		1 .. 1	<b>Allowance monetary amount per unit content</b> <i>Path:</i> Order response/Allowance information/Allowance monetary amount per unit/Allowance monetary amount per unit content		0 .. 1	<b>amountPerUnit</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/amountPerUnit
041	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Charge information/ Charge monetary amount per unit/ Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/amountPerUnit/@currencyCode
042	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Allowance information/Allowance monetary amount per unit/Currency code/ Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/amountPerUnit/@currencyCode
043	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Charge information/ Charge monetary amount per unit/ Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/amountPerUnit/@codeListVersion
044	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Allowance information/Allowance monetary amount per unit/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/amountPerUnit/@codeListVersion
045	BDT00000614		1 .. 1	<b>Charge basis monetary amount content</b>		0 .. 1	<b>baseAmount</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Charge information/ Charge basis monetary amount/Charge basis monetary amount content			<i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/baseAmount
046	BDT00000526		1 .. 1	<b>Allowance basis monetary amount content</b> <i>Path:</i> Order response/Allowance information/Allowance basis monetary amount/Allowance basis monetary amount content		0 .. 1	<b>baseAmount</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/baseAmount
047	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Charge information/ Charge basis monetary amount/ Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/baseAmount/@currencyCode
048	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Allowance information/Allowance basis monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/baseAmount/@currencyCode
049	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Charge information/ Charge basis monetary amount/ Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/baseAmount/@codeListVersion
050	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Allowance information/Allowance basis monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/baseAmount/@codeListVersion
051	BDT00000753		1 .. 1	<b>Charge quantity basis content</b> <i>Path:</i> Order response/Charge information/ Charge quantity basis/Charge quantity basis content		0 .. 1	<b>baseNumberOfUnits</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/baseNumberOfUnits

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
052	BDT00000533		1 .. 1	<b>Allowance quantity basis content</b> <i>Path:</i> Order response/Allowance information/Allowance quantity basis/Allowance quantity basis content		0 .. 1	<b>baseNumberOfUnits</b> <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/baseNumberOfUnits
053	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Charge information/Charge quantity basis/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/baseNumberOfUnits/@measurementUnitCode
054	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Allowance information/Allowance quantity basis/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/baseNumberOfUnits/@measurementUnitCode
055	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Charge information/Charge quantity basis/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/baseNumberOfUnits/@codeListVersion
056	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Allowance information/Allowance quantity basis/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/baseNumberOfUnits/@codeListVersion
057	BDT00000012	.. 80	0 .. 1	<b>Bracket criteria</b> <i>Path:</i> Order response/Charge information/Bracket criteria	1 .. 80	0 .. 1	<b>bracketIdentifier</b> <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/bracketIdentifier
058	BDT00000012	.. 80	0 .. 1	<b>Bracket criteria</b> <i>Path:</i> Order response/Allowance information/Bracket criteria	1 .. 80	0 .. 1	<b>bracketIdentifier</b> <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/bracketIdentifier

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
059	BDT00000615	.. 80	1 .. 1	<b>Charge effective date type code content</b> <i>Path:</i> Order response/Charge information/ Charge effective date type code/Charge effective date type code content	1 .. 80	0 .. 1	<b>effectiveDateType</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/effectiveDateType
060	BDT00000530	.. 80	1 .. 1	<b>Allowance effective date type code content</b> <i>Path:</i> Order response/Allowance information/Allowance effective date type code/Allowance effective date type code content	1 .. 80	0 .. 1	<b>effectiveDateType</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/effectiveDateType
061	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Charge information/ Charge effective date type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/effectiveDateType/@codeListVersion
062	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Allowance information/Allowance effective date type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/effectiveDateType/@codeListVersion
063	BDT00000014		0 .. 1	<b>Calculation sequence number</b> <i>Path:</i> Order response/Charge information/ Calculation sequence number		0 .. 1	<b>sequenceNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/sequenceNumber
064	BDT00000014		0 .. 1	<b>Calculation sequence number</b> <i>Path:</i> Order response/Allowance information/Calculation sequence number		0 .. 1	<b>sequenceNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/sequenceNumber
065	BDT00000534	.. 80	1 .. 1	<b>Special service type code content</b> <i>Path:</i> Order response/Charge information/ Special service type code/Special service type code content	1 .. 80	0 .. 1	<b>specialServiceType</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/specialServiceType
066	BDT00000534	.. 80	1 .. 1	<b>Special service type code content</b>	1 .. 80	0 .. 1	<b>specialServiceType</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Allowance information/Special service type code/Special service type code content			<i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/specialServiceType
067	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Charge information/Special service type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/specialServiceType/@codeListVersion
068	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Allowance information/Special service type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/specialServiceType/@codeListVersion
069	BDT00000573	.. 70	1 .. 1	<b>Charge description content</b> <i>Path:</i> Order response/Charge information/Charge description/Charge description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargeDescription/description
070	BDT00000527	.. 70	1 .. 1	<b>Allowance description content</b> <i>Path:</i> Order response/Allowance information/Allowance description/Allowance description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargeDescription/description
071	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Charge information/Charge description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargeDescription/description/@languageCode
072	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Allowance information/Allowance description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargeDescription/description/@languageCode
073	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Charge information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Charge description/Language code/ Code list version			allowanceCharge/allowanceChargeDescription/ description/@codeListVersion
074	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Allowance information/Allowance description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/allowanceChargeDescription/ description/@codeListVersion
075	BDT00000009		0 .. 1	<b>Begin period date</b> <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery time period/Begin period date		0 .. 1	<b>beginDate</b> <i>Path:</i> orderResponseMessage/orderResponse/ amendedDateTimeValue/requestedDeliveryDateRange/ beginDate
076	BDT00000010		0 .. 1	<b>Begin time period</b> <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery time period/Begin time period		0 .. 1	<b>beginTime</b> <i>Path:</i> orderResponseMessage/orderResponse/ amendedDateTimeValue/requestedDeliveryDateRange/ beginTime
077	BDT00000054		0 .. 1	<b>End date period</b> <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery time period/End date period		0 .. 1	<b>endDate</b> <i>Path:</i> orderResponseMessage/orderResponse/ amendedDateTimeValue/requestedDeliveryDateRange/ endDate
078	BDT00000055		0 .. 1	<b>End time period</b> <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery time period/End time period		0 .. 1	<b>endTime</b> <i>Path:</i> orderResponseMessage/orderResponse/ amendedDateTimeValue/requestedDeliveryDateRange/ endTime
079	BDT00000009		0 .. 1	<b>Begin period date</b> <i>Path:</i> Order response/Requested modification of delivery date information/Requested ship date time period/Begin period date		0 .. 1	<b>beginDate</b> <i>Path:</i> orderResponseMessage/orderResponse/ amendedDateTimeValue/requestedShipDateRange/ beginDate
080	BDT00000010		0 .. 1	<b>Begin time period</b> <i>Path:</i> Order response/Requested modification of delivery date information/Requested		0 .. 1	<b>beginTime</b> <i>Path:</i> orderResponseMessage/orderResponse/ amendedDateTimeValue/requestedShipDateRange/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
081	BDT00000054		0 .. 1	ship date time period/Begin time period <b>End date period</b> <i>Path:</i> Order response/Requested modification of delivery date information/Requested ship date time period/End date period		0 .. 1	beginTime <b>endDate</b> <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedShipDateRange/endDate
082	BDT00000055		0 .. 1	<b>End time period</b> <i>Path:</i> Order response/Requested modification of delivery date information/Requested ship date time period/End time period		0 .. 1	<b>endTime</b> <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedShipDateRange/endTime
083	BDT00000009		0 .. 1	<b>Begin period date</b> <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery date time period at ultimate consignee/Begin period date		0 .. 1	<b>beginDate</b> <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedDeliveryDateRangeAtUltimateConsignee/beginDate
084	BDT00000010		0 .. 1	<b>Begin time period</b> <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery date time period at ultimate consignee/Begin time period		0 .. 1	<b>beginTime</b> <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedDeliveryDateRangeAtUltimateConsignee/beginTime
085	BDT00000054		0 .. 1	<b>End date period</b> <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery date time period at ultimate consignee/End date period		0 .. 1	<b>endDate</b> <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedDeliveryDateRangeAtUltimateConsignee/endDate
086	BDT00000055		0 .. 1	<b>End time period</b> <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery date time period at ultimate consignee/End time period		0 .. 1	<b>endTime</b> <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedDeliveryDateRangeAtUltimateConsignee/endTime
	BDT00000040						

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
087			0 .. 1	<b>Date</b> <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery date time/Date		1 .. 1	<b>date</b> <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedDeliveryDateTime/date
088	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery date time/Time		0 .. 1	<b>time</b> <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedDeliveryDateTime/time
089	BDT00000040		0 .. 1	<b>Date</b> <i>Path:</i> Order response/Requested modification of delivery date information/Requested ship date time/Date		1 .. 1	<b>date</b> <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedShipDateTime/date
090	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Order response/Requested modification of delivery date information/Requested ship date time/Time		0 .. 1	<b>time</b> <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedShipDateTime/time
091	BDT00000040		0 .. 1	<b>Date</b> <i>Path:</i> Order response/Requested modification of delivery date information/Requested date time for pick up/Date		1 .. 1	<b>date</b> <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedPickUpDateTime/date
092	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Order response/Requested modification of delivery date information/Requested date time for pick up/Time		0 .. 1	<b>time</b> <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedPickUpDateTime/time
093	BDT00000040		0 .. 1	<b>Date</b> <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery date time at ultimate consignee/Date		1 .. 1	<b>date</b> <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedDeliveryDateTimeAtUltimateConsignee/date

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
094	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery date time at ultimate consignee/Time		0 .. 1	<b>time</b> <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedDeliveryDateTimeAtUltimateConsignee/time
095	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order response/Bill to party information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/gln
096	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order response/Bill to party information/Additional party identification/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/additionalPartyIdentification
097	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order response/Bill to party information/Additional party identification/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
098	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Bill to party information/Additional party identification/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/additionalPartyIdentification/@codeListVersion
099	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Bill to party information/Address information/City	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/city

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				name			
100	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Bill to party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/cityCode
101	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Bill to party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/countryCode
102	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Bill to party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/countryCode/@codeListVersion
103	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Bill to party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/countyCode
104	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Bill to party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/crossStreet
105	BDT000000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/currencyOfPartyCode
106	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Bill to party information/Organisation legal	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/currencyOfPartyCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Currency of party code/ Code list version			
107	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/ languageOfThePartyCode
108	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/ languageOfThePartyCode/@codeListVersion
109	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Bill to party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/ name
110	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Bill to party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/ pOBoxNumber
111	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Bill to party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/ postalCode
112	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Bill to party information/Address information/ Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/ provinceCode
113	BDT00000127	.. 80	0 .. 1	<b>State</b>	1 .. 80	0 .. 1	<b>state</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Bill to party information/Address information/State			<i>Path:</i> orderResponseMessage/orderResponse/billTo/address/state
114	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Bill to party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/streetAddressOne
115	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Bill to party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/streetAddressTwo
116	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Bill to party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/streetAddressThree
117	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Bill to party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/geographicalCoordinates/latitude
118	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Bill to party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/geographicalCoordinates/longitude
119	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order response/Bill to party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/contactTypeCode
	BDT00000028						

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
120		.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Bill to party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/contactTypeCode/@codeListVersion
121	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order response/Bill to party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/personName
122	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order response/Bill to party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/departmentName
123	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order response/Bill to party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/jobTitle
124	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order response/Bill to party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/responsibility
125	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Bill to party information/Business contact information/Business contact responsibility description/Language	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/responsibility/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
126	BDT000000028	.. 35	0 .. 1	code/Language code content <b>Code list version</b> <i>Path:</i> Order response/Bill to party information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/responsibility/@codeListVersion
127	BDT000000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Bill to party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/communicationChannel/communicationChannelCode
128	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Bill to party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/communicationChannel/communicationChannelCode/@codeListVersion
129	BDT000000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Bill to party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/communicationChannel/communicationValue
130	BDT000000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Bill to party information/Business contact	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/communicationChannel/communicationChannelName

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
131	BDT00000525		1 .. 1	information/Communication information/Communication channel name <b>Communication channel code content</b> <i>Path:</i> Order response/Bill to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/ afterHoursCommunicationChannel/ communicationChannelCode
132	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Bill to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
133	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Bill to party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/ afterHoursCommunicationChannel/communicationValue
134	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Bill to party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/ afterHoursCommunicationChannel/ communicationChannelName
135	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b>	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Bill to party information/Tax registration information/Tax registration identification information/Tax registration identification content			<i>Path:</i> orderResponseMessage/orderResponse/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
136	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
137	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
138	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
139	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b>	1 .. 80		<b>identificationSchemeName</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name			<i>Path:</i> orderResponseMessage/orderResponse/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
140	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
141	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
142	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
143	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/dutyFeeTaxRegistration/dutyFeeTaxDescription
144	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
145	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
146	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
147	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
148	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/organisationName
149	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/issuedCapital
150	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/issuedCapital/@currencyCode
151	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Bill to party information/Organisation legal information/Issued capital/Currency code/Code list version			<i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/issuedCapital/@codeListVersion
152	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/legalStructure
153	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/legalStructure/@languageCode
154	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/legalStructure/@codeListVersion
155	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/officialAddress/city
156	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/officialAddress/cityCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
157	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/officialAddress/countryCode
158	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/officialAddress/countryCode/@codeListVersion
159	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/officialAddress/countyCode
160	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/officialAddress/crossStreet
161	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/officialAddress/pOBoxNumber
162	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/officialAddress/postalCode
163	BDT00000117	80 ..	0 .. 1	<b>Province identity</b>	1 .. 80	0 .. 1	<b>provinceCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Province identity			<i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/officialAddress/provinceCode
164	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/officialAddress/state
165	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/officialAddress/streetAddressOne
166	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/officialAddress/streetAddressTwo
167	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/officialAddress/streetAddressThree
168	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/officialAddress/geographicalCoordinates/latitude
169	BDT00000089	.. 80	1 .. 1	<b>Longitude</b>	1 .. 80	1 .. 1	<b>longitude</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Geographical coordinates information/Longitude			<i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/officialAddress/geographicalCoordinates/longitude
170	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/legalRegistration/legalRegistrationNumber
171	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/legalRegistration/legalRegistrationType
172	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
173	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order response/Bill to party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
174	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b>	1 .. 80	0 .. 1	<b>financialInstitutionName</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Financial institution name			<i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/financialInstitutionName
175	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/financialInstitutionBranchName
176	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/financialAccount/financialAccountNumber
177	BDT000000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
178	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
179	BDT000000058	.. 80	0 .. 1	<b>Financial account name</b>	1 .. 80	0 .. 1	<b>financialAccountName</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Financial account information/Financial account name			<i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/financialAccount/financialAccountName
180	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
181	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
182	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
183	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order response/Bill to party information/Financial institution and	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/additionalFinancialInformation/description

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Additional financial institution description/Additional financial institution description content			
184	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
185	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
186	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/city
187	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/cityCode
188	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/countryCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Country code/Country code content			
189	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/countryCode/@codeListVersion
190	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/countyCode
191	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/crossStreet
192	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/name
193	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/pOBoxNumber
194	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Bill to party	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/Postal code			financialInstitutionInformation/address/postalCode
195	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/provinceCode
196	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/state
197	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/streetAddressOne
198	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/streetAddressTwo
199	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/streetAddressThree
200	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Bill to party	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude			financialInstitutionInformation/address/geographicalCoordinates/latitude
201	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/geographicalCoordinates/longitude
202	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order response/Pick up from party information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/gln
203	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order response/Pick up from party information/Additional party identification/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/additionalPartyIdentification
204	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order response/Pick up from party information/Additional party identification/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
205	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Pick up from party information/Additional party identification/Additional party	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification type code/Code list version			
206	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Pick up from party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/city
207	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Pick up from party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/cityCode
208	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Pick up from party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/countryCode
209	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Pick up from party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/countryCode/@codeListVersion
210	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Pick up from party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/countyCode
211	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Pick up from party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/crossStreet
212	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/currencyOfPartyCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Currency of party code/ Currency of party code content			
213	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Currency of party code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ address/currencyOfPartyCode/@codeListVersion
214	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ address/languageOfThePartyCode
215	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ address/languageOfThePartyCode/@codeListVersion
216	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Pick up from party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ address/name
217	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Pick up from party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ address/pOBoxNumber
218	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Pick up from party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ address/postalCode
	BDT00000117						

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
219		80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Pick up from party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/provinceCode
220	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Pick up from party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/state
221	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Pick up from party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/streetAddressOne
222	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Pick up from party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/streetAddressTwo
223	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Pick up from party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/streetAddressThree
224	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Pick up from party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/geographicalCoordinates/latitude
225	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Pick up from party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
226	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order response/Pick up from party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/contact/contactTypeCode
227	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Pick up from party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/contact/contactTypeCode/@codeListVersion
228	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order response/Pick up from party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/contact/personName
229	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order response/Pick up from party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/contact/departmentName
230	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order response/Pick up from party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/contact/jobTitle
231	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order response/Pick up from party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/contact/responsibility

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
232	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Pick up from party information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/contact/responsibility/@languageCode
233	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Pick up from party information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/contact/responsibility/@codeListVersion
234	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Pick up from party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/contact/communicationChannel/communicationChannelCode
235	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Pick up from party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/contact/communicationChannel/communicationChannelCode/@codeListVersion
236	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Pick up from party information/Business contact information/Communication information/Communication channel	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/contact/communicationChannel/communicationValue

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification			
237	BDT000000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Pick up from party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/contact/communicationChannel/communicationChannelName
238	BDT000000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Pick up from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/contact/afterHoursCommunicationChannel/communicationChannelCode
239	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Pick up from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
240	BDT000000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Pick up from party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/contact/afterHoursCommunicationChannel/communicationValue
241	BDT000000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Pick up from party information/Business contact	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/contact/afterHoursCommunicationChannel/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/After hours communication information/Communication channel name			communicationChannelName
242	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
243	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
244	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
245	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax registration	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
246	BDT00000074	.. 80	0 .. 1	identification information/Identification scheme information/Identification scheme agency name <b>Identification scheme name</b> <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
247	BDT000000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
248	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
249	BDT000000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
250	BDT000000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription
251	BDT000000524	.. 80	1 .. 1	<b>Language code content</b>	1 .. 80		<b>languageCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax description/Language code/Language code content			<i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
252	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
253	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
254	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
255	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/organisationName
256	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/issuedCapital
257	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Pick up from party	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Issued capital/Currency code/Currency code content			organisationDetails/issuedCapital/@currencyCode
258	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/issuedCapital/@codeListVersion
259	BDT000000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/legalStructure
260	BDT000000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/legalStructure/@languageCode
261	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/legalStructure/@codeListVersion
262	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/officialAddress/city

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
263	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/officialAddress/cityCode
264	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/officialAddress/countryCode
265	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/officialAddress/countryCode/@codeListVersion
266	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/officialAddress/countyCode
267	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/officialAddress/crossStreet
268	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/officialAddress/pOBoxNumber
269	BDT00000114	.. 80	0 .. 1	<b>Postal code</b>	1 .. 80	0 .. 1	<b>postalCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/Postal code			<i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/officialAddress/postalCode
270	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/officialAddress/provinceCode
271	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/officialAddress/state
272	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/officialAddress/streetAddressOne
273	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/officialAddress/streetAddressTwo
274	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/officialAddress/streetAddressThree
275	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/officialAddress/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Official address/ Geographical coordinates information/ Latitude			geographicalCoordinates/latitude
276	BDT000000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
277	BDT000000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ organisationDetails/legalRegistration/ legalRegistrationNumber
278	BDT000000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ organisationDetails/legalRegistration/ legalRegistrationType
279	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ organisationDetails/legalRegistration/ legalRegistrationType/@codeListVersion
280	BDT000000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order response/Pick up from party information/Organisation legal	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ organisationDetails/legalRegistration/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Registered legal information/Legal registration additional information			legalRegistrationAdditionalInformation
281	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/financialInstitutionName
282	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/financialInstitutionBranchName
283	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/financialAccount/financialAccountNumber
284	BDT000000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
285	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/financialAccount/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial account information/Financial account number type code/Code list version			financialAccountNumberTypeCode/@codeListVersion
286	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/financialAccount/financialAccountName
287	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
288	BDT00000064	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
289	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/financialRoutingNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
290	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/additionalFinancialInformation/description
291	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
292	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
293	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/city
294	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/cityCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
295	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/countryCode
296	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/countryCode/@codeListVersion
297	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/countyCode
298	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/crossStreet
299	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/name
300	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/pOBoxNumber

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/Post office box number			
301	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/postalCode
302	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/provinceCode
303	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/state
304	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/streetAddressOne
305	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/streetAddressTwo
306	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/Street address three			streetAddressThree
307	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/geographicalCoordinates/latitude
308	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/geographicalCoordinates/longitude
309	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Order response/Buyer party information/Global location number, GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/gln
310	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order response/Buyer party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/additionalPartyIdentification
311	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order response/Buyer party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
312	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Buyer party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/additionalPartyIdentification/@codeListVersion
313	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Buyer party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/city
314	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Buyer party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/cityCode
315	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Buyer party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/countryCode
316	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Buyer party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/countryCode/@codeListVersion
317	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Buyer party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/countyCode
318	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Buyer party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/crossStreet

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
319	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/currencyOfPartyCode
320	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/currencyOfPartyCode/@codeListVersion
321	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/languageOfThePartyCode
322	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/languageOfThePartyCode/@codeListVersion
323	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Buyer party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/name
324	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Buyer party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/pOBoxNumber
325	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Buyer party	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/Postal code			postalCode
326	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Buyer party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/provinceCode
327	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Buyer party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/state
328	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Buyer party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/streetAddressOne
329	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Buyer party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/streetAddressTwo
330	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Buyer party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/streetAddressThree
331	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Buyer party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/geographicalCoordinates/latitude
332	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Buyer party information/Address information/	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Geographical coordinates information/ Longitude			
333	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order response/Buyer party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/ contactTypeCode
334	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Buyer party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/ contactTypeCode/@codeListVersion
335	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order response/Buyer party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/ personName
336	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order response/Buyer party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/ departmentName
337	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order response/Buyer party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/ jobTitle
338	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order response/Buyer party information/Business contact information/Business contact responsibility description/Business	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/ responsibility

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				contact responsibility description content			
339	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Buyer party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/responsibility/@languageCode
340	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Buyer party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/responsibility/@codeListVersion
341	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Buyer party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/communicationChannel/communicationChannelCode
342	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Buyer party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/communicationChannel/communicationChannelCode/@codeListVersion
343	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Buyer party	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Communication information/Communication channel identification			communicationChannel/communicationValue
344	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Buyer party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/ communicationChannel/communicationChannelName
345	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Buyer party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/ afterHoursCommunicationChannel/ communicationChannelCode
346	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Buyer party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
347	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Buyer party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/ afterHoursCommunicationChannel/communicationValue
	BDT00000033						

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
348		.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Buyer party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/afterHoursCommunicationChannel/communicationChannelName
349	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
350	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
351	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
352	BDT00000073						

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
		.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
353	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
354	BDT000000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
355	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
356	BDT000000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
357	BDT000000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order response/Buyer party	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax description/Tax description content			dutyFeeTaxRegistration/dutyFeeTaxDescription
358	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
359	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
360	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
361	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax registration type code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
362	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/ organisationDetails/organisationName
363	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order response/Buyer party information/Organisation legal		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/ organisationDetails/issuedCapital

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Issued capital/Issued capital content			
364	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/issuedCapital/@currencyCode
365	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/issuedCapital/@codeListVersion
366	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/legalStructure
367	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/legalStructure/@languageCode
368	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/legalStructure/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
369	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/officialAddress/city
370	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/officialAddress/cityCode
371	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/officialAddress/countryCode
372	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/officialAddress/countryCode/@codeListVersion
373	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/officialAddress/countyCode
374	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/officialAddress/crossStreet
375	BDT000000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Buyer party	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Post office box number			organisationDetails/officialAddress/pOBoxNumber
376	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/officialAddress/postalCode
377	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/officialAddress/provinceCode
378	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/officialAddress/state
379	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/officialAddress/streetAddressOne
380	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/officialAddress/streetAddressTwo
381	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Street	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/officialAddress/streetAddressThree

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address three			
382	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/officialAddress/geographicalCoordinates/latitude
383	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/officialAddress/geographicalCoordinates/longitude
384	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/legalRegistration/legalRegistrationNumber
385	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/legalRegistration/legalRegistrationType
386	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Registered legal information/Legal registration type	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Code list version			
387	BDT000000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order response/Buyer party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
388	BDT000000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/financialInstitutionName
389	BDT000000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/financialInstitutionBranchName
390	BDT000000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/financialAccount/financialAccountNumber
391	BDT000000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
392	BDT00000028	.. 35	0 .. 1	number type code content <b>Code list version</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
393	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/financialAccount/financialAccountName
394	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
395	BDT00000064	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
396	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Buyer party	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version			financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
397	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/additionalFinancialInformation/description
398	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
399	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
400	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/city
	BDT00000019						

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
401		.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/cityCode
402	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/countryCode
403	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/countryCode/@codeListVersion
404	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/countyCode
405	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/crossStreet
406	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Buyer party information/Financial institution and	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/name

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/Party name			
407	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/pOBxNumber
408	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/postalCode
409	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/provinceCode
410	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/state
411	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/streetAddressOne
412	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Buyer party information/Financial institution and	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/streetAddressTwo

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/Street address two			
413	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/streetAddressThree
414	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/geographicalCoordinates/latitude
415	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/geographicalCoordinates/longitude
416	BDT000000649		1 .. 1	<b>Incoterms code content</b> <i>Path:</i> Order response/Delivery terms information/Incoterms code/Incoterms code content	1 .. 80	0 .. 1	<b>incotermsCode</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/incotermsCode
417	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Delivery terms information/Incoterms code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/incotermsCode/@codeListVersion
418	BDT00000535	.. 80	1 .. 1	<b>Alternative delivery terms code content</b> <i>Path:</i> Order response/Delivery terms information/Alternative delivery terms	1 .. 80	0 .. 1	<b>alternateDeliveryTermsCode</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/alternateDeliveryTermsCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Alternative delivery terms code content			
419	BDT00000022	.. 80	0 .. 1	<b>Code description</b> <i>Path:</i> Order response/Delivery terms information/Alternative delivery terms code/Code description	1 .. 80		<b>codeDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/alternateDeliveryTermsCode/@codeDescription
420	BDT00000023	.. 80	0 .. 1	<b>Code list agency code</b> <i>Path:</i> Order response/Delivery terms information/Alternative delivery terms code/Code list agency code	1 .. 80		<b>codeListAgencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/alternateDeliveryTermsCode/@codeListAgencyCode
421	BDT00000024	.. 35	0 .. 1	<b>Code list agency code list version</b> <i>Path:</i> Order response/Delivery terms information/Alternative delivery terms code/Code list agency code list version	1 .. 35		<b>codeListAgencyCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/alternateDeliveryTermsCode/@codeListAgencyCodeListVersion
422	BDT00000025	.. 80	0 .. 1	<b>Code list agency name</b> <i>Path:</i> Order response/Delivery terms information/Alternative delivery terms code/Code list agency name	1 .. 80		<b>codeListAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/alternateDeliveryTermsCode/@codeListAgencyName
423	BDT00000026	.. 80	0 .. 1	<b>Code list name</b> <i>Path:</i> Order response/Delivery terms information/Alternative delivery terms code/Code list name	1 .. 80		<b>codeListName</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/alternateDeliveryTermsCode/@codeListName
424	BDT00000027	.. 500	0 .. 1	<b>Code list URL</b> <i>Path:</i> Order response/Delivery terms information/Alternative delivery terms code/Code list URL			<b>codeListURI</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/alternateDeliveryTermsCode/@codeListURI
425	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Delivery terms information/Alternative delivery terms	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/alternateDeliveryTermsCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
426	BDT00000641	.. 70	1 .. 1	code/Code list version <b>Delivery instructions description content</b> <i>Path:</i> Order response/Delivery terms information/Delivery instructions description/Delivery instructions description content	1 .. 500	0 .. 1	<b>deliveryInstructions</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryInstructions
427	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Delivery terms information/Delivery instructions description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryInstructions/@languageCode
428	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Delivery terms information/Delivery instructions description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryInstructions/@codeListVersion
429	BDT00000701	.. 80	1 .. 1	<b>Transport cost payment code content</b> <i>Path:</i> Order response/Delivery terms information/Transport cost payment code/Transport cost payment code content	1 .. 80	0 .. 1	<b>deliveryCostPayment</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryCostPayment
430	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Delivery terms information/Transport cost payment code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryCostPayment/@codeListVersion
431	BDT00000080		0 .. 1	<b>Signature required indicator</b> <i>Path:</i> Order response/Delivery terms information/Signature required indicator		0 .. 1	<b>isSignatureRequired</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/isSignatureRequired
432	BDT00000690	.. 80	1 .. 1	<b>United Nations location code, UN/LOCODE</b>	1 .. 80	0 .. 1	<b>unLocationCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<b>content</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/UN location code, UN/LOCODE/United Nations location code, UN/LOCODE content			<i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/unLocationCode
433	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/UN location code, UN/LOCODE/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/unLocationCode/@codeListVersion
434	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/gln
435	BDT00000627	.. 80	1 .. 1	<b>Physical location identification content</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Additional physical location identification/Physical location identification content	1 .. 80	0 .. unbounded	<b>additionalLocationIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification
436	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
437	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification/@identificationSchemeAgencyCodeCodeListVersion
438	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification/@identificationSchemeAgencyName
439	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification/@identificationSchemeName
440	BDT00000132	.. 80	0 .. 1	<b>Sub location identification</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Sub location identification	1 .. 80	0 .. 1	<b>sublocationIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/sublocationIdentification
441	BDT00000088	.. 80	0 .. 1	<b>Logistics location name</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Logistics location name	1 .. 80	0 .. 1	<b>locationName</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/locationName

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
442	BDT00000744	.. 70	1 .. 1	<b>Specific instructions location description content</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Specific instructions location description/Specific instructions location description content	1 .. 200	0 .. 1	<b>locationSpecificInstructions</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/locationSpecificInstructions
443	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Specific instructions location description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/locationSpecificInstructions/@languageCode
444	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Specific instructions location description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/locationSpecificInstructions/@codeListVersion
445	BDT00000137	.. 20	0 .. 1	<b>Universal Time Coordinated UTC offset</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Universal Time Coordinated UTC offset		0 .. 1	<b>utcOffset</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/utcOffset
446	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/city
447	BDT00000019	.. 80	0 .. 1	<b>City code</b>	1 .. 80	0 .. 1	<b>cityCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/City code			<i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/cityCode
448	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/countryCode
449	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/countryCode/@codeListVersion
450	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/countyCode
451	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/crossStreet
452	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/name
453	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b>	1 .. 80	0 .. 1	<b>pOBoxNumber</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Post office box number			<i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/pOBoxNumber
454	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/postalCode
455	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/provinceCode
456	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/state
457	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/streetAddressOne
458	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/streetAddressTwo
459	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Delivery terms	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Delivery terms for location information/Address information/Street address three			deliveryTermsLocation/address/streetAddressThree
460	BDT000000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/geographicalCoordinates/latitude
461	BDT000000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/geographicalCoordinates/longitude
462	BDT000000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/contact/contactTypeCode
463	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/contact/contactTypeCode/@codeListVersion
464	BDT000000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/contact/personName

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Person name			
465	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/contact/departmentName
466	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/contact/jobTitle
467	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/contact/responsibility
468	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/contact/responsibility/@languageCode
469	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Delivery terms	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Delivery terms for location information/Business contact information/Business contact responsibility description/Language code/Code list version			deliveryTermsLocation/contact/responsibility/ @codeListVersion
470	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationChannelCode
471	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationChannelCode/@codeListVersion
472	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationValue
473	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Communication information/Communication channel name			communicationChannelName
474	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode
475	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
476	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/communicationValue
477	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/After hours communication information/Communication channel name			communicationChannelName
478	BDTG00000042		0 .. 1	<b>Day of the week code</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Regular operating hours information/Day of the week code		1 .. 1	<b>dayOfTheWeekCode</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/regularOperatingHours/dayOfTheWeekCode
479	BDT00000078		0 .. 1	<b>Business operational indicator</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Regular operating hours information/Business operational indicator		1 .. 1	<b>isOperational</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/regularOperatingHours/isOperational
480	BDT00000021		0 .. 1	<b>Closing time</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Regular operating hours information/Closing time		0 .. 1	<b>closingTime</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/regularOperatingHours/closingTime
481	BDT00000098		0 .. 1	<b>Opening time</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Regular operating hours information/Opening time		0 .. 1	<b>openingTime</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/regularOperatingHours/openingTime
482	BDT00000078		0 .. 1	<b>Business operational indicator</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Special operating hours information/Business operational indicator		1 .. 1	<b>isOperational</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/specialOperatingHours/isOperational

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
483	BDT00000126		0 .. 1	<b>Special date</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Special operating hours information/Special date		1 .. 1	<b>specialDate</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/specialOperatingHours/specialDate
484	BDT00000021		0 .. 1	<b>Closing time</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Special operating hours information/Closing time		0 .. 1	<b>closingTime</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/specialOperatingHours/closingTime
485	BDT00000098		0 .. 1	<b>Opening time</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Special operating hours information/Opening time		0 .. 1	<b>openingTime</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/specialOperatingHours/openingTime
486	BDT00000669	.. 80	1 .. 1	<b>Name of special day content</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Special operating hours information/Name of special day/Name of special day content	1 .. 80	0 .. 1	<b>specialDateName</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/specialOperatingHours/specialDateName
487	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Special operating hours information/Name of special day/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/specialOperatingHours/specialDateName/@languageCode
488	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Delivery terms information/Delivery terms for location	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/specialOperatingHours/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Special operating hours information/Name of special day/ Language code/Code list version			specialDateName/@codeListVersion
489	BDT00000056	.. 80	0 .. 1	<b>Entity identification</b> <i>Path:</i> Order response/Business document identification information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseIdentification/entityIdentification
490	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order response/Business document identification information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseIdentification/contentOwner/gln
491	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order response/Business document identification information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseIdentification/contentOwner/ additionalPartyIdentification
492	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order response/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseIdentification/contentOwner/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
493	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Business document identification information/Document content owner/Additional party	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseIdentification/contentOwner/ additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional party identification type code/Code list version			
494			1 .. 1	<b>Document line number</b> <i>Path:</i> Order response/Order response line/Document line number		1 .. 1	<b>lineltemNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineltem/lineltemNumber
495	BDT00000105	.. 6	0 .. 1	<b>Parent line item number</b> <i>Path:</i> Order response/Order response line/Parent line item number		0 .. 1	<b>parentLineltemNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineltem/parentLineltemNumber
496	BDT00000683		1 .. 1	<b>Confirmed quantity content</b> <i>Path:</i> Order response/Order response line/Confirmed quantity/Confirmed quantity content		1 .. 1	<b>confirmedQuantity</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineltem/confirmedQuantity
497	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/Confirmed quantity/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineltem/confirmedQuantity/@measurementUnitCode
498	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Confirmed quantity/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineltem/confirmedQuantity/@codeListVersion
499	BDT00000581	.. 80	1 .. 1	<b>Business document line action code content</b> <i>Path:</i> Order response/Order response line/Business document line action code/Business document line action code content	1 .. 80	0 .. 1	<b>lineltemActionCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineltem/lineltemActionCode
500	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business document line action code/ Code list version			orderResponseLineItem/lineItemActionCode/ @codeListVersion
501	BDT00000706	.. 80	0 .. 1	<b>Business document line response code content</b> <i>Path:</i> Order response/Order response line/ Business document line response code/Business document line response code content	1 .. 80	0 .. 1	<b>lineItemChangeIndicator</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/lineItemChangeIndicator
502	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Business document line response code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/lineItemChangeIndicator/ @codeListVersion
503	BDT00000387		0 .. 1	<b>Referenced business document line</b> <i>Path:</i> Order response/Order response line/ Referenced business document line		0 .. 1	<b>originalOrderLineItemNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/originalOrderLineItemNumber
504	BDT00000696	.. 80	1 .. 1	<b>Reason for status of business document code content</b> <i>Path:</i> Order response/Order response line/ Reason for status of business document code/Reason for status of business document code content	1 .. 80	0 .. unbounded	<b>orderResponseReasonCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseReasonCode
505	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Reason for status of business document code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseReasonCode/ @codeListVersion
506			0 .. 1	<b>Order line instruction description</b> <i>Path:</i> Order response/Order response line/ Order line instruction description	1 .. 200	0 .. 1	<b>additionalOrderLineInstruction</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/additionalOrderLineInstruction
507	BDT00000388		0 .. 1	<b>Confirmed trade item delivery date time</b>		0 .. 1	<b>deliveryDateTime</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Confirmed trade item delivery date time			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/deliveryDateTime
508	BDT00000040		0 .. 1	<b>Date</b> <i>Path:</i> Order response/Order response line/ First delivery date and time/Date		0 .. 1	<b>firstDeliveryDateTime</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/firstDeliveryDateTime
509	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Order response/Order response line/ First delivery date and time/Time		0 .. 1	<b>firstDeliveryDateTime</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/firstDeliveryDateTime
510	BDT00000660		1 .. 1	<b>Line item net monetary amount content</b> <i>Path:</i> Order response/Order response line/ Line item net monetary amount/Line item net monetary amount content		0 .. 1	<b>netAmount</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/netAmount
511	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Line item net monetary amount/ Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/netAmount/@currencyCode
512	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Line item net monetary amount/ Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/netAmount/@codeListVersion
513	BDT00000606		1 .. 1	<b>Trade item net price content</b> <i>Path:</i> Order response/Order response line/ Trade item net price/Trade item net price content		0 .. 1	<b>netPrice</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/netPrice
514	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Trade item net price/Currency code/ Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/netPrice/@currencyCode
515	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Trade item net price/Currency code/ Code list version			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/netPrice/@codeListVersion
516	BDT00000667		1 .. 1	<b>Monetary amount excluding all taxes content</b> <i>Path:</i> Order response/Order response line/ Monetary amount excluding all taxes/ Monetary amount excluding all taxes content		0 .. 1	<b>monetaryAmountExcludingTaxes</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/monetaryAmountExcludingTaxes
517	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Monetary amount excluding all taxes/ Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ monetaryAmountExcludingTaxes/@currencyCode
518	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Monetary amount excluding all taxes/ Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ monetaryAmountExcludingTaxes/@codeListVersion
519	BDT00000668		1 .. 1	<b>Monetary amount including all taxes content</b> <i>Path:</i> Order response/Order response line/ Monetary amount including all taxes/ Monetary amount including all taxes content		0 .. 1	<b>monetaryAmountIncludingTaxes</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/monetaryAmountIncludingTaxes
520	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Monetary amount including all taxes/ Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ monetaryAmountIncludingTaxes/@currencyCode
521	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Monetary amount including all taxes/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Currency code/Code list version			monetaryAmountIncludingTaxes/@codeListVersion
522	BDT00000670	.. 70	1 .. 1	<b>Notation content</b> <i>Path:</i> Order response/Order response line/ Notation/Notation content	1 .. 500	0 .. 1	<b>note</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/note
523	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Notation/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/note/@languageCode
524	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Notation/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/note/@codeListVersion
525	BDT00000531	.. 80	1 .. 1	<b>Allowance type code content</b> <i>Path:</i> Order response/Order response line/ Allowance information/Allowance type code/Allowance type code content	1 .. 80	1 .. 1	<b>allowanceChargeType</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeType
526	BDT00000618	.. 80	1 .. 1	<b>Charge type code content</b> <i>Path:</i> Order response/Order response line/ Charge information/Charge type code/ Charge type code content	1 .. 80	1 .. 1	<b>allowanceChargeType</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeType
527	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Allowance information/Allowance type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeType/@codeListVersion
528	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Charge information/Charge type code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeType/@codeListVersion
529	BDT00000532	.. 80	1 .. 1	<b>Settlement allowance code content</b>	1 .. 80	1 .. 1	<b>settlementType</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Allowance information/Settlement allowance code/Settlement allowance code content			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/settlementType
530	BDT00000617	.. 80	1 .. 1	<b>Settlement charge code content</b> <i>Path:</i> Order response/Order response line/ Charge information/Settlement charge code/Settlement charge code content	1 .. 80	1 .. 1	<b>settlementType</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/settlementType
531	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Allowance information/Settlement allowance code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ settlementType/@codeListVersion
532	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Charge information/Settlement charge code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ settlementType/@codeListVersion
533	BDT00000528		1 .. 1	<b>Allowance monetary amount content</b> <i>Path:</i> Order response/Order response line/ Allowance information/Allowance monetary amount/Allowance monetary amount content		0 .. 1	<b>allowanceChargeAmount</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeAmount
534	BDT00000619		0 .. 1	<b>Charge monetary amount content</b> <i>Path:</i> Order response/Order response line/ Charge information/Charge monetary amount/Charge monetary amount content		0 .. 1	<b>allowanceChargeAmount</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeAmount
535	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Allowance information/Allowance monetary amount/Currency code/	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeAmount/@currencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
536	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Charge information/Charge monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeAmount/@currencyCode
537	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Allowance information/Allowance monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeAmount/@codeListVersion
538	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Charge information/Charge monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeAmount/@codeListVersion
539	BDT00000006		0 .. 1	<b>Allowance percentage</b> <i>Path:</i> Order response/Order response line/ Allowance information/Allowance percentage		0 .. 1	<b>allowanceChargePercentage</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargePercentage
540	BDT00000018		0 .. 1	<b>Charge percentage</b> <i>Path:</i> Order response/Order response line/ Charge information/Charge percentage		0 .. 1	<b>allowanceChargePercentage</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargePercentage
541	BDT00000529		1 .. 1	<b>Allowance monetary amount per unit content</b> <i>Path:</i> Order response/Order response line/ Allowance information/Allowance monetary amount per unit/Allowance monetary amount per unit content		0 .. 1	<b>amountPerUnit</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/amountPerUnit

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
542	BDT00000620		1 .. 1	<b>Charge monetary amount per unit content</b> <i>Path:</i> Order response/Order response line/ Charge information/Charge monetary amount per unit/Charge monetary amount per unit content		0 .. 1	<b>amountPerUnit</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/amountPerUnit
543	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Allowance information/Allowance monetary amount per unit/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ amountPerUnit/@currencyCode
544	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Charge information/Charge monetary amount per unit/Currency code/ Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ amountPerUnit/@currencyCode
545	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Allowance information/Allowance monetary amount per unit/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ amountPerUnit/@codeListVersion
546	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Charge information/Charge monetary amount per unit/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ amountPerUnit/@codeListVersion
547	BDT00000526		1 .. 1	<b>Allowance basis monetary amount content</b> <i>Path:</i> Order response/Order response line/ Allowance information/Allowance basis monetary amount/Allowance basis monetary amount content		0 .. 1	<b>baseAmount</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/baseAmount

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
548	BDT00000614		1 .. 1	<b>Charge basis monetary amount content</b> <i>Path:</i> Order response/Order response line/ Charge information/Charge basis monetary amount/Charge basis monetary amount content		0 .. 1	<b>baseAmount</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/baseAmount
549	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Allowance information/Allowance basis monetary amount/Currency code/ Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ baseAmount/@currencyCode
550	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Charge information/Charge basis monetary amount/Currency code/ Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ baseAmount/@currencyCode
551	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Allowance information/Allowance basis monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ baseAmount/@codeListVersion
552	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Charge information/Charge basis monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ baseAmount/@codeListVersion
553	BDT00000533		1 .. 1	<b>Allowance quantity basis content</b> <i>Path:</i> Order response/Order response line/ Allowance information/Allowance quantity basis/Allowance quantity basis content		0 .. 1	<b>baseNumberOfUnits</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ baseNumberOfUnits

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
554	BDT00000753		1 .. 1	<b>Charge quantity basis content</b> <i>Path:</i> Order response/Order response line/ Charge information/Charge quantity basis/Charge quantity basis content		0 .. 1	<b>baseNumberOfUnits</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ baseNumberOfUnits
555	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/ Allowance information/Allowance quantity basis/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ baseNumberOfUnits/@measurementUnitCode
556	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/ Charge information/Charge quantity basis/Measurement unit code/ Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ baseNumberOfUnits/@measurementUnitCode
557	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Allowance information/Allowance quantity basis/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ baseNumberOfUnits/@codeListVersion
558	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Charge information/Charge quantity basis/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ baseNumberOfUnits/@codeListVersion
559	BDT00000012	.. 80	0 .. 1	<b>Bracket criteria</b> <i>Path:</i> Order response/Order response line/ Allowance information/Bracket criteria	1 .. 80	0 .. 1	<b>bracketIdentifier</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ bracketIdentifier
560	BDT00000012	.. 80	0 .. 1	<b>Bracket criteria</b> <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	<b>bracketIdentifier</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Charge information/Bracket criteria			orderResponseLineItem/allowanceCharge/bracketIdentifier
561	BDT00000530	.. 80	1 .. 1	<b>Allowance effective date type code content</b> <i>Path:</i> Order response/Order response line/Allowance information/Allowance effective date type code/Allowance effective date type code content	1 .. 80	0 .. 1	<b>effectiveDateType</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/allowanceCharge/effectiveDateType
562	BDT00000615	.. 80	1 .. 1	<b>Charge effective date type code content</b> <i>Path:</i> Order response/Order response line/Charge information/Charge effective date type code/Charge effective date type code content	1 .. 80	0 .. 1	<b>effectiveDateType</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/allowanceCharge/effectiveDateType
563	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Allowance information/Allowance effective date type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/allowanceCharge/effectiveDateType/@codeListVersion
564	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Charge information/Charge effective date type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/allowanceCharge/effectiveDateType/@codeListVersion
565	BDT00000014		0 .. 1	<b>Calculation sequence number</b> <i>Path:</i> Order response/Order response line/Allowance information/Calculation sequence number		0 .. 1	<b>sequenceNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/allowanceCharge/sequenceNumber
566	BDT00000014		0 .. 1	<b>Calculation sequence number</b> <i>Path:</i> Order response/Order response line/Charge information/Calculation sequence number		0 .. 1	<b>sequenceNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/allowanceCharge/sequenceNumber
	BDT00000534						

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
567		.. 80	1 .. 1	<b>Special service type code content</b> <i>Path:</i> Order response/Order response line/ Allowance information/Special service type code/Special service type code content	1 .. 80	0 .. 1	<b>specialServiceType</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ specialServiceType
568	BDT00000534	.. 80	1 .. 1	<b>Special service type code content</b> <i>Path:</i> Order response/Order response line/ Charge information/Special service type code/Special service type code content	1 .. 80	0 .. 1	<b>specialServiceType</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ specialServiceType
569	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Allowance information/Special service type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ specialServiceType/@codeListVersion
570	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Charge information/Special service type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ specialServiceType/@codeListVersion
571	BDT00000527	.. 70	1 .. 1	<b>Allowance description content</b> <i>Path:</i> Order response/Order response line/ Allowance information/Allowance description/Allowance description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeDescription/description
572	BDT00000573	.. 70	1 .. 1	<b>Charge description content</b> <i>Path:</i> Order response/Order response line/ Charge information/Charge description/Charge description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeDescription/description
573	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Allowance information/Allowance description/Language code/Language	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeDescription/description/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
574	BDT00000524	.. 80	1 .. 1	code content <b>Language code content</b> <i>Path:</i> Order response/Order response line/ Charge information/Charge description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeDescription/description/@languageCode
575	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Allowance information/Allowance description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeDescription/description/ @codeListVersion
576	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Charge information/Charge description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeDescription/description/ @codeListVersion
577	BDT00000538	.. 80	1 .. 1	<b>Tax accounting currency code content</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax accounting currency code/Tax accounting currency code content	1 .. 80	0 .. 1	<b>dutyFeeTaxAccountingCurrency</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAccountingCurrency
578	BDT00000538	.. 80	1 .. 1	<b>Tax accounting currency code content</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax accounting currency code/Tax accounting currency code content	1 .. 80	0 .. 1	<b>dutyFeeTaxAccountingCurrency</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAccountingCurrency
579	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax accounting currency code/Code list	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAccountingCurrency/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
580	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax accounting currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAccountingCurrency/@codeListVersion
581	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAgencyName
582	BDT00000370	.. 80	0 .. 1	<b>Customs authority name</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Customs authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAgencyName
583	BDT00000562		1 .. 1	<b>Tax monetary amount content</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax monetary amount/Tax monetary amount content		0 .. 1	<b>dutyFeeTaxAmount</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmount
584	BDT00000562		1 .. 1	<b>Tax monetary amount content</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax monetary amount/Tax monetary amount content		0 .. 1	<b>dutyFeeTaxAmount</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmount
585	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax monetary amount/Currency code/ Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmount/@currencyCode
	BDT00000589						

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
586		.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax monetary amount/Currency code/ Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmount/@currencyCode
587	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmount/@codeListVersion
588	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax monetary amount/Currency code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmount/@codeListVersion
589	BDT00000561		1 .. 1	<b>Tax monetary amount in accounting currency content</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax monetary amount in accounting currency/Tax monetary amount in accounting currency content		0 .. 1	<b>dutyFeeTaxAmountInAccountingCurrency</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmountInAccountingCurrency
590	BDT00000561		1 .. 1	<b>Tax monetary amount in accounting currency content</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax monetary amount in accounting currency/Tax monetary amount in accounting currency content		0 .. 1	<b>dutyFeeTaxAmountInAccountingCurrency</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmountInAccountingCurrency
591	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b>	1 .. 80		<b>currencyCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Applicable tax information/Tax monetary amount in accounting currency/Currency code/Currency code content			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmountInAccountingCurrency/ @currencyCode
592	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmountInAccountingCurrency/ @currencyCode
593	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax monetary amount in accounting currency/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmountInAccountingCurrency/ @codeListVersion
594	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax monetary amount in accounting currency/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmountInAccountingCurrency/ @codeListVersion
595	BDT00000559		1 .. 1	<b>Taxable monetary amount content</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Taxable monetary amount/Taxable monetary amount content		0 .. 1	<b>dutyFeeTaxBasisAmount</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmount
596	BDT00000559		1 .. 1	<b>Taxable monetary amount content</b> <i>Path:</i> Order response/Order response line/		0 .. 1	<b>dutyFeeTaxBasisAmount</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Applicable customs duty information/ Taxable monetary amount/Taxable monetary amount content			orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmount
597	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Taxable monetary amount/Currency code/ Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmount/@currencyCode
598	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Taxable monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmount/@currencyCode
599	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Taxable monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmount/@codeListVersion
600	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Taxable monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmount/@codeListVersion
601	BDT00000560		1 .. 1	<b>Taxable monetary amount in accounting currency content</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Taxable monetary amount in accounting currency/Taxable monetary amount in accounting currency content		0 .. 1	<b>dutyFeeTaxBasisAmountInAccountingCurrency</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmountInAccountingCurrency

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
602	BDT00000560		1 .. 1	<b>Taxable monetary amount in accounting currency content</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Taxable monetary amount in accounting currency/Taxable monetary amount in accounting currency content		0 .. 1	<b>dutyFeeTaxBasisAmountInAccountingCurrency</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmountInAccountingCurrency
603	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmountInAccountingCurrency/ @currencyCode
604	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Taxable monetary amount in accounting currency/Currency code/ Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmountInAccountingCurrency/ @currencyCode
605	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmountInAccountingCurrency/ @codeListVersion
606	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Taxable monetary amount in accounting currency/Currency code/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmountInAccountingCurrency/ @codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Code list version			
607	BDT00000537	.. 80	1 .. 1	<b>Tax category code content</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax category code/Tax category code content	1 .. 80	0 .. 1	<b>dutyFeeTaxCategoryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxCategoryCode
608	BDT00000537	.. 80	1 .. 1	<b>Tax category code content</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax category code/Tax category code content	1 .. 80	0 .. 1	<b>dutyFeeTaxCategoryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxCategoryCode
609	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax category code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxCategoryCode/@codeListVersion
610	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax category code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxCategoryCode/@codeListVersion
611	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxDescription
612	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxDescription
613	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				description/Language code/Language code content			dutyFeeTaxDescription/@languageCode
614	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxDescription/@languageCode
615	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxDescription/@codeListVersion
616	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxDescription/@codeListVersion
617	BDT00000574	.. 70	1 .. 1	<b>Tax exemption reason description content</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax exemption reason description/Tax exemption reason description content	1 .. 80	0 .. 1	<b>dutyFeeTaxExemptionDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxExemptionDescription
618	BDT00000574	.. 70	1 .. 1	<b>Tax exemption reason description content</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax exemption reason description/Tax exemption reason description content	1 .. 80	0 .. 1	<b>dutyFeeTaxExemptionDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxExemptionDescription
619	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				exemption reason description/ Language code/Language code content			dutyFeeTaxExemptionDescription/@languageCode
620	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax exemption reason description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxExemptionDescription/@languageCode
621	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax exemption reason description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxExemptionDescription/@codeListVersion
622	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax exemption reason description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxExemptionDescription/@codeListVersion
623	BDT00000575	.. 80	1 .. 1	<b>Tax exemption reason code content</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax exemption reason code/Tax exemption reason code content	1 .. 80	0 .. 1	<b>dutyFeeTaxExemptionReason</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxExemptionReason
624	BDT00000575	.. 80	1 .. 1	<b>Tax exemption reason code content</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax exemption reason code/Tax exemption reason code content	1 .. 80	0 .. 1	<b>dutyFeeTaxExemptionReason</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxExemptionReason
625	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				exemption reason code/Code list version			dutyFeeTaxExemptionReason/@codeListVersion
626	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax exemption reason code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxExemptionReason/@codeListVersion
627	BDT00000371		0 .. 1	<b>Tax rate</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax rate		0 .. 1	<b>dutyFeeTaxPercentage</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxPercentage
628	BDT00000374		0 .. 1	<b>Customs duty rate</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Customs duty rate		0 .. 1	<b>dutyFeeTaxPercentage</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxPercentage
629	BDT00000377		0 .. 1	<b>Tax point date</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax point date		0 .. 1	<b>dutyFeeTaxPointDate</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxPointDate
630	BDT00000377		0 .. 1	<b>Tax point date</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax point date		0 .. 1	<b>dutyFeeTaxPointDate</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxPointDate
631	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxTypeCode
632	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Applicable customs duty information/ Tax type code/Tax type code content			orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxTypeCode
633	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxTypeCode/@codeListVersion
634	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxTypeCode/@codeListVersion
635	BDT00000683		1 .. 1	<b>Confirmed quantity content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Confirmed quantity/ Confirmed quantity content		1 .. 1	<b>confirmedQuantity</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ confirmedQuantity
636	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Confirmed quantity/ Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ confirmedQuantity/@measurementUnitCode
637	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Confirmed quantity/ Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ confirmedQuantity/@codeListVersion
638	BDT00000568	.. 80	1 .. 1	<b>Transport cargo type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 80	0 .. 1	<b>commodityTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Transport cargo type code/Transport cargo type code content			orderLogisticalInformation/commodityTypeCode
639	BDT00000022	.. 80	0 .. 1	<b>Code description</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Transport cargo type code/Code description	1 .. 80		<b>codeDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/commodityTypeCode/ @codeDescription
640	BDT00000023	.. 80	0 .. 1	<b>Code list agency code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Transport cargo type code/Code list agency code	1 .. 80		<b>codeListAgencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/commodityTypeCode/ @codeListAgencyCode
641	BDT00000024	.. 35	0 .. 1	<b>Code list agency code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Transport cargo type code/Code list agency code list version	1 .. 35		<b>codeListAgencyCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/commodityTypeCode/ @codeListAgencyCodeListVersion
642	BDT00000025	.. 80	0 .. 1	<b>Code list agency name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Transport cargo type code/Code list agency name	1 .. 80		<b>codeListAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/commodityTypeCode/ @codeListAgencyName
643	BDT00000026	.. 80	0 .. 1	<b>Code list name</b>	1 .. 80		<b>codeListName</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Transport cargo type code/Code list name			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/commodityTypeCode/ @codeListName
644	BDT00000027	.. 500	0 .. 1	<b>Code list URL</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Transport cargo type code/Code list URL			<b>codeListURI</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/commodityTypeCode/ @codeListURI
645	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Transport cargo type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/commodityTypeCode/ @codeListVersion
646	BDT00000788		0 .. 1	<b>Logistic label customer information</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistic label customer information		0 .. 1	<b>logisticLabelCustomerText</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/logisticLabelCustomerText
647	BDT00000567	.. 80	1 .. 1	<b>Shipment split method code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment split method code/Shipment split method code content	1 .. 80	0 .. 1	<b>shipmentSplitMethodCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipmentSplitMethodCode
	BDT00000028						

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
648		.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment split method code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipmentSplitMethodCode/ @codeListVersion
649	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/gln
650	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ additionalPartyIdentification
651	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
652	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ additionalPartyIdentification/@codeListVersion
653	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/city
654	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/cityCode
655	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/ Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/countryCode
656	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/ Country code/Code list version			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/ countryCode/@codeListVersion
657	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/countryCode
658	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/crossStreet
659	BDT000000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Currency of party code/ Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/ currencyOfPartyCode
660	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Currency of party code/ Code list version			orderLogisticalInformation/shipFrom/address/ currencyOfPartyCode/@codeListVersion
661	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/ languageOfThePartyCode
662	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/ languageOfThePartyCode/@codeListVersion
663	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/name
664	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Ship from party information/Address information/Post office box number			orderLogisticalInformation/shipFrom/address/ pOBoxNumber
665	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/postalCode
666	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/ Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/ provinceCode
667	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/state
668	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/ streetAddressOne

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
669	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/ streetAddressTwo
670	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/ streetAddressThree
671	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/ geographicalCoordinates/latitude
672	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/ geographicalCoordinates/longitude
673	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b>	1 .. 80	0 .. 1	<b>contactTypeCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Contact type code/Contact type code content			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ contactTypeCode
674	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ contactTypeCode/@codeListVersion
675	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/contact/personName
676	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ departmentName
677	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order response/Order response line/	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Job title			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/contact/jobTitle
678	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/contact/responsibility
679	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/contact/responsibility/@languageCode
680	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/contact/responsibility/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
681	BDT00000525		1 .. 1	information/Business contact responsibility description/Language code/Code list version  <b>Communication channel code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/contact/communicationChannel/communicationChannelCode
682	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/contact/communicationChannel/communicationChannelCode/@codeListVersion
683	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Communication information/Communication channel	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/contact/communicationChannel/communicationValue

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification			
684	BDT000000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ communicationChannel/communicationChannelName
685	BDT000000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ afterHoursCommunicationChannel/ communicationChannelCode
686	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
687	BDT000000032	.. 200	1 .. 1	<b>Communication channel identification</b>	1 .. 200	1 .. 1	<b>communicationValue</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel identification			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ afterHoursCommunicationChannel/communicationValue
688	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ afterHoursCommunicationChannel/ communicationChannelName
689	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
690	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			@identificationSchemeAgencyCode
691	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
692	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
693	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order response/Order response line/	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
694	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
695	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
696	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxAgencyName

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
697	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription
698	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
699	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
700	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration type code/	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
701	BDT00000028	.. 35	0 .. 1	Tax registration type code content <b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration type code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
702	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ organisationName
703	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ issuedCapital
704	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Issued capital/Currency	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ issuedCapital/@currencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
705	BDT00000028	.. 35	0 .. 1	<b>code/Currency code content</b> <b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ issuedCapital/@codeListVersion
706	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ legalStructure
707	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ legalStructure/@languageCode
708	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Ship from party information/Organisation legal information/Legal structure description/Language code/Code list version			legalStructure/@codeListVersion
709	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/city
710	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/cityCode
711	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/countryCode
712	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Ship from party information/Organisation legal information/Official address/Country code/Code list version			officialAddress/countryCode/@codeListVersion
713	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/countyCode
714	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/crossStreet
715	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/pOBoxNumber
716	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Postal code			orderLogisticalInformation/shipFrom/organisationDetails/ officialAddress/postalCode
717	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ officialAddress/provinceCode
718	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ officialAddress/state
719	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ officialAddress/streetAddressOne
720	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Ship from party information/Organisation legal information/Official address/Street address two			officialAddress/streetAddressTwo
721	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/streetAddressThree
722	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/geographicalCoordinates/latitude
723	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/geographicalCoordinates/longitude
724	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b>	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Registered legal information/Legal registration number			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ legalRegistration/legalRegistrationNumber
725	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ legalRegistration/legalRegistrationType
726	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
727	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Registered legal information/Legal registration additional information			
728	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/financialInstitutionName
729	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/ financialInstitutionBranchName
730	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/financialAccount/ financialAccountNumber
731	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b>	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content			orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
732	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
733	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/financialAccount/ financialAccountName
734	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number			financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
735	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
736	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
737	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Additional financial institution description/ Additional financial institution description content			financialInstitutionInformation/ additionalFinancialInformation/description
738	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
739	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
740	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/address/city

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
741	BDT00000019	.. 80	0 .. 1	financial account information/Address information/City name <b>City code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/cityCode
742	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/countryCode
743	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/countryCode/@codeListVersion
744	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/County code			orderLogisticalInformation/shipFrom/ financialInstitutionInformation/address/countyCode
745	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/address/crossStreet
746	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/address/name
747	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/address/pOBoxNumber
748	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Postal code			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/postalCode
749	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/provinceCode
750	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/state
751	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/streetAddressOne
752	BDT00000130	.. 200	0 .. 1	<b>Street address two</b>	1 .. 200	0 .. 1	<b>streetAddressTwo</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Street address two			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/address/streetAddressTwo
753	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/address/ streetAddressThree
754	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
755	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/address/ geographicalCoordinates/longitude

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
756	BDT00000063	13 .. 13	0 .. 1	information/Geographical coordinates information/Longitude <b>Global location number GLN</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Global location number GLN	0 .. 1		<b>gln</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/gln
757	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ additionalPartyIdentification
758	BDT000000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
759	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Ship to party information/Additional party identification information/Additional party identification type code/Code list version			additionalPartyIdentification/@codeListVersion
760	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/address/city
761	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/address/cityCode
762	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/address/countryCode
763	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/address/countryCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
764	BDT00000034	.. 80	0 .. 1	information/Address information/ Country code/Code list version  <b>County code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/countyCode
765	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/crossStreet
766	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Currency of party code/ Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/ currencyOfPartyCode
767	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Currency of party code/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/ currencyOfPartyCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
768	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/ languageOfThePartyCode
769	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/ languageOfThePartyCode/@codeListVersion
770	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/name
771	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/pOBoxNumber

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
772	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/postalCode
773	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/ Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/provinceCode
774	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/state
775	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/ streetAddressOne
776	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Ship to party information/Address information/Street address two			streetAddressTwo
777	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/address/streetAddressThree
778	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/address/geographicalCoordinates/latitude
779	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/address/geographicalCoordinates/longitude
780	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/contact/contactTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
781	BDT00000028	.. 35	0 .. 1	information/Business contact information/Contact type code/Contact type code content  <b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/contact/ contactTypeCode/@codeListVersion
782	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/contact/personName
783	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/contact/ departmentName
784	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/contact/jobTitle

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
785	BDT00000580	.. 70	1 .. 1	information/Job title <b>Business contact responsibility description content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/contact/responsibility
786	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/contact/responsibility/@languageCode
787	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/contact/responsibility/@codeListVersion
788	BDT00000525		1 .. 1	<b>Communication channel code content</b>	1 .. 80	1 .. 1	<b>communicationChannelCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/Communication information/Communication channel code/Communication channel code content			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/contact/ communicationChannel/communicationChannelCode
789	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
790	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/contact/ communicationChannel/communicationValue
791	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Ship to party information/Business contact information/Communication information/Communication channel name			orderLogisticalInformation/shipTo/contact/ communicationChannel/communicationChannelName
792	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/contact/ afterHoursCommunicationChannel/ communicationChannelCode
793	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
794	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/contact/ afterHoursCommunicationChannel/communicationValue

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/After hours communication information/Communication channel identification			
795	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/contact/ afterHoursCommunicationChannel/ communicationChannelName
796	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
797	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			
798	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
799	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
800	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration identification information/Identification scheme information/Identification scheme name			
801	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
802	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
803	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
804	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Ship to party information/Tax registration information/Tax description/Tax description content			dutyFeeTaxRegistration/dutyFeeTaxDescription
805	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
806	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
807	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
808	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration type code/ Code list version			orderLogisticalInformation/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
809	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ organisationName
810	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ issuedCapital
811	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ issuedCapital/@currencyCode
812	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Issued capital/Currency code/Code list version			orderLogisticalInformation/shipTo/organisationDetails/ issuedCapital/@codeListVersion
813	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ legalStructure
814	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ legalStructure/@languageCode
815	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Legal structure description/Language code/Code list	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ legalStructure/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
816	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/city
817	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/cityCode
818	BDT00000074		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/countryCode
819	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/countryCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
820	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/countyCode
821	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/crossStreet
822	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/pOBoxNumber
823	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/postalCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
824	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/provinceCode
825	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/state
826	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/streetAddressOne
827	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/streetAddressTwo

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
828	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/streetAddressThree
829	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/geographicalCoordinates/latitude
830	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/geographicalCoordinates/longitude
831	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ legalRegistration/legalRegistrationNumber

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
832	BDT00000658	.. 80	1 .. 1	information/Organisation legal information/Registered legal information/Legal registration number  <b>Legal registration type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ legalRegistration/legalRegistrationType
833	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
834	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
835	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/financialInstitutionName
836	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/ financialInstitutionBranchName
837	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/financialAccount/ financialAccountNumber
838	BDT00000065	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content			
839	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
840	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialAccount/financialAccountName
841	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial institution routing number information/	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
842	BDT00000644	.. 80	1 .. 1	Financial routing number <b>Financial routing number type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial institution routing number information/ Financial routing number type code/ Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode
843	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial institution routing number information/ Financial routing number type code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
844	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Additional	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/ additionalFinancialInformation/description

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
845	BDT00000524	.. 80	1 .. 1	financial institution description/ Additional financial institution description content  <b>Language code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
846	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
847	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/city
848	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/City code			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/cityCode
849	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/countryCode
850	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/countryCode/@codeListVersion
851	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/countryCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
852	BDT00000035	.. 200	0 .. 1	information/County code <b>Cross street</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/crossStreet
853	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/name
854	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/pOBoxNumber
855	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/postalCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
856	BDT00000117	80 ..	0 .. 1	financial account information/Address information/Postal code <b>Province identity</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/provinceCode
857	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/state
858	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/streetAddressOne
859	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/streetAddressTwo

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
860	BDT00000129	.. 200	0 .. 1	information/Financial institution and financial account information/Address information/Street address two <b>Street address three</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/streetAddressThree
861	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/geographicalCoordinates/latitude
862	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/geographicalCoordinates/longitude
863	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order response/Order response line/		0 .. 1	<b>gln</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Global location number GLN			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/gln
864	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/additionalPartyIdentification
865	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
866	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Additional party identification information/Additional party identification type code/Code list	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
867	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/city
868	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ cityCode
869	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/ Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ countryCode
870	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/ Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ countryCode/@codeListVersion
871	BDT00000034	.. 80	0 .. 1	<b>County code</b>	1 .. 80	0 .. 1	<b>countyCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/County code			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ countyCode
872	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ crossStreet
873	BDT000000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Currency of party code/ Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ currencyOfPartyCode
874	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Currency of party code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ currencyOfPartyCode/@codeListVersion
875	BDT000000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Language of the party code/Language code content			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/address/languageOfThePartyCode
876	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/address/languageOfThePartyCode/@codeListVersion
877	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/address/name
878	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/address/pOBoxNumber
879	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Storage location information/Address information/Postal code			orderLogisticalInformation/inventoryLocation/address/ postalCode
880	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/ Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ provinceCode
881	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ state
882	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ streetAddressOne
883	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ streetAddressTwo

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
884	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ streetAddressThree
885	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ geographicalCoordinates/latitude
886	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ geographicalCoordinates/longitude
887	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ contactTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
888	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ contactTypeCode/@codeListVersion
889	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ personName
890	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ departmentName
891	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ jobTitle
892	BDT000000580	.. 70	1 .. 1	<b>Business contact responsibility</b>	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<b>description content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/Business contact responsibility description/Business contact responsibility description content			orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ responsibility
893	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ responsibility/@languageCode
894	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ responsibility/@codeListVersion
895	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Storage location information/Business contact information/Communication information/Communication channel code/Communication channel code content			orderLogisticalInformation/inventoryLocation/contact/ communicationChannel/communicationChannelCode
896	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
897	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ communicationChannel/communicationValue
898	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ communicationChannel/communicationChannelName

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Communication information/Communication channel name			
899	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode
900	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
901	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/After hours communication	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ afterHoursCommunicationChannel/communicationValue

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
902	BDT00000033	.. 200	0 .. 1	information/Communication channel identification <b>Communication channel name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/afterHoursCommunicationChannel/communicationChannelName
903	BDT000000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
904	BDT000000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
905	BDT00000028	.. 35	0 .. 1	Identification scheme responsible agency code content  <b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
906	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
907	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Identification	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme information/Identification scheme name			
908	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
909	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
910	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
911	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Tax registration	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxDescription

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
912	BDT00000524	.. 80	1 .. 1	information/Tax description/Tax description content <b>Language code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
913	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
914	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
915	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax registration type code/ Code list version			@codeListVersion
916	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/organisationName
917	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/issuedCapital
918	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/issuedCapital/ @currencyCode
919	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/issuedCapital/ @codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
920	BDT00000659	.. 70	1 .. 1	information/Organisation legal information/Issued capital/Currency code/Code list version  <b>Legal structure description content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/legalStructure
921	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/legalStructure/@languageCode
922	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/legalStructure/@codeListVersion
923	BDT00000020	.. 200	0 .. 1	<b>City name</b>	1 .. 200	0 .. 1	<b>city</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/City name			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/officialAddress/city
924	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/officialAddress/cityCode
925	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/officialAddress/countryCode
926	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/officialAddress/countryCode/ @codeListVersion
927	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/County code			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/countyCode
928	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/crossStreet
929	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/pOBxNumber
930	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/postalCode
931	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Province identity			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/provinceCode
932	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/state
933	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/streetAddressOne
934	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/streetAddressTwo
935	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Street address three			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/streetAddressThree
936	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/geographicalCoordinates/latitude
937	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/geographicalCoordinates/longitude
938	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Registered legal	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/legalRegistration/legalRegistrationNumber

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
939	BDT00000658	.. 80	1 .. 1	information/Legal registration number <b>Legal registration type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/legalRegistration/ legalRegistrationType
940	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/legalRegistration/ legalRegistrationType/@codeListVersion
941	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/legalRegistration/ legalRegistrationAdditionalInformation
942	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution name			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialInstitutionName
943	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialInstitutionBranchName
944	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumber
945	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
946	BDT00000028	.. 35	0 .. 1	account information/Financial account number type code/Financial account number type code content  <b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
947	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountName
948	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
949	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code</b>	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<b>content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution routing number information/ Financial routing number type code/ Financial routing number type code content			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode
950	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution routing number information/ Financial routing number type code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
951	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Additional financial institution description/ Additional financial institution	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/ additionalFinancialInformation/description

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
952	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
953	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
954	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/city
955	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Storage location information/Financial institution and financial account information/Address information/City code			financialInstitutionInformation/address/cityCode
956	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/countryCode
957	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/countryCode/@codeListVersion
958	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/countyCode
959	BDT00000035	.. 200	0 .. 1	<b>Cross street</b>	1 .. 200	0 .. 1	<b>crossStreet</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Cross street			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/crossStreet
960	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/name
961	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/pOBoxNumber
962	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/postalCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
963	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/provinceCode
964	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/state
965	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/streetAddressOne
966	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/streetAddressTwo

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
967	BDT00000129	.. 200	0 .. 1	information/Street address two <b>Street address three</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/ streetAddressThree
968	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
969	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
970	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item		0 .. 1	<b>gln</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/gln

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
971	BDT00000578	.. 80	1 .. 1	logistical information/Ultimate consignee party information/Global location number GLN  <b>Additional party identification content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/additionalPartyIdentification
972	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
973	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
974	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/city
975	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ cityCode
976	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ countryCode
977	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ countryCode/@codeListVersion
978	BDT00000034	.. 80	0 .. 1	<b>County code</b>	1 .. 80	0 .. 1	<b>countyCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/County code			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ countyCode
979	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ crossStreet
980	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ currencyOfPartyCode
981	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Currency of party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ currencyOfPartyCode/@codeListVersion
982	BDT00000524	.. 80	1 .. 1	<b>Language code content</b>	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/ Language of the party code/Language code content			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ languageOfThePartyCode
983	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/ Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ languageOfThePartyCode/@codeListVersion
984	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ name
985	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ pOBoxNumber

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
986	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ postalCode
987	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ provinceCode
988	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ state
989	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ streetAddressOne
990	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Street address two			orderLogisticalInformation/ultimateConsignee/address/ streetAddressTwo
991	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ streetAddressThree
992	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ geographicalCoordinates/latitude
993	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ geographicalCoordinates/longitude
994	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Ultimate consignee party information/Business contact information/Contact type code/Contact type code content			contactTypeCode
995	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/contactTypeCode/@codeListVersion
996	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/personName
997	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/departmentName
998	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/jobTitle

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
999	BDT00000580	.. 70	1 .. 1	consignee party information/Business contact information/Job title <b>Business contact responsibility description content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/responsibility
100	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/responsibility/@languageCode
100	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/responsibility/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
100	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ communicationChannel/communicationChannelCode
100	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
100	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ communicationChannel/communicationValue
100	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Order response line/	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Communication information/Communication channel name			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/communicationChannel/communicationChannelName
100	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationChannelCode
100	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
100	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/After hours communication information/ Communication channel identification			orderLogisticalInformation/ultimateConsignee/contact/ afterHoursCommunicationChannel/communicationValue
100	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ afterHoursCommunicationChannel/ communicationChannelName
101	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
101	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			
101	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
101	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
101	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name			dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
101	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
101	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
101	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
101	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b>	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax description/Tax description content			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxDescription
101	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
102	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
102	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
102	BDT00000028	.. 35	0 .. 1	registration information/Tax registration type code/Tax registration type code content  <b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
102	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/organisationName
102	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/issuedCapital
102	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Ultimate consignee party information/ Organisation legal information/Issued capital/Currency code/Currency code content			organisationDetails/issuedCapital/@currencyCode
102	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/issuedCapital/@codeListVersion
102	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/legalStructure
102	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/legalStructure/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
102	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/legalStructure/@codeListVersion
103	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/city
103	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/cityCode
103	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/countryCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Country code/Country code content			
103	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/countryCode/@codeListVersion
103	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/countyCode
103	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/crossStreet
103	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Ultimate consignee party information/ Organisation legal information/Official address/Post office box number			organisationDetails/officialAddress/pOBoxNumber
103	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/postalCode
103	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/provinceCode
103	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/state
104	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/Street address one			orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/streetAddressOne
104	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/streetAddressTwo
104	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/streetAddressThree
104	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
104	BDT00000089	.. 80	1 .. 1	<b>Longitude</b>	1 .. 80	1 .. 1	<b>longitude</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
104	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/legalRegistration/ legalRegistrationNumber
104	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/legalRegistration/ legalRegistrationType
104	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Ultimate consignee party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version			organisationDetails/legalRegistration/ legalRegistrationType/@codeListVersion
104	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/legalRegistration/ legalRegistrationAdditionalInformation
104	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/financialInstitutionName
105	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/ financialInstitutionBranchName

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
105	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/financialAccount/ financialAccountNumber
105	BDT000000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
105	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
105	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/financialAccount/ financialAccountName
105	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber
105	BDT000000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
105	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
105	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/ additionalFinancialInformation/description
105	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
106	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
106	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/city
106	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/cityCode
106	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/ Country code/Country code content			orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/countryCode
106	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/ Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/countryCode/ @codeListVersion
106	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/countryCode
106	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/crossStreet

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
106	BDT00000106	.. 200	0 .. 1	information/Address information/Cross street <b>Party name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/name
106	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/pOBoxNumber
106	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/postalCode
107	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Province identity			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/provinceCode
107	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/state
107	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/streetAddressOne
107	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/streetAddressTwo

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
107	BDT00000129	.. 200	0 .. 1	information/Address information/Street address two <b>Street address three</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/streetAddressThree
107	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/geographicalCoordinates/latitude
107	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
107	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Global location number, GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/gln
107	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Additional party identification information/ Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ additionalPartyIdentification
107	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Additional party identification information/ Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
108	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				provider party information/Additional party identification information/Additional party identification type code/Code list version			
108	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/city
108	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/cityCode
108	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/countryCode
108	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/countryCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
108	BDT00000034	.. 80	0 .. 1	provider party information/Address information/Country code/Code list version  <b>County code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/countyCode
108	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/crossStreet
108	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/currencyOfPartyCode
108	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/currencyOfPartyCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
108	BDT00000524	.. 80	1 .. 1	legal information/Currency of party code/Code list version <b>Language code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/languageOfThePartyCode
109	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/languageOfThePartyCode/@codeListVersion
109	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/name
109	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/pOBoxNumber

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
109	BDT00000114	.. 80	0 .. 1	information/Post office box number <b>Postal code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/postalCode
109	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/provinceCode
109	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/state
109	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/streetAddressOne
109	BDT00000130	.. 200	0 .. 1	<b>Street address two</b>	1 .. 200	0 .. 1	<b>streetAddressTwo</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/Street address two			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/streetAddressTwo
109	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/streetAddressThree
109	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/geographicalCoordinates/latitude
110	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/geographicalCoordinates/longitude
110	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Contact type code/Contact type code content			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/contactTypeCode
110	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/contactTypeCode/@codeListVersion
110	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/personName
110	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/departmentName
110	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Job title			orderLogisticalInformation/intermediateDeliveryParty/ contact/jobTitle
110	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ contact/responsibility
110	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ contact/responsibility/@languageCode
110	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Business contact	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ contact/responsibility/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				responsibility description/Language code/Code list version			
110	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/communicationChannel/communicationChannelCode
111	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/communicationChannel/communicationChannelCode/@codeListVersion
111	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/communicationChannel/communicationValue

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
111	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ contact/communicationChannel/ communicationChannelName
111	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ contact/afterHoursCommunicationChannel/ communicationChannelCode
111	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ contact/afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
111	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b>	1 .. 200	1 .. 1	<b>communicationValue</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/After hours communication information/ Communication channel identification			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ contact/afterHoursCommunicationChannel/ communicationValue
111	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ contact/afterHoursCommunicationChannel/ communicationChannelName
111	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
111	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version			@identificationSchemeAgencyCodeCodeListVersion
111	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
112	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
112	BDT000000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
112	BDT00000028	.. 35	0 .. 1	provider party information/Tax registration information/Tax type code/ Tax type code content  <b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax type code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
112	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
112	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxDescription
112	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Logistics services provider party information/Tax registration information/Tax description/Language code/Language code content			dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
112	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
112	BDT00000058	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
112	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
112	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/organisationName
113	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/issuedCapital
113	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Issued capital/ Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/issuedCapital/ @currencyCode
113	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Issued capital/ Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/issuedCapital/ @codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
113	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/legalStructure
113	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/legalStructure/@languageCode
113	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/legalStructure/@codeListVersion
113	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Logistics services provider party information/Organisation legal information/Official address/City name			organisationDetails/officialAddress/city
113	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/cityCode
113	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/countryCode
113	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/countryCode/@codeListVersion
114	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/ County code			orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/countyCode
114	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/crossStreet
114	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/pOBoxNumber
114	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/postalCode
114	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Province identity			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/provinceCode
114	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/state
114	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/streetAddressOne
114	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/streetAddressTwo
114	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Street address three			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/streetAddressThree
114	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/geographicalCoordinates/latitude
115	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/geographicalCoordinates/longitude
115	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Registered legal	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalRegistration/legalRegistrationNumber

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
115	BDT00000658	.. 80	1 .. 1	information/Legal registration number <b>Legal registration type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/legalRegistration/ legalRegistrationType
115	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/legalRegistration/ legalRegistrationType/@codeListVersion
115	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/legalRegistration/ legalRegistrationAdditionalInformation
115	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution name			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialInstitutionName
115	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialInstitutionBranchName
115	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialAccount/financialAccountNumber
115	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content			
115	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
116	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialAccount/financialAccountName
116	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
116	BDT00000644	.. 80	1 .. 1	information/Financial institution routing number information/Financial routing number <b>Financial routing number type code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
116	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialRoutingNumberTypeCode/@codeListVersion
116	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/additionalFinancialInformation/description

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				provider party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content			
116	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
116	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
116	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/city

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution and financial account information/Address information/City name			
116	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/cityCode
116	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/countryCode
117	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/countryCode/@codeListVersion
117	BDT00000034	.. 80	0 .. 1	<b>County code</b>	1 .. 80	0 .. 1	<b>countyCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/County code			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/address/countyCode
117	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/address/crossStreet
117	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/address/name
117	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/address/pOBoxNumber

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				provider party information/Financial institution and financial account information/Address information/Post office box number			
117	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/postalCode
117	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/provinceCode
117	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/state
117	BDT00000128	.. 200	0 .. 1	<b>Street address one</b>	1 .. 200	0 .. 1	<b>streetAddressOne</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Street address one			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/address/streetAddressOne
117	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/address/streetAddressTwo
118	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/address/ streetAddressThree
118	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/address/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				provider party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude			geographicalCoordinates/latitude
118	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/geographicalCoordinates/longitude
118	BDT00000009		0 .. 1	<b>Begin period date</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery time period/Begin period date		0 .. 1	<b>beginDate</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRange/beginDate
118	BDT00000010		0 .. 1	<b>Begin time period</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery time period/Begin time period		0 .. 1	<b>beginTime</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRange/beginTime

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
118	BDT00000054		0 .. 1	<b>End date period</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested delivery time period/End date period		0 .. 1	<b>endDate</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedDeliveryDateRange/endDate
118	BDT00000055		0 .. 1	<b>End time period</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested delivery time period/End time period		0 .. 1	<b>endTime</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedDeliveryDateRange/endTime
118	BDT00000009		0 .. 1	<b>Begin period date</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested ship date time period/Begin period date		0 .. 1	<b>beginDate</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedShipDateRange/beginDate
118	BDT00000010		0 .. 1	<b>Begin time period</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested ship date time period/Begin		0 .. 1	<b>beginTime</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedShipDateRange/beginTime

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
118	BDT00000054		0 .. 1	time period <b>End date period</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested ship date time period/End date period		0 .. 1	<b>endDate</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedShipDateRange/endDate
119	BDT00000055		0 .. 1	<b>End time period</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested ship date time period/End time period		0 .. 1	<b>endTime</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedShipDateRange/endTime
119	BDT00000009		0 .. 1	<b>Begin period date</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested delivery date time period at ultimate consignee/Begin period date		0 .. 1	<b>beginDate</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedDeliveryDateRangeAtUltimateConsignee/ beginDate
119	BDT00000010		0 .. 1	<b>Begin time period</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/		0 .. 1	<b>beginTime</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedDeliveryDateRangeAtUltimateConsignee/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Requested delivery date time period at ultimate consignee/Begin time period			beginTime
119	BDT00000054		0 .. 1	<b>End date period</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time period at ultimate consignee/End date period		0 .. 1	<b>endDate</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRangeAtUltimateConsignee/endDate
119	BDT00000055		0 .. 1	<b>End time period</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time period at ultimate consignee/End time period		0 .. 1	<b>endTime</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRangeAtUltimateConsignee/endTime
119	BDT00000040		0 .. 1	<b>Date</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time/Date		1 .. 1	<b>date</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateTime/date
119	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/		0 .. 1	<b>time</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateTime/time

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
119	BDT00000040		0 .. 1	Requested delivery date time/Time <b>Date</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested ship date time/Date		1 .. 1	<b>date</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/requestedShipDateTime/ date
119	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested ship date time/Time		0 .. 1	<b>time</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/requestedShipDateTime/ time
119	BDT00000040		0 .. 1	<b>Date</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested date time for pick up/Date		1 .. 1	<b>date</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedPickUpDateTime/date
120	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested date time for pick up/Time		0 .. 1	<b>time</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedPickUpDateTime/time
120	BDT00000040		0 .. 1	<b>Date</b>		1 .. 1	<b>date</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested delivery date time at ultimate consignee/Date			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedDeliveryDateTimeAtUltimateConsignee/date
120	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested delivery date time at ultimate consignee/Time		0 .. 1	<b>time</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedDeliveryDateTimeAtUltimateConsignee/time
120	BDT00000647	.. 80	1 .. 1	<b>Handling instruction code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Handling instruction code/Handling instruction code content	1 .. 80	0 .. unbounded	<b>handlingInstructionCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ handlingInstructionCode
120	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Handling instruction code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ handlingInstructionCode/@codeListVersion
120	BDT00000687	.. 80	1 .. 1	<b>Transport means type code content</b>	1 .. 80	0 .. 1	<b>transportMeansType</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport means type code/Transport means type code content			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/transportMeansType
120	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport means type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ transportMeansType/@codeListVersion
120	BDT000000625	.. 80	0 .. 1	<b>Transport means identification content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Transport means identification content	1 .. 80	0 .. 1	<b>transportMeansID</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/transportMeansID
120	BDT000000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Identification scheme information/Identification	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeAgencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
120	BDT00000028	.. 35	0 .. 1	scheme responsible agency code/ Identification scheme responsible agency code content  <b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeAgencyCodeCodeListVersion
121	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeAgencyName
121	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeName

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
121	BDT00000688	.. 80	1 .. 1	<b>Transport mode code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport mode code/Transport mode code content	1 .. 80	0 .. 1	<b>transportServiceCategoryType</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ transportServiceCategoryType
121	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport mode code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ transportServiceCategoryType/@codeListVersion
121	BDT00000689	.. 80	1 .. 1	<b>Transport service level code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport service level code/Transport service level code content	1 .. 80	0 .. 1	<b>transportServiceLevelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ transportServiceLevelCode
121	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport service level code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ transportServiceLevelCode/@codeListVersion
121	BDT00000626	.. 80	1 .. 1	<b>Transport route identification content</b>	1 .. 80	0 .. 1	<b>routeID</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Transport route identification content			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/routeID
121	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/routeID/ @identificationSchemeAgencyCode
121	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/routeID/ @identificationSchemeAgencyCodeCodeListVersion
121	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order response/Order response line/	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme agency name			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/routeID/@identificationSchemeAgencyName
122	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/routeID/@identificationSchemeName
122	BDT000000648	.. 70	1 .. 1	<b>Handling instruction description content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Handling instruction description/Handling instruction description content	1 .. 100	0 .. unbounded	<b>additionalHandlingInstruction</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/additionalHandlingInstruction
122	BDT000000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Handling instruction description/Language code/	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/additionalHandlingInstruction/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
122	BDT00000028	.. 35	0 .. 1	Language code content <b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Handling instruction description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ additionalHandlingInstruction/@codeListVersion
122	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Global location number, GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/gln
122	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ additionalPartyIdentification
122	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification type code/Additional party identification type code content			additionalPartyIdentification/@additionalPartyIdentificationTypeCode
122	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/additionalPartyIdentification/@codeListVersion
122	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/city
122	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/City	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/cityCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
123	BDT00000774		1 .. 1	code <b>Country code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/ Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ countryCode
123	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/ Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ countryCode/@codeListVersion
123	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ countyCode
123	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ crossStreet

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/Cross street			
123	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/currencyOfPartyCode
123	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/currencyOfPartyCode/@codeListVersion
123	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/languageOfThePartyCode
123	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Language of the party code/Code list version			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/languageOfThePartyCode/@codeListVersion
123	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/name
123	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/pOBoxNumber
124	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/postalCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
124	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/ Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ provinceCode
124	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/state
124	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ streetAddressOne
124	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ streetAddressTwo

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
124	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ streetAddressThree
124	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ geographicalCoordinates/latitude
124	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ geographicalCoordinates/longitude
124	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Carrier party information/Business contact information/Contact type code/Contact type code content			contactTypeCode
124	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/contactTypeCode/@codeListVersion
125	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/personName
125	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/departmentName
125	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order response/Order response line/	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Job title			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/jobTitle
125	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/responsibility
125	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/responsibility/@languageCode
125	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Language code/Code list version			orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ responsibility/@codeListVersion
125	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationChannelCode
125	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
125	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Order response line/	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Communication information/Communication channel identification			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/communicationChannel/communicationValue
125	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/communicationChannel/communicationChannelName
126	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationChannelCode
126	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
126	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationValue
126	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationChannelName
126	BDT000000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order response/Order response line/	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Tax registration identification content			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
126	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
126	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
126	BDT00000073	.. 80	0 .. 1	scheme responsible agency code/Code list version  <b>Identification scheme agency name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
126	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
126	BDT000000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
127	BDT00000028	.. 35	0 .. 1	information/Tax type code/Tax type code content <b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
127	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
127	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxDescription
127	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax description/Language code/Language code content			orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
127	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
127	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
127	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
127	BDT00000102	.. 200	1 .. 1	information/Tax registration type code/ Code list version <b>Organisation name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/organisationName
127	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/issuedCapital
127	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/issuedCapital/@currencyCode
128	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Issued capital/Currency code/Code list version			orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/issuedCapital/@codeListVersion
128	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/legalStructure
128	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/legalStructure/@languageCode
128	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Carrier party information/Organisation legal information/Legal structure description/Language code/Code list version			organisationDetails/legalStructure/@codeListVersion
128	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/city
128	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/cityCode
128	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/countryCode
128	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Country code/Code list version			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/countryCode/ @codeListVersion
128	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/countyCode
128	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/crossStreet
129	BDT000000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Carrier party information/Organisation legal information/Official address/Post office box number			organisationDetails/officialAddress/pOBoxNumber
129	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/postalCode
129	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/provinceCode
129	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/state
129	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Street address one			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/streetAddressOne
129	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/streetAddressTwo
129	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/streetAddressThree
129	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude			geographicalCoordinates/latitude
129	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
129	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/legalRegistration/ legalRegistrationNumber
130	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Registered legal	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/legalRegistration/ legalRegistrationType

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
130	BDT00000028	.. 35	0 .. 1	information/Legal registration type code/Legal registration type code content <b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
130	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
130	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialInstitutionName

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
130	BDT00000060	.. 80	0 .. 1	institution name <b>Financial institution division name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/ financialInstitutionBranchName
130	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialAccount/ financialAccountNumber
130	BDT000000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
130	BDT00000028	.. 35	0 .. 1	number type code content <b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
130	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialAccount/ financialAccountName
130	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution routing number information/ Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
131	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
131	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
131	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content			
131	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
131	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
131	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/city

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
131	BDT00000019	.. 80	0 .. 1	information/Financial institution and financial account information/Address information/City name  <b>City code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/cityCode
131	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/countryCode
131	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Country code/Code list	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/countryCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
131	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/countyCode
132	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/crossStreet
132	BDT000000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/name
132	BDT000000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Post office box number			orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/pOBoxNumber
132	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/postalCode
132	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/provinceCode
132	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/state

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
132	BDT00000128	.. 200	0 .. 1	financial account information/Address information/State <b>Street address one</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/streetAddressOne
132	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/streetAddressTwo
132	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/streetAddressThree
132	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/geographicalCoordinates/latitude
133	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/geographicalCoordinates/longitude
133	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/gln
133	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Freight forwarder party information/Additional party identification information/Additional party identification content			additionalPartyIdentification
133	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
133	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/additionalPartyIdentification/@codeListVersion
133	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Freight forwarder party information/Address information/City name			address/city
133	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/cityCode
133	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/countryCode
133	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/countryCode/@codeListVersion
133	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/County code			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/countyCode
134	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/crossStreet
134	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/currencyOfPartyCode
134	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/currencyOfPartyCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Currency of party code/Code list version			
134	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/ Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/languageOfThePartyCode
134	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/ Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/languageOfThePartyCode/@codeListVersion
134	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/name
134	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b>	1 .. 80	0 .. 1	<b>pOBoxNumber</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Post office box number			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/pOBoxNumber
134	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/postalCode
134	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/provinceCode
134	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/state

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
135	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/streetAddressOne
135	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/streetAddressTwo
135	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/streetAddressThree
135	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
135	BDT00000089	.. 80	1 .. 1	information/Geographical coordinates information/Latitude <b>Longitude</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/geographicalCoordinates/longitude
135	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/contactTypeCode
135	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/contactTypeCode/@codeListVersion
135	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order response/Order response line/	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Person name			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/personName
135	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/departmentName
135	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/jobTitle
136	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/responsibility

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				responsibility description/Business contact responsibility description content			
136	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/responsibility/@languageCode
136	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/responsibility/@codeListVersion
136	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Communication	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationChannelCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
136	BDT00000028	.. 35	0 .. 1	information/Communication channel code/Communication channel code content <b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationChannelCode/@codeListVersion
136	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationValue
136	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationChannelName

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
136	BDT00000525		1 .. 1	contact information/Communication information/Communication channel name  <b>Communication channel code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/afterHoursCommunicationChannel/communicationChannelCode
136	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
136	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel identification			contact/afterHoursCommunicationChannel/communicationValue
137	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/afterHoursCommunicationChannel/communicationChannelName
137	BDT000000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
137	BDT000000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			@identificationSchemeAgencyCode
137	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
137	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
137	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
137	BDT000000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax type code/ Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
137	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax type code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
137	BDT000000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax authority name			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
137	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription
138	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
138	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Freight forwarder party information/Tax registration information/Tax description/Language code/Code list version			dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
138	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
138	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
138	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/organisationName

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
138	BDT00000655		1 .. 1	Organisation legal information/ Organisation name  <b>Issued capital content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/issuedCapital
138	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/issuedCapital/ @currencyCode
138	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/issuedCapital/ @codeListVersion
138	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b>	1 .. 80	0 .. 1	<b>legalStructure</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Legal structure description/Legal structure description content			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalStructure
138	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalStructure/@languageCode
139	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalStructure/@codeListVersion
139	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/City name			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/city
139	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/cityCode
139	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/countryCode
139	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Freight forwarder party information/ Organisation legal information/Official address/Country code/Code list version			organisationDetails/officialAddress/countryCode/ @codeListVersion
139	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/countryCode
139	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/crossStreet
139	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/pOBoxNumber

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
139	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/postalCode
139	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/provinceCode
140	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/state
140	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Street address one			shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/streetAddressOne
140	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/streetAddressTwo
140	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/streetAddressThree
140	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/ geographicalCoordinates/latitude

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address/Geographical coordinates information/Latitude			
140	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/geographicalCoordinates/longitude
140	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationNumber
140	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Registered legal information/Legal	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationType

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				registration type code/Legal registration type code content			
140	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
140	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
141	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialInstitutionName

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
141	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/ financialInstitutionBranchName
141	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialAccount/ financialAccountNumber
141	BDT000000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				type code/Financial account number type code content			
141	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
141	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialAccount/ financialAccountName
141	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
141	BDT00000644	.. 80	1 .. 1	information/Financial institution routing number information/Financial routing number <b>Financial routing number type code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
141	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
141	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content			shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/ additionalFinancialInformation/description
142	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
142	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
142	BDT00000020	.. 200	0 .. 1	<b>City name</b>	1 .. 200	0 .. 1	<b>city</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/City name			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/city
142	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/cityCode
142	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/ Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/countryCode
142	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Country code/Code list version			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/countryCode/@codeListVersion
142	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/countyCode
142	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/crossStreet
142	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Party name			orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/name
142	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/pOBoxNumber
143	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/postalCode
143	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Province identity			shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/provinceCode
143	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/state
143	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/streetAddressOne
143	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/streetAddressTwo

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				forwarder party information/Financial institution and financial account information/Address information/Street address two			
143	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/streetAddressThree
143	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/geographicalCoordinates/latitude
143	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				forwarder party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude			geographicalCoordinates/longitude
143	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Referenced purchase conditions information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/purchaseConditions/entityIdentification
143	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Referenced purchase conditions information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/purchaseConditions/contentOwner/gln
144	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Referenced purchase conditions information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/purchaseConditions/contentOwner/additionalPartyIdentification
144	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Referenced purchase	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/purchaseConditions/contentOwner/additionalPartyIdentification/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				conditions information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			@additionalPartyIdentificationTypeCode
144	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Referenced purchase conditions information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/purchaseConditions/contentOwner/additionalPartyIdentification/@codeListVersion
144	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Referenced purchase conditions information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/purchaseConditions/creationDateTime
144	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Referenced purchase conditions information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/purchaseConditions/revisionNumber
144	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Referenced purchase conditions information/Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/purchaseConditions/lineItemNumber

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
144	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Referenced purchase conditions information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ purchaseConditions/referencedDocumentUrl
144	BDT00000647	.. 80	1 .. 1	<b>Handling instruction code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Handling instruction code/Handling instruction code content	1 .. 80	0 .. unbounded	<b>handlingInstructionCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/ handlingInstructionCode
144	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Handling instruction code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/ handlingInstructionCode/@codeListVersion
144	BDT00000687	.. 80	1 .. 1	<b>Transport means type code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport means type code/Transport means type code content	1 .. 80	0 .. 1	<b>transportMeansType</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/transportMeansType
145	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport means type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/ transportMeansType/@codeListVersion
145	BDT00000625	.. 80	0 .. 1	<b>Transport means identification content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport means identification/	1 .. 80	0 .. 1	<b>transportMeansID</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/transportMeansID

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Transport means identification content			
145	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport means identification/ Identification scheme information/ Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeAgencyCode
145	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport means identification/ Identification scheme information/ Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeAgencyCodeCodeListVersion
145	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport means identification/ Identification scheme information/ Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeAgencyName
145	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport means identification/ Identification scheme information/ Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeName
145	BDT00000688	.. 80	1 .. 1	<b>Transport mode code content</b>	1 .. 80	0 .. 1	<b>transportServiceCategoryType</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport mode code/Transport mode code content			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/ transportServiceCategoryType
145	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport mode code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/ transportServiceCategoryType/@codeListVersion
145	BDT00000689	.. 80	1 .. 1	<b>Transport service level code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport service level code/Transport service level code content	1 .. 80	0 .. 1	<b>transportServiceLevelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/ transportServiceLevelCode
145	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport service level code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/ transportServiceLevelCode/@codeListVersion
146	BDT00000626	.. 80	1 .. 1	<b>Transport route identification content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport route identification/Transport route identification content	1 .. 80	0 .. 1	<b>routeID</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/routeID
146	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport route identification/ Identification scheme information/	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/routeID/ @identificationSchemeAgencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
146	BDT00000028	.. 35	0 .. 1	Identification scheme responsible agency code/Identification scheme responsible agency code content  <b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport route identification/ Identification scheme information/ Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/routeID/@identificationSchemeAgencyCodeCodeListVersion
146	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport route identification/ Identification scheme information/ Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/routeID/@identificationSchemeAgencyName
146	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport route identification/ Identification scheme information/ Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/routeID/@identificationSchemeName
146	BDT00000648	.. 70	1 .. 1	<b>Handling instruction description content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Handling instruction description/ Handling instruction description content	1 .. 100	0 .. unbounded	<b>additionalHandlingInstruction</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/additionalHandlingInstruction
146	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
146	BDT00000028	.. 35	0 .. 1	Handling instruction description/ Language code/Language code content <b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Handling instruction description/ Language code/Code list version	1 .. 35		shipmentTransportationInformation/ additionalHandlingInstruction/@languageCode <b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/ additionalHandlingInstruction/@codeListVersion
146	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Global location number, GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/gln
146	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Additional party identification information/ Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ additionalPartyIdentification
147	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Additional party identification information/ Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
147	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Carrier party information/Additional party identification information/Additional party identification type code/Code list version			shipmentTransportationInformation/carrier/additionalPartyIdentification/@codeListVersion
147	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/Shipment transportation information/Carrier party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/address/city
147	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/Shipment transportation information/Carrier party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/address/cityCode
147	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/Shipment transportation information/Carrier party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/address/countryCode
147	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Shipment transportation information/Carrier party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/address/countryCode/@codeListVersion
147	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Order response line/Shipment transportation information/Carrier party information/Address	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/address/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/County code			countyCode
147	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/address/ crossStreet
147	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/address/ currencyOfPartyCode
147	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/address/ currencyOfPartyCode/@codeListVersion
148	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/address/ languageOfThePartyCode
148	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/address/ languageOfThePartyCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
148	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/address/name
148	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/address/ pOBoxNumber
148	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/address/ postalCode
148	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/address/ provinceCode
148	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/address/state
148	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/address/ streetAddressOne

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
148	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/address/ streetAddressTwo
148	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/address/ streetAddressThree
149	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/address/ geographicalCoordinates/latitude
149	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/address/ geographicalCoordinates/longitude
149	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ contactTypeCode
149	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Carrier party information/Business contact information/Contact type code/Code list version			orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ contactTypeCode/@codeListVersion
149	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ personName
149	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ departmentName
149	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/jobTitle
149	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ responsibility
149	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Carrier party information/Business contact information/Business contact responsibility description/Language code/Language code content			orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ responsibility/@languageCode
149	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ responsibility/@codeListVersion
150	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationChannelCode
150	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
150	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Carrier party information/Business contact information/Communication information/Communication channel identification			shipmentTransportationInformation/carrier/contact/communicationChannel/communicationValue
150	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/contact/communicationChannel/communicationChannelName
150	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationChannelCode
150	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
150	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Carrier party information/Business contact information/After hours communication information/Communication channel identification			shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationValue
150	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ afterHoursCommunicationChannel/ communicationChannelName
150	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
150	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
151	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version			orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
151	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
151	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
151	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax type code/ Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
151	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Carrier party information/Tax registration information/Tax type code/ Code list version			orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
151	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
151	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxDescription
151	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
151	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
	BDT00000588						

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
151		.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
152	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
152	BDT000000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/organisationName
152	BDT000000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/issuedCapital
152	BDT000000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Issued capital/ Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/issuedCapital/ @currencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
152	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Issued capital/ Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/issuedCapital/@codeListVersion
152	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/legalStructure
152	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/legalStructure/@languageCode
152	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/legalStructure/@codeListVersion
152	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				legal information/Official address/City name			organisationDetails/officialAddress/city
152	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/cityCode
153	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/ Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/countryCode
153	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/ Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/countryCode/@codeListVersion
153	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/ County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/countyCode
153	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				legal information/Official address/Cross street			organisationDetails/officialAddress/crossStreet
153	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/pOBoxNumber
153	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/postalCode
153	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/ Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/provinceCode
153	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/state
153	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Street	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/streetAddressOne

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
153	BDT00000130	.. 200	0 .. 1	address one <b>Street address two</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/streetAddressTwo
154	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/streetAddressThree
154	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
154	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
154	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Carrier party information/Organisation legal information/Registered legal information/Legal registration number			shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationNumber
154	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationType
154	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
154	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
154	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialInstitutionName

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
154	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/ financialInstitutionBranchName
154	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialAccount/ financialAccountNumber
155	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
155	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				type code/Code list version			
155	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialAccount/ financialAccountName
155	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber
155	BDT00000064	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode
155	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialRoutingNumber/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution routing number information/Financial routing number type code/Code list version			financialRoutingNumberTypeCode/@codeListVersion
155	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description
155	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
155	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
155	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Carrier party information/Financial institution and financial account information/Address information/City name			shipmentTransportationInformation/carrier/financialInstitutionInformation/address/city
156	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/cityCode
156	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/ Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/countryCode
156	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/ Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/countryCode/@codeListVersion
156	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/County	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/countyCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code			
156	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/crossStreet
156	BDT000000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/name
156	BDT000000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/pOBoxNumber
156	BDT000000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/postalCode
156	BDT000000117	80 ..	0 .. 1	<b>Province identity</b>	1 .. 80	0 .. 1	<b>provinceCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/ Province identity			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/provinceCode
156	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/state
157	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/streetAddressOne
157	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/streetAddressTwo
157	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/Street address three			streetAddressThree
157	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
157	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
157	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/gln
157	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ additionalPartyIdentification
	BDT000000570						

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
157		.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
157	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ additionalPartyIdentification/ @codeListVersion
157	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/city
158	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/cityCode
158	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Freight forwarder party information/ Address information/Country code/ Country code content			shipmentTransportationInformation/freightForwarder/ address/countryCode
158	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Country code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/countryCode/@codeListVersion
158	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/countyCode
158	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/crossStreet
158	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/currencyOfPartyCode
158	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Currency of party code/Code list version			address/currencyOfPartyCode/@codeListVersion
158	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/languageOfThePartyCode
158	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/languageOfThePartyCode/@codeListVersion
158	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/name
159	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/pOBoxNumber
159	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Freight forwarder party information/ Address information/Postal code			shipmentTransportationInformation/freightForwarder/ address/postalCode
159	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/provinceCode
159	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/state
159	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/streetAddressOne
159	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/streetAddressTwo
159	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/streetAddressThree
159	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Freight forwarder party information/ Address information/Geographical coordinates information/Latitude			orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/geographicalCoordinates/latitude
159	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/geographicalCoordinates/longitude
159	BDT000000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/contactTypeCode
160	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/contactTypeCode/@codeListVersion
160	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/personName
160	BDT000000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order response/Order response line/	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Freight forwarder party information/ Business contact information/ Department name			orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/departmentName
160	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/jobTitle
160	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/responsibility
160	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/responsibility/@languageCode
160	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Business contact responsibility description/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/responsibility/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Language code/Code list version			
160	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/communicationChannel/ communicationChannelCode
160	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/communicationChannel/ communicationChannelCode/@codeListVersion
160	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/communicationChannel/communicationValue
161	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/ Communication information/	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/communicationChannel/ communicationChannelName

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
161	BDT00000525		1 .. 1	Communication channel name <b>Communication channel code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationChannelCode
161	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
161	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationValue
161	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/After hours communication information/	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationChannelName

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Communication channel name			
161	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
161	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
161	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
161	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name			shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
161	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
162	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax type code/ Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
162	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax type code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
162	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxAgencyName

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
162	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxDescription
162	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
162	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
162	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
162	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				registration information/Tax registration type code/Code list version			dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
162	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/organisationName
162	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/issuedCapital
163	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/issuedCapital/@currencyCode
163	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/issuedCapital/@codeListVersion
163	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Freight forwarder party information/ Organisation legal information/Legal structure description/Legal structure description content			shipmentTransportationInformation/freightForwarder/ organisationDetails/legalStructure
163	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalStructure/@languageCode
163	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalStructure/@codeListVersion
163	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/city
163	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/cityCode
	BDT00000774						

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
163			1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/countryCode
163	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/countryCode/ @codeListVersion
163	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/countyCode
164	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/crossStreet
164	BDT000000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/pOBoxNumber

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address/Post office box number			
164	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/postalCode
164	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/provinceCode
164	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/state
164	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/streetAddressOne
164	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/streetAddressTwo

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
164	BDT00000129	.. 200	0 .. 1	address/Street address two <b>Street address three</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/streetAddressThree
164	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
164	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
165	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalRegistration/ legalRegistrationNumber
165	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order response/Order response line/	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content			orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalRegistration/ legalRegistrationType
165	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalRegistration/ legalRegistrationType/@codeListVersion
165	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalRegistration/ legalRegistrationAdditionalInformation
165	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialInstitutionName
165	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Financial institution division name			financialInstitutionInformation/ financialInstitutionBranchName
165	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialAccount/ financialAccountNumber
165	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
165	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
165	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Freight forwarder party information/ Financial institution and financial account information/Financial account information/Financial account name			shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialAccount/ financialAccountName
166	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber
166	BDT000000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode
166	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
166	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/ additionalFinancialInformation/description
166	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
166	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
166	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/city

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/City name			
166	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/cityCode
166	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/countryCode
166	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/countryCode/ @codeListVersion
167	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/countyCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
167	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/crossStreet
167	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/name
167	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/pOBoxNumber
167	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/postalCode
167	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Freight forwarder party information/ Financial institution and financial account information/Address information/Province identity			shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/provinceCode
167	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/state
167	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/streetAddressOne
167	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/streetAddressTwo
167	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/ streetAddressThree

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
168	BDT00000085	.. 80	1 .. 1	information/Street address three <b>Latitude</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
168	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
168	BDT00000066	14 .. 14	0 .. 1	<b>Global trade item number, GTIN</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Global trade item number, GTIN		0 .. 1	<b>gtin</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/gtin
168	BDT00000516	.. 80	1 .. 1	<b>Additional trade item identification content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Additional trade item identification/ Additional trade item identification content	1 .. 80	0 .. unbounded	<b>additionalTradeItemIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ additionalTradeItemIdentification
168	BDT00000518	.. 80	1 .. 1	<b>Additional trade item identification type code content</b> <i>Path:</i> Order response/Order response line/	1 .. 80		<b>additionalTradeItemIdentificationTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Replaced trade item information/ Additional trade item identification/ Additional trade item identification type code/Additional trade item identification type code content			additionalTradeItemIdentification/ @additionalTradeItemIdentificationTypeCode
168	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Additional trade item identification/ Additional trade item identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ additionalTradeItemIdentification/@codeListVersion
168	BDT000000678		1 .. 1	<b>Trade item quantity content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item quantity/Trade item quantity content		0 .. 1	<b>tradeItemQuantity</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ tradeItemQuantity
168	BDT000000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item quantity/Measurement unit code/ Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ tradeItemQuantity/@measurementUnitCode
168	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item quantity/Measurement unit code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ tradeItemQuantity/@codeListVersion
168	BDT000000684	.. 70	1 .. 1	<b>Trade item description content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item description/Trade item description	1 .. 200	0 .. 1	<b>tradeItemDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ tradeItemDescription

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
169	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteltemInformation/ tradeltemDescription/@languageCode
169	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteltemInformation/ tradeltemDescription/@codeListVersion
169	BDT00000115	.. 80	0 .. 1	<b>Product variant identifier</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Product variant identifier	1 .. 80	0 .. 1	<b>productVariantIdentifier</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteltemInformation/ productVariantIdentifier
169	BDT00000656	.. 80	1 .. 1	<b>Item type code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Item type code/Item type code content	1 .. 80	0 .. 1	<b>itemTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteltemInformation/ itemTypeCode
169	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Item type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteltemInformation/ itemTypeCode/@codeListVersion
169	BDT00000700	.. 80	1 .. 1	<b>Trade item transactional data owner code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item transactional data owner code/ Trade item transactional data owner code content	1 .. 80	0 .. 1	<b>tradeltemDataOwner</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteltemInformation/ tradeltemDataOwner

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
169	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item transactional data owner code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ tradeItemDataOwner/@codeListVersion
169	BDT00000013	.. 35	0 .. 1	<b>Butter fat reference</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Butter fat reference	1 .. 35	0 .. 1	<b>butterFatReference</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ butterFatReference
169	BDT00000007		0 .. 1	<b>Available for sale date</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/ Available for sale date		0 .. 1	<b>availableForSaleDate</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/availableForSaleDate
169	BDT00000008	.. 80	0 .. 1	<b>Batch number</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Batch number	1 .. 80	0 .. 1	<b>batchNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/batchNumber
170	BDT00000011		0 .. 1	<b>Best before date</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Best before date		0 .. 1	<b>bestBeforeDate</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/bestBeforeDate
170	BDT00000572		1 .. 1	<b>Country of origin code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Country of origin/Country of origin code content	1 .. 80	0 .. 1	<b>countryOfOrigin</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/countryOfOrigin
170	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Country of origin/Code list version			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/countryOfOrigin/@codeListVersion
170	BDT00000057		0 .. 1	<b>Expiration date</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/ Expiration date		0 .. 1	<b>itemExpirationDate</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/itemExpirationDate
170	BDT00000090	.. 80	0 .. 1	<b>Lot number</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Lot number	1 .. 80	0 .. 1	<b>lotNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/lotNumber
170	BDT00000104		0 .. 1	<b>Packaging date</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/ Packaging date		0 .. 1	<b>packagingDate</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/packagingDate
170	BDT00000116		0 .. 1	<b>Production date</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/ Production date		0 .. 1	<b>productionDate</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/productionDate
170	BDT00000695		1 .. 1	<b>Product quality value content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Product quality value/Product quality value content		0 .. 1	<b>productQualityIndication</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/productQualityIndication

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
170	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Product quality value/Measurement unit code/ Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/productQualityIndication/ @measurementUnitCode
170	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Product quality value/Measurement unit code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/productQualityIndication/ @codeListVersion
171	BDT00000120		0 .. 1	<b>Sell by date</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Sell by date		0 .. 1	<b>sellByDate</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/sellByDate
171	BDT00000121	.. 20	0 .. unbounded	<b>Serial number</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Serial number	1 .. 20	0 .. unbounded	<b>serialNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/serialNumber
171	BDT00000122	.. 80	0 .. 1	<b>Shelf life</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Shelf life	1 .. 80	0 .. 1	<b>shelfLife</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/shelfLife
171	BDT00000678		1 .. 1	<b>Trade item quantity content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/		0 .. 1	<b>tradeItemQuantity</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Dynamic trade item information/Trade item quantity/Trade item quantity content			transactionalItemData/tradeItemQuantity
171	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item quantity/Measurement unit code/ Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/tradeItemQuantity/ @measurementUnitCode
171	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item quantity/Measurement unit code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/tradeItemQuantity/ @codeListVersion
171	BDT00000082		0 .. 1	<b>Item in contact with food product indicator</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Item in contact with food product indicator		0 .. 1	<b>itemInContactWithFoodProduct</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/itemInContactWithFoodProduct
171	BDT00000666	.. 80	1 .. 1	<b>Measurement type code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item weight information/Measurement type code/Measurement type code content	1 .. 80	1 .. 1	<b>measurementType</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemWeight/ measurementType
171	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Dynamic trade item information/Trade item weight information/Measurement type code/Code list version			transactionalItemData/transactionalItemWeight/measurementType/@codeListVersion
171	BDT00000728		1 .. 1	<b>Trade item weight content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item weight information/Trade item weight content		1 .. 1	<b>measurementValue</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/substituteItemInformation/transactionalItemData/transactionalItemWeight/measurementValue
172	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item weight information/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/substituteItemInformation/transactionalItemData/transactionalItemWeight/measurementValue/@measurementUnitCode
172	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item weight information/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/substituteItemInformation/transactionalItemData/transactionalItemWeight/measurementValue/@codeListVersion
172	BDT00000666	.. 80	1 .. 1	<b>Measurement type code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item volume information/Measurement type code/Measurement type code content	1 .. 80	1 .. 1	<b>measurementType</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/substituteItemInformation/transactionalItemData/transactionalItemVolume/measurementType
172	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item volume information/Measurement type code/Code list version			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemVolume/ measurementType/@codeListVersion
172	BDT00000752		1 .. 1	<b>Trade item volume content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item volume information/Trade item volume content		1 .. 1	<b>measurementValue</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemVolume/ measurementValue
172	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item volume information/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemVolume/ measurementValue/@measurementUnitCode
172	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item volume information/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemVolume/ measurementValue/@codeListVersion
172	BDT00000092		0 .. 1	<b>Maximum value</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Serial number range/Maximum value		0 .. 1	<b>maximumValue</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/serialNumberRange/ maximumValue
172	BDT00000094		0 .. 1	<b>Minimum value</b>		0 .. 1	<b>minimumValue</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Serial number range/Minimum value			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/serialNumberRange/ minimumValue
172	BDT00000661		1 .. 1	<b>Depth measurement content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item measurements information/Depth measurement/Depth measurement content		1 .. 1	<b>depth</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemDimensions/depth
173	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item measurements information/Depth measurement/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemDimensions/ depth/@measurementUnitCode
173	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item measurements information/Depth measurement/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemDimensions/ depth/@codeListVersion
173	BDT00000650		1 .. 1	<b>Height measurement content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item measurements information/Height measurement/Height measurement		1 .. 1	<b>height</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemDimensions/ height

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
173	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item measurements information/Height measurement/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemDimensions/ height/@measurementUnitCode
173	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item measurements information/Height measurement/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemDimensions/ height/@codeListVersion
173	BDT00000662		1 .. 1	<b>Width measurement content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item measurements information/Width measurement/Width measurement content		1 .. 1	<b>width</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemDimensions/width
173	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemDimensions/ width/@measurementUnitCode
173	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code/Code list version			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemDimensions/ width/@codeListVersion
173	BDT00000095		0 .. 1	<b>Number of layers</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Number of layers		0 .. 1	<b>numberOfLayers</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/numberOfLayers
173	BDT00000096		0 .. 1	<b>Number of units per layer</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Number of units per layer		0 .. 1	<b>numberOfUnitsPerLayer</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ numberOfUnitsPerLayer
174	BDT00000097		0 .. 1	<b>Number of units per platform</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Number of units per platform		0 .. 1	<b>numberOfUnitsPerPallet</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ numberOfUnitsPerPallet
174	BDT00000663	.. 80	1 .. 1	<b>Packaging terms and conditions code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Packaging terms and conditions code/	1 .. 80	0 .. 1	<b>packagingTerms</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/packagingTerms

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Packaging terms and conditions code content			
174	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Packaging terms and conditions code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ packagingTerms/@codeListVersion
174	BDT00000664	.. 80	1 .. 1	<b>Package type code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Package type code/Package type code content	1 .. 80	0 .. 1	<b>packageTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ packageTypeCode
174	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Package type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ packageTypeCode/@codeListVersion
174	BDT00000091		1 .. 1	<b>Maximum stacking factor</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Maximum stacking factor		1 .. 1	<b>maximumStackingFactor</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ maximumStackingFactor
174	BDT00000665	.. 80	1 .. 1	<b>Returnable package return transport payment code content</b>	1 .. 80	0 .. 1	<b>returnablePackageTransportCostPayment</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Returnable package return transport payment code/Returnable package return transport payment code content			orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ returnablePackageTransportCostPayment
174	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Returnable package return transport payment code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ returnablePackageTransportCostPayment/ @codeListVersion
174	BDT00000061		1 .. 1	<b>Depth measurement content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Depth measurement/Depth measurement content		1 .. 1	<b>depth</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/depth
174	BDT00000067	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Depth measurement/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/depth/@measurementUnitCode
175	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Depth measurement/Measurement unit code/Code list version			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/depth/@codeListVersion
175	BDT00000650		1 .. 1	<b>Height measurement content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Height measurement/Height measurement content		1 .. 1	<b>height</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/height
175	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Height measurement/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/height/ @measurementUnitCode
175	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Height measurement/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/height/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
175	BDT00000662		1 .. 1	<b>Width measurement content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Width measurement/Width measurement content		1 .. 1	<b>width</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/width
175	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Width measurement/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/width/@measurementUnitCode
175	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Width measurement/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/width/@codeListVersion
175	BDT00000646	.. 80	1 .. 1	<b>GS1 global trade item number format code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Global trade item number format and type of carrier information/GS1 global trade	1 .. 80	0 .. 1	<b>gs1TransactionalItemIdentificationKey</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemDataCarrierAndIdentification/ gs1TransactionalItemIdentificationKey

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				item number format code/GS1 global trade item number format code content			
175	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Global trade item number format and type of carrier information/GS1 global trade item number format code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemDataCarrierAndIdentification/ gs1TransactionalItemIdentificationKey/@codeListVersion
175	BDT00000639	.. 80	1 .. 1	<b>Data carrier type code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Global trade item number format and type of carrier information/Data carrier type code/Data carrier type code content	1 .. 80	0 .. 1	<b>dataCarrier</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemDataCarrierAndIdentification/dataCarrier
176	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Global trade item number format and type of carrier information/Data carrier type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemDataCarrierAndIdentification/ dataCarrier/@codeListVersion
176	BDT00000138		0 .. 1	<b>Waste identification</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item waste information/Waste identification		0 .. 1	<b>wasteIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/tradeItemWaste/wasteIdentification
	BDT00000702						

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
176		.. 80	1 .. 1	<b>Waste type code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Waste type code content	1 .. 80	0 .. unbounded	<b>typeOfWaste</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/tradeItemWaste/typeOfWaste
176	BDT00000022	.. 80	0 .. 1	<b>Code description</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code description	1 .. 80		<b>codeDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeDescription
176	BDT00000023	.. 80	0 .. 1	<b>Code list agency code</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list agency code	1 .. 80		<b>codeListAgencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListAgencyCode
176	BDT00000024	.. 35	0 .. 1	<b>Code list agency code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list agency code list version	1 .. 35		<b>codeListAgencyCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListAgencyCodeListVersion
176	BDT00000025	.. 80	0 .. 1	<b>Code list agency name</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list agency name	1 .. 80		<b>codeListAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListAgencyName

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
176	BDT00000026	.. 80	0 .. 1	<b>Code list name</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list name	1 .. 80		<b>codeListName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListName
176	BDT00000027	.. 500	0 .. 1	<b>Code list URL</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list URL			<b>codeListURI</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListURI
176	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListVersion
177	BDT00000081		1 .. 1	<b>Trade item organic indicator</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item organic information/Trade item organic indicator		1 .. 1	<b>isTradeItemOrganic</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemOrganicInformation/isTradeItemOrganic
177	BDT00000015	.. 200	0 .. 1	<b>Certification agency name</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item organic information/Organic certification information/Certification	1 .. 200	0 .. 1	<b>itemCertificationAgency</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemOrganicInformation/organicCertification/ itemCertificationAgency

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				agency name			
177	BDT00000016	.. 200	0 .. 1	<b>Certification standard name</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item organic information/Organic certification information/Certification standard name	1 .. 200	0 .. 1	<b>itemCertificationStandard</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemOrganicInformation/organicCertification/ itemCertificationStandard
177	BDT00000017	.. 200	0 .. 1	<b>Certification value</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item organic information/Organic certification information/Certification value	1 .. 200	0 .. 1	<b>itemCertificationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemOrganicInformation/organicCertification/ itemCertificationValue
177	BDT000000736		1 .. 1	<b>Colour code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Colour information/Colour code/Colour code content	1 .. 80	0 .. 1	<b>colourCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ colour/colourCode
177	BDT000000029	.. 80	1 .. 1	<b>Colour code system code</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Colour information/Colour code/Colour code system code	1 .. 80		<b>colourCodeListCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ colour/colourCode/@colourCodeListCode
177	BDT000000030	.. 80	0 .. 1	<b>Colour code system description</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Colour information/Colour code/Colour code system description	1 .. 80		<b>colourCodeListDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ colour/colourCode/@colourCodeListDescription

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
177	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Colour information/Colour code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ colour/colourCode/@codeListVersion
177	BDT00000031	.. 35	0 .. 1	<b>Colour code system version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Colour information/Colour code/Colour code system version	1 .. 35		<b>colourCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ colour/colourCode/@colourCodeListVersion
177	BDT00000737	.. 70	1 .. 1	<b>Colour description content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Colour information/Colour description/Colour description content	1 .. 80	0 .. unbounded	<b>colourDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ colour/colourDescription
178	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Colour information/Colour description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ colour/colourDescription/@languageCode
178	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Colour information/Colour description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ colour/colourDescription/@codeListVersion
178	BDT00000679	.. 70	1 .. 1	<b>Size description content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Size information/Size description/Size description content	1 .. 80	0 .. 1	<b>descriptiveSize</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/size/ descriptiveSize

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
178	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Size information/Size description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/size/ descriptiveSize/@languageCode
178	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Size information/Size description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/size/ descriptiveSize/@codeListVersion
178	BDT00000680	.. 80	1 .. 1	<b>Size code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Size information/Size code/Size code content	1 .. 80	0 .. 1	<b>sizeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/size/ sizeCode
178	BDT00000681	.. 80	1 .. 1	<b>Size code list code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Size information/Size code/Size code list code/Size code list code content	1 .. 80		<b>sizeCodeListCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/size/ sizeCode/@sizeCodeListCode
178	BDT00000124	.. 80	0 .. 1	<b>Size code list description</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Size information/Size code/Size code list description	1 .. 80		<b>sizeCodeListDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/size/ sizeCode/@sizeCodeListDescription
178	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Size information/Size code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/size/ sizeCode/@codeListVersion
178	BDT00000125	.. 35	0 .. 1	<b>Size code list version</b>	1 .. 35		<b>sizeCodeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Replaced trade item information/Size information/Size code/Size code list version			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/size/ sizeCode/@sizeCodeListVersion
179	BDT00000070	.. 8	1 .. 1	<b>GS1 global product classification GPC brick code</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item classification information/GS1 global product classification GPC brick code		1 .. 1	<b>gpcCategoryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ tradeItemClassification/gpcCategoryCode
179	BDT00000536	.. 80	1 .. 1	<b>Alternative trade item product classification code content</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item classification information/ Alternative trade item product classification code/Alternative trade item product classification code content	1 .. 80	0 .. unbounded	<b>additionalTradeItemClassificationCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ tradeItemClassification/ additionalTradeItemClassificationCode
179	BDT00000002	.. 80	0 .. 1	<b>Additional trade item classification scheme code</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item classification information/ Alternative trade item product classification code/Additional trade item classification scheme code	1 .. 80		<b>additionalTradeItemClassificationCodeListCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ tradeItemClassification/ additionalTradeItemClassificationCode/ @additionalTradeItemClassificationCodeListCode
179	BDT00000003	.. 35	0 .. 1	<b>Additional trade item classification scheme version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade	1 .. 35		<b>additionalTradeItemClassificationCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ tradeItemClassification/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				item classification information/ Alternative trade item product classification code/Additional trade item classification scheme version			additionalTradeItemClassificationCode/ @additionalTradeItemClassificationCodeListVersion
179	BDT00000022	.. 80	0 .. 1	<b>Code description</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item classification information/ Alternative trade item product classification code/Code description	1 .. 80		<b>codeDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ tradeItemClassification/ additionalTradeItemClassificationCode/@codeDescription
179	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item classification information/ Alternative trade item product classification code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ tradeItemClassification/ additionalTradeItemClassificationCode/@codeListVersion
179	BDT00000071	.. 200	0 .. 1	<b>GS1 global product classification GPC brick name</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item classification information/GS1 global product classification GPC brick name	1 .. 105	0 .. 1	<b>gpcCategoryName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ tradeItemClassification/gpcCategoryName
179	BDT00000067	.. 8	1 .. 1	<b>GS1 global product classification GPC attribute type code</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute type code		1 .. 1	<b>gpcAttributeTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ tradeItemClassification/gpcAttribute/ gpcAttributeTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
179	BDT00000068	.. 8	1 .. 1	<b>GS1 global product classification GPC attribute value code</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute value code	1 .. 1	1 .. 1	<b>gpcAttributeValueCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/substituteItemInformation/tradeItemClassification/gpcAttribute/gpcAttributeValueCode
179	BDT00000064	.. 200	0 .. 1	<b>Global product classification GPC attribute type name</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item classification information/Global Product Classification attributes/Global product classification GPC attribute type name	1 .. 105	0 .. 1	<b>gpcAttributeTypeName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/substituteItemInformation/tradeItemClassification/gpcAttribute/gpcAttributeTypeName
180	BDT00000069	.. 200	0 .. 1	<b>GS1 global product classification GPC attribute value name</b> <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute value name	1 .. 105	0 .. 1	<b>gpcAttributeValueName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/substituteItemInformation/tradeItemClassification/gpcAttribute/gpcAttributeValueName
180	BDT00000066	14 .. 14	0 .. 1	<b>Global trade item number, GTIN</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Global trade item number, GTIN		0 .. 1	<b>gtin</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/gtin
180	BDT00000516	.. 80	1 .. 1	<b>Additional trade item identification content</b> <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. unbounded	<b>additionalTradeItemIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Responded trade item information/ Additional trade item identification/ Additional trade item identification content			orderResponseLineItem/transactionalTradeItem/ additionalTradeItemIdentification
180	BDT00000518	.. 80	1 .. 1	<b>Additional trade item identification type code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Additional trade item identification/ Additional trade item identification type code/Additional trade item identification type code content	1 .. 80		<b>additionalTradeItemIdentificationTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ additionalTradeItemIdentification/ @additionalTradeItemIdentificationTypeCode
180	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Additional trade item identification/ Additional trade item identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ additionalTradeItemIdentification/@codeListVersion
180	BDT000000678		1 .. 1	<b>Trade item quantity content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item quantity/Trade item quantity content		0 .. 1	<b>tradeItemQuantity</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ tradeItemQuantity
180	BDT000000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item quantity/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ tradeItemQuantity/@measurementUnitCode
180	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Responded trade item information/ Trade item quantity/Measurement unit code/Code list version			orderResponseLineItem/transactionalTradeItem/ tradeItemQuantity/@codeListVersion
180	BDT00000684	.. 70	1 .. 1	<b>Trade item description content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item description/Trade item description content	1 .. 200	0 .. 1	<b>tradeItemDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ tradeItemDescription
180	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ tradeItemDescription/@languageCode
181	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ tradeItemDescription/@codeListVersion
181	BDT00000115	.. 80	0 .. 1	<b>Product variant identifier</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Product variant identifier	1 .. 80	0 .. 1	<b>productVariantIdentifier</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ productVariantIdentifier
181	BDT00000656	.. 80	1 .. 1	<b>Item type code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/Item type code/Item type code content	1 .. 80	0 .. 1	<b>itemTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ itemTypeCode
181	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/Item type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ itemTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
181	BDT00000700	.. 80	1 .. 1	<b>Trade item transactional data owner code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item transactional data owner code/Trade item transactional data owner code content	1 .. 80	0 .. 1	<b>tradelItemDataOwner</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradelItem/tradelItemDataOwner
181	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item transactional data owner code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradelItem/tradelItemDataOwner/@codeListVersion
181	BDT00000013	.. 35	0 .. 1	<b>Butter fat reference</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Butter fat reference	1 .. 35	0 .. 1	<b>butterFatReference</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradelItem/butterFatReference
181	BDT00000007		0 .. 1	<b>Available for sale date</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/ Available for sale date		0 .. 1	<b>availableForSaleDate</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradelItem/transactionalItemData/availableForSaleDate
181	BDT00000008	.. 80	0 .. 1	<b>Batch number</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Batch number	1 .. 80	0 .. 1	<b>batchNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradelItem/transactionalItemData/batchNumber
181	BDT00000011		0 .. 1	<b>Best before date</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Best		0 .. 1	<b>bestBeforeDate</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradelItem/transactionalItemData/bestBeforeDate

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
182	BDT00000572		1 .. 1	before date <b>Country of origin code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Country of origin/Country of origin code content	1 .. 80	0 .. 1	<b>countryOfOrigin</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/countryOfOrigin
182	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Country of origin/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/countryOfOrigin/@codeListVersion
182	BDT00000057		0 .. 1	<b>Expiration date</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/ Expiration date		0 .. 1	<b>itemExpirationDate</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/itemExpirationDate
182	BDT00000090	.. 80	0 .. 1	<b>Lot number</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Lot number	1 .. 80	0 .. 1	<b>lotNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/lotNumber
182	BDT00000104		0 .. 1	<b>Packaging date</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/ Packaging date		0 .. 1	<b>packagingDate</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/packagingDate
182	BDT00000116		0 .. 1	<b>Production date</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/		0 .. 1	<b>productionDate</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/productionDate

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
182	BDT00000695		1 .. 1	<b>Product quality value content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Product quality value/Product quality value content		0 .. 1	<b>productQualityIndication</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/productQualityIndication
182	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Product quality value/Measurement unit code/ Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/productQualityIndication/ @measurementUnitCode
182	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Product quality value/Measurement unit code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/productQualityIndication/ @codeListVersion
182	BDT00000120		0 .. 1	<b>Sell by date</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Sell by date		0 .. 1	<b>sellByDate</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/sellByDate
183	BDT00000121	.. 20	0 .. unbounded	<b>Serial number</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Serial number	1 .. 20	0 .. unbounded	<b>serialNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/serialNumber
183	BDT00000122	.. 80	0 .. 1	<b>Shelf life</b>	1 .. 80	0 .. 1	<b>shelfLife</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Shelf life			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeltem/ transactionalItemData/shelfLife
183	BDT00000678		1 .. 1	<b>Trade item quantity content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item quantity/Trade item quantity content		0 .. 1	<b>tradeltemQuantity</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeltem/ transactionalItemData/tradeltemQuantity
183	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item quantity/Measurement unit code/ Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeltem/ transactionalItemData/tradeltemQuantity/ @measurementUnitCode
183	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item quantity/Measurement unit code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeltem/ transactionalItemData/tradeltemQuantity/ @codeListVersion
183	BDT00000082		0 .. 1	<b>Item in contact with food product indicator</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Item in contact with food product indicator		0 .. 1	<b>itemInContactWithFoodProduct</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeltem/ transactionalItemData/itemInContactWithFoodProduct
183	BDT00000666	.. 80	1 .. 1	<b>Measurement type code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/	1 .. 80	1 .. 1	<b>measurementType</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeltem/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Dynamic trade item information/Trade item weight information/Measurement type code/Measurement type code content			transactionalItemData/transactionalItemWeight/measurementType
183	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item weight information/Measurement type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementType/@codeListVersion
183	BDT00000728		1 .. 1	<b>Trade item weight content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content		1 .. 1	<b>measurementValue</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementValue
183	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item weight information/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementValue/@measurementUnitCode
184	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item weight information/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementValue/@codeListVersion
184	BDT00000666	.. 80	1 .. 1	<b>Measurement type code content</b>	1 .. 80	1 .. 1	<b>measurementType</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item volume information/Measurement type code/Measurement type code content			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemVolume/ measurementType
184	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item volume information/Measurement type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemVolume/ measurementType/@codeListVersion
184	BDT000000752		1 .. 1	<b>Trade item volume content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item volume information/Trade item volume content		1 .. 1	<b>measurementValue</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemVolume/ measurementValue
184	BDT000000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item volume information/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemVolume/ measurementValue/@measurementUnitCode
184	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item volume information/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemVolume/ measurementValue/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
184	BDT00000092		0 .. 1	<b>Maximum value</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Serial number range/Maximum value		0 .. 1	<b>maximumValue</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/serialNumberRange/ maximumValue
184	BDT00000094		0 .. 1	<b>Minimum value</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Serial number range/Minimum value		0 .. 1	<b>minimumValue</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/serialNumberRange/ minimumValue
184	BDT00000661		1 .. 1	<b>Depth measurement content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item measurements information/Depth measurement/Depth measurement content		1 .. 1	<b>depth</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemDimensions/depth
184	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item measurements information/Depth measurement/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemDimensions/ depth/@measurementUnitCode
185	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item measurements information/Depth measurement/Measurement unit	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemDimensions/ depth/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
185	BDT00000650		1 .. 1	code/Code list version <b>Height measurement content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item measurements information/Height measurement/Height measurement content		1 .. 1	<b>height</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemDimensions/ height
185	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item measurements information/Height measurement/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemDimensions/ height/@measurementUnitCode
185	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item measurements information/Height measurement/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemDimensions/ height/@codeListVersion
185	BDT00000662		1 .. 1	<b>Width measurement content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item measurements information/Width measurement/Width measurement content		1 .. 1	<b>width</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemDimensions/width
185	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b>	1 .. 80		<b>measurementUnitCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code/Measurement unit code content			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemDimensions/ width/@measurementUnitCode
185	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemDimensions/ width/@codeListVersion
185	BDT000000095		0 .. 1	<b>Number of layers</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Number of layers		0 .. 1	<b>numberOfLayers</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/numberOfLayers
185	BDT000000096		0 .. 1	<b>Number of units per layer</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Number of units per layer		0 .. 1	<b>numberOfUnitsPerLayer</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ numberOfUnitsPerLayer
185	BDT000000097		0 .. 1	<b>Number of units per platform</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Number of units per platform		0 .. 1	<b>numberOfUnitsPerPallet</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ numberOfUnitsPerPallet

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
186	BDT00000663	.. 80	1 .. 1	<b>Packaging terms and conditions code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Packaging terms and conditions code/ Packaging terms and conditions code content	1 .. 80	0 .. 1	<b>packagingTerms</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/packagingTerms
186	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Packaging terms and conditions code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ packagingTerms/@codeListVersion
186	BDT00000664	.. 80	1 .. 1	<b>Package type code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Package type code/Package type code content	1 .. 80	0 .. 1	<b>packageTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ packageTypeCode
186	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Package type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ packageTypeCode/@codeListVersion
186	BDT00000091		1 .. 1	<b>Maximum stacking factor</b>		1 .. 1	<b>maximumStackingFactor</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Maximum stacking factor			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ maximumStackingFactor
186	BDT00000665	.. 80	1 .. 1	<b>Returnable package return transport payment code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Returnable package return transport payment code/Returnable package return transport payment code content	1 .. 80	0 .. 1	<b>returnablePackageTransportCostPayment</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ returnablePackageTransportCostPayment
186	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Returnable package return transport payment code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ returnablePackageTransportCostPayment/ @codeListVersion
186	BDT00000661		1 .. 1	<b>Depth measurement content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Depth measurement/Depth measurement content		1 .. 1	<b>depth</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/depth
186	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Depth measurement/Measurement unit code/Measurement unit code content			orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/depth/@measurementUnitCode
186	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Depth measurement/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/depth/@codeListVersion
187	BDT000000650		1 .. 1	<b>Height measurement content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Height measurement/Height measurement content		1 .. 1	<b>height</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/height
187	BDT000000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Height measurement/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/height/ @measurementUnitCode
187	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Height measurement/Measurement unit code/Code list version			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/height/@codeListVersion
187	BDT00000662		1 .. 1	<b>Width measurement content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Width measurement/Width measurement content		1 .. 1	<b>width</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/width
187	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Width measurement/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/width/@measurementUnitCode
187	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Width measurement/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/width/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
187	BDT00000646	.. 80	1 .. 1	<b>GS1 global trade item number format code content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/GS1 global trade item number format code/GS1 global trade item number format code content	1 .. 80	0 .. 1	<b>gs1TransactionalItemIdentificationKey</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDataCarrierAndIdentification/gs1TransactionalItemIdentificationKey
187	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/GS1 global trade item number format code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDataCarrierAndIdentification/gs1TransactionalItemIdentificationKey/@codeListVersion
187	BDT00000639	.. 80	1 .. 1	<b>Data carrier type code content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/Data carrier type code/Data carrier type code content	1 .. 80	0 .. 1	<b>dataCarrier</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDataCarrierAndIdentification/dataCarrier
187	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/Data carrier type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDataCarrierAndIdentification/dataCarrier/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
188	BDT00000138		0 .. 1	<b>Waste identification</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item waste information/Waste identification		0 .. 1	<b>wasteIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/tradeItemWaste/wasteIdentification
188	BDT00000702	.. 80	1 .. 1	<b>Waste type code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Waste type code content	1 .. 80	0 .. unbounded	<b>typeOfWaste</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/tradeItemWaste/typeOfWaste
188	BDT00000022	.. 80	0 .. 1	<b>Code description</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code description	1 .. 80		<b>codeDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeDescription
188	BDT00000023	.. 80	0 .. 1	<b>Code list agency code</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list agency code	1 .. 80		<b>codeListAgencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListAgencyCode
188	BDT00000024	.. 35	0 .. 1	<b>Code list agency code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list agency code list version	1 .. 35		<b>codeListAgencyCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListAgencyCodeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
188	BDT00000025	.. 80	0 .. 1	<b>Code list agency name</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list agency name	1 .. 80		<b>codeListAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListAgencyName
188	BDT00000026	.. 80	0 .. 1	<b>Code list name</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list name	1 .. 80		<b>codeListName</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListName
188	BDT00000027	.. 500	0 .. 1	<b>Code list URL</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list URL			<b>codeListURI</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListURI
188	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListVersion
188	BDT00000081		1 .. 1	<b>Trade item organic indicator</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item organic information/Trade item organic indicator		1 .. 1	<b>isTradeItemOrganic</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemOrganicInformation/isTradeItemOrganic

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
189	BDT00000015	.. 200	0 .. 1	<b>Certification agency name</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item organic information/Organic certification information/Certification agency name	1 .. 200	0 .. 1	<b>itemCertificationAgency</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemOrganicInformation/organicCertification/ itemCertificationAgency
189	BDT00000016	.. 200	0 .. 1	<b>Certification standard name</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item organic information/Organic certification information/Certification standard name	1 .. 200	0 .. 1	<b>itemCertificationStandard</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemOrganicInformation/organicCertification/ itemCertificationStandard
189	BDT00000017	.. 200	0 .. 1	<b>Certification value</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item organic information/Organic certification information/Certification value	1 .. 200	0 .. 1	<b>itemCertificationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemOrganicInformation/organicCertification/ itemCertificationValue
189	BDT00000736		1 .. 1	<b>Colour code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Colour information/Colour code/Colour code content	1 .. 80	0 .. 1	<b>colourCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/colour/ colourCode
189	BDT00000029	.. 80	1 .. 1	<b>Colour code system code</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Colour information/Colour code/Colour	1 .. 80		<b>colourCodeListCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/colour/ colourCode/@colourCodeListCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code system code			
189	BDT00000030	.. 80	0 .. 1	<b>Colour code system description</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Colour information/Colour code/Colour code system description	1 .. 80		<b>colourCodeListDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/colour/ colourCode/@colourCodeListDescription
189	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Colour information/Colour code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/colour/ colourCode/@codeListVersion
189	BDT00000031	.. 35	0 .. 1	<b>Colour code system version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Colour information/Colour code/Colour code system version	1 .. 35		<b>colourCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/colour/ colourCode/@colourCodeListVersion
189	BDT00000737	.. 70	1 .. 1	<b>Colour description content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Colour information/Colour description/ Colour description content	1 .. 80	0 .. unbounded	<b>colourDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/colour/ colourDescription
189	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Colour information/Colour description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/colour/ colourDescription/@languageCode
190	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Colour information/Colour description/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/colour/ colourDescription/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Language code/Code list version			
190	BDT00000679	.. 70	1 .. 1	<b>Size description content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/Size information/Size description/Size description content	1 .. 80	0 .. 1	<b>descriptiveSize</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/size/ descriptiveSize
190	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/Size information/Size description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/size/ descriptiveSize/@languageCode
190	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/Size information/Size description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/size/ descriptiveSize/@codeListVersion
190	BDT00000680	.. 80	1 .. 1	<b>Size code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/Size information/Size code/Size code content	1 .. 80	0 .. 1	<b>sizeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/size/ sizeCode
190	BDT00000681	.. 80	1 .. 1	<b>Size code list code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/Size information/Size code/Size code list code/Size code list code content	1 .. 80		<b>sizeCodeListCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/size/ sizeCode/@sizeCodeListCode
190	BDT00000124	.. 80	0 .. 1	<b>Size code list description</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/Size information/Size code/Size code list	1 .. 80		<b>sizeCodeListDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/size/ sizeCode/@sizeCodeListDescription

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				description			
190	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/Size information/Size code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ sizeCode/@codeListVersion
190	BDT00000125	.. 35	0 .. 1	<b>Size code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/Size information/Size code/Size code list version	1 .. 35		<b>sizeCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ sizeCode/@sizeCodeListVersion
190	BDT00000070	.. 8	1 .. 1	<b>GS1 global product classification GPC brick code</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item classification information/ GS1 global product classification GPC brick code	1 .. 1		<b>gpcCategoryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ tradeItemClassification/gpcCategoryCode
191	BDT00000536	.. 80	1 .. 1	<b>Alternative trade item product classification code content</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item classification information/ Alternative trade item product classification code/Alternative trade item product classification code content	1 .. 80	0 .. unbounded	<b>additionalTradeItemClassificationCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ tradeItemClassification/ additionalTradeItemClassificationCode
191	BDT00000002	.. 80	0 .. 1	<b>Additional trade item classification scheme code</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item classification information/	1 .. 80		<b>additionalTradeItemClassificationCodeListCode</b> <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ tradeItemClassification/ additionalTradeItemClassificationCode/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Alternative trade item product classification code/Additional trade item classification scheme code			@additionalTradelItemClassificationCodeListCode
191	BDT00000003	.. 35	0 .. 1	<b>Additional trade item classification scheme version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item classification information/ Alternative trade item product classification code/Additional trade item classification scheme version	1 .. 35		<b>additionalTradelItemClassificationCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradelItem/tradelItemClassification/additionalTradelItemClassificationCode/@additionalTradelItemClassificationCodeListVersion
191	BDT00000022	.. 80	0 .. 1	<b>Code description</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item classification information/ Alternative trade item product classification code/Code description	1 .. 80		<b>codeDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradelItem/tradelItemClassification/additionalTradelItemClassificationCode/@codeDescription
191	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item classification information/ Alternative trade item product classification code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradelItem/tradelItemClassification/additionalTradelItemClassificationCode/@codeListVersion
191	BDT00000071	.. 200	0 .. 1	<b>GS1 global product classification GPC brick name</b> <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item classification information/ GS1 global product classification GPC brick name	1 .. 105	0 .. 1	<b>gpcCategoryName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradelItem/tradelItemClassification/gpcCategoryName
	BDT00000067						

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
191		.. 8	1 .. 1	<b>GS1 global product classification GPC attribute type code</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute type code	1 .. 1		<b>gpcAttributeTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/tradeItemClassification/gpcAttribute/gpcAttributeTypeCode
191	BDT00000068	.. 8	1 .. 1	<b>GS1 global product classification GPC attribute value code</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute value code	1 .. 1		<b>gpcAttributeValueCode</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/tradeItemClassification/gpcAttribute/gpcAttributeValueCode
191	BDT00000064	.. 200	0 .. 1	<b>Global product classification GPC attribute type name</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Trade item classification information/Global Product Classification attributes/Global product classification GPC attribute type name	1 .. 105	0 .. 1	<b>gpcAttributeTypeName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/tradeItemClassification/gpcAttribute/gpcAttributeTypeName
191	BDT00000069	.. 200	0 .. 1	<b>GS1 global product classification GPC attribute value name</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product	1 .. 105	0 .. 1	<b>gpcAttributeValueName</b> <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/tradeItemClassification/gpcAttribute/gpcAttributeValueName

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				classification GPC attribute value name			
192	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Order response/Referenced order document information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/originalOrder/entityIdentification
192	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order response/Referenced order document information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderResponseMessage/orderResponse/originalOrder/contentOwner/gln
192	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order response/Referenced order document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/originalOrder/contentOwner/additionalPartyIdentification
192	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order response/Referenced order document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/originalOrder/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
192	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Referenced order document information/Document content owner/Additional party identification information/Additional party identification type code/Code list	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/originalOrder/contentOwner/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
192	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order response/Referenced order document information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> orderResponseMessage/orderResponse/originalOrder/creationDateTime
192	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Order response/Referenced order document information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/originalOrder/revisionNumber
192	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Order response/Referenced order document information/Document line number		0 .. 1	<b>lineltemNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/originalOrder/lineltemNumber
192	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Order response/Referenced order document information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> orderResponseMessage/orderResponse/originalOrder/referencedDocumentUrl
192	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Order response/Referenced sales order document information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/salesOrder/entityIdentification
193	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order response/Referenced sales order document information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderResponseMessage/orderResponse/salesOrder/contentOwner/gln
193	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order response/Referenced sales order document information/Document content owner/Additional party	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/salesOrder/contentOwner/additionalPartyIdentification

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional party identification content			
193	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order response/Referenced sales order document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/salesOrder/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
193	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Referenced sales order document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/salesOrder/contentOwner/additionalPartyIdentification/@codeListVersion
193	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order response/Referenced sales order document information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> orderResponseMessage/orderResponse/salesOrder/creationDateTime
193	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Order response/Referenced sales order document information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/salesOrder/revisionNumber
193	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Order response/Referenced sales order document information/Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/salesOrder/lineItemNumber
193	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Order response/Referenced sales order	1 .. 200	0 .. 1	<b>referencedDocumentUri</b> <i>Path:</i> orderResponseMessage/orderResponse/salesOrder/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				document information/Referenced document external location			referencedDocumentUrl
193	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Order response/Seller party information/Global location number, GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/gln
193	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order response/Seller party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/additionalPartyIdentification
194	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order response/Seller party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
194	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Seller party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/additionalPartyIdentification/@codeListVersion
194	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Seller party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/address/city
194	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Seller party	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/address/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/City code			cityCode
194	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Seller party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/address/countryCode
194	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Seller party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/address/countryCode/@codeListVersion
194	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Seller party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/address/countyCode
194	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Seller party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/address/crossStreet
194	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/address/currencyOfPartyCode
194	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/address/currencyOfPartyCode/@codeListVersion
195	BDT00000524	.. 80	1 .. 1	<b>Language code content</b>	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Seller party information/Organisation legal information/Language of the party code/Language code content			<i>Path:</i> orderResponseMessage/orderResponse/seller/address/languageOfThePartyCode
195	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/address/languageOfThePartyCode/@codeListVersion
195	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Seller party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/address/name
195	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Seller party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/address/pOBoxNumber
195	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Seller party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/address/postalCode
195	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Seller party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/address/provinceCode
195	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Seller party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/address/state
195	BDT00000128	.. 200	0 .. 1	<b>Street address one</b>	1 .. 200	0 .. 1	<b>streetAddressOne</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Seller party information/Address information/Street address one			<i>Path:</i> orderResponseMessage/orderResponse/seller/address/streetAddressOne
195	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Seller party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/address/streetAddressTwo
195	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Seller party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/address/streetAddressThree
196	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Seller party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/address/geographicalCoordinates/latitude
196	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Seller party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/address/geographicalCoordinates/longitude
196	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order response/Seller party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/contactTypeCode
196	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Seller party information/Business contact information/Contact type code/Code list	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/contactTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
196	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order response/Seller party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/personName
196	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order response/Seller party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/departmentName
196	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order response/Seller party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/jobTitle
196	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order response/Seller party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/responsibility
196	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Seller party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/responsibility/@languageCode
196	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Seller party information/Business contact	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/responsibility/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
197	BDT00000525		1 .. 1	information/Business contact responsibility description/Language code/Code list version <b>Communication channel code content</b> <i>Path:</i> Order response/Seller party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/communicationChannel/communicationChannelCode
197	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Seller party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/communicationChannel/communicationChannelCode/@codeListVersion
197	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Seller party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/communicationChannel/communicationValue
197	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Seller party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/communicationChannel/communicationChannelName
197	BDT00000525		1 .. 1	<b>Communication channel code content</b>	1 .. 80	1 .. 1	<b>communicationChannelCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Seller party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content			<i>Path:</i> orderResponseMessage/orderResponse/seller/contact/afterHoursCommunicationChannel/communicationChannelCode
197	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Seller party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
197	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Seller party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/afterHoursCommunicationChannel/communicationValue
197	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Seller party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/afterHoursCommunicationChannel/communicationChannelName
197	BDT000000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order response/Seller party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
197	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order response/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
198	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
198	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order response/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
198	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order response/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme name			
198	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order response/Seller party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
198	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Seller party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
198	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order response/Seller party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
198	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order response/Seller party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxDescription
198	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Seller party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
198	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Seller party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
198	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order response/Seller party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
199	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Seller party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
199	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/organisationName
199	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/issuedCapital
199	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/issuedCapital/@currencyCode
199	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/issuedCapital/@codeListVersion
199	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b>	1 .. 80	0 .. 1	<b>legalStructure</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Seller party information/Organisation legal information/Legal structure description/Legal structure description content			<i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/legalStructure
199	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/legalStructure/@languageCode
199	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/legalStructure/@codeListVersion
199	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/city
199	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/cityCode
200	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/countryCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
200	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/countryCode/@codeListVersion
200	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/countyCode
200	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/crossStreet
200	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/pOBoxNumber
200	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/postalCode
200	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/provinceCode
200	BDT00000127	.. 80	0 .. 1	<b>State</b>	1 .. 80	0 .. 1	<b>state</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/State			<i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/state
200	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/streetAddressOne
200	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/streetAddressTwo
201	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/streetAddressThree
201	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/geographicalCoordinates/latitude
201	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/geographicalCoordinates/longitude

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
201	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/legalRegistration/legalRegistrationNumber
201	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/legalRegistration/legalRegistrationType
201	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
201	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order response/Seller party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
201	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/financialInstitutionName
201	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b>	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial institution division name			<i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/financialInstitutionBranchName
201	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/financialAccount/financialAccountNumber
202	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
202	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
202	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/financialAccount/financialAccountName
	BDT00000062						

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
202		.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
202	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
202	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
202	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/additionalFinancialInformation/description
	BDT00000524						

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
202		.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
202	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
202	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/city
203	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/cityCode
203	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/countryCode
203	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Seller party	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/Country code/Code list version			financialInstitutionInformation/address/countryCode/@codeListVersion
203	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/countryCode
203	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/crossStreet
203	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/name
203	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/pOBoxNumber
203	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/postalCode
203	BDT00000117	80 ..	0 .. 1	<b>Province identity</b>	1 .. 80	0 .. 1	<b>provinceCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/Province identity			<i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/provinceCode
203	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/state
204	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/streetAddressOne
204	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/streetAddressTwo
204	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/streetAddressThree
204	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
204	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/geographicalCoordinates/longitude
204	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order response/Ship to party information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/gln
204	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order response/Ship to party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/additionalPartyIdentification
204	BDT000000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order response/Ship to party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
204	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Ship to party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/additionalPartyIdentification/@codeListVersion
204	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Ship to party	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/City name			address/city
205	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Ship to party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/cityCode
205	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Ship to party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/countryCode
205	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Ship to party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/countryCode/@codeListVersion
205	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Ship to party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/countyCode
205	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Ship to party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/crossStreet
205	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/currencyOfPartyCode
205	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Ship to party	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Currency of party code/Code list version			address/currencyOfPartyCode/@codeListVersion
205	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/languageOfThePartyCode
205	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/languageOfThePartyCode/@codeListVersion
205	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Ship to party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/name
206	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Ship to party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/pOBoxNumber
206	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Ship to party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/postalCode
206	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Ship to party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/provinceCode
	BDT00000127						

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
206		.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Ship to party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/state
206	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Ship to party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/streetAddressOne
206	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Ship to party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/streetAddressTwo
206	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Ship to party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/streetAddressThree
206	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Ship to party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/geographicalCoordinates/latitude
206	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Ship to party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/geographicalCoordinates/longitude
206	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order response/Ship to party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/contactTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
207	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Ship to party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/contactTypeCode/@codeListVersion
207	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order response/Ship to party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/personName
207	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order response/Ship to party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/departmentName
207	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order response/Ship to party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/jobTitle
207	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order response/Ship to party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/responsibility
207	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Ship to party information/Business contact information/Business contact responsibility description/Language	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/responsibility/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
207	BDT000000028	.. 35	0 .. 1	code/Language code content <b>Code list version</b> <i>Path:</i> Order response/Ship to party information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/responsibility/@codeListVersion
207	BDT000000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Ship to party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/communicationChannel/communicationChannelCode
207	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Ship to party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/communicationChannel/communicationChannelCode/@codeListVersion
207	BDT000000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Ship to party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/communicationChannel/communicationValue
208	BDT000000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Ship to party information/Business contact	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/communicationChannel/communicationChannelName

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication information/Communication channel name			
208	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Ship to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/ afterHoursCommunicationChannel/ communicationChannelCode
208	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Ship to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
208	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Ship to party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/ afterHoursCommunicationChannel/communicationValue
208	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order response/Ship to party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/ afterHoursCommunicationChannel/ communicationChannelName
208	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b>	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft  
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide  
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Ship to party information/Tax registration information/Tax registration identification information/Tax registration identification content			<i>Path:</i> orderResponseMessage/orderResponse/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
208	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
208	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
208	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
208	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b>	1 .. 80		<b>identificationSchemeName</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name			<i>Path:</i> orderResponseMessage/orderResponse/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
209	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
209	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
209	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
209	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription
209	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
209	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
209	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
209	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
209	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/organisationName
209	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/issuedCapital
210	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/issuedCapital/@currencyCode
210	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Ship to party information/Organisation legal information/Issued capital/Currency code/Code list version			<i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/issuedCapital/@codeListVersion
210	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/legalStructure
210	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/legalStructure/@languageCode
210	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/legalStructure/@codeListVersion
210	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/city
210	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/cityCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
210	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/countryCode
210	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/countryCode/@codeListVersion
210	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/countyCode
211	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/crossStreet
211	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/pOBoxNumber
211	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/postalCode
211	BDT00000117	80 ..	0 .. 1	<b>Province identity</b>	1 .. 80	0 .. 1	<b>provinceCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Province identity			<i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/provinceCode
211	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/state
211	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/streetAddressOne
211	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/streetAddressTwo
211	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/streetAddressThree
211	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/geographicalCoordinates/latitude
211	BDT00000089	.. 80	1 .. 1	<b>Longitude</b>	1 .. 80	1 .. 1	<b>longitude</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Geographical coordinates information/Longitude			<i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/geographicalCoordinates/longitude
212	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/legalRegistration/legalRegistrationNumber
212	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/legalRegistration/legalRegistrationType
212	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
212	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order response/Ship to party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
212	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b>	1 .. 80	0 .. 1	<b>financialInstitutionName</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Financial institution name			<i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/financialInstitutionName
212	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/financialInstitutionBranchName
212	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumber
212	BDT000000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
212	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
212	BDT000000058	.. 80	0 .. 1	<b>Financial account name</b>	1 .. 80	0 .. 1	<b>financialAccountName</b>

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Financial account information/Financial account name			<i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/financialAccount/financialAccountName
213	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
213	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
213	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
213	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order response/Ship to party information/Financial institution and	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/additionalFinancialInformation/description

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Additional financial institution description/Additional financial institution description content			
213	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
213	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
213	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/city
213	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/cityCode
213	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/countryCode

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Country code/Country code content			
213	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/countryCode/@codeListVersion
214	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/countyCode
214	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/crossStreet
214	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/name
214	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/pOBoxNumber
214	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Ship to party	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/Postal code			financialInstitutionInformation/address/postalCode
214	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/provinceCode
214	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/state
214	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/streetAddressOne
214	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/streetAddressTwo
214	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/streetAddressThree
215	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order response/Ship to party	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/

Legend: No = Consecutive Number



## Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude			financialInstitutionInformation/address/geographicalCoordinates/latitude
215	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number