



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|----------|------------|--|----------------|------------|--|
| 001 | BDT00000047 | | 0 .. 1 | Business document creation date time <i>Path:</i> Order response/Business document creation date time | 1 .. 1 | | Exchanged_ Document. Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issue. Date Time |
| 002 | BDT00000050 | | 0 .. 1 | Business document status code <i>Path:</i> Order response/Business document status code | 0 .. 1 | | Exchanged_ Document. Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Status. Code |
| 003 | BDT00000046 | | 0 .. 1 | Business document standard version <i>Path:</i> Order response/Business document standard version | 0 .. 1 | | Exchanged_ Document. Version_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Version_ Identification. Identifier |
| 004 | BDT00000048 | | 0 .. 1 | Business document last update date time <i>Path:</i> Order response/Business document last update date time | 0 .. 1 | | Exchanged_ Document. Revision. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Revision. Date Time |
| 005 | BDT00000119 | | 0 .. 1 | Revision number <i>Path:</i> Order response/Revision number | 0 .. 1 | | Exchanged_ Document. Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Revision_ Identification. Identifier |
| 006 | BDT00000056 | .. 80 | 0 .. 1 | Entity identification <i>Path:</i> Order response/Business document identification information/Entity identification | 1 .. 1 | | Exchanged_ Document. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Identification. Identifier |
| 007 | BDT00000063 | 13 .. 13 | 0 .. 1 | Global location number GLN <i>Path:</i> Order response/Business document identification information/Document content owner/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1</i> | 0 .. unbounded | | Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Sender. Trade_ Party/Trade_ Party. Global_ Identification. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|---|----------------|------------|---|
| | | | | <i>Company Prefix, location reference, and check digit.</i> | | | |
| 008 | BDT00000578 | .. 80 | 1 .. 1 | Additional party identification content <i>Path:</i> Order response/Business document identification information/Document content owner/Additional party identification information/Additional party identification content | 0 .. unbounded | | Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Sender. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier |
| 009 | BDT00000570 | .. 80 | 1 .. 1 | Additional party identification type code content <i>Path:</i> Order response/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content | 0 .. unbounded | | Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Sender. Trade_ Party/Trade_ Party. Type. Code |
| 010 | | | 0 .. 1 | Document effective date time <i>Path:</i> Order response/Document effective date time | 0 .. 1 | | Specified_ Period. Start. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Effective. Specified_ Period/Specified_ Period. Start. Date Time |
| 011 | BDTG00000247 | | 0 .. 1 | Reason for status of business document code <i>Path:</i> Order response/Reason for status of business document code | 0 .. 1 | | Code. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Priority. Code/Code. Name. Text |
| 012 | BDT00000696 | .. 80 | 1 .. 1 | Reason for status of business document code content <i>Path:</i> Order response/Reason for status of business document code/Reason for status of business document code | 0 .. 1 | | Exchanged_ Document. Response Reason. Code <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Response Reason. Code |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|--|----------------|------------|---|
| 013 | BDT00000705 | | 1 .. 1 | content Total monetary net amount content <i>Path:</i> Order response/Total monetary net amount/Total monetary net amount content | 0 .. unbounded | | Trade Settlement Header_ Monetary Summation. Net_ Line Total. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade Settlement Header_ Monetary Summation/Trade Settlement Header_ Monetary Summation. Net_ Line Total. Amount |
| 014 | BDTG00000590 | | 0 .. 1 | Currency code <i>Path:</i> Order response/Total monetary net amount/Currency code | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade Settlement Header_ Monetary Summation/Trade Settlement Header_ Monetary Summation. Net_ Line Total. Amount/Amount Currency. Identifier |
| 015 | BDT00000704 | | 1 .. 1 | Total monetary amount content <i>Path:</i> Order response/Total monetary amount/Total monetary amount content | 0 .. unbounded | | Trade Settlement Header_ Monetary Summation. Including Taxes_ Line Total. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade Settlement Header_ Monetary Summation/Trade Settlement Header_ Monetary Summation. Including Taxes_ Line Total. Amount |
| 016 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Total monetary amount/Currency code/Currency code content | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade Settlement Header_ |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|----------|------------|---|----------------|------------|---|
| 017 | BDT00000601 | | 1 .. 1 | Total tax monetary amount content <i>Path:</i> Order response/Total tax monetary amount/Total tax monetary amount content | 0 .. unbounded | | Monetary Summation/Trade Settlement Header_Monetary Summation. Including Taxes_Line Total. Amount/Amount Currency. Identifier Trade Settlement Header_Monetary Summation. Tax Total. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Specified. Trade Settlement Header_Monetary Summation/Trade Settlement Header_Monetary Summation. Tax Total. Amount |
| 018 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Total tax monetary amount/Currency code/Currency code content | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Specified. Trade Settlement Header_Monetary Summation/Trade Settlement Header_Monetary Summation. Tax Total. Amount/Amount Currency. Identifier |
| 019 | BDT00000670 | .. 70 | 1 .. 1 | Notation content <i>Path:</i> Order response/Notation/Notation content | 0 .. unbounded | | Note. Content. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_Document/Exchanged_Document. Included. Note/Note. Content. Text |
| 020 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Notation/Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_Document/Exchanged_Document. Included. Note/Note. Content. Text/Language. Identifier |
| 021 | BDT00000063 | 13 .. 13 | 0 .. 1 | Global location number, GLN <i>Path:</i> Order response/Buyer party information/Global location number, | 0 .. unbounded | | Trade_Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|----------------|------------|--|
| | | | | GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i> | | | Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier |
| 022 | BDT00000578 | .. 80 | 1 .. 1 | Additional party identification content <i>Path: Order response/Buyer party information/Additional party identification information/Additional party identification content</i> | 0 .. unbounded | | Trade_ Party. Identification. Identifier <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Identification. Identifier</i> |
| 023 | BDT00000570 | .. 80 | 1 .. 1 | Additional party identification type code content <i>Path: Order response/Buyer party information/Additional party identification information/Additional party identification type code/Additional party identification type code content</i> | 1 .. 1 | | Identifier. Content <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content</i> |
| 024 | BDT00000786 | .. 70 | 1 .. 1 | Electronic address identification scheme <i>Path: Order response/Buyer party information/Electronic address information/Electronic address identification scheme</i> | 0 .. 1 | | Identification Scheme. Identifier <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier/Identification Scheme. Identifier</i> |
| 025 | BDT00000785 | .. 70 | 1 .. 1 | Electronic address identification <i>Path: Order response/Buyer party information/Electronic address information/Electronic address</i> | 0 .. 1 | | Universal_ Communication. URI. Identifier <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. URI.</i> |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | identification | | | Universal_ Communication/Universal_ Communication. URI. Identifier |
| 026 | BDT00000020 | .. 200 | 0 .. 1 | City name <i>Path:</i> Order response/Buyer party information/Address information/City name | 0 .. 1 | | Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text |
| 027 | BDT00000019 | .. 80 | 0 .. 1 | City code <i>Path:</i> Order response/Buyer party information/Address information/City code | 0 .. 1 | | Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier |
| 028 | BDT00000034 | .. 80 | 0 .. 1 | County code <i>Path:</i> Order response/Buyer party information/Address information/County code | 0 .. 1 | | Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text |
| 029 | BDT00000106 | .. 200 | 0 .. 1 | Party name <i>Path:</i> Order response/Buyer party information/Address information/Party name | 0 .. 1 | | Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Name. Text |
| 030 | BDT00000113 | .. 80 | 0 .. 1 | Post office box number <i>Path:</i> Order response/Buyer party information/Address information/Post | 0 .. 1 | | Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | office box number | | | Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text |
| 031 | BDT00000114 | .. 80 | 0 .. 1 | Postal code <i>Path:</i> Order response/Buyer party information/Address information/Postal code | 0 .. 1 | | Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code |
| 032 | BDT00000117 | 80 .. | 0 .. 1 | Province identity <i>Path:</i> Order response/Buyer party information/Address information/Province identity | 0 .. 1 | | Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier |
| 033 | BDT00000127 | .. 80 | 0 .. 1 | State <i>Path:</i> Order response/Buyer party information/Address information/State | 0 .. 1 | | Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text |
| 034 | BDT00000128 | .. 200 | 0 .. 1 | Street address one <i>Path:</i> Order response/Buyer party information/Address information/Street address one | 0 .. 1 | | Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text |
| 035 | BDT00000130 | .. 200 | 0 .. 1 | Street address two | 0 .. 1 | | Trade_ Address. Line Two. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| | | | | <i>Path:</i> Order response/Buyer party information/Address information/Street address two | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text |
| 036 | BDT00000129 | .. 200 | 0 .. 1 | Street address three <i>Path:</i> Order response/Buyer party information/Address information/Street address three | 0 .. 1 | | Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text |
| 037 | BDT00000774 | | 1 .. 1 | Country code content <i>Path:</i> Order response/Buyer party information/Address information/ Country code/Country code content | 0 .. 1 | | Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier |
| 038 | BDT00000085 | .. 80 | 1 .. 1 | Latitude <i>Path:</i> Order response/Buyer party information/Address information/ Geographical coordinates information/ Latitude | 0 .. 1 | | Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure |
| 039 | BDT00000089 | .. 80 | 1 .. 1 | Longitude <i>Path:</i> Order response/Buyer party information/Address information/ Geographical coordinates information/ Longitude | 0 .. 1 | | Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | | | | Geographical Coordinate/Geographical Coordinate. Longitude. Measure |
| 040 | BDT00000112 | .. 70 | 0 .. 1 | Person name <i>Path:</i> Order response/Buyer party information/Business contact information/Person name | 0 .. 1 | | Trade_Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text |
| 041 | BDT00000044 | .. 70 | 0 .. 1 | Department name <i>Path:</i> Order response/Buyer party information/Business contact information/Department name | 0 .. 1 | | Trade_Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text |
| 042 | BDT00000083 | .. 70 | 0 .. 1 | Job title <i>Path:</i> Order response/Buyer party information/Business contact information/Job title | 0 .. 1 | | Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text |
| 043 | BDT00000571 | .. 80 | 1 .. 1 | Contact type code content <i>Path:</i> Order response/Buyer party information/Business contact information/Contact type code/Contact type code content | 0 .. 1 | | Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code |
| 044 | BDT00000580 | .. 70 | 1 .. 1 | Business contact responsibility description content <i>Path:</i> Order response/Buyer party information/Business contact | 0 .. 1 | | Trade_Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|--|--------|------------|--|
| | | | | information/Business contact responsibility description/Business contact responsibility description content | | | Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text |
| 045 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Buyer party information/Business contact information/Business contact responsibility description/Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/ Language. Identifier |
| 046 | BDTG00000175 | | 1 .. 1 | Communication channel code <i>Path:</i> Order response/Buyer party information/Business contact information/Communication information/Communication channel code | 0 .. 1 | | Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code |
| 047 | BDT00000033 | .. 200 | 0 .. 1 | Communication channel name <i>Path:</i> Order response/Buyer party information/Business contact information/Communication information/Communication channel name | 0 .. 1 | | Universal_ Communication. Complete Number. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Complete Number. Text |
| 048 | BDTG00000175 | | 1 .. 1 | Communication channel code <i>Path:</i> Order response/Buyer party information/Business contact information/After hours communication | 0 .. 1 | | Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | information/Communication channel code | | | Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code |
| 049 | BDT00000032 | .. 200 | 1 .. 1 | Communication channel identification <i>Path:</i> Order response/Buyer party information/Business contact information/After hours communication information/Communication channel identification | 0 .. 1 | | Trade_ Contact. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier |
| 050 | BDT00000369 | .. 80 | 0 .. 1 | Tax authority name <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax authority name | 0 .. 1 | | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 051 | BDT00000584 | .. 200 | 1 .. 1 | Tax registration identification content <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax registration identification information/Tax registration identification content | 0 .. 1 | | Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier |
| 052 | BDT00000074 | .. 80 | 0 .. 1 | Identification scheme name <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name | 0 .. 1 | | Identification Scheme. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text |
| 053 | BDT00000073 | .. 80 | 0 .. 1 | Identification scheme agency name | 0 .. 1 | | Identification Scheme. Agency Name. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|----------------|------------|---|
| | | | | <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 054 | BDT00000583 | .. 80 | 1 .. 1 | Identification scheme responsible agency code content <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content | 0 .. 1 | | Identification Scheme Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier/Identification Scheme Agency. Identifier |
| 055 | BDT00000576 | .. 80 | 1 .. 1 | Tax type code content <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax type code/Tax type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 056 | BDT00000754 | .. 70 | 1 .. 1 | Tax description content <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax description/Tax description content | 0 .. unbounded | | Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text |
| 057 | BDT00000524 | .. 80 | 1 .. 1 | Language code content | 0 .. 1 | | Language. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| | | | | <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax description/Language code/Language code content | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/ Language. Identifier |
| 058 | BDT00000588 | .. 80 | 1 .. 1 | Tax registration type code content <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax registration type code/ Tax registration type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 059 | BDT00000370 | .. 80 | 0 .. 1 | Customs authority name <i>Path:</i> Order response/Buyer party information/Customs duty registration information/Customs authority name | 0 .. 1 | | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS Identification. Identifier/Identification Scheme. Agency Name. Text |
| 060 | BDT00000622 | .. 200 | 1 .. 1 | Customs registration identification content <i>Path:</i> Order response/Buyer party information/Customs duty registration information/Customs registration identification information/Customs registration identification content | 0 .. 1 | | Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier |
| 061 | BDT00000074 | .. 80 | 0 .. 1 | Identification scheme name <i>Path:</i> Order response/Buyer party information/Customs duty registration | 0 .. 1 | | Identification Scheme. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|----------------|------------|--|
| | | | | information/Customs registration identification information/Identification scheme information/Identification scheme name | | | Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text |
| 062 | BDT00000073 | .. 80 | 0 .. 1 | Identification scheme agency name <i>Path:</i> Order response/Buyer party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name | 0 .. 1 | | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 063 | BDT00000583 | .. 80 | 1 .. 1 | Identification scheme responsible agency code content <i>Path:</i> Order response/Buyer party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content | 0 .. 1 | | Identification Scheme Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier |
| 064 | BDT00000576 | .. 80 | 1 .. 1 | Tax type code content <i>Path:</i> Order response/Buyer party information/Customs duty registration information/Tax type code/Tax type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 065 | BDT00000563 | .. 70 | 1 .. 1 | Customs duty description content <i>Path:</i> Order response/Buyer party information/Customs duty registration | 0 .. unbounded | | Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | information/Customs duty description/ Customs duty description content | | | Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text |
| 066 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Buyer party information/Customs duty registration information/Customs duty description/ Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/ Language. Identifier |
| 067 | BDT00000624 | .. 80 | 1 .. 1 | Customs registration type code content <i>Path:</i> Order response/Buyer party information/Customs duty registration information/Customs registration type code/Customs registration type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 068 | BDT00000102 | .. 200 | 1 .. 1 | Organisation name <i>Path:</i> Order response/Buyer party information/Organisation legal information/Organisation name | 0 .. 1 | | Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text |
| 069 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Buyer party information/Organisation legal information/Language of the party code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/ |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | | | | Language. Identifier |
| 070 | BDT00000034 | .. 80 | 0 .. 1 | County code <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/County code | 0 .. 1 | | Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text |
| 071 | BDT00000020 | .. 200 | 0 .. 1 | City name <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/City name | 0 .. 1 | | Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text |
| 072 | BDT00000019 | .. 80 | 0 .. 1 | City code <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/City code | 0 .. 1 | | Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier |
| 073 | BDT00000113 | .. 80 | 0 .. 1 | Post office box number <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Post office box number | 0 .. 1 | | Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text |
| 074 | BDT00000114 | .. 80 | 0 .. 1 | Postal code <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Postal code | 0 .. 1 | | Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| 075 | BDT00000117 | 80 .. | 0 .. 1 | Province identity <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Province identity | | | Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code |
| | | | | | 0 .. 1 | | Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier |
| 076 | BDT00000127 | .. 80 | 0 .. 1 | State <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/State | | | |
| | | | | | 0 .. 1 | | Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text |
| 077 | BDT00000128 | .. 200 | 0 .. 1 | Street address one <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Street address one | | | |
| | | | | | 0 .. 1 | | Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text |
| 078 | BDT00000130 | .. 200 | 0 .. 1 | Street address two <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Street address two | | | |
| | | | | | 0 .. 1 | | Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text |
| 079 | BDT00000129 | .. 200 | 0 .. 1 | Street address three <i>Path:</i> Order response/Buyer party | | | |
| | | | | | 0 .. 1 | | Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| | | | | information/Organisation legal information/Official address/Street address three | | | Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text |
| 080 | BDT00000774 | | 1 .. 1 | Country code content <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Country code/Country code content | | 0 .. 1 | Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier |
| 081 | BDT00000659 | .. 70 | 1 .. 1 | Legal structure description content <i>Path:</i> Order response/Buyer party information/Organisation legal information/Legal structure description/ Legal structure description content | | 0 .. 1 | Legal_ Organization. Legal Classification. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code |
| 082 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Buyer party information/Organisation legal information/Legal structure description/ Language code/Language code content | | 0 .. 1 | Code List. Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code List. Agency. Identifier |
| 083 | BDT00000087 | .. 80 | 1 .. 1 | Legal registration number <i>Path:</i> Order response/Buyer party information/Organisation legal information/Registered legal information/Legal registration number | | 0 .. 1 | Legal_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|----------|------------|--|----------------|------------|--|
| 084 | BDT00000086 | .. 200 | 0 .. 1 | Legal registration additional information <i>Path:</i> Order response/Buyer party information/Organisation legal information/Registered legal information/Legal registration additional information | 1 .. 1 | | Identifier. Content <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier/Identifier. Content |
| 085 | BDT000000658 | .. 80 | 1 .. 1 | Legal registration type code content <i>Path:</i> Order response/Buyer party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content | 0 .. 1 | | Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code |
| 086 | BDT000000063 | 13 .. 13 | 0 .. 1 | Global location number, GLN <i>Path:</i> Order response/Seller party information/Global location number, GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i> | 0 .. unbounded | | Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Global_ Identification. Identifier |
| 087 | BDT000000578 | .. 80 | 1 .. 1 | Additional party identification content <i>Path:</i> Order response/Seller party information/Additional party identification information/Additional party identification content | 0 .. unbounded | | Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | | | | Identification. Identifier |
| 088 | BDT00000570 | .. 80 | 1 .. 1 | Additional party identification type code content <i>Path:</i> Order response/Seller party information/Additional party identification information/Additional party identification type code/Additional party identification type code content | 1 .. 1 | | Identifier. Content <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content |
| 089 | BDT00000786 | .. 70 | 1 .. 1 | Electronic address identification scheme <i>Path:</i> Order response/Seller party information/Electronic address information/Electronic address identification scheme | 0 .. 1 | | Identification Scheme. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier/Identification Scheme. Identifier |
| 090 | BDT00000785 | .. 70 | 1 .. 1 | Electronic address identification <i>Path:</i> Order response/Seller party information/Electronic address information/Electronic address identification | 0 .. 1 | | Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier |
| 091 | BDT00000020 | .. 200 | 0 .. 1 | City name <i>Path:</i> Order response/Seller party information/Address information/City name | 0 .. 1 | | Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text |
| 092 | BDT00000019 | .. 80 | 0 .. 1 | City code <i>Path:</i> Order response/Seller party | 0 .. 1 | | Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| | | | | information/Address information/City code | | | Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier |
| 093 | BDT00000034 | .. 80 | 0 .. 1 | County code <i>Path:</i> Order response/Seller party information/Address information/County code | 0 .. 1 | | Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text |
| 094 | BDT00000106 | .. 200 | 0 .. 1 | Party name <i>Path:</i> Order response/Seller party information/Address information/Party name | 0 .. 1 | | Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Name. Text |
| 095 | BDT00000113 | .. 80 | 0 .. 1 | Post office box number <i>Path:</i> Order response/Seller party information/Address information/Post office box number | 0 .. 1 | | Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text |
| 096 | BDT00000114 | .. 80 | 0 .. 1 | Postal code <i>Path:</i> Order response/Seller party information/Address information/Postal code | 0 .. 1 | | Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code |
| 097 | BDT00000117 | 80 .. | 0 .. 1 | Province identity | 0 .. 1 | | Trade_ Address. Country Sub-Division. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| | | | | <i>Path:</i> Order response/Seller party information/Address information/Province identity | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier |
| 098 | BDT00000127 | .. 80 | 0 .. 1 | State <i>Path:</i> Order response/Seller party information/Address information/State | 0 .. 1 | | Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text |
| 099 | BDT00000128 | .. 200 | 0 .. 1 | Street address one <i>Path:</i> Order response/Seller party information/Address information/Street address one | 0 .. 1 | | Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text |
| 100 | BDT00000130 | .. 200 | 0 .. 1 | Street address two <i>Path:</i> Order response/Seller party information/Address information/Street address two | 0 .. 1 | | Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text |
| 101 | BDT00000129 | .. 200 | 0 .. 1 | Street address three <i>Path:</i> Order response/Seller party information/Address information/Street address three | 0 .. 1 | | Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| 102 | BDT00000774 | | 1 .. 1 | Country code content <i>Path:</i> Order response/Seller party information/Address information/Country code/Country code content | | 0 .. 1 | Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier |
| 103 | BDT00000085 | .. 80 | 1 .. 1 | Latitude <i>Path:</i> Order response/Seller party information/Address information/Geographical coordinates information/Latitude | | 0 .. 1 | Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure |
| 104 | BDT00000089 | .. 80 | 1 .. 1 | Longitude <i>Path:</i> Order response/Seller party information/Address information/Geographical coordinates information/Longitude | | 0 .. 1 | Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure |
| 105 | BDT00000112 | .. 70 | 0 .. 1 | Person name <i>Path:</i> Order response/Seller party information/Business contact information/Person name | | 0 .. 1 | Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text |
| 106 | BDT00000044 | .. 70 | 0 .. 1 | Department name <i>Path:</i> Order response/Seller party information/Business contact | | 0 .. 1 | Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|---|--------|------------|---|
| | | | | information/Department name | | | Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text |
| 107 | BDT00000083 | .. 70 | 0 .. 1 | Job title <i>Path:</i> Order response/Seller party information/Business contact information/Job title | 0 .. 1 | | Trade_ Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text |
| 108 | BDT000000571 | .. 80 | 1 .. 1 | Contact type code content <i>Path:</i> Order response/Seller party information/Business contact information/Contact type code/Contact type code content | 0 .. 1 | | Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code |
| 109 | BDT000000580 | .. 70 | 1 .. 1 | Business contact responsibility description content <i>Path:</i> Order response/Seller party information/Business contact information/Business contact responsibility description/Business contact responsibility description content | 0 .. 1 | | Trade_ Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text |
| 110 | BDT000000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Seller party information/Business contact information/Business contact responsibility description/Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/ Language. Identifier |
| | BDT000000525 | | | | | | |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|--|--------|------------|---|
| 111 | | | 1 .. 1 | Communication channel code content <i>Path:</i> Order response/Seller party information/Business contact information/Communication information/Communication channel code/Communication channel code content | 0 .. 1 | | Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code |
| 112 | BDT00000032 | .. 200 | 1 .. 1 | Communication channel identification <i>Path:</i> Order response/Seller party information/Business contact information/Communication information/Communication channel identification | 0 .. 1 | | Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier |
| 113 | BDT00000033 | .. 200 | 0 .. 1 | Communication channel name <i>Path:</i> Order response/Seller party information/Business contact information/Communication information/Communication channel name | 0 .. 1 | | Universal_ Communication. Complete Number. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Complete Number. Text |
| 114 | BDTG00000175 | | 1 .. 1 | Communication channel code <i>Path:</i> Order response/Seller party information/Business contact information/After hours communication information/Communication channel code | 0 .. 1 | | Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code |
| 115 | BDT00000525 | | 1 .. 1 | Communication channel code content | 1 .. 1 | | Code. Content |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| | | | | <i>Path:</i> Order response/Seller party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content |
| 116 | BDT00000032 | .. 200 | 1 .. 1 | Communication channel identification <i>Path:</i> Order response/Seller party information/Business contact information/After hours communication information/Communication channel identification | 0 .. 1 | | Trade_ Contact. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier |
| 117 | BDT00000369 | .. 80 | 0 .. 1 | Tax authority name <i>Path:</i> Order response/Seller party information/Tax registration information/Tax authority name | 0 .. 1 | | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 118 | BDT00000584 | .. 200 | 1 .. 1 | Tax registration identification content <i>Path:</i> Order response/Seller party information/Tax registration information/Tax registration identification information/Tax registration identification content | 0 .. 1 | | Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier |
| 119 | BDT00000074 | .. 80 | 0 .. 1 | Identification scheme name <i>Path:</i> Order response/Seller party information/Tax registration information/Tax registration identification information/Identification | 0 .. 1 | | Identification Scheme. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|----------------|------------|---|
| | | | | scheme information/Identification scheme name | | | Tax_Registration/Tax_Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text |
| 120 | BDT00000073 | .. 80 | 0 .. 1 | Identification scheme agency name <i>Path:</i> Order response/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name | 0 .. 1 | | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 121 | BDT00000583 | .. 80 | 1 .. 1 | Identification scheme responsible agency code content <i>Path:</i> Order response/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content | 0 .. 1 | | Identification Scheme Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. Identification. Identifier/Identification Scheme Agency. Identifier |
| 122 | BDT00000576 | .. 80 | 1 .. 1 | Tax type code content <i>Path:</i> Order response/Seller party information/Tax registration information/Tax type code/Tax type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 123 | BDT00000754 | .. 70 | 1 .. 1 | Tax description content <i>Path:</i> Order response/Seller party information/Tax registration information/Tax description/Tax description content | 0 .. unbounded | | Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| 124 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Seller party information/Tax registration information/Tax description/Language code/Language code content | 0 .. 1 | | Tax_Registration/Tax_Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/ Language. Identifier |
| 125 | BDT00000588 | .. 80 | 1 .. 1 | Tax registration type code content <i>Path:</i> Order response/Seller party information/Tax registration information/Tax registration type code/ Tax registration type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 126 | BDT00000370 | .. 80 | 0 .. 1 | Customs authority name <i>Path:</i> Order response/Seller party information/Customs duty registration information/Customs authority name | 0 .. 1 | | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 127 | BDT00000622 | .. 200 | 1 .. 1 | Customs registration identification content <i>Path:</i> Order response/Seller party information/Customs duty registration information/Customs registration identification information/Customs registration identification content | 0 .. 1 | | Tax_Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. Identification. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| 128 | BDT00000074 | .. 80 | 0 .. 1 | Identification scheme name <i>Path:</i> Order response/Seller party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name | 0 .. 1 | | Identification Scheme. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text |
| 129 | BDT00000073 | .. 80 | 0 .. 1 | Identification scheme agency name <i>Path:</i> Order response/Seller party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name | 0 .. 1 | | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 130 | BDT00000583 | .. 80 | 1 .. 1 | Identification scheme responsible agency code content <i>Path:</i> Order response/Seller party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content | 0 .. 1 | | Identification Scheme Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier/Identification Scheme Agency. Identifier |
| 131 | BDT00000576 | .. 80 | 1 .. 1 | Tax type code content <i>Path:</i> Order response/Seller party information/Customs duty registration information/Tax type code/Tax type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|----------------|------------|---|
| 132 | BDT00000563 | .. 70 | 1 .. 1 | Customs duty description content <i>Path:</i> Order response/Seller party information/Customs duty registration information/Customs duty description/ Customs duty description content | 0 .. unbounded | | Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text |
| 133 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Seller party information/Customs duty registration information/Customs duty description/ Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/ Language. Identifier |
| 134 | BDT00000624 | .. 80 | 1 .. 1 | Customs registration type code content <i>Path:</i> Order response/Seller party information/Customs duty registration information/Customs registration type code/Customs registration type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 135 | BDT00000102 | .. 200 | 1 .. 1 | Organisation name <i>Path:</i> Order response/Seller party information/Organisation legal information/Organisation name | 0 .. 1 | | Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text |
| 136 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Seller party information/Organisation legal | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| | | | | information/Language of the party code/Language code content | | | Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/ Language. Identifier |
| 137 | BDT00000034 | .. 80 | 0 .. 1 | County code <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/County code | 0 .. 1 | | Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text |
| 138 | BDT00000020 | .. 200 | 0 .. 1 | City name <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/City name | 0 .. 1 | | Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text |
| 139 | BDT00000019 | .. 80 | 0 .. 1 | City code <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/City code | 0 .. 1 | | Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier |
| 140 | BDT00000113 | .. 80 | 0 .. 1 | Post office box number <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Post office box number | 0 .. 1 | | Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| 141 | BDT00000114 | .. 80 | 0 .. 1 | Postal code <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Postal code | 0 .. 1 | | Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code |
| 142 | BDT00000117 | 80 .. | 0 .. 1 | Province identity <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Province identity | 0 .. 1 | | Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier |
| 143 | BDT00000127 | .. 80 | 0 .. 1 | State <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/State | 0 .. 1 | | Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text |
| 144 | BDT00000128 | .. 200 | 0 .. 1 | Street address one <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Street address one | 0 .. 1 | | Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| 145 | BDT00000130 | .. 200 | 0 .. 1 | Street address two <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Street address two | 0 .. 1 | | Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text |
| 146 | BDT00000129 | .. 200 | 0 .. 1 | Street address three <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Street address three | 0 .. 1 | | Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text |
| 147 | BDT00000774 | | 1 .. 1 | Country code content <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Country code/Country code content | 0 .. 1 | | Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country. Identifier |
| 148 | BDT00000659 | .. 70 | 1 .. 1 | Legal structure description content <i>Path:</i> Order response/Seller party information/Organisation legal information/Legal structure description/ Legal structure description content | 0 .. 1 | | Legal_ Organization. Legal Classification. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code |
| 149 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Seller party information/Organisation legal | 0 .. 1 | | Code List. Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|----------|------------|--|----------------|------------|---|
| | | | | information/Legal structure description/ Language code/Language code content | | | Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code List. Agency. Identifier |
| 150 | BDT00000087 | .. 80 | 1 .. 1 | Legal registration number <i>Path:</i> Order response/Seller party information/Organisation legal information/Registered legal information/Legal registration number | 0 .. 1 | | Legal_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier |
| 151 | BDT00000086 | .. 200 | 0 .. 1 | Legal registration additional information <i>Path:</i> Order response/Seller party information/Organisation legal information/Registered legal information/Legal registration additional information | 1 .. 1 | | Identifier. Content <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier/Identifier. Content |
| 152 | BDT00000658 | .. 80 | 1 .. 1 | Legal registration type code content <i>Path:</i> Order response/Seller party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content | 0 .. 1 | | Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code |
| 153 | BDT00000063 | 13 .. 13 | 0 .. 1 | Global location number GLN <i>Path:</i> Order response/Bill to party information/Global location number GLN <i>GS1 General Specifications: The GS1</i> | 0 .. unbounded | | Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|----------------|------------|--|
| | | | | <i>identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i> | | | Settlement. Invoicee. Trade_ Party/Trade_ Party. Global_ Identification. Identifier |
| 154 | BDT00000578 | .. 80 | 1 .. 1 | Additional party identification content <i>Path:</i> Order response/Bill to party information/Additional party identification/Additional party identification content | 0 .. unbounded | | Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Identification. Identifier |
| 155 | BDT00000570 | .. 80 | 1 .. 1 | Additional party identification type code content <i>Path:</i> Order response/Bill to party information/Additional party identification/Additional party identification type code/Additional party identification type code content | 1 .. 1 | | Identifier. Content <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content |
| 156 | BDT00000020 | .. 200 | 0 .. 1 | City name <i>Path:</i> Order response/Bill to party information/Address information/City name | 0 .. 1 | | Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text |
| 157 | BDT00000019 | .. 80 | 0 .. 1 | City code <i>Path:</i> Order response/Bill to party information/Address information/City code | 0 .. 1 | | Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier |
| 158 | BDT00000034 | .. 80 | 0 .. 1 | County code | 0 .. 1 | | Trade_ Address. City Sub-Division Name. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| | | | | <i>Path:</i> Order response/Bill to party information/Address information/County code | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text |
| 159 | BDT00000035 | .. 200 | 0 .. 1 | Cross street <i>Path:</i> Order response/Bill to party information/Address information/Cross street | 0 .. 1 | | Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text |
| 160 | BDT00000106 | .. 200 | 0 .. 1 | Party name <i>Path:</i> Order response/Bill to party information/Address information/Party name | 0 .. 1 | | Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Name. Text |
| 161 | BDT00000113 | .. 80 | 0 .. 1 | Post office box number <i>Path:</i> Order response/Bill to party information/Address information/Post office box number | 0 .. 1 | | Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text |
| 162 | BDT00000114 | .. 80 | 0 .. 1 | Postal code <i>Path:</i> Order response/Bill to party information/Address information/Postal code | 0 .. 1 | | Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| 163 | BDT00000117 | 80 .. | 0 .. 1 | Province identity <i>Path:</i> Order response/Bill to party information/Address information/Province identity | 0 .. 1 | | Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier |
| 164 | BDT00000127 | .. 80 | 0 .. 1 | State <i>Path:</i> Order response/Bill to party information/Address information/State | 0 .. 1 | | Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text |
| 165 | BDT00000128 | .. 200 | 0 .. 1 | Street address one <i>Path:</i> Order response/Bill to party information/Address information/Street address one | 0 .. 1 | | Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text |
| 166 | BDT00000130 | .. 200 | 0 .. 1 | Street address two <i>Path:</i> Order response/Bill to party information/Address information/Street address two | 0 .. 1 | | Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text |
| 167 | BDT00000129 | .. 200 | 0 .. 1 | Street address three <i>Path:</i> Order response/Bill to party information/Address information/Street address three | 0 .. 1 | | Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| 168 | BDT00000774 | | 1 .. 1 | Country code content <i>Path:</i> Order response/Bill to party information/Address information/Country code/Country code content | | 0 .. 1 | Trade_ Address/Trade_ Address. Line Three. Text Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier |
| 169 | BDT00000085 | .. 80 | 1 .. 1 | Latitude <i>Path:</i> Order response/Bill to party information/Address information/Geographical coordinates information/Latitude | | 0 .. 1 | Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure |
| 170 | BDT00000089 | .. 80 | 1 .. 1 | Longitude <i>Path:</i> Order response/Bill to party information/Address information/Geographical coordinates information/Longitude | | 0 .. 1 | Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure |
| 171 | BDT00000112 | .. 70 | 0 .. 1 | Person name <i>Path:</i> Order response/Bill to party information/Business contact information/Person name | | 0 .. 1 | Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text |
| 172 | BDT00000044 | .. 70 | 0 .. 1 | Department name | | 0 .. 1 | Trade_ Contact. Department Name. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | <i>Path:</i> Order response/Bill to party information/Business contact information/Department name | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text |
| 173 | BDT00000083 | .. 70 | 0 .. 1 | Job title <i>Path:</i> Order response/Bill to party information/Business contact information/Job title | | 0 .. 1 | Trade_ Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text |
| 174 | BDT00000571 | .. 80 | 1 .. 1 | Contact type code content <i>Path:</i> Order response/Bill to party information/Business contact information/Contact type code/Contact type code content | | 0 .. 1 | Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code |
| 175 | BDT00000580 | .. 70 | 1 .. 1 | Business contact responsibility description content <i>Path:</i> Order response/Bill to party information/Business contact information/Business contact responsibility description/Business contact responsibility description content | | 0 .. 1 | Trade_ Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text |
| 176 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Bill to party information/Business contact information/Business contact responsibility description/Language code/Language code content | | 0 .. 1 | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/ |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|---|--------|------------|---|
| 177 | BDT00000525 | | 1 .. 1 | Communication channel code content <i>Path:</i> Order response/Bill to party information/Business contact information/Communication information/Communication channel code/Communication channel code content | | 0 .. 1 | Language. Identifier Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code |
| 178 | BDT00000032 | .. 200 | 1 .. 1 | Communication channel identification <i>Path:</i> Order response/Bill to party information/Business contact information/Communication information/Communication channel identification | | 0 .. 1 | Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier |
| 179 | BDT00000033 | .. 200 | 0 .. 1 | Communication channel name <i>Path:</i> Order response/Bill to party information/Business contact information/Communication information/Communication channel name | | 0 .. 1 | Universal_ Communication. Complete Number. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Complete Number. Text |
| 180 | BDTG00000175 | | 1 .. 1 | Communication channel code <i>Path:</i> Order response/Bill to party information/Business contact information/After hours communication information/Communication channel code | | 0 .. 1 | Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| 181 | BDT00000032 | .. 200 | 1 .. 1 | Communication channel identification <i>Path:</i> Order response/Bill to party information/Business contact information/After hours communication information/Communication channel identification | 0 .. 1 | | Trade_Contact. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier |
| 182 | BDT00000369 | .. 80 | 0 .. 1 | Tax authority name <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax authority name | 0 .. 1 | | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 183 | BDT00000584 | .. 200 | 1 .. 1 | Tax registration identification content <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax registration identification information/Tax registration identification content | 0 .. 1 | | Tax_Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier |
| 184 | BDT00000074 | .. 80 | 0 .. 1 | Identification scheme name <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name | 0 .. 1 | | Identification Scheme. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text |
| 185 | BDT00000073 | .. 80 | 0 .. 1 | Identification scheme agency name <i>Path:</i> Order response/Bill to party information/Tax registration | 0 .. 1 | | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|----------------|------------|--|
| | | | | information/Tax registration identification information/Identification scheme information/Identification scheme agency name | | | Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 186 | BDT00000583 | .. 80 | 1 .. 1 | Identification scheme responsible agency code content <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content | 0 .. 1 | | Identification Scheme Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier |
| 187 | BDT00000576 | .. 80 | 1 .. 1 | Tax type code content <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax type code/Tax type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 188 | BDT00000754 | .. 70 | 1 .. 1 | Tax description content <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax description/Tax description content | 0 .. unbounded | | Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| 189 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax description/Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Language. Identifier |
| 190 | BDT00000588 | .. 80 | 1 .. 1 | Tax registration type code content <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax registration type code/ Tax registration type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 191 | BDT00000370 | .. 80 | 0 .. 1 | Customs authority name <i>Path:</i> Order response/Bill to party information/Customs duty registration information/Customs authority name | 0 .. 1 | | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 192 | BDT00000622 | .. 200 | 1 .. 1 | Customs registration identification content <i>Path:</i> Order response/Bill to party information/Customs duty registration information/Customs registration identification information/Customs registration identification content | 0 .. 1 | | Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| 193 | BDT00000074 | .. 80 | 0 .. 1 | Identification scheme name <i>Path:</i> Order response/Bill to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name | 0 .. 1 | | Identification Scheme. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text |
| 194 | BDT00000073 | .. 80 | 0 .. 1 | Identification scheme agency name <i>Path:</i> Order response/Bill to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name | 0 .. 1 | | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 195 | BDT00000583 | .. 80 | 1 .. 1 | Identification scheme responsible agency code content <i>Path:</i> Order response/Bill to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content | 0 .. 1 | | Identification Scheme Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier |
| 196 | BDT00000576 | .. 80 | 1 .. 1 | Tax type code content <i>Path:</i> Order response/Bill to party information/Customs duty registration information/Tax type code/Tax type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|----------------|------------|---|
| 197 | BDT00000563 | .. 70 | 1 .. 1 | Customs duty description content <i>Path:</i> Order response/Bill to party information/Customs duty registration information/Customs duty description/ Customs duty description content | 0 .. unbounded | | Associated. Registered_ Tax/Registered_ Tax. Type. Code Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text |
| 198 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Bill to party information/Customs duty registration information/Customs duty description/ Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Language. Identifier |
| 199 | BDT00000624 | .. 80 | 1 .. 1 | Customs registration type code content <i>Path:</i> Order response/Bill to party information/Customs duty registration information/Customs registration type code/Customs registration type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 200 | BDT00000102 | .. 200 | 1 .. 1 | Organisation name <i>Path:</i> Order response/Bill to party information/Organisation legal information/Organisation name | 0 .. 1 | | Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| 201 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Bill to party information/Organisation legal information/Language of the party code/Language code content | 0 .. 1 | | Specified. Legal_ Organization/Legal_ Organization. Name. Text Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/Language. Identifier |
| 202 | BDT00000034 | .. 80 | 0 .. 1 | County code <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/County code | 0 .. 1 | | Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text |
| 203 | BDT00000020 | .. 200 | 0 .. 1 | City name <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/City name | 0 .. 1 | | Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text |
| 204 | BDT00000019 | .. 80 | 0 .. 1 | City code <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/City code | 0 .. 1 | | Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| 205 | BDT00000113 | .. 80 | 0 .. 1 | Post office box number <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Post office box number | 0 .. 1 | | Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text |
| 206 | BDT00000114 | .. 80 | 0 .. 1 | Postal code <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Postal code | 0 .. 1 | | Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code |
| 207 | BDT00000117 | 80 .. | 0 .. 1 | Province identity <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Province identity | 0 .. 1 | | Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier |
| 208 | BDT00000127 | .. 80 | 0 .. 1 | State <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/State | 0 .. 1 | | Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| 209 | BDT00000128 | .. 200 | 0 .. 1 | Street address one <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Street address one | 0 .. 1 | | Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text |
| 210 | BDT00000130 | .. 200 | 0 .. 1 | Street address two <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Street address two | 0 .. 1 | | Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text |
| 211 | BDT00000129 | .. 200 | 0 .. 1 | Street address three <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Street address three | 0 .. 1 | | Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text |
| 212 | BDT00000774 | | 1 .. 1 | Country code content <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Country code/Country code content | 0 .. 1 | | Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country. Identifier |
| 213 | BDT00000659 | .. 70 | 1 .. 1 | Legal structure description content <i>Path:</i> Order response/Bill to party | 0 .. 1 | | Legal_ Organization. Legal Classification. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|----------|------------|---|----------------|------------|---|
| | | | | information/Organisation legal information/Legal structure description/ Legal structure description content | | | Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code |
| 214 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Bill to party information/Organisation legal information/Legal structure description/ Language code/Language code content | 0 .. 1 | | Code List. Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code List. Agency. Identifier |
| 215 | BDT00000087 | .. 80 | 1 .. 1 | Legal registration number <i>Path:</i> Order response/Bill to party information/Organisation legal information/Registered legal information/Legal registration number | 0 .. 1 | | Legal_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier |
| 216 | BDT00000658 | .. 80 | 1 .. 1 | Legal registration type code content <i>Path:</i> Order response/Bill to party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content | 0 .. 1 | | Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code |
| 217 | BDT00000063 | 13 .. 13 | 0 .. 1 | Global location number GLN <i>Path:</i> Order response/Ship to party information/Global location number GLN | 0 .. unbounded | | Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|----------------|------------|---|
| | | | | <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i> | | | Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Global_ Identification. Identifier |
| 218 | BDT00000578 | .. 80 | 1 .. 1 | Additional party identification content <i>Path:</i> Order response/Ship to party information/Additional party identification information/Additional party identification content | 0 .. unbounded | | Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Identification. Identifier |
| 219 | BDT00000570 | .. 80 | 1 .. 1 | Additional party identification type code content <i>Path:</i> Order response/Ship to party information/Additional party identification information/Additional party identification type code/Additional party identification type code content | 1 .. 1 | | Identifier. Content <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content |
| 220 | BDT00000020 | .. 200 | 0 .. 1 | City name <i>Path:</i> Order response/Ship to party information/Address information/City name | 0 .. 1 | | Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text |
| 221 | BDT00000019 | .. 80 | 0 .. 1 | City code <i>Path:</i> Order response/Ship to party information/Address information/City code | 0 .. 1 | | Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| 222 | BDT00000034 | .. 80 | 0 .. 1 | County code <i>Path:</i> Order response/Ship to party information/Address information/County code | 0 .. 1 | | Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text |
| 223 | BDT00000035 | .. 200 | 0 .. 1 | Cross street <i>Path:</i> Order response/Ship to party information/Address information/Cross street | 0 .. 1 | | Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text |
| 224 | BDT00000106 | .. 200 | 0 .. 1 | Party name <i>Path:</i> Order response/Ship to party information/Address information/Party name | 0 .. 1 | | Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Name. Text |
| 225 | BDT00000113 | .. 80 | 0 .. 1 | Post office box number <i>Path:</i> Order response/Ship to party information/Address information/Post office box number | 0 .. 1 | | Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text |
| 226 | BDT00000114 | .. 80 | 0 .. 1 | Postal code <i>Path:</i> Order response/Ship to party information/Address information/Postal code | 0 .. 1 | | Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| 227 | BDT00000117 | 80 .. | 0 .. 1 | Province identity <i>Path:</i> Order response/Ship to party information/Address information/Province identity | 0 .. 1 | | Trade_ Address/Trade_ Address. Postcode. Code Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier |
| 228 | BDT00000127 | .. 80 | 0 .. 1 | State <i>Path:</i> Order response/Ship to party information/Address information/State | 0 .. 1 | | Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text |
| 229 | BDT00000128 | .. 200 | 0 .. 1 | Street address one <i>Path:</i> Order response/Ship to party information/Address information/Street address one | 0 .. 1 | | Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text |
| 230 | BDT00000130 | .. 200 | 0 .. 1 | Street address two <i>Path:</i> Order response/Ship to party information/Address information/Street address two | 0 .. 1 | | Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text |
| 231 | BDT00000129 | .. 200 | 0 .. 1 | Street address three <i>Path:</i> Order response/Ship to party information/Address information/Street | 0 .. 1 | | Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| | | | | address three | | | Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text |
| 232 | BDT00000774 | | 1 .. 1 | Country code content <i>Path:</i> Order response/Ship to party information/Address information/ Country code/Country code content | 0 .. 1 | | Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier |
| 233 | BDT00000085 | .. 80 | 1 .. 1 | Latitude <i>Path:</i> Order response/Ship to party information/Address information/ Geographical coordinates information/ Latitude | 0 .. 1 | | Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure |
| 234 | BDT00000089 | .. 80 | 1 .. 1 | Longitude <i>Path:</i> Order response/Ship to party information/Address information/ Geographical coordinates information/ Longitude | 0 .. 1 | | Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure |
| 235 | BDT00000112 | .. 70 | 0 .. 1 | Person name <i>Path:</i> Order response/Ship to party information/Business contact information/Person name | 0 .. 1 | | Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|--|--------|------------|---|
| 236 | BDT00000044 | .. 70 | 0 .. 1 | Department name <i>Path:</i> Order response/Ship to party information/Business contact information/Department name | 0 .. 1 | | Trade_Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Department Name. Text |
| 237 | BDT00000083 | .. 70 | 0 .. 1 | Job title <i>Path:</i> Order response/Ship to party information/Business contact information/Job title | 0 .. 1 | | Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Job Title. Text |
| 238 | BDT000000571 | .. 80 | 1 .. 1 | Contact type code content <i>Path:</i> Order response/Ship to party information/Business contact information/Contact type code/Contact type code content | 0 .. 1 | | Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Type. Code |
| 239 | BDT000000580 | .. 70 | 1 .. 1 | Business contact responsibility description content <i>Path:</i> Order response/Ship to party information/Business contact information/Business contact responsibility description/Business contact responsibility description content | 0 .. 1 | | Trade_Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Responsibility. Text |
| 240 | BDT000000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Ship to party information/Business contact information/Business contact | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|---|--------|------------|--|
| | | | | responsibility description/Language code/Language code content | | | Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/ Language. Identifier |
| 241 | BDT00000525 | | 1 .. 1 | Communication channel code content <i>Path:</i> Order response/Ship to party information/Business contact information/Communication information/Communication channel code/Communication channel code content | 0 .. 1 | | Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code |
| 242 | BDT00000032 | .. 200 | 1 .. 1 | Communication channel identification <i>Path:</i> Order response/Ship to party information/Business contact information/Communication information/Communication channel identification | 0 .. 1 | | Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier |
| 243 | BDT00000033 | .. 200 | 0 .. 1 | Communication channel name <i>Path:</i> Order response/Ship to party information/Business contact information/Communication information/Communication channel name | 0 .. 1 | | Universal_ Communication. Complete Number. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Complete Number. Text |
| 244 | BDTG00000175 | | 1 .. 1 | Communication channel code <i>Path:</i> Order response/Ship to party information/Business contact information/After hours communication | 0 .. 1 | | Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | information/Communication channel code | | | Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code |
| 245 | BDT00000032 | .. 200 | 1 .. 1 | Communication channel identification <i>Path:</i> Order response/Ship to party information/Business contact information/After hours communication information/Communication channel identification | 0 .. 1 | | Trade_ Contact. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier |
| 246 | BDT00000369 | .. 80 | 0 .. 1 | Tax authority name <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax authority name | 0 .. 1 | | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 247 | BDT00000584 | .. 200 | 1 .. 1 | Tax registration identification content <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax registration identification information/Tax registration identification content | 0 .. 1 | | Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier |
| 248 | BDT00000074 | .. 80 | 0 .. 1 | Identification scheme name <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name | 0 .. 1 | | Identification Scheme. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text |
| 249 | BDT00000073 | .. 80 | 0 .. 1 | Identification scheme agency name | 0 .. 1 | | Identification Scheme. Agency Name. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|----------------|------------|---|
| | | | | <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 250 | BDT00000583 | .. 80 | 1 .. 1 | Identification scheme responsible agency code content <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content | 0 .. 1 | | Identification Scheme Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier |
| 251 | BDT00000576 | .. 80 | 1 .. 1 | Tax type code content <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax type code/Tax type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 252 | BDT00000754 | .. 70 | 1 .. 1 | Tax description content <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax description/Tax description content | 0 .. unbounded | | Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text |
| 253 | BDT00000524 | .. 80 | 1 .. 1 | Language code content | 0 .. 1 | | Language. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| | | | | <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax description/Language code/Language code content | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/ Language. Identifier |
| 254 | BDT00000588 | .. 80 | 1 .. 1 | Tax registration type code content <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax registration type code/ Tax registration type code content | | 0 .. 1 | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 255 | BDT00000370 | .. 80 | 0 .. 1 | Customs authority name <i>Path:</i> Order response/Ship to party information/Customs duty registration information/Customs authority name | | 0 .. 1 | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS Identification. Identifier/Identification Scheme. Agency Name. Text |
| 256 | BDT00000622 | .. 200 | 1 .. 1 | Customs registration identification content <i>Path:</i> Order response/Ship to party information/Customs duty registration information/Customs registration identification information/Customs registration identification content | | 0 .. 1 | Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier |
| 257 | BDT00000074 | .. 80 | 0 .. 1 | Identification scheme name <i>Path:</i> Order response/Ship to party information/Customs duty registration | | 0 .. 1 | Identification Scheme. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|----------------|------------|--|
| | | | | information/Customs registration identification information/Identification scheme information/Identification scheme name | | | Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text |
| 258 | BDT00000073 | .. 80 | 0 .. 1 | Identification scheme agency name <i>Path:</i> Order response/Ship to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name | 0 .. 1 | | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 259 | BDT00000583 | .. 80 | 1 .. 1 | Identification scheme responsible agency code content <i>Path:</i> Order response/Ship to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content | 0 .. 1 | | Identification Scheme Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier |
| 260 | BDT00000576 | .. 80 | 1 .. 1 | Tax type code content <i>Path:</i> Order response/Ship to party information/Customs duty registration information/Tax type code/Tax type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 261 | BDT00000563 | .. 70 | 1 .. 1 | Customs duty description content <i>Path:</i> Order response/Ship to party information/Customs duty registration | 0 .. unbounded | | Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| | | | | information/Customs duty description/ Customs duty description content | | | Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text |
| 262 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Ship to party information/Customs duty registration information/Customs duty description/ Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/ Language. Identifier |
| 263 | BDT00000624 | .. 80 | 1 .. 1 | Customs registration type code content <i>Path:</i> Order response/Ship to party information/Customs duty registration information/Customs registration type code/Customs registration type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 264 | BDT00000102 | .. 200 | 1 .. 1 | Organisation name <i>Path:</i> Order response/Ship to party information/Organisation legal information/Organisation name | 0 .. 1 | | Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text |
| 265 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Ship to party information/Organisation legal information/Language of the party code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/ |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|---|--------|------------|---|
| | | | | | | | Language. Identifier |
| 266 | BDT000000034 | .. 80 | 0 .. 1 | County code <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/County code | 0 .. 1 | | Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text |
| 267 | BDT000000020 | .. 200 | 0 .. 1 | City name <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/City name | 0 .. 1 | | Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text |
| 268 | BDT000000019 | .. 80 | 0 .. 1 | City code <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/City code | 0 .. 1 | | Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier |
| 269 | BDT000000113 | .. 80 | 0 .. 1 | Post office box number <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Post office box number | 0 .. 1 | | Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text |
| 270 | BDT000000114 | .. 80 | 0 .. 1 | Postal code | 0 .. 1 | | Trade_ Address. Postcode. Code |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Postal code | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code |
| 271 | BDT00000117 | 80 .. | 0 .. 1 | Province identity <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Province identity | | 0 .. 1 | Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier |
| 272 | BDT00000127 | .. 80 | 0 .. 1 | State <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/State | | 0 .. 1 | Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text |
| 273 | BDT00000128 | .. 200 | 0 .. 1 | Street address one <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Street address one | | 0 .. 1 | Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text |
| 274 | BDT00000130 | .. 200 | 0 .. 1 | Street address two <i>Path:</i> Order response/Ship to party information/Organisation legal | | 0 .. 1 | Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | information/Official address/Street address two | | | Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text |
| 275 | BDT00000129 | .. 200 | 0 .. 1 | Street address three <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Street address three | 0 .. 1 | | Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text |
| 276 | BDT00000774 | | 1 .. 1 | Country code content <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Country code/Country code content | 0 .. 1 | | Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country. Identifier |
| 277 | BDT00000659 | .. 70 | 1 .. 1 | Legal structure description content <i>Path:</i> Order response/Ship to party information/Organisation legal information/Legal structure description/ Legal structure description content | 0 .. 1 | | Legal_ Organization. Legal Classification. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code |
| 278 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Ship to party information/Organisation legal information/Legal structure description/ Language code/Language code content | 0 .. 1 | | Code List. Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|--|--------|------------|--|
| 279 | BDT00000087 | .. 80 | 1 .. 1 | Legal registration number <i>Path:</i> Order response/Ship to party information/Organisation legal information/Registered legal information/Legal registration number | 0 .. 1 | | Classification. Code/Code List. Agency. Identifier Legal_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier |
| 280 | BDT000000658 | .. 80 | 1 .. 1 | Legal registration type code content <i>Path:</i> Order response/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content | 0 .. 1 | | Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code |
| 281 | BDT000000018 | | 0 .. 1 | Charge percentage <i>Path:</i> Order response/Charge information/ Charge percentage | 0 .. 1 | | Trade_ Allowance Charge. Calculation. Percent <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Calculation. Percent |
| 282 | BDT000000012 | .. 80 | 0 .. 1 | Bracket criteria <i>Path:</i> Order response/Charge information/ Bracket criteria | 0 .. 1 | | Trade_ Allowance Charge. Reason. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Reason. Code |
| 283 | BDT000000014 | | 0 .. 1 | Calculation sequence number <i>Path:</i> Order response/Charge information/ | 0 .. 1 | | Trade_ Allowance Charge. Sequence. Numeric <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|----------------|------------|--|
| | | | | Calculation sequence number | | | Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Sequence. Numeric |
| 284 | BDT00000618 | .. 80 | 1 .. 1 | Charge type code content <i>Path:</i> Order response/Charge information/ Charge type code/Charge type code content | 0 .. 1 | | Trade_ Allowance Charge. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Type. Code |
| 285 | BDT00000619 | | 0 .. 1 | Charge monetary amount content <i>Path:</i> Order response/Charge information/ Charge monetary amount/Charge monetary amount content | 0 .. unbounded | | Trade_ Allowance Charge. Actual. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Actual. Amount |
| 286 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Charge information/ Charge monetary amount/Currency code/Currency code content | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Actual. Amount/Amount Currency. Identifier |
| 287 | BDT00000614 | | 1 .. 1 | Charge basis monetary amount content <i>Path:</i> Order response/Charge information/ Charge basis monetary amount/Charge basis monetary amount content | 0 .. 1 | | Trade_ Allowance Charge. Basis. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Basis. Amount |
| 288 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content | 0 .. 1 | | Amount Currency. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | <i>Path:</i> Order response/Charge information/ Charge basis monetary amount/ Currency code/Currency code content | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Basis. Amount/Amount Currency. Identifier |
| 289 | BDT00000753 | | 1 .. 1 | Charge quantity basis content <i>Path:</i> Order response/Charge information/ Charge quantity basis/Charge quantity basis content | | 0 .. 1 | Trade_ Allowance Charge. Basis. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Basis. Quantity |
| 290 | BDT00000607 | .. 80 | 1 .. 1 | Measurement unit code content <i>Path:</i> Order response/Charge information/ Charge quantity basis/Measurement unit code/Measurement unit code content | 1 .. 3 | 0 .. 1 | Quantity Unit. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Basis. Quantity/Quantity Unit. Code |
| 291 | BDT00000534 | .. 80 | 1 .. 1 | Special service type code content <i>Path:</i> Order response/Charge information/ Special service type code/Special service type code content | | 0 .. 1 | Trade_ Allowance Charge. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Type. Code |
| 292 | BDT00000573 | .. 70 | 1 .. 1 | Charge description content <i>Path:</i> Order response/Charge information/ Charge description/Charge description content | | 0 .. 1 | Trade_ Allowance Charge. Reason. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Reason. Code |
| | BDT00000524 | | | | | | |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|---|----------------|------------|--|
| 293 | | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Charge information/ Charge description/Language code/ Language code content | 0 .. 1 | | Code List. Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Reason. Code/Code List. Agency. Identifier |
| 294 | BDT00000369 | .. 80 | 0 .. 1 | Tax authority name <i>Path:</i> Order response/Charge information/ Applicable tax information/Tax authority name | 0 .. unbounded | | Trade_ Tax. Jurisdiction. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Jurisdiction. Text |
| 295 | BDTG00000321 | | 0 .. 1 | Tax category code <i>Path:</i> Order response/Charge information/ Applicable tax information/Tax category code | 0 .. 1 | | Trade_ Tax. Category. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Category. Code |
| 296 | BDT00000371 | | 0 .. 1 | Tax rate <i>Path:</i> Order response/Charge information/ Applicable tax information/Tax rate | 0 .. 1 | | Trade_ Tax. Calculated. Rate <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Rate |
| 297 | BDT00000377 | | 0 .. 1 | Tax point date <i>Path:</i> Order response/Charge information/ Applicable tax information/Tax point | 0 .. 1 | | Trade_ Tax. Tax Point. Date <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|----------------|------------|--|
| | | | | date | | | Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Tax Point. Date |
| 298 | BDT00000538 | .. 80 | 1 .. 1 | Tax accounting currency code content <i>Path:</i> Order response/Charge information/ Applicable tax information/Tax accounting currency code/Tax accounting currency code content | 0 .. 1 | | Trade_ Tax. Currency. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Currency. Code |
| 299 | BDT00000559 | | 1 .. 1 | Taxable monetary amount content <i>Path:</i> Order response/Charge information/ Applicable tax information/Taxable monetary amount/Taxable monetary amount content | 0 .. unbounded | | Trade_ Tax. Basis. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Basis. Amount |
| 300 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Charge information/ Applicable tax information/Taxable monetary amount/Currency code/ Currency code content | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Basis. Amount/Amount Currency. Identifier |
| 301 | BDT00000562 | | 1 .. 1 | Tax monetary amount content <i>Path:</i> Order response/Charge information/ Applicable tax information/Tax monetary amount/Tax monetary amount content | 0 .. unbounded | | Trade_ Tax. Calculated. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|----------------|------------|---|
| 302 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Charge information/ Applicable tax information/Tax monetary amount/Currency code/Currency code content | 0 .. 1 | | Calculated. Amount Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount/Amount Currency. Identifier |
| 303 | BDT00000561 | | 1 .. 1 | Tax monetary amount in accounting currency content <i>Path:</i> Order response/Charge information/ Applicable tax information/Tax monetary amount in accounting currency/Tax monetary amount in accounting currency content | 0 .. unbounded | | Trade_ Tax. Calculated. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount |
| 304 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Charge information/ Applicable tax information/Tax monetary amount in accounting currency/ Currency code/Currency code content | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount/Amount Currency. Identifier |
| 305 | BDT00000560 | | 1 .. 1 | Taxable monetary amount in accounting currency content <i>Path:</i> Order response/Charge information/ Applicable tax information/Taxable monetary amount in accounting currency/Taxable monetary amount in accounting currency content | 0 .. unbounded | | Trade_ Tax. Calculated. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount |
| 306 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content | 0 .. 1 | | Amount Currency. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|----------------|------------|---|
| | | | | <i>Path:</i> Order response/Charge information/ Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Currency code content | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount/Amount Currency. Identifier |
| 307 | BDT00000754 | .. 70 | 1 .. 1 | Tax description content <i>Path:</i> Order response/Charge information/ Applicable tax information/Tax description/Tax description content | 0 .. unbounded | | Trade_ Tax. Category Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Category Name. Text |
| 308 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Charge information/ Applicable tax information/Tax description/Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Category Name. Text/Language. Identifier |
| 309 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Charge information/ Applicable tax information/Tax exemption reason description/Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Exemption Reason. Text/Language. Identifier |
| 310 | BDT00000575 | .. 80 | 1 .. 1 | Tax exemption reason code content <i>Path:</i> Order response/Charge information/ Applicable tax information/Tax exemption reason code/Tax exemption | 0 .. 1 | | Trade_ Tax. Exemption Reason. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| | | | | reason code content | | | Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Exemption Reason. Code |
| 311 | BDT00000576 | .. 80 | 1 .. 1 | Tax type code content <i>Path:</i> Order response/Charge information/ Applicable tax information/Tax type code/Tax type code content | 0 .. 1 | | Trade_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Type. Code |
| 312 | BDT00000006 | | 0 .. 1 | Allowance percentage <i>Path:</i> Order response/Allowance information/Allowance percentage | 0 .. 1 | | Trade_ Allowance Charge. Calculation. Percent <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Calculation. Percent |
| 313 | BDT00000012 | .. 80 | 0 .. 1 | Bracket criteria <i>Path:</i> Order response/Allowance information/Bracket criteria | 0 .. 1 | | Trade_ Allowance Charge. Reason. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Reason. Text |
| 314 | BDT00000014 | | 0 .. 1 | Calculation sequence number <i>Path:</i> Order response/Allowance information/Calculation sequence number | 0 .. 1 | | Trade_ Allowance Charge. Sequence. Numeric <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Sequence. Numeric |
| 315 | BDT00000531 | .. 80 | 1 .. 1 | Allowance type code content <i>Path:</i> Order response/Allowance | 0 .. 1 | | Trade_ Allowance Charge. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|----------------|------------|--|
| | | | | information/Allowance type code/ Allowance type code content | | | Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Type. Code |
| 316 | BDT00000532 | .. 80 | 1 .. 1 | Settlement allowance code content <i>Path:</i> Order response/Allowance information/Settlement allowance code/Settlement allowance code content | 0 .. 1 | | Trade_ Allowance Charge. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Type. Code |
| 317 | BDT00000528 | | 1 .. 1 | Allowance monetary amount content <i>Path:</i> Order response/Allowance information/Allowance monetary amount/Allowance monetary amount content | 0 .. unbounded | | Trade_ Allowance Charge. Actual. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Actual. Amount |
| 318 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Allowance information/Allowance monetary amount/Currency code/Currency code content | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Actual. Amount/Amount Currency. Identifier |
| 319 | BDT00000529 | | 1 .. 1 | Allowance monetary amount per unit content <i>Path:</i> Order response/Allowance information/Allowance monetary amount per unit/Allowance monetary amount per unit content | 0 .. 1 | | Trade_ Allowance Charge. Basis. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Basis. Amount |
| 320 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content | 0 .. 1 | | Amount Currency. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| | | | | <i>Path:</i> Order response/Allowance information/Allowance monetary amount per unit/Currency code/Currency code content | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Basis. Amount/Amount Currency. Identifier |
| 321 | BDT00000526 | | 1 .. 1 | Allowance basis monetary amount content <i>Path:</i> Order response/Allowance information/Allowance basis monetary amount/Allowance basis monetary amount content | | 0 .. 1 | Trade_ Allowance Charge. Basis. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Basis. Amount |
| 322 | BDT00000526 | | 1 .. 1 | Allowance basis monetary amount content <i>Path:</i> Order response/Allowance information/Allowance basis monetary amount/Allowance basis monetary amount content | | 0 .. 1 | Trade_ Allowance Charge. Basis. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Basis. Quantity |
| 323 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Allowance information/Allowance basis monetary amount/Currency code/Currency code content | | 0 .. 1 | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Basis. Amount/Amount Currency. Identifier |
| 324 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Allowance information/Allowance basis monetary amount/Currency code/Currency code content | 1 .. 3 | 0 .. 1 | Quantity Unit. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Basis. Quantity/Quantity Unit. Code |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| 325 | BDT00000533 | | 1 .. 1 | Allowance quantity basis content <i>Path:</i> Order response/Allowance information/Allowance quantity basis/ Allowance quantity basis content | | 0 .. 1 | Trade_ Allowance Charge. Basis. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Basis. Quantity |
| 326 | BDT00000607 | .. 80 | 1 .. 1 | Measurement unit code content <i>Path:</i> Order response/Allowance information/Allowance quantity basis/ Measurement unit code/Measurement unit code content | 1 .. 3 | 0 .. 1 | Quantity Unit. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Basis. Quantity/Quantity Unit. Code |
| 327 | BDT00000534 | .. 80 | 1 .. 1 | Special service type code content <i>Path:</i> Order response/Allowance information/Special service type code/ Special service type code content | | 0 .. 1 | Trade_ Allowance Charge. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Type. Code |
| 328 | BDT00000527 | .. 70 | 1 .. 1 | Allowance description content <i>Path:</i> Order response/Allowance information/Allowance description/ Allowance description content | | 0 .. 1 | Trade_ Allowance Charge. Reason. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Reason. Text |
| 329 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Allowance information/Allowance description/ Language code/Language code content | | 0 .. 1 | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Reason. Text/Language. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|----------------|------------|---|
| 330 | BDT00000369 | .. 80 | 0 .. 1 | Tax authority name <i>Path:</i> Order response/Allowance information/Applicable tax information/Tax authority name | 0 .. unbounded | | Trade_ Tax. Jurisdiction. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Jurisdiction. Text |
| 331 | BDT00000537 | .. 80 | 1 .. 1 | Tax category code content <i>Path:</i> Order response/Allowance information/Applicable tax information/Tax category code/Tax category code content | 0 .. 1 | | Trade_ Tax. Category. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Category. Code |
| 332 | BDT00000371 | | 0 .. 1 | Tax rate <i>Path:</i> Order response/Allowance information/Applicable tax information/Tax rate | 0 .. 1 | | Trade_ Tax. Calculated. Rate <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Rate |
| 333 | BDT00000377 | | 0 .. 1 | Tax point date <i>Path:</i> Order response/Allowance information/Applicable tax information/Tax point date | 0 .. 1 | | Trade_ Tax. Tax Point. Date <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Tax Point. Date |
| 334 | BDT00000538 | .. 80 | 1 .. 1 | Tax accounting currency code content <i>Path:</i> Order response/Allowance information/Applicable tax information/ | 0 .. 1 | | Trade_ Tax. Currency. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|----------------|------------|---|
| | | | | Tax accounting currency code/Tax accounting currency code content | | | Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Currency. Code |
| 335 | BDT00000559 | | 1 .. 1 | Taxable monetary amount content <i>Path:</i> Order response/Allowance information/Applicable tax information/Taxable monetary amount/Taxable monetary amount content | 0 .. unbounded | | Trade_ Tax. Basis. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Basis. Amount |
| 336 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Allowance information/Applicable tax information/Taxable monetary amount/Currency code/Currency code content | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Basis. Amount/Amount Currency. Identifier |
| 337 | BDT00000562 | | 1 .. 1 | Tax monetary amount content <i>Path:</i> Order response/Allowance information/Applicable tax information/Tax monetary amount/Tax monetary amount content | 0 .. unbounded | | Trade_ Tax. Calculated. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Applicable. Trade_ Tax/Trade_ Tax. Calculated. Amount |
| 338 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Allowance information/Applicable tax information/Tax monetary amount/Currency code/Currency code content | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Applicable. Trade_ Tax/Trade_ Tax. Calculated. Amount/Amount Currency. Identifier |
| | BDT00000561 | | | | | | |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|----------------|------------|--|
| 339 | | | 1 .. 1 | Tax monetary amount in accounting currency content <i>Path:</i> Order response/Allowance information/Applicable tax information/Tax monetary amount in accounting currency/Tax monetary amount in accounting currency content | 0 .. unbounded | | Trade_ Tax. Calculated. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Applicable. Trade_ Tax/Trade_ Tax. Calculated. Amount |
| 340 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Allowance information/Applicable tax information/Tax monetary amount in accounting currency/Currency code/Currency code content | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Applicable. Trade_ Tax/Trade_ Tax. Calculated. Amount/Amount Currency. Identifier |
| 341 | BDT00000560 | | 1 .. 1 | Taxable monetary amount in accounting currency content <i>Path:</i> Order response/Allowance information/Applicable tax information/Taxable monetary amount in accounting currency/Taxable monetary amount in accounting currency content | 0 .. unbounded | | Trade_ Tax. Calculated. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Applicable. Trade_ Tax/Trade_ Tax. Calculated. Amount |
| 342 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Allowance information/Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Currency code content | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Applicable. Trade_ Tax/Trade_ Tax. Calculated. Amount/Amount Currency. Identifier |
| 343 | BDT00000754 | .. 70 | 1 .. 1 | Tax description content <i>Path:</i> Order response/Allowance information/Applicable tax information/Tax description/Tax description content | 0 .. unbounded | | Trade_ Tax. Category Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Applicable. Trade_ Tax/Trade_ Tax. Calculated. Amount/Amount Currency. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| | | | | | | | Settlement. Applicable. Trade_ Tax/Trade_ Tax. Category Name. Text |
| 344 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Allowance information/Applicable tax information/Tax description/Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Applicable. Trade_ Tax/Trade_ Tax. Category Name. Text/Language. Identifier |
| 345 | BDT00000574 | .. 70 | 1 .. 1 | Tax exemption reason description content <i>Path:</i> Order response/Allowance information/Applicable tax information/Tax exemption reason description/Tax exemption reason description content | 0 .. 1 | | Trade_ Tax. Exemption Reason. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Applicable. Trade_ Tax/Trade_ Tax. Exemption Reason. Text |
| 346 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Allowance information/Applicable tax information/Tax exemption reason description/Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Applicable. Trade_ Tax/Trade_ Tax. Exemption Reason. Text/Language. Identifier |
| 347 | BDT00000575 | .. 80 | 1 .. 1 | Tax exemption reason code content <i>Path:</i> Order response/Allowance information/Applicable tax information/Tax exemption reason code/Tax exemption reason code content | 0 .. 1 | | Trade_ Tax. Exemption Reason. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Applicable. Trade_ Tax/Trade_ Tax. Exemption Reason. Code |
| 348 | BDT00000576 | .. 80 | 1 .. 1 | Tax type code content <i>Path:</i> Order response/Allowance information/Applicable tax information/Tax type code/Tax type code content | 0 .. 1 | | Trade_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| 349 | BDT00000056 | .. 80 | 1 .. 1 | Entity identification <i>Path:</i> Order response/Referenced order document information/Entity identification | 0 .. 1 | | Settlement. Applicable. Trade_ Tax/Trade_ Tax. Type. Code Referenced_ Document. Issuer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Original_ Order. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier |
| 350 | BDT00000047 | | 0 .. 1 | Business document creation date time <i>Path:</i> Order response/Referenced order document information/Business document creation date time | 0 .. 1 | | Referenced_ Document. Receipt. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Original_ Order. Referenced_ Document/Referenced_ Document. Receipt. Date Time |
| 351 | BDT00000119 | | 0 .. 1 | Revision number <i>Path:</i> Order response/Referenced order document information/Revision number | 0 .. 1 | | Referenced_ Document. Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Original_ Order. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier |
| 352 | BDT00000118 | .. 200 | 0 .. 1 | Referenced document external location <i>Path:</i> Order response/Referenced order document information/Referenced document external location | 0 .. 1 | | Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Original_ Order. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier |
| 353 | BDT00000049 | .. 6 | 0 .. 1 | Document line number | 0 .. 1 | | Referenced_ Document. Line. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|----------|------------|--|----------------|------------|--|
| | | | | <i>Path:</i> Order response/Referenced order document information/Document line number | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Original_ Order. Referenced_ Document/Referenced_ Document. Line. Identifier |
| 354 | BDT00000063 | 13 .. 13 | 0 .. 1 | Global location number GLN <i>Path:</i> Order response/Referenced order document information/Document content owner/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i> | 0 .. unbounded | | Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Original_ Order. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier |
| 355 | BDT00000578 | .. 80 | 1 .. 1 | Additional party identification content <i>Path:</i> Order response/Referenced order document information/Document content owner/Additional party identification information/Additional party identification content | 0 .. unbounded | | Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Original_ Order. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier |
| 356 | BDT00000570 | .. 80 | 1 .. 1 | Additional party identification type code content <i>Path:</i> Order response/Referenced order document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content | 1 .. 1 | | Identifier. Content <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Original_ Order. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content |
| 357 | BDT000000649 | | 1 .. 1 | Incoterms code content | 0 .. 1 | | Trade_ Delivery Terms. Delivery Type. Code |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|----------------|------------|---|
| | | | | <i>Path:</i> Order response/Delivery terms information/Incoterms code/Incoterms code content | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Delivery Type. Code |
| 358 | BDT00000535 | .. 80 | 1 .. 1 | Alternative delivery terms code content <i>Path:</i> Order response/Delivery terms information/Alternative delivery terms code/Alternative delivery terms code content | 0 .. 1 | | Trade_ Delivery Terms. Delivery Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Delivery Type. Code |
| 359 | BDT00000022 | .. 80 | 0 .. 1 | Code description <i>Path:</i> Order response/Delivery terms information/Alternative delivery terms code/Code description | 1 .. 1 | | Code. Content <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Delivery Type. Code/Code. Content |
| 360 | BDT00000023 | .. 80 | 0 .. 1 | Code list agency code <i>Path:</i> Order response/Delivery terms information/Alternative delivery terms code/Code list agency code | 0 .. 1 | | Code List. Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Delivery Type. Code/Code List. Agency. Identifier |
| 361 | BDT00000641 | .. 70 | 1 .. 1 | Delivery instructions description content <i>Path:</i> Order response/Delivery terms information/Delivery instructions description/Delivery instructions description content | 0 .. unbounded | | Trade_ Delivery Terms. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Description. Text |
| | BDT00000524 | | | | | | |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|----------|------------|--|--------|------------|---|
| 362 | | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Delivery terms information/Delivery instructions description/Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Description. Text/Language. Identifier |
| 363 | BDT00000063 | 13 .. 13 | 0 .. 1 | Global location number GLN <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Global location number GLN <i>GS1 General Specifications:</i> The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit. | 0 .. 1 | | Trade_ Location. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Relevant. Trade_ Location/Trade_ Location. Identification. Identifier |
| 364 | BDT00000088 | .. 80 | 0 .. 1 | Logistics location name <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Logistics location name | 0 .. 1 | | Trade_ Location. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Relevant. Trade_ Location/Trade_ Location. Name. Text |
| 365 | BDT00000690 | .. 80 | 1 .. 1 | United Nations location code, UN/LOCODE content <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/UN location code, UN/ LOCODE/United Nations location code, UN/LOCODE content | 0 .. 1 | | Trade_ Location. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Relevant. Trade_ Location/Trade_ Location. Country. Identifier |
| 366 | BDT00000627 | .. 80 | 1 .. 1 | Physical location identification content | 0 .. 1 | | Trade_ Location. Identification. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Additional physical location identification/Physical location identification content | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Relevant. Trade_ Location/Trade_ Location. Identification. Identifier |
| 367 | BDT00000583 | .. 80 | 1 .. 1 | Identification scheme responsible agency code content <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content | 0 .. 1 | | Identification Scheme Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Relevant. Trade_ Location/Trade_ Location. Identification. Identifier/Identification Scheme Agency. Identifier |
| 368 | BDT00000744 | .. 70 | 1 .. 1 | Specific instructions location description content <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Specific instructions location description/Specific instructions location description content | 0 .. 1 | | Trade_ Location. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Relevant. Trade_ Location/Trade_ Location. Name. Text |
| 369 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Specific instructions location description/Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Relevant. Trade_ Location/Trade_ Location. Name. Text/Language. Identifier |
| 370 | BDT00000020 | .. 200 | 0 .. 1 | City name | 0 .. 1 | | Trade_ Address. City Name. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| | | | | <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/City name | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Logistics_ Location/ Logistics_ Location. Postal. Trade_ Address/Trade_ Address. City Name. Text |
| 371 | BDT00000019 | .. 80 | 0 .. 1 | City code <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/City code | 0 .. 1 | | Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Logistics_ Location/ Logistics_ Location. Postal. Trade_ Address/Trade_ Address. City. Identifier |
| 372 | BDT00000034 | .. 80 | 0 .. 1 | County code <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/County code | 0 .. 1 | | Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Logistics_ Location/ Logistics_ Location. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text |
| 373 | BDT00000035 | .. 200 | 0 .. 1 | Cross street <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Cross street | 0 .. 1 | | Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Logistics_ Location/ Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|----------------|------------|--|
| 374 | BDT00000106 | .. 200 | 0 .. 1 | Party name <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Party name | 0 .. unbounded | | Logistics_ Location. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Logistics_ Location/ Logistics_ Location. Name. Text |
| 375 | BDT00000113 | .. 80 | 0 .. 1 | Post office box number <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Post office box number | 0 .. 1 | | Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Logistics_ Location/ Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text |
| 376 | BDT00000114 | .. 80 | 0 .. 1 | Postal code <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Postal code | 0 .. 1 | | Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Logistics_ Location/ Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Postcode. Code |
| 377 | BDT00000117 | 80 .. | 0 .. 1 | Province identity <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/ Province identity | 0 .. 1 | | Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Logistics_ Location/ Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| 378 | BDT00000127 | .. 80 | 0 .. 1 | State <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/State | 0 .. 1 | | Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Logistics_ Location/ Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text |
| 379 | BDT00000128 | .. 200 | 0 .. 1 | Street address one <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Street address one | 0 .. 1 | | Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Logistics_ Location/ Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line One. Text |
| 380 | BDT00000130 | .. 200 | 0 .. 1 | Street address two <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Street address two | 0 .. 1 | | Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Logistics_ Location/ Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line Two. Text |
| 381 | BDT00000129 | .. 200 | 0 .. 1 | Street address three <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Street address three | 0 .. 1 | | Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Logistics_ Location/ Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line Three. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| 382 | BDT00000774 | | 1 .. 1 | Country code content <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Country code/Country code content | | 0 .. 1 | Address. Line Three. Text Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Country. Identifier |
| 383 | BDT00000085 | .. 80 | 1 .. 1 | Latitude <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Geographical coordinates information/Latitude | | 0 .. 1 | Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure |
| 384 | BDT00000089 | .. 80 | 1 .. 1 | Longitude <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Geographical coordinates information/Longitude | | 0 .. 1 | Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure |
| 385 | | | 1 .. 1 | Document line number <i>Path:</i> Order response/Order response line/Document line number | | 1 .. 1 | Document Line_ Document. Line. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Associated. Document Line_ Document/Document Line_ Document. Line. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|--|--------|----------------|---|
| 386 | BDT00000388 | | 0 .. 1 | Confirmed trade item delivery date time <i>Path:</i> Order response/Order response line/ Confirmed trade item delivery date time | | 0 .. 1 | Supply Chain_ Event. Time_ Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Confirmed_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Time_ Occurrence. Date Time |
| 387 | BDT00000607 | .. 80 | 1 .. 1 | Measurement unit code content <i>Path:</i> Order response/Order response line/ Confirmed quantity/Measurement unit code/Measurement unit code content | 1 .. 3 | 0 .. 1 | Quantity Unit. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Confirmed_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Unit. Quantity/Quantity Unit. Code |
| 388 | | | 0 .. 1 | Order line instruction description <i>Path:</i> Order response/Order response line/ Order line instruction description | | 0 .. unbounded | Trade_ Product. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Description. Text |
| 389 | BDTG00000421 | | 0 .. 1 | Trade item net price <i>Path:</i> Order response/Order response line/ Trade item net price | | 0 .. 1 | Line_ Trade Agreement. Net Price_ Product. Trade_ Price <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Net Price_ Product. Trade_ Price |
| 390 | BDT00000660 | | 1 .. 1 | Line item net monetary amount content <i>Path:</i> Order response/Order response line/ Line item net monetary amount/Line item net monetary amount content | | 0 .. unbounded | Trade Settlement Line_ Monetary Summation. Line Total. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|----------------|------------|---|
| | | | | | | | Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade Settlement Line_ Monetary Summation/Trade Settlement Line_ Monetary Summation. Line Total. Amount |
| 391 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Line item net monetary amount/ Currency code/Currency code content | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade Settlement Line_ Monetary Summation/Trade Settlement Line_ Monetary Summation. Line Total. Amount/Amount Currency. Identifier |
| 392 | BDT00000667 | | 1 .. 1 | Monetary amount excluding all taxes content <i>Path:</i> Order response/Order response line/ Monetary amount excluding all taxes/ Monetary amount excluding all taxes content | 0 .. unbounded | | Trade Settlement Line_ Monetary Summation. Net_ Line Total. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade Settlement Line_ Monetary Summation/Trade Settlement Line_ Monetary Summation. Net_ Line Total. Amount |
| 393 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Monetary amount excluding all taxes/ Currency code/Currency code content | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade Settlement Line_ Monetary Summation/Trade Settlement Line_ Monetary Summation. Net_ Line Total. Amount/Amount Currency. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|----------------|--|
| | | | | | | | Identifier |
| 394 | BDT00000668 | | 1 .. 1 | Monetary amount including all taxes content <i>Path:</i> Order response/Order response line/ Monetary amount including all taxes/ Monetary amount including all taxes content | | 0 .. unbounded | Trade Settlement Line_Monetary Summation. Including Taxes_Line Total. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Included. Supply Chain_Trade Line Item/Supply Chain_Trade Line Item. Specified. Line_Trade Settlement/Line_Trade Settlement. Specified. Trade Settlement Line_Monetary Summation/Trade Settlement Line_Monetary Summation. Including Taxes_Line Total. Amount |
| 395 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Monetary amount including all taxes/ Currency code/Currency code content | | 0 .. 1 | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Included. Supply Chain_Trade Line Item/Supply Chain_Trade Line Item. Specified. Line_Trade Settlement/Line_Trade Settlement. Specified. Trade Settlement Line_Monetary Summation/Trade Settlement Line_Monetary Summation. Including Taxes_Line Total. Amount/Amount Currency. Identifier |
| 396 | BDT00000670 | .. 70 | 1 .. 1 | Notation content <i>Path:</i> Order response/Order response line/ Notation/Notation content | | 0 .. unbounded | Note. Content. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Included. Supply Chain_Trade Line Item/Supply Chain_Trade Line Item. Specified. Line_Trade Delivery/Line_Trade Delivery. Planned. Supply Chain_Consignment/Supply Chain_Consignment. Included. Supply Chain_Consignment Item/Supply Chain_Consignment Item. Applicable. Note/Note. Content. Text |
| 397 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Notation/Language code/Language | | 0 .. 1 | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Included. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|----------|------------|--|----------------|------------|---|
| | | | | code content | | | Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Included. Supply Chain_ Consignment Item/Supply Chain_ Consignment Item. Applicable. Note/Note. Content. Text/Language. Identifier |
| 398 | BDT00000066 | 14 .. 14 | 0 .. 1 | Global trade item number, GTIN <i>Path:</i> Order response/Order response line/ Responded trade item information/ Global trade item number, GTIN <i>GS1 General Specifications: The GS1 identification key used to identify trade items. The key comprises a GS1 Company Prefix, an item reference and check digit.</i> | 0 .. unbounded | | Trade_ Product. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Global_ Identification. Identifier |
| 399 | BDT00000516 | .. 80 | 1 .. 1 | Additional trade item identification content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Additional trade item identification/ Additional trade item identification content | 0 .. 1 | | Trade_ Product. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Identification. Identifier |
| 400 | BDT00000518 | .. 80 | 1 .. 1 | Additional trade item identification type code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Additional trade item identification/ Additional trade item identification type code/Additional trade item identification type code content | 0 .. 1 | | Identification Scheme Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Identification. Identifier/Identification Scheme Agency. Identifier |
| 401 | BDT00000678 | | 1 .. 1 | Trade item quantity content <i>Path:</i> Order response/Order response line/ Responded trade item information/ | 0 .. 1 | | Trade_ Product. Content_ Unit. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|----------------|--|
| | | | | Trade item quantity/Trade item quantity content | | | Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Content_ Unit. Quantity |
| 402 | BDT00000607 | .. 80 | 1 .. 1 | Measurement unit code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item quantity/Measurement unit code/Measurement unit code content | 1 .. 3 | 0 .. 1 | Quantity Unit. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Content_ Unit. Quantity/Quantity Unit. Code |
| 403 | BDT00000684 | .. 70 | 1 .. 1 | Trade item description content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item description/Trade item description content | | 0 .. unbounded | Trade_ Product. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Description. Text |
| 404 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item description/Language code/ Language code content | | 0 .. 1 | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Description. Text/Language. Identifier |
| 405 | BDT00000656 | .. 80 | 1 .. 1 | Item type code content <i>Path:</i> Order response/Order response line/ Responded trade item information/Item type code/Item type code content | | 0 .. 1 | Trade_ Product. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Type. Code |
| 406 | BDT00000008 | .. 80 | 0 .. 1 | Batch number <i>Path:</i> Order response/Order response line/ Responded trade item information/ | | 0 .. 1 | Trade_ Product Instance. Batch_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|---|--------|------------|--|
| | | | | Dynamic trade item information/Batch number | | | Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Individual. Trade_ Product Instance/Trade_ Product Instance. Batch_ Identification. Identifier |
| 407 | BDT00000011 | | 0 .. 1 | Best before date <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/ Best before date | | 0 .. 1 | Trade_ Product Instance. Best Before. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Individual. Trade_ Product Instance/Trade_ Product Instance. Best Before. Date Time |
| 408 | BDTG00000180 | | 0 .. 1 | Country of origin <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Country of origin | | 0 .. 1 | Trade_ Country. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Origin. Trade_ Country/Trade_ Country. Identification. Identifier |
| 409 | BDT00000057 | | 0 .. 1 | Expiration date <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/ Expiration date | | 0 .. 1 | Trade_ Product Instance. Expiry. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Individual. Trade_ Product Instance/Trade_ Product Instance. Expiry. Date Time |
| 410 | BDT00000090 | .. 80 | 0 .. 1 | Lot number <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Lot number | | 0 .. 1 | Trade_ Product Instance. Batch_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Individual. Trade_ Product Instance/Trade_ Product Instance. Batch_ Identification. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|----------------|---|--------|----------------|---|
| 411 | BDT00000104 | | 0 .. 1 | Packaging date <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/ Packaging date | | 0 .. 1 | Supply Chain_ Event. Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Individual. Trade_ Product Instance/Trade_ Product Instance. Packaging. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Date Time |
| 412 | BDT00000116 | | 0 .. 1 | Production date <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/ Production date | | 0 .. 1 | Supply Chain_ Event. Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Individual. Trade_ Product Instance/Trade_ Product Instance. Production. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Date Time |
| 413 | BDT00000120 | | 0 .. 1 | Sell by date <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Sell by date | | 0 .. 1 | Trade_ Product Instance. Sell By. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Individual. Trade_ Product Instance/Trade_ Product Instance. Sell By. Date Time |
| 414 | BDT00000121 | .. 20 | 0 .. unbounded | Serial number <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Serial number | | 0 .. unbounded | Trade_ Product Instance. Serial_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Individual. Trade_ Product Instance/Trade_ Product Instance. Serial_ Identification. Identifier |
| 415 | BDT00000728 | | 1 .. 1 | Trade item weight content | | 0 .. 1 | Trade_ Product. Net Weight. Measure |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item weight information/Trade item weight content | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Net Weight. Measure |
| 416 | BDT00000607 | .. 80 | 1 .. 1 | Measurement unit code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item weight information/Measurement unit code/Measurement unit code content | 1 .. 3 | 0 .. 1 | Measure Unit. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Net Weight. Measure/Measure Unit. Code |
| 417 | BDT00000752 | | 1 .. 1 | Trade item volume content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item volume information/Trade item volume content | | 0 .. 1 | Trade_ Product. Net Volume. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Net Volume. Measure |
| 418 | BDT00000607 | .. 80 | 1 .. 1 | Measurement unit code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item volume information/Measurement unit code/Measurement unit code content | 1 .. 3 | 0 .. 1 | Measure Unit. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Net Volume. Measure/Measure Unit. Code |
| 419 | BDT00000661 | | 1 .. 1 | Depth measurement content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item measurements information/Depth measurement/Depth measurement | | 0 .. 1 | Spatial_ Dimension. Length. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Linear. Spatial_ Dimension/Spatial_ Dimension. Length. Measure |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| | | | | content | | | |
| 420 | BDT00000607 | .. 80 | 1 .. 1 | Measurement unit code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item measurements information/Depth measurement/Measurement unit code/Measurement unit code content | 1 .. 3 | 0 .. 1 | Measure Unit. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Linear. Spatial_ Dimension/Spatial_ Dimension. Length. Measure/Measure Unit. Code |
| 421 | BDT00000650 | | 1 .. 1 | Height measurement content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item measurements information/Height measurement/Height measurement content | | 0 .. 1 | Spatial_ Dimension. Height. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Linear. Spatial_ Dimension/Spatial_ Dimension. Height. Measure |
| 422 | BDT00000607 | .. 80 | 1 .. 1 | Measurement unit code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item measurements information/Height measurement/Measurement unit code/Measurement unit code content | 1 .. 3 | 0 .. 1 | Measure Unit. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Linear. Spatial_ Dimension/Spatial_ Dimension. Height. Measure/Measure Unit. Code |
| 423 | BDT00000662 | | 1 .. 1 | Width measurement content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item measurements information/Width measurement/Width measurement content | | 0 .. 1 | Spatial_ Dimension. Width. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Linear. Spatial_ Dimension/Spatial_ Dimension. Width. Measure |
| 424 | BDT00000607 | .. 80 | 1 .. 1 | Measurement unit code content | 1 .. 3 | 0 .. 1 | Measure Unit. Code |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|----------------|--|
| | | | | <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code/Measurement unit code content | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Linear. Spatial_ Dimension/Spatial_ Dimension. Width. Measure/Measure Unit. Code |
| 425 | BDT00000736 | | 1 .. 1 | Colour code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Colour information/Colour code/Colour code content | | 0 .. 1 | Trade_ Product. Colour. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Colour. Code |
| 426 | BDT00000030 | .. 80 | 0 .. 1 | Colour code system description <i>Path:</i> Order response/Order response line/ Responded trade item information/ Colour information/Colour code/Colour code system description | | 0 .. unbounded | Trade_ Product. Colour_ Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Colour_ Description. Text |
| 427 | BDT00000737 | .. 70 | 1 .. 1 | Colour description content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Colour information/Colour description/ Colour description content | | 0 .. unbounded | Trade_ Product. Colour_ Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Colour_ Description. Text |
| 428 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Colour information/Colour description/ Language code/Language code content | | 0 .. 1 | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Colour_ Description. Text/Language. Identifier |
| | BDT00000679 | | | | | | |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|----------|------------|--|----------------|------------|---|
| 429 | | .. 70 | 1 .. 1 | Size description content <i>Path:</i> Order response/Order response line/ Responded trade item information/Size information/Size description/Size description content | 0 .. 1 | | Trade_ Product. Area Density. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Area Density. Measure |
| 430 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Responded trade item information/Size information/Size description/Language code/Language code content | 1 .. 3 | 0 .. 1 | Measure Unit. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Area Density. Measure/Measure Unit. Code |
| 431 | BDT00000066 | 14 .. 14 | 0 .. 1 | Global trade item number, GTIN <i>Path:</i> Order response/Order response line/ Replaced trade item information/Global trade item number, GTIN <i>GS1 General Specifications: The GS1 identification key used to identify trade items. The key comprises a GS1 Company Prefix, an item reference and check digit.</i> | 0 .. unbounded | | Referenced_ Product. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Substituted. Referenced_ Product/Referenced_ Product. Global_ Identification. Identifier |
| 432 | BDT00000516 | .. 80 | 1 .. 1 | Additional trade item identification content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Additional trade item identification/ Additional trade item identification content | 0 .. unbounded | | Referenced_ Product. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Substituted. Referenced_ Product/Referenced_ Product. Identification. Identifier |
| 433 | BDT00000518 | .. 80 | 1 .. 1 | Additional trade item identification type code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ | 1 .. 1 | | Identifier. Content <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|----------------|--|
| | | | | Additional trade item identification/ Additional trade item identification type code/Additional trade item identification type code content | | | Item. Substituted. Referenced_ Product/Referenced_ Product. Identification. Identifier/Identifier. Content |
| 434 | BDT00000678 | | 1 .. 1 | Trade item quantity content <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item quantity/Trade item quantity content | | 0 .. unbounded | Referenced_ Product. Unit. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Substituted. Referenced_ Product/Referenced_ Product. Unit. Quantity |
| 435 | BDT00000607 | .. 80 | 1 .. 1 | Measurement unit code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item quantity/Measurement unit code/ Measurement unit code content | 1 .. 3 | 0 .. 1 | Quantity Unit. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Substituted. Referenced_ Product/Referenced_ Product. Unit. Quantity/Quantity Unit. Code |
| 436 | BDT00000684 | .. 70 | 1 .. 1 | Trade item description content <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item description/Trade item description content | | 0 .. unbounded | Referenced_ Product. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Substituted. Referenced_ Product/Referenced_ Product. Description. Text |
| 437 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item description/Language code/ Language code content | | 0 .. 1 | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Substituted. Referenced_ Product/Referenced_ Product. Description. Text/Language. Identifier |
| 438 | BDT00000006 | | 0 .. 1 | Allowance percentage <i>Path:</i> Order response/Order response line/ | | 0 .. 1 | Trade_ Allowance Charge. Calculation. Percent <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|--|--------|----------------|---|
| | | | | Allowance information/Allowance percentage | | | Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Calculation. Percent |
| 439 | BDT00000014 | | 0 .. 1 | Calculation sequence number <i>Path:</i> Order response/Order response line/ Allowance information/Calculation sequence number | | 0 .. 1 | Trade_ Allowance Charge. Sequence. Numeric <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Sequence. Numeric |
| 440 | BDT000000531 | .. 80 | 1 .. 1 | Allowance type code content <i>Path:</i> Order response/Order response line/ Allowance information/Allowance type code/Allowance type code content | | 0 .. 1 | Trade_ Allowance Charge. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Type. Code |
| 441 | BDT000000528 | | 1 .. 1 | Allowance monetary amount content <i>Path:</i> Order response/Order response line/ Allowance information/Allowance monetary amount/Allowance monetary amount content | | 0 .. unbounded | Trade_ Allowance Charge. Actual. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Actual. Amount |
| 442 | BDT000000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Allowance information/Allowance monetary amount/Currency code/ Currency code content | | 0 .. 1 | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| 443 | BDT00000526 | | 1 .. 1 | Allowance basis monetary amount content <i>Path:</i> Order response/Order response line/ Allowance information/Allowance basis monetary amount/Allowance basis monetary amount content | | 0 .. 1 | Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Actual. Amount/Amount Currency. Identifier Trade_ Allowance Charge. Basis. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Basis. Amount |
| 444 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Allowance information/Allowance basis monetary amount/Currency code/ Currency code content | | 0 .. 1 | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Basis. Amount/Amount Currency. Identifier |
| 445 | BDT00000533 | | 1 .. 1 | Allowance quantity basis content <i>Path:</i> Order response/Order response line/ Allowance information/Allowance quantity basis/Allowance quantity basis content | | 0 .. 1 | Trade_ Allowance Charge. Basis. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Basis. Quantity |
| 446 | BDT00000607 | .. 80 | 1 .. 1 | Measurement unit code content <i>Path:</i> Order response/Order response line/ Allowance information/Allowance quantity basis/Measurement unit code/Measurement unit code content | 1 .. 3 | 0 .. 1 | Quantity Unit. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Basis. Quantity |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|---|----------------|------------|---|
| 447 | BDT00000534 | .. 80 | 1 .. 1 | Special service type code content <i>Path:</i> Order response/Order response line/ Allowance information/Special service type code/Special service type code content | 0 .. 1 | | Allowance Charge. Basis. Quantity/Quantity Unit. Code Trade_ Allowance Charge. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Type. Code |
| 448 | BDT00000527 | .. 70 | 1 .. 1 | Allowance description content <i>Path:</i> Order response/Order response line/ Allowance information/Allowance description/Allowance description content | 0 .. 1 | | Trade_ Allowance Charge. Reason. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Reason. Text |
| 449 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Allowance information/Allowance description/Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Reason. Text/Language. Identifier |
| 450 | BDT00000369 | .. 80 | 0 .. 1 | Tax authority name <i>Path:</i> Order response/Order response line/ Allowance information/Applicable tax information/Tax authority name | 0 .. unbounded | | Trade_ Tax. Jurisdiction. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Jurisdiction. Text |
| | BDTG00000321 | | | | | | |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| 451 | | | 0 .. 1 | Tax category code <i>Path:</i> Order response/Order response line/ Allowance information/Applicable tax information/Tax category code | | 0 .. 1 | Trade_ Tax. Category. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Category. Code |
| 452 | BDT00000371 | | 0 .. 1 | Tax rate <i>Path:</i> Order response/Order response line/ Allowance information/Applicable tax information/Tax rate | | 0 .. 1 | Trade_ Tax. Calculated. Rate <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Rate |
| 453 | BDT00000377 | | 0 .. 1 | Tax point date <i>Path:</i> Order response/Order response line/ Allowance information/Applicable tax information/Tax point date | | 0 .. 1 | Trade_ Tax. Tax Point. Date <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Tax Point. Date |
| 454 | BDT00000538 | .. 80 | 1 .. 1 | Tax accounting currency code content <i>Path:</i> Order response/Order response line/ Allowance information/Applicable tax information/Tax accounting currency code/Tax accounting currency code content | | 0 .. 1 | Trade_ Tax. Currency. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|----------------|---|
| 455 | BDT00000559 | | 1 .. 1 | Taxable monetary amount content <i>Path:</i> Order response/Order response line/ Allowance information/Applicable tax information/Taxable monetary amount/ Taxable monetary amount content | | 0 .. unbounded | Currency. Code Trade_ Tax. Basis. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Basis. Amount |
| 456 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Allowance information/Applicable tax information/Taxable monetary amount/ Currency code/Currency code content | | 0 .. 1 | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Basis. Amount/Amount Currency. Identifier |
| 457 | BDT00000562 | | 1 .. 1 | Tax monetary amount content <i>Path:</i> Order response/Order response line/ Allowance information/Applicable tax information/Tax monetary amount/Tax monetary amount content | | 0 .. unbounded | Trade_ Tax. Calculated. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount |
| 458 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Allowance information/Applicable tax information/Tax monetary amount/ Currency code/Currency code content | | 0 .. 1 | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|----------------|------------|--|
| 459 | BDT00000561 | | 1 .. 1 | Tax monetary amount in accounting currency content <i>Path:</i> Order response/Order response line/ Allowance information/Applicable tax information/Tax monetary amount in accounting currency/Tax monetary amount in accounting currency content | 0 .. unbounded | | Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount/Amount Currency. Identifier Trade_ Tax. Calculated. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount |
| 460 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Allowance information/Applicable tax information/Tax monetary amount in accounting currency/Currency code/ Currency code content | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount/Amount Currency. Identifier |
| 461 | BDT00000560 | | 1 .. 1 | Taxable monetary amount in accounting currency content <i>Path:</i> Order response/Order response line/ Allowance information/Applicable tax information/Taxable monetary amount in accounting currency/Taxable monetary amount in accounting currency content | 0 .. unbounded | | Trade_ Tax. Calculated. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount |
| 462 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Allowance information/Applicable tax information/Taxable monetary amount in accounting currency/Currency code/ | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|----------------|------------|---|
| | | | | Currency code content | | | Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount/Amount Currency. Identifier |
| 463 | BDT00000754 | .. 70 | 1 .. 1 | Tax description content <i>Path:</i> Order response/Order response line/ Allowance information/Applicable tax information/Tax description/Tax description content | 0 .. unbounded | | Trade_ Tax. Category Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Category Name. Text |
| 464 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Allowance information/Applicable tax information/Tax description/Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Category Name. Text/Language. Identifier |
| 465 | BDT00000574 | .. 70 | 1 .. 1 | Tax exemption reason description content <i>Path:</i> Order response/Order response line/ Allowance information/Applicable tax information/Tax exemption reason description/Tax exemption reason description content | 0 .. 1 | | Trade_ Tax. Exemption Reason. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Exemption Reason. Text |
| 466 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Allowance information/Applicable tax information/Tax exemption reason | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | description/Language code/Language code content | | | Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Exemption Reason. Text/Language. Identifier |
| 467 | BDT00000575 | .. 80 | 1 .. 1 | Tax exemption reason code content <i>Path:</i> Order response/Order response line/ Allowance information/Applicable tax information/Tax exemption reason code/Tax exemption reason code content | 0 .. 1 | | Trade_ Tax. Exemption Reason. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Exemption Reason. Code |
| 468 | BDT00000576 | .. 80 | 1 .. 1 | Tax type code content <i>Path:</i> Order response/Order response line/ Allowance information/Applicable tax information/Tax type code/Tax type code content | 0 .. 1 | | Trade_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Type. Code |
| 469 | BDT00000018 | | 0 .. 1 | Charge percentage <i>Path:</i> Order response/Order response line/ Charge information/Charge percentage | 0 .. 1 | | Trade_ Allowance Charge. Calculation. Percent <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Calculation. Percent |
| 470 | BDT00000014 | | 0 .. 1 | Calculation sequence number <i>Path:</i> Order response/Order response line/ Charge information/Calculation sequence number | 0 .. 1 | | Trade_ Allowance Charge. Sequence. Numeric <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|----------------|------------|---|
| 471 | BDT00000618 | .. 80 | 1 .. 1 | Charge type code content <i>Path:</i> Order response/Order response line/ Charge information/Charge type code/ Charge type code content | 0 .. 1 | | Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Sequence. Numeric Trade_ Allowance Charge. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Type. Code |
| 472 | BDT00000619 | | 0 .. 1 | Charge monetary amount content <i>Path:</i> Order response/Order response line/ Charge information/Charge monetary amount/Charge monetary amount content | 0 .. unbounded | | Trade_ Allowance Charge. Actual. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Actual. Amount |
| 473 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Charge information/Charge monetary amount/Currency code/Currency code content | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Actual. Amount/Amount Currency. Identifier |
| 474 | BDT00000614 | | 1 .. 1 | Charge basis monetary amount content <i>Path:</i> Order response/Order response line/ Charge information/Charge basis monetary amount/Charge basis monetary amount content | 0 .. 1 | | Trade_ Allowance Charge. Basis. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| 475 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Charge information/Charge basis monetary amount/Currency code/ Currency code content | 0 .. 1 | | Allowance Charge. Basis. Amount Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Basis. Amount/Amount Currency. Identifier |
| 476 | BDT00000753 | | 1 .. 1 | Charge quantity basis content <i>Path:</i> Order response/Order response line/ Charge information/Charge quantity basis/Charge quantity basis content | 0 .. 1 | | Trade_ Allowance Charge. Basis. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Basis. Quantity |
| 477 | BDT00000607 | .. 80 | 1 .. 1 | Measurement unit code content <i>Path:</i> Order response/Order response line/ Charge information/Charge quantity basis/Measurement unit code/ Measurement unit code content | 1 .. 3 | 0 .. 1 | Quantity Unit. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Basis. Quantity/Quantity Unit. Code |
| 478 | BDT00000534 | .. 80 | 1 .. 1 | Special service type code content <i>Path:</i> Order response/Order response line/ Charge information/Special service type code/Special service type code content | 0 .. 1 | | Trade_ Allowance Charge. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Type. Code |
| | BDT00000573 | | | | | | |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|---|----------------|------------|---|
| 479 | | .. 70 | 1 .. 1 | Charge description content <i>Path:</i> Order response/Order response line/ Charge information/Charge description/Charge description content | 0 .. 1 | | Trade_ Allowance Charge. Reason. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Reason. Text |
| 480 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Charge information/Charge description/Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Reason. Text/Language. Identifier |
| 481 | BDT00000369 | .. 80 | 0 .. 1 | Tax authority name <i>Path:</i> Order response/Order response line/ Charge information/Applicable tax information/Tax authority name | 0 .. unbounded | | Trade_ Tax. Jurisdiction. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Jurisdiction. Text |
| 482 | BDTG00000321 | | 0 .. 1 | Tax category code <i>Path:</i> Order response/Order response line/ Charge information/Applicable tax information/Tax category code | 0 .. 1 | | Trade_ Tax. Category. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Category. Code |
| 483 | BDT00000371 | | 0 .. 1 | Tax rate | 0 .. 1 | | Trade_ Tax. Calculated. Rate |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|----------------|---|
| | | | | <i>Path:</i> Order response/Order response line/ Charge information/Applicable tax information/Tax rate | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Rate |
| 484 | BDT00000377 | | 0 .. 1 | Tax point date <i>Path:</i> Order response/Order response line/ Charge information/Applicable tax information/Tax point date | | 0 .. 1 | Trade_ Tax. Tax Point. Date <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Tax Point. Date |
| 485 | BDT00000538 | .. 80 | 1 .. 1 | Tax accounting currency code content <i>Path:</i> Order response/Order response line/ Charge information/Applicable tax information/Tax accounting currency code/Tax accounting currency code content | | 0 .. 1 | Trade_ Tax. Currency. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Currency. Code |
| 486 | BDT00000559 | | 1 .. 1 | Taxable monetary amount content <i>Path:</i> Order response/Order response line/ Charge information/Applicable tax information/Taxable monetary amount/ Taxable monetary amount content | | 0 .. unbounded | Trade_ Tax. Basis. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Basis. Amount |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|----------------|------------|--|
| 487 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Charge information/Applicable tax information/Taxable monetary amount/ Currency code/Currency code content | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Basis. Amount/Amount Currency. Identifier |
| 488 | BDT00000562 | | 1 .. 1 | Tax monetary amount content <i>Path:</i> Order response/Order response line/ Charge information/Applicable tax information/Tax monetary amount/Tax monetary amount content | 0 .. unbounded | | Trade_ Tax. Calculated. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount |
| 489 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Charge information/Applicable tax information/Tax monetary amount/ Currency code/Currency code content | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount/Amount Currency. Identifier |
| 490 | BDT00000561 | | 1 .. 1 | Tax monetary amount in accounting currency content <i>Path:</i> Order response/Order response line/ Charge information/Applicable tax information/Tax monetary amount in accounting currency/Tax monetary amount in accounting currency content | 0 .. unbounded | | Trade_ Tax. Calculated. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|----------------|------------|--|
| 491 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Charge information/Applicable tax information/Tax monetary amount in accounting currency/Currency code/ Currency code content | 0 .. 1 | | Calculated. Amount Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount/Amount Currency. Identifier |
| 492 | BDT00000560 | | 1 .. 1 | Taxable monetary amount in accounting currency content <i>Path:</i> Order response/Order response line/ Charge information/Applicable tax information/Taxable monetary amount in accounting currency/Taxable monetary amount in accounting currency content | 0 .. unbounded | | Trade_ Tax. Calculated. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount |
| 493 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Charge information/Applicable tax information/Taxable monetary amount in accounting currency/Currency code/ Currency code content | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount/Amount Currency. Identifier |
| 494 | BDT00000754 | .. 70 | 1 .. 1 | Tax description content <i>Path:</i> Order response/Order response line/ Charge information/Applicable tax information/Tax description/Tax description content | 0 .. unbounded | | Trade_ Tax. Category Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| 495 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Charge information/Applicable tax information/Tax description/Language code/Language code content | 0 .. 1 | | Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Category Name. Text Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Category Name. Text/Language. Identifier |
| 496 | BDT00000574 | .. 70 | 1 .. 1 | Tax exemption reason description content <i>Path:</i> Order response/Order response line/ Charge information/Applicable tax information/Tax exemption reason description/Tax exemption reason description content | 0 .. 1 | | Trade_ Tax. Exemption Reason. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Exemption Reason. Text |
| 497 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Charge information/Applicable tax information/Tax exemption reason description/Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Exemption Reason. Text/Language. Identifier |
| 498 | BDT00000575 | .. 80 | 1 .. 1 | Tax exemption reason code content <i>Path:</i> Order response/Order response line/ Charge information/Applicable tax information/Tax exemption reason code/Tax exemption reason code | 0 .. 1 | | Trade_ Tax. Exemption Reason. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|----------------|------------|---|
| | | | | content | | | Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Exemption Reason. Code |
| 499 | BDT00000576 | .. 80 | 1 .. 1 | Tax type code content <i>Path:</i> Order response/Order response line/ Charge information/Applicable tax information/Tax type code/Tax type code content | 0 .. 1 | | Trade_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Type. Code |
| 500 | BDT00000647 | .. 80 | 1 .. 1 | Handling instruction code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Handling instruction code/Handling instruction code content | 0 .. unbounded | | Delivery_ Instructions. Handling. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Specified. Delivery_ Instructions/Delivery_ Instructions. Handling. Code |
| 501 | BDT00000687 | .. 80 | 1 .. 1 | Transport means type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport means type code/Transport means type code content | 0 .. 1 | | Logistics_ Transport Means. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Specified. Logistics_ Transport Movement/Logistics_ Transport Movement. Used. Logistics_ Transport Means/Logistics_ Transport Means. Type. Code |
| 502 | BDT00000625 | .. 80 | 0 .. 1 | Transport means identification content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ | 0 .. 1 | | Logistics_ Transport Means. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| | | | | Transport means identification/ Transport means identification content | | | Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Specified. Logistics_ Transport Movement/Logistics_ Transport Movement. Used. Logistics_ Transport Means/Logistics_ Transport Means. Identification. Identifier |
| 503 | BDT00000583 | .. 80 | 1 .. 1 | Identification scheme responsible agency code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport means identification/ Identification scheme information/ Identification scheme responsible agency code/Identification scheme responsible agency code content | 0 .. 1 | | Identification Scheme Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Specified. Logistics_ Transport Movement/Logistics_ Transport Movement. Used. Logistics_ Transport Means/Logistics_ Transport Means. Identification. Identifier/Identification Scheme Agency. Identifier |
| 504 | BDT00000688 | .. 80 | 1 .. 1 | Transport mode code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport mode code/Transport mode code content | 0 .. 1 | | Logistics_ Transport Movement. Mode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Specified. Logistics_ Transport Movement/Logistics_ Transport Movement. Mode. Code |
| 505 | BDT00000689 | .. 80 | 1 .. 1 | Transport service level code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport service level code/Transport service level code content | 0 .. 1 | | Logistics_ Transport Movement. Service. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|----------|------------|--|----------------|------------|--|
| 506 | BDT00000648 | .. 70 | 1 .. 1 | Handling instruction description content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Handling instruction description/ Handling instruction description content | 0 .. unbounded | | Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Specified. Logistics_ Transport Movement/Logistics_ Transport Movement. Service. Code Delivery_ Instructions. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Specified. Delivery_ Instructions/Delivery_ Instructions. Description. Text |
| 507 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Handling instruction description/ Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Specified. Delivery_ Instructions/Delivery_ Instructions. Description. Text/Language. Identifier |
| 508 | BDT00000063 | 13 .. 13 | 0 .. 1 | Global location number, GLN <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Global location number, GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i> | 0 .. unbounded | | Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Global_ Identification. Identifier |
| 509 | BDT00000578 | .. 80 | 1 .. 1 | Additional party identification content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Additional | 0 .. unbounded | | Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|----------------|------------|---|
| | | | | party identification information/ Additional party identification content | | | Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Identification. Identifier |
| 510 | BDT00000570 | .. 80 | 1 .. 1 | Additional party identification type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Additional party identification information/ Additional party identification type code/Additional party identification type code content | 0 .. unbounded | | Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Type. Code |
| 511 | BDT00000020 | .. 200 | 0 .. 1 | City name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/City name | 0 .. 1 | | Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text |
| 512 | BDT00000019 | .. 80 | 0 .. 1 | City code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/City code | 0 .. 1 | | Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier |
| 513 | BDT00000034 | .. 80 | 0 .. 1 | County code <i>Path:</i> Order response/Order response line/ | 0 .. 1 | | Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| | | | | Shipment transportation information/ Carrier party information/Address information/County code | | | Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub- Division Name. Text |
| 514 | BDT00000035 | .. 200 | 0 .. 1 | Cross street <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Cross street | 0 .. 1 | | Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text |
| 515 | BDT00000106 | .. 200 | 0 .. 1 | Party name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Party name | 0 .. 1 | | Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Name. Text |
| 516 | BDT00000113 | .. 80 | 0 .. 1 | Post office box number <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Post office box number | 0 .. 1 | | Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| 517 | BDT00000114 | .. 80 | 0 .. 1 | Postal code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Postal code | 0 .. 1 | | Postal. Trade_ Address/Trade_ Address. Post Office Box. Text Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code |
| 518 | BDT00000117 | 80 .. | 0 .. 1 | Province identity <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Province identity | 0 .. 1 | | Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub- Division. Identifier |
| 519 | BDT00000127 | .. 80 | 0 .. 1 | State <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/State | 0 .. 1 | | Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub- Division Name. Text |
| 520 | BDT00000128 | .. 200 | 0 .. 1 | Street address one <i>Path:</i> Order response/Order response line/ Shipment transportation information/ | 0 .. 1 | | Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | Carrier party information/Address information/Street address one | | | Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text |
| 521 | BDT00000130 | .. 200 | 0 .. 1 | Street address two <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Street address two | 0 .. 1 | | Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text |
| 522 | BDT00000129 | .. 200 | 0 .. 1 | Street address three <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Street address three | 0 .. 1 | | Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text |
| 523 | BDT00000774 | | 1 .. 1 | Country code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Country code/Country code content | 0 .. 1 | | Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier |
| 524 | BDT00000085 | .. 80 | 1 .. 1 | Latitude | 0 .. 1 | | Geographical Coordinate. Latitude. Measure |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| | | | | <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Geographical coordinates information/Latitude | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure |
| 525 | BDT00000089 | .. 80 | 1 .. 1 | Longitude <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Geographical coordinates information/Longitude | 0 .. 1 | | Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure |
| 526 | BDT00000112 | .. 70 | 0 .. 1 | Person name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Person name | 0 .. 1 | | Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text |
| 527 | BDT00000044 | .. 70 | 0 .. 1 | Department name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ | 0 .. 1 | | Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|--|--------|------------|--|
| | | | | Carrier party information/Business contact information/Department name | | | Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text |
| 528 | BDT00000083 | .. 70 | 0 .. 1 | Job title <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Job title | 0 .. 1 | | Trade_ Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text |
| 529 | BDT000000571 | .. 80 | 1 .. 1 | Contact type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Contact type code/ Contact type code content | 0 .. 1 | | Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code |
| 530 | BDT000000580 | .. 70 | 1 .. 1 | Business contact responsibility description content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Business contact responsibility description/Business contact responsibility description content | 0 .. 1 | | Trade_ Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| 531 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Business contact responsibility description/Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/Language. Identifier |
| 532 | BDT00000525 | | 1 .. 1 | Communication channel code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Communication information/Communication channel code/Communication channel code content | 0 .. 1 | | Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code |
| 533 | BDT00000032 | .. 200 | 1 .. 1 | Communication channel identification <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Communication information/Communication channel identification | 0 .. 1 | | Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier |
| 534 | BDT00000033 | .. 200 | 0 .. 1 | Communication channel name <i>Path:</i> Order response/Order response line/ | 0 .. 1 | | Universal_ Communication. Complete Number. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|--|--------|------------|---|
| | | | | Shipment transportation information/ Carrier party information/Business contact information/Communication information/Communication channel name | | | Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Complete Number. Text |
| 535 | BDTG00000175 | | 1 .. 1 | Communication channel code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/After hours communication information/ Communication channel code | | 0 .. 1 | Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code |
| 536 | BDT00000032 | .. 200 | 1 .. 1 | Communication channel identification <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/After hours communication information/ Communication channel identification | | 0 .. 1 | Trade_ Contact. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier |
| 537 | BDT00000369 | .. 80 | 0 .. 1 | Tax authority name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax authority name | | 0 .. 1 | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| 538 | BDT00000584 | .. 200 | 1 .. 1 | Tax registration identification content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration identification information/Tax registration identification content | 0 .. 1 | | Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier |
| 539 | BDT00000074 | .. 80 | 0 .. 1 | Identification scheme name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name | 0 .. 1 | | Identification Scheme. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text |
| 540 | BDT00000073 | .. 80 | 0 .. 1 | Identification scheme agency name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name | 0 .. 1 | | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|----------------|------------|---|
| 541 | BDT00000583 | .. 80 | 1 .. 1 | Identification scheme responsible agency code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content | 0 .. 1 | | Name. Text Identification Scheme Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier |
| 542 | BDT00000576 | .. 80 | 1 .. 1 | Tax type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax type code/ Tax type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 543 | BDT00000754 | .. 70 | 1 .. 1 | Tax description content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax description/Tax description content | 0 .. unbounded | | Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| 544 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax description/Language code/Language code content | 0 .. 1 | | Description. Text Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Language. Identifier |
| 545 | BDT00000588 | .. 80 | 1 .. 1 | Tax registration type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration type code/Tax registration type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 546 | BDT00000102 | .. 200 | 1 .. 1 | Organisation name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Organisation name | 0 .. 1 | | Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text |
| 547 | BDT00000524 | .. 80 | 1 .. 1 | Language code content | 0 .. 1 | | Language. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| | | | | <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Language of the party code/Language code content | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/Language. Identifier |
| 548 | BDT00000034 | .. 80 | 0 .. 1 | County code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/ County code | | 0 .. 1 | Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub- Division Name. Text |
| 549 | BDT00000020 | .. 200 | 0 .. 1 | City name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/City name | | 0 .. 1 | Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text |
| 550 | BDT00000019 | .. 80 | 0 .. 1 | City code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation | | 0 .. 1 | Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | legal information/Official address/City code | | | Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier |
| 551 | BDT00000035 | .. 200 | 0 .. 1 | Cross street <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Cross street | 0 .. 1 | | Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text |
| 552 | BDT00000113 | .. 80 | 0 .. 1 | Post office box number <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Post office box number | 0 .. 1 | | Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text |
| 553 | BDT00000114 | .. 80 | 0 .. 1 | Postal code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Postal code | 0 .. 1 | | Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| 554 | BDT00000117 | 80 .. | 0 .. 1 | Province identity <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/ Province identity | 0 .. 1 | | Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub- Division. Identifier |
| 555 | BDT00000127 | .. 80 | 0 .. 1 | State <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/State | 0 .. 1 | | Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub- Division Name. Text |
| 556 | BDT00000128 | .. 200 | 0 .. 1 | Street address one <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Street address one | 0 .. 1 | | Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| 557 | BDT00000130 | .. 200 | 0 .. 1 | Street address two <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Street address two | 0 .. 1 | | Postal. Trade_ Address/Trade_ Address. Line One. Text Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text |
| 558 | BDT00000129 | .. 200 | 0 .. 1 | Street address three <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Street address three | 0 .. 1 | | Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text |
| 559 | BDT00000774 | | 1 .. 1 | Country code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/ Country code/Country code content | 0 .. 1 | | Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country. Identifier |
| 560 | BDT00000659 | .. 70 | 1 .. 1 | Legal structure description content <i>Path:</i> Order response/Order response line/ | 0 .. 1 | | Legal_ Organization. Legal Classification. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| | | | | Shipment transportation information/ Carrier party information/Organisation legal information/Legal structure description/Legal structure description content | | | Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code |
| 561 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Legal structure description/Language code/Language code content | 0 .. 1 | | Code List. Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code List. Agency. Identifier |
| 562 | BDT00000087 | .. 80 | 1 .. 1 | Legal registration number <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Registered legal information/Legal registration number | 0 .. 1 | | Legal_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier |
| 563 | BDT00000658 | .. 80 | 1 .. 1 | Legal registration type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Registered legal | 0 .. 1 | | Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|----------|------------|--|----------------|------------|---|
| | | | | information/Legal registration type code/Legal registration type code content | | | Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code |
| 564 | BDT00000063 | 13 .. 13 | 0 .. 1 | Global location number GLN <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Global location number GLN <i>GS1 General Specifications:</i> The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit. | 0 .. unbounded | | Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Global_ Identification. Identifier |
| 565 | BDT00000578 | .. 80 | 1 .. 1 | Additional party identification content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Additional party identification information/Additional party identification content | 0 .. unbounded | | Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Identification. Identifier |
| 566 | BDT00000570 | .. 80 | 1 .. 1 | Additional party identification type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Additional party identification information/Additional party identification type code/Additional party | 0 .. unbounded | | Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Type. Code |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | identification type code content | | | |
| 567 | BDT00000020 | .. 200 | 0 .. 1 | City name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/City name | 0 .. 1 | | Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text |
| 568 | BDT00000019 | .. 80 | 0 .. 1 | City code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/City code | 0 .. 1 | | Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier |
| 569 | BDT00000034 | .. 80 | 0 .. 1 | County code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/County code | 0 .. 1 | | Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text |
| 570 | BDT00000035 | .. 200 | 0 .. 1 | Cross street <i>Path:</i> Order response/Order response line/ Shipment transportation information/ | 0 .. 1 | | Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | Freight forwarder party information/ Address information/Cross street | | | Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text |
| 571 | BDT00000106 | .. 200 | 0 .. 1 | Party name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Party name | 0 .. 1 | | Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Name. Text |
| 572 | BDT00000113 | .. 80 | 0 .. 1 | Post office box number <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Post office box number | 0 .. 1 | | Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text |
| 573 | BDT00000114 | .. 80 | 0 .. 1 | Postal code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Postal code | 0 .. 1 | | Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| 574 | BDT00000117 | 80 .. | 0 .. 1 | Province identity <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Province identity | | 0 .. 1 | Postcode. Code Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier |
| 575 | BDT00000127 | .. 80 | 0 .. 1 | State <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/State | | 0 .. 1 | Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text |
| 576 | BDT00000128 | .. 200 | 0 .. 1 | Street address one <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Street address one | | 0 .. 1 | Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text |
| 577 | BDT00000130 | .. 200 | 0 .. 1 | Street address two <i>Path:</i> Order response/Order response line/ Shipment transportation information/ | | 0 .. 1 | Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | Freight forwarder party information/ Address information/Street address two | | | Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text |
| 578 | BDT00000129 | .. 200 | 0 .. 1 | Street address three <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Street address three | 0 .. 1 | | Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text |
| 579 | BDT00000774 | | 1 .. 1 | Country code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Country code/ Country code content | 0 .. 1 | | Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier |
| 580 | BDT00000085 | .. 80 | 1 .. 1 | Latitude <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Geographical coordinates information/Latitude | 0 .. 1 | | Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| 581 | BDT00000089 | .. 80 | 1 .. 1 | Longitude <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Geographical coordinates information/Longitude | 0 .. 1 | | Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/ Geographical Coordinate. Latitude. Measure Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/ Geographical Coordinate. Longitude. Measure |
| 582 | BDT00000112 | .. 70 | 0 .. 1 | Person name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Person name | 0 .. 1 | | Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text |
| 583 | BDT00000044 | .. 70 | 0 .. 1 | Department name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/ Department name | 0 .. 1 | | Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|--|--------|------------|---|
| 584 | BDT00000083 | .. 70 | 0 .. 1 | Job title <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Job title | 0 .. 1 | | Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text |
| 585 | BDT000000571 | .. 80 | 1 .. 1 | Contact type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Contact type code/Contact type code content | 0 .. 1 | | Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code |
| 586 | BDT000000580 | .. 70 | 1 .. 1 | Business contact responsibility description content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content | 0 .. 1 | | Trade_Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text |
| 587 | BDT000000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| | | | | Business contact information/Business contact responsibility description/ Language code/Language code content | | | Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/Language. Identifier |
| 588 | BDT00000525 | | 1 .. 1 | Communication channel code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content | | 0 .. 1 | Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code |
| 589 | BDT00000032 | .. 200 | 1 .. 1 | Communication channel identification <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/ Communication information/ Communication channel identification | | 0 .. 1 | Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier |
| 590 | BDT00000033 | .. 200 | 0 .. 1 | Communication channel name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/ Communication information/ | | 0 .. 1 | Universal_ Communication. Complete Number. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | Communication channel name | | | Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Complete Number. Text |
| 591 | BDT00000525 | | 1 .. 1 | Communication channel code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content | | 0 .. 1 | Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code |
| 592 | BDT00000032 | .. 200 | 1 .. 1 | Communication channel identification <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/After hours communication information/ Communication channel identification | | 0 .. 1 | Trade_ Contact. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier |
| 593 | BDT00000369 | .. 80 | 0 .. 1 | Tax authority name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax authority name | | 0 .. 1 | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| 594 | BDT00000584 | .. 200 | 1 .. 1 | Tax registration identification content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration identification information/Tax registration identification content | 0 .. 1 | | Scheme. Agency Name. Text Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier |
| 595 | BDT00000074 | .. 80 | 0 .. 1 | Identification scheme name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name | 0 .. 1 | | Identification Scheme. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text |
| 596 | BDT00000073 | .. 80 | 0 .. 1 | Identification scheme agency name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name | 0 .. 1 | | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 597 | BDT00000583 | .. 80 | 1 .. 1 | Identification scheme responsible agency | 0 .. 1 | | Identification Scheme Agency. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|----------------|---|
| | | | | code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier |
| 598 | BDT00000576 | .. 80 | 1 .. 1 | Tax type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax type code/ Tax type code content | | 0 .. 1 | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 599 | BDT00000754 | .. 70 | 1 .. 1 | Tax description content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax description/Tax description content | | 0 .. unbounded | Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text |
| 600 | BDT00000524 | .. 80 | 1 .. 1 | Language code content | | 0 .. 1 | Language. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax description/Language code/Language code content | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Language. Identifier |
| 601 | BDT00000588 | .. 80 | 1 .. 1 | Tax registration type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration type code/Tax registration type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 602 | BDT00000102 | .. 200 | 1 .. 1 | Organisation name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Organisation name | 0 .. 1 | | Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text |
| 603 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| | | | | Freight forwarder party information/ Organisation legal information/ Language of the party code/Language code content | | | Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/Language. Identifier |
| 604 | BDT00000034 | .. 80 | 0 .. 1 | County code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/County code | 0 .. 1 | | Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text |
| 605 | BDT00000020 | .. 200 | 0 .. 1 | City name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/City name | 0 .. 1 | | Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text |
| 606 | BDT00000019 | .. 80 | 0 .. 1 | City code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official | 0 .. 1 | | Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | address/City code | | | Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier |
| 607 | BDT00000035 | .. 200 | 0 .. 1 | Cross street <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Cross street | 0 .. 1 | | Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text |
| 608 | BDT00000113 | .. 80 | 0 .. 1 | Post office box number <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Post office box number | 0 .. 1 | | Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text |
| 609 | BDT00000114 | .. 80 | 0 .. 1 | Postal code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Postal code | 0 .. 1 | | Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| 610 | BDT00000117 | 80 .. | 0 .. 1 | Province identity <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Province identity | 0 .. 1 | | Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier |
| 611 | BDT00000127 | .. 80 | 0 .. 1 | State <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/State | 0 .. 1 | | Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text |
| 612 | BDT00000128 | .. 200 | 0 .. 1 | Street address one <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Street address one | 0 .. 1 | | Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| 613 | BDT00000130 | .. 200 | 0 .. 1 | Street address two <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Street address two | 0 .. 1 | | Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text |
| 614 | BDT00000129 | .. 200 | 0 .. 1 | Street address three <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Street address three | 0 .. 1 | | Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text |
| 615 | BDT00000774 | | 1 .. 1 | Country code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Country code/Country code content | 0 .. 1 | | Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| 616 | BDT00000659 | .. 70 | 1 .. 1 | Legal structure description content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Legal structure description/Legal structure description content | 0 .. 1 | | Organization. Postal. Trade_ Address/Trade_ Address. Country. Identifier Legal_ Organization. Legal Classification. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code |
| 617 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Legal structure description/Language code/ Language code content | 0 .. 1 | | Code List. Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code List. Agency. Identifier |
| 618 | BDT00000087 | .. 80 | 1 .. 1 | Legal registration number <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration number | 0 .. 1 | | Legal_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|--|----------------|------------|---|
| 619 | BDT00000658 | .. 80 | 1 .. 1 | Legal registration type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content | 0 .. 1 | | Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code |
| 620 | BDT00000369 | .. 80 | 0 .. 1 | Tax authority name <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax authority name | 0 .. unbounded | | Trade_ Tax. Jurisdiction. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Jurisdiction. Text |
| 621 | BDTG00000321 | | 0 .. 1 | Tax category code <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax category code | 0 .. 1 | | Trade_ Tax. Category. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Category. Code |
| 622 | BDT00000371 | | 0 .. 1 | Tax rate <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax rate | 0 .. 1 | | Trade_ Tax. Calculated. Rate <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|----------------|--|
| 623 | BDT00000377 | | 0 .. 1 | Tax point date <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax point date | | 0 .. 1 | Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Rate Trade_ Tax. Tax Point. Date <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Tax Point. Date |
| 624 | BDT00000538 | .. 80 | 1 .. 1 | Tax accounting currency code content <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax accounting currency code/Tax accounting currency code content | | 0 .. 1 | Trade_ Tax. Currency. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Currency. Code |
| 625 | BDT00000559 | | 1 .. 1 | Taxable monetary amount content <i>Path:</i> Order response/Order response line/ Applicable tax information/Taxable monetary amount/Taxable monetary amount content | | 0 .. unbounded | Trade_ Tax. Basis. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Basis. Amount |
| 626 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Applicable tax information/Taxable monetary amount/Currency code/ | | 0 .. 1 | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|----------------|------------|--|
| | | | | Currency code content | | | Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Basis. Amount/Amount Currency. Identifier |
| 627 | BDT00000562 | | 1 .. 1 | Tax monetary amount content <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax monetary amount/Tax monetary amount content | 0 .. unbounded | | Trade_ Tax. Calculated. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount |
| 628 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax monetary amount/Currency code/Currency code content | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount/Amount Currency. Identifier |
| 629 | BDT00000561 | | 1 .. 1 | Tax monetary amount in accounting currency content <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax monetary amount in accounting currency/Tax monetary amount in accounting currency content | 0 .. unbounded | | Trade_ Tax. Calculated. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount |
| 630 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax monetary | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|----------------|------------|--|
| | | | | amount in accounting currency/ Currency code/Currency code content | | | Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount/Amount Currency. Identifier |
| 631 | BDT00000560 | | 1 .. 1 | Taxable monetary amount in accounting currency content <i>Path:</i> Order response/Order response line/ Applicable tax information/Taxable monetary amount in accounting currency/Taxable monetary amount in accounting currency content | 0 .. unbounded | | Trade_ Tax. Calculated. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount |
| 632 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Currency code content | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount/Amount Currency. Identifier |
| 633 | BDT00000754 | .. 70 | 1 .. 1 | Tax description content <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax description/Tax description content | 0 .. unbounded | | Trade_ Tax. Category Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Category Name. Text |
| 634 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| | | | | Applicable tax information/Tax description/Language code/Language code content | | | Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Category Name. Text/Language. Identifier |
| 635 | BDT00000574 | .. 70 | 1 .. 1 | Tax exemption reason description content <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax exemption reason description/Tax exemption reason description content | 0 .. 1 | | Trade_ Tax. Exemption Reason. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Exemption Reason. Text |
| 636 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax exemption reason description/Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Exemption Reason. Text/Language. Identifier |
| 637 | BDT00000575 | .. 80 | 1 .. 1 | Tax exemption reason code content <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax exemption reason code/Tax exemption reason code content | 0 .. 1 | | Trade_ Tax. Exemption Reason. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Exemption Reason. Code |
| 638 | BDT00000576 | .. 80 | 1 .. 1 | Tax type code content | 0 .. 1 | | Trade_ Tax. Type. Code |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|---|--------|----------------|---|
| | | | | <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax type code/Tax type code content | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Type. Code |
| 639 | BDTG00000777 | | 0 .. 1 | Duty regime type code <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Duty regime type code | | 0 .. 1 | Trade_ Tax. Customs Duty. Indicator <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Customs Duty. Indicator |
| 640 | BDT00000370 | .. 80 | 0 .. 1 | Customs authority name <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Customs authority name | | 0 .. unbounded | Trade_ Tax. Jurisdiction. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Jurisdiction. Text |
| 641 | BDTG00000321 | | 0 .. 1 | Tax category code <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax category code | | 0 .. 1 | Trade_ Tax. Category. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Category. Code |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|----------------|---|
| 642 | BDT00000374 | | 0 .. 1 | Customs duty rate <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Customs duty rate | | 0 .. 1 | Trade_ Tax. Calculated. Rate <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Rate |
| 643 | BDT00000377 | | 0 .. 1 | Tax point date <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax point date | | 0 .. 1 | Trade_ Tax. Tax Point. Date <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Tax Point. Date |
| 644 | BDT00000538 | .. 80 | 1 .. 1 | Tax accounting currency code content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax accounting currency code/Tax accounting currency code content | | 0 .. 1 | Trade_ Tax. Currency. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Currency. Code |
| 645 | BDT00000559 | | 1 .. 1 | Taxable monetary amount content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Taxable monetary amount/Taxable monetary amount content | | 0 .. unbounded | Trade_ Tax. Calculated. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|----------------|------------|--|
| 646 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Taxable monetary amount/Currency code/Currency code content | 0 .. 1 | | Calculated. Amount Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount/Amount Currency. Identifier |
| 647 | BDT00000561 | | 1 .. 1 | Tax monetary amount in accounting currency content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax monetary amount in accounting currency/Tax monetary amount in accounting currency content | 0 .. unbounded | | Trade_ Tax. Calculated. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount |
| 648 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax monetary amount in accounting currency/Currency code/Currency code content | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount/Amount Currency. Identifier |
| 649 | BDT00000560 | | 1 .. 1 | Taxable monetary amount in accounting currency content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Taxable monetary amount in accounting currency/Taxable monetary amount in | 0 .. unbounded | | Trade_ Tax. Calculated. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|----------------|------------|--|
| | | | | accounting currency content | | | Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount |
| 650 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Taxable monetary amount in accounting currency/Currency code/Currency code content | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount/Amount Currency. Identifier |
| 651 | BDT00000562 | | 1 .. 1 | Tax monetary amount content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax monetary amount/Tax monetary amount content | 0 .. unbounded | | Trade_ Tax. Calculated. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount |
| 652 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax monetary amount/Currency code/ Currency code content | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount/Amount Currency. Identifier |
| 653 | BDT00000754 | .. 70 | 1 .. 1 | Tax description content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax description/Tax description content | 0 .. unbounded | | Trade_ Tax. Category Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|----------------|------------|---|
| 654 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax description/Language code/ Language code content | 0 .. 1 | | Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Category Name. Text Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Category Name. Text/Language. Identifier |
| 655 | BDT00000563 | .. 70 | 1 .. 1 | Customs duty description content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Customs duty description/Customs duty description content | 0 .. unbounded | | Trade_ Tax. Category Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Category Name. Text |
| 656 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Customs duty description/Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Category Name. Text/Language. Identifier |
| 657 | BDT00000564 | | 1 .. 1 | Customs duty and import tax monetary amount content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ | 0 .. unbounded | | Trade_ Tax. Calculated. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| | | | | Customs duty and import tax monetary amount/Customs duty and import tax monetary amount content | | | Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount |
| 658 | BDT00000589 | .. 80 | 1 .. 1 | Currency code content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Customs duty and import tax monetary amount/Currency code/Currency code content | 0 .. 1 | | Amount Currency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Calculated. Amount/Amount Currency. Identifier |
| 659 | BDT00000774 | | 1 .. 1 | Country code content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Country code/Country code content | 0 .. 1 | | Trade_ Country. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Service Supply. Trade_ Country/Trade_ Country. Identification. Identifier |
| 660 | BDT00000574 | .. 70 | 1 .. 1 | Tax exemption reason description content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax exemption reason description/Tax exemption reason description content | 0 .. 1 | | Trade_ Tax. Exemption Reason. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Exemption Reason. Text |
| 661 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | Applicable customs duty information/ Tax exemption reason description/ Language code/Language code content | | | Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Exemption Reason. Text/Language. Identifier |
| 662 | BDT00000575 | .. 80 | 1 .. 1 | Tax exemption reason code content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax exemption reason code/Tax exemption reason code content | 0 .. 1 | | Trade_ Tax. Exemption Reason. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Exemption Reason. Code |
| 663 | BDT00000576 | .. 80 | 1 .. 1 | Tax type code content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax type code/Tax type code content | 0 .. 1 | | Trade_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Category. Trade_ Tax/Trade_ Tax. Type. Code |
| 664 | BDT00000788 | | 0 .. 1 | Logistic label customer information <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistic label customer information | 0 .. 1 | | Section_ Segment. Information. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Physical. Referenced_ Logistics_ Package/ Referenced_ Logistics_ Package. Physical. Logistics_ Shipping Marks/Logistics_ Shipping Marks. Barcode. Logistics_ Label/Logistics_ Label. Included. Label_ Section/Label_ Section. Included. Section_ Segment/ |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|----------|------------|---|----------------|------------|--|
| 665 | BDT00000063 | 13 .. 13 | 0 .. 1 | Global location number GLN <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i> | 0 .. unbounded | | Section_ Segment. Information. Text Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Global_ Identification. Identifier |
| 666 | BDT000000578 | .. 80 | 1 .. 1 | Additional party identification content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Additional party identification information/Additional party identification content | 0 .. unbounded | | Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Identification. Identifier |
| 667 | BDT000000570 | .. 80 | 1 .. 1 | Additional party identification type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Additional party identification information/Additional party identification type code/Additional party identification type code content | 0 .. unbounded | | Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Type. Code |
| 668 | BDT000000020 | .. 200 | 0 .. 1 | City name | 0 .. 1 | | Trade_ Address. City Name. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/City name | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text |
| 669 | BDT00000019 | .. 80 | 0 .. 1 | City code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/City code | | 0 .. 1 | Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier |
| 670 | BDT00000034 | .. 80 | 0 .. 1 | County code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/County code | | 0 .. 1 | Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text |
| 671 | BDT00000035 | .. 200 | 0 .. 1 | Cross street <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/Cross street | | 0 .. 1 | Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text |
| 672 | BDT00000106 | .. 200 | 0 .. 1 | Party name <i>Path:</i> Order response/Order response line/ | | 0 .. 1 | Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/Party name | | | Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Name. Text |
| 673 | BDT00000113 | .. 80 | 0 .. 1 | Post office box number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/Post office box number | 0 .. 1 | | Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text |
| 674 | BDT00000114 | .. 80 | 0 .. 1 | Postal code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/Postal code | 0 .. 1 | | Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code |
| 675 | BDT00000117 | 80 .. | 0 .. 1 | Province identity <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/ Province identity | 0 .. 1 | | Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier |
| 676 | BDT00000127 | .. 80 | 0 .. 1 | State <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical | 0 .. 1 | | Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| | | | | information/Ship from party information/Address information/State | | | Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text |
| 677 | BDT00000128 | .. 200 | 0 .. 1 | Street address one <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/Street address one | 0 .. 1 | | Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text |
| 678 | BDT00000130 | .. 200 | 0 .. 1 | Street address two <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/Street address two | 0 .. 1 | | Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text |
| 679 | BDT00000129 | .. 200 | 0 .. 1 | Street address three <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/Street address three | 0 .. 1 | | Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text |
| 680 | BDT00000774 | | 1 .. 1 | Country code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/ | 0 .. 1 | | Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | Country code/Country code content | | | Trade_ Address/Trade_ Address. Country. Identifier |
| 681 | BDT00000085 | .. 80 | 1 .. 1 | Latitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/ Geographical coordinates information/ Latitude | 0 .. 1 | | Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure |
| 682 | BDT00000089 | .. 80 | 1 .. 1 | Longitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/ Geographical coordinates information/ Longitude | 0 .. 1 | | Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure |
| 683 | BDT00000112 | .. 70 | 0 .. 1 | Person name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Person name | 0 .. 1 | | Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text |
| 684 | BDT00000044 | .. 70 | 0 .. 1 | Department name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party | 0 .. 1 | | Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|--|--------|------------|---|
| 685 | BDT00000083 | .. 70 | 0 .. 1 | information/Business contact information/Department name Job title <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Job title | 0 .. 1 | | Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text Trade_ Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text |
| 686 | BDT000000571 | .. 80 | 1 .. 1 | Contact type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Contact type code/Contact type code content | 0 .. 1 | | Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code |
| 687 | BDT000000580 | .. 70 | 1 .. 1 | Business contact responsibility description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Business contact responsibility description/Business contact responsibility description content | 0 .. 1 | | Trade_ Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text |
| 688 | BDT000000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| | | | | information/Ordered trade item logistical information/Ship from party information/Business contact information/Business contact responsibility description/Language code/Language code content | | | Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/ Language. Identifier |
| 689 | BDT00000525 | | 1 .. 1 | Communication channel code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Communication information/Communication channel code/Communication channel code content | | 0 .. 1 | Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code |
| 690 | BDT00000032 | .. 200 | 1 .. 1 | Communication channel identification <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Communication information/Communication channel identification | | 0 .. 1 | Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier |
| 691 | BDT00000033 | .. 200 | 0 .. 1 | Communication channel name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact | | 0 .. 1 | Universal_ Communication. Complete Number. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|---|--------|----------------|--|
| 692 | BDTG00000175 | | 1 .. 1 | information/Communication information/Communication channel name Communication channel code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel code | | 0 .. unbounded | Trade_Contact/Trade_Contact. Telephone. Universal_ Communication/Universal_ Communication. Complete Number. Text Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Type. Code |
| 693 | BDT00000032 | .. 200 | 1 .. 1 | Communication channel identification <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel identification | | 0 .. unbounded | Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Identification. Identifier |
| 694 | BDT00000369 | .. 80 | 0 .. 1 | Tax authority name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax authority name | | 0 .. 1 | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 695 | BDT00000584 | .. 200 | 1 .. 1 | Tax registration identification content | | 0 .. 1 | Tax_ Registration. Identification. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| | | | | <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration identification information/Tax registration identification content | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier |
| 696 | BDT00000074 | .. 80 | 0 .. 1 | Identification scheme name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name | | 0 .. 1 | Identification Scheme. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text |
| 697 | BDT00000073 | .. 80 | 0 .. 1 | Identification scheme agency name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name | | 0 .. 1 | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 698 | BDT00000583 | .. 80 | 1 .. 1 | Identification scheme responsible agency code content <i>Path:</i> Order response/Order response line/ | | 0 .. 1 | Identification Scheme Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|----------------|------------|--|
| | | | | Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content | | | Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier |
| 699 | BDT00000576 | .. 80 | 1 .. 1 | Tax type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax type code/Tax type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 700 | BDT00000754 | .. 70 | 1 .. 1 | Tax description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax description/Tax description content | 0 .. unbounded | | Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text |
| 701 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax description/Language code/Language code content | | | Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Language. Identifier |
| 702 | BDT00000588 | .. 80 | 1 .. 1 | Tax registration type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration type code/ Tax registration type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 703 | BDT00000370 | .. 80 | 0 .. 1 | Customs authority name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs authority name | 0 .. 1 | | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 704 | BDT00000622 | .. 200 | 1 .. 1 | Customs registration identification content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs registration | 0 .. 1 | | Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | identification information/Customs registration identification content | | | Identification. Identifier |
| 705 | BDT00000074 | .. 80 | 0 .. 1 | Identification scheme name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name | 0 .. 1 | | Identification Scheme. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text |
| 706 | BDT00000073 | .. 80 | 0 .. 1 | Identification scheme agency name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name | 0 .. 1 | | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 707 | BDT00000583 | .. 80 | 1 .. 1 | Identification scheme responsible agency code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs registration identification information/Identification | 0 .. 1 | | Identification Scheme Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|----------------|------------|--|
| | | | | scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content | | | |
| 708 | BDT00000576 | .. 80 | 1 .. 1 | Tax type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Tax type code/Tax type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 709 | BDT00000563 | .. 70 | 1 .. 1 | Customs duty description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs duty description/ Customs duty description content | 0 .. unbounded | | Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text |
| 710 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs duty description/ Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Language. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| 711 | BDT00000624 | .. 80 | 1 .. 1 | Customs registration type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs registration type code/Customs registration type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 712 | BDT00000102 | .. 200 | 1 .. 1 | Organisation name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Organisation name | 0 .. 1 | | Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text |
| 713 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Language of the party code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/Language. Identifier |
| 714 | BDT00000034 | .. 80 | 0 .. 1 | County code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal | 0 .. 1 | | Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|--|--------|------------|---|
| | | | | information/Official address/County code | | | Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier |
| 715 | BDT00000020 | .. 200 | 0 .. 1 | City name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/City name | 0 .. 1 | | Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text |
| 716 | BDT00000019 | .. 80 | 0 .. 1 | City code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/City code | 0 .. 1 | | Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier |
| 717 | BDT00000035 | .. 200 | 0 .. 1 | Cross street <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Cross street | 0 .. 1 | | Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text |
| 718 | BDT000000113 | .. 80 | 0 .. 1 | Post office box number <i>Path:</i> Order response/Order response line/Order response line item shipping detail | 0 .. 1 | | Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Post office box number | | | Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text |
| 719 | BDT00000114 | .. 80 | 0 .. 1 | Postal code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Postal code | | 0 .. 1 | Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code |
| 720 | BDT00000117 | 80 .. | 0 .. 1 | Province identity <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Province identity | | 0 .. 1 | Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier |
| 721 | BDT00000127 | .. 80 | 0 .. 1 | State <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/State | | 0 .. 1 | Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub- |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| 722 | BDT00000128 | .. 200 | 0 .. 1 | Street address one <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Street address one | 0 .. 1 | | Division Name. Text Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text |
| 723 | BDT00000130 | .. 200 | 0 .. 1 | Street address two <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Street address two | 0 .. 1 | | Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text |
| 724 | BDT00000129 | .. 200 | 0 .. 1 | Street address three <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Street address three | 0 .. 1 | | Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text |
| 725 | BDT00000774 | | 1 .. 1 | Country code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal | 0 .. 1 | | Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| | | | | information/Official address/Country code/Country code content | | | Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country. Identifier |
| 726 | BDT00000659 | .. 70 | 1 .. 1 | Legal structure description content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Legal structure description/Legal structure description content | 0 .. 1 | | Legal_ Organization. Legal Classification. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code |
| 727 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Legal structure description/Language code/Language code content | 0 .. 1 | | Code List. Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code List. Agency. Identifier |
| 728 | BDT00000087 | .. 80 | 1 .. 1 | Legal registration number <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Registered legal information/Legal registration number | 0 .. 1 | | Legal_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier |
| 729 | BDT00000658 | .. 80 | 1 .. 1 | Legal registration type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail | 0 .. 1 | | Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|----------|------------|--|--------|----------------|--|
| | | | | information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content | | | Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code |
| 730 | BDT00000063 | 13 .. 13 | 0 .. 1 | Global location number GLN <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i> | | 0 .. unbounded | Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Global_ Identification. Identifier |
| 731 | BDT000000578 | .. 80 | 1 .. 1 | Additional party identification content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Additional party identification information/Additional party identification content | | 0 .. unbounded | Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Identification. Identifier |
| 732 | BDT000000570 | .. 80 | 1 .. 1 | Additional party identification type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical | | 0 .. unbounded | Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | information/Ship to party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content | | | Delivery. Ship To. Trade_ Party/Trade_ Party. Type. Code |
| 733 | BDT00000020 | .. 200 | 0 .. 1 | City name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Address information/City name | 0 .. 1 | | Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text |
| 734 | BDT00000019 | .. 80 | 0 .. 1 | City code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Address information/City code | 0 .. 1 | | Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier |
| 735 | BDT00000034 | .. 80 | 0 .. 1 | County code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Address information/County code | 0 .. 1 | | Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text |
| 736 | BDT00000035 | .. 200 | 0 .. 1 | Cross street <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical | 0 .. 1 | | Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | information/Ship to party information/ Address information/Cross street | | | Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text |
| 737 | BDT00000106 | .. 200 | 0 .. 1 | Party name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Address information/Party name | 0 .. 1 | | Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Name. Text |
| 738 | BDT00000113 | .. 80 | 0 .. 1 | Post office box number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Address information/Post office box number | 0 .. 1 | | Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text |
| 739 | BDT00000114 | .. 80 | 0 .. 1 | Postal code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Address information/Postal code | 0 .. 1 | | Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code |
| 740 | BDT00000117 | 80 .. | 0 .. 1 | Province identity <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Address information/Province identity | 0 .. 1 | | Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | | | | Identifier |
| 741 | BDT00000127 | .. 80 | 0 .. 1 | State <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Address information/State | 0 .. 1 | | Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text |
| 742 | BDT00000128 | .. 200 | 0 .. 1 | Street address one <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Address information/Street address one | 0 .. 1 | | Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text |
| 743 | BDT00000130 | .. 200 | 0 .. 1 | Street address two <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Address information/Street address two | 0 .. 1 | | Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text |
| 744 | BDT00000129 | .. 200 | 0 .. 1 | Street address three <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Address information/Street address three | 0 .. 1 | | Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text |
| | BDT00000774 | | | | | | |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| 745 | | | 1 .. 1 | Country code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Address information/Country code/ Country code content | | 0 .. 1 | Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier |
| 746 | BDT00000085 | .. 80 | 1 .. 1 | Latitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Address information/Geographical coordinates information/Latitude | | 0 .. 1 | Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure |
| 747 | BDT00000089 | .. 80 | 1 .. 1 | Longitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Address information/Geographical coordinates information/Longitude | | 0 .. 1 | Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure |
| 748 | BDT00000112 | .. 70 | 0 .. 1 | Person name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Business contact information/Person | | 0 .. 1 | Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|--|--------|------------|--|
| 749 | BDT00000044 | .. 70 | 0 .. 1 | name Department name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Business contact information/ Department name | 0 .. 1 | | Trade_Contact/Trade_Contact. Person Name. Text Trade_Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Department Name. Text |
| 750 | BDT00000083 | .. 70 | 0 .. 1 | Job title <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Business contact information/Job title | 0 .. 1 | | Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Job Title. Text |
| 751 | BDT000000571 | .. 80 | 1 .. 1 | Contact type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Business contact information/Contact type code/Contact type code content | 0 .. 1 | | Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Type. Code |
| 752 | BDT000000580 | .. 70 | 1 .. 1 | Business contact responsibility description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Business contact information/Business contact responsibility description/ Business contact responsibility | 0 .. 1 | | Trade_Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Responsibility. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| 753 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Business contact information/Business contact responsibility description/ Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/ Language. Identifier |
| 754 | BDT00000525 | | 1 .. 1 | Communication channel code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content | 0 .. 1 | | Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code |
| 755 | BDT00000032 | .. 200 | 1 .. 1 | Communication channel identification <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Business contact information/ Communication information/ Communication channel identification | 0 .. 1 | | Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier |
| 756 | BDT00000033 | .. 200 | 0 .. 1 | Communication channel name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical | 0 .. 1 | | Identification Scheme Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|--|--------|------------|---|
| | | | | information/Ship to party information/ Business contact information/ Communication information/ Communication channel name | | | Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier/Identification Scheme Agency. Identifier |
| 757 | BDTG00000175 | | 1 .. 1 | Communication channel code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Business contact information/After hours communication information/ Communication channel code | | 0 .. 1 | Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code |
| 758 | BDT00000032 | .. 200 | 1 .. 1 | Communication channel identification <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Business contact information/After hours communication information/ Communication channel identification | | 0 .. 1 | Trade_ Contact. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier |
| 759 | BDT00000033 | .. 200 | 0 .. 1 | Communication channel name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Business contact information/After hours communication information/ Communication channel name | | 0 .. 1 | Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code |
| 760 | BDT00000369 | .. 80 | 0 .. 1 | Tax authority name <i>Path:</i> Order response/Order response line/ | | 0 .. 1 | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax authority name | | | Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 761 | BDT00000584 | .. 200 | 1 .. 1 | Tax registration identification content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Tax registration identification content | 0 .. 1 | | Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier |
| 762 | BDT00000074 | .. 80 | 0 .. 1 | Identification scheme name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name | 0 .. 1 | | Identification Scheme. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text |
| 763 | BDT00000073 | .. 80 | 0 .. 1 | Identification scheme agency name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/ | 0 .. 1 | | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|----------------|------------|---|
| 764 | BDT00000583 | .. 80 | 1 .. 1 | Identification scheme agency name Identification scheme responsible agency code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content | 0 .. 1 | | Identification Scheme Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier |
| 765 | BDT00000576 | .. 80 | 1 .. 1 | Tax type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax type code/Tax type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 766 | BDT00000754 | .. 70 | 1 .. 1 | Tax description content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax description/Tax description content | 0 .. unbounded | | Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text |
| 767 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax description/Language code/Language code content | | | Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/ Language. Identifier |
| 768 | BDT00000588 | .. 80 | 1 .. 1 | Tax registration type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration type code/Tax registration type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 769 | BDT00000370 | .. 80 | 0 .. 1 | Customs authority name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Customs duty registration information/Customs authority name | 0 .. 1 | | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 770 | BDT00000622 | .. 200 | 1 .. 1 | Customs registration identification content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Customs duty registration information/Customs registration identification information/Customs registration | 0 .. 1 | | Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| 771 | BDT00000074 | .. 80 | 0 .. 1 | identification content Identification scheme name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Customs duty registration information/ Customs registration identification information/Identification scheme information/Identification scheme name | 0 .. 1 | | Identification Scheme. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text |
| 772 | BDT00000073 | .. 80 | 0 .. 1 | Identification scheme agency name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Customs duty registration information/ Customs registration identification information/Identification scheme information/Identification scheme agency name | 0 .. 1 | | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 773 | BDT00000583 | .. 80 | 1 .. 1 | Identification scheme responsible agency code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Customs duty registration information/ Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification | 0 .. 1 | | Identification Scheme Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|----------------|------------|---|
| | | | | scheme responsible agency code content | | | |
| 774 | BDT00000576 | .. 80 | 1 .. 1 | Tax type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Customs duty registration information/ Tax type code/Tax type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 775 | BDT00000563 | .. 70 | 1 .. 1 | Customs duty description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Customs duty registration information/ Customs duty description/Customs duty description content | 0 .. unbounded | | Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text |
| 776 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Customs duty registration information/ Customs duty description/Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/ Language. Identifier |
| 777 | BDT00000624 | .. 80 | 1 .. 1 | Customs registration type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | information/Ship to party information/ Customs duty registration information/ Customs registration type code/ Customs registration type code content | | | Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 778 | BDT00000102 | .. 200 | 1 .. 1 | Organisation name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Organisation legal information/ Organisation name | 0 .. 1 | | Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text |
| 779 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Organisation legal information/ Language of the party code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/ Language. Identifier |
| 780 | BDT00000034 | .. 80 | 0 .. 1 | County code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Official address/County code | 0 .. 1 | | Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text |
| 781 | BDT00000020 | .. 200 | 0 .. 1 | City name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical | 0 .. 1 | | Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | information/Ship to party information/ Organisation legal information/Official address/City name | | | Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text |
| 782 | BDT00000019 | .. 80 | 0 .. 1 | City code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Official address/City code | 0 .. 1 | | Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier |
| 783 | BDT00000035 | .. 200 | 0 .. 1 | Cross street <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Official address/Cross street | 0 .. 1 | | Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text |
| 784 | BDT00000113 | .. 80 | 0 .. 1 | Post office box number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Official address/Post office box number | 0 .. 1 | | Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text |
| 785 | BDT00000114 | .. 80 | 0 .. 1 | Postal code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail | 0 .. 1 | | Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | information/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Official address/Postal code | | | Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code |
| 786 | BDT00000117 | 80 .. | 0 .. 1 | Province identity <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Official address/Province identity | 0 .. 1 | | Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier |
| 787 | BDT00000127 | .. 80 | 0 .. 1 | State <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Official address/State | 0 .. 1 | | Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text |
| 788 | BDT00000128 | .. 200 | 0 .. 1 | Street address one <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Official address/Street address one | 0 .. 1 | | Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text |
| 789 | BDT00000130 | .. 200 | 0 .. 1 | Street address two | 0 .. 1 | | Trade_ Address. Line Two. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Official address/Street address two | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text |
| 790 | BDT00000129 | .. 200 | 0 .. 1 | Street address three <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Official address/Street address three | | 0 .. 1 | Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text |
| 791 | BDT00000774 | | 1 .. 1 | Country code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Official address/Country code/Country code content | | 0 .. 1 | Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country. Identifier |
| 792 | BDT00000659 | .. 70 | 1 .. 1 | Legal structure description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Legal structure description/Legal structure description content | | 0 .. 1 | Legal_ Organization. Legal Classification. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| 793 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Legal structure description/Language code/ Language code content | 0 .. 1 | | Code List. Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code List. Agency. Identifier |
| 794 | BDT00000087 | .. 80 | 1 .. 1 | Legal registration number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Organisation legal information/ Registered legal information/Legal registration number | 0 .. 1 | | Legal_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier |
| 795 | BDT00000658 | .. 80 | 1 .. 1 | Legal registration type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content | 0 .. 1 | | Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code |
| 796 | BDT00000010 | | 0 .. 1 | Begin time period <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date | 0 .. 1 | | Specified_ Period. Start. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| | | | | time information/Requested delivery time period/Begin time period | | | Delivery. Requested_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Specified_ Period/ Specified_ Period. Start. Date Time |
| 797 | BDT00000009 | | 0 .. 1 | Begin period date <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery time period/Begin period date | | 0 .. 1 | Specified_ Period. Start. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Specified_ Period/ Specified_ Period. Start. Date Time |
| 798 | BDT00000054 | | 0 .. 1 | End date period <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery time period/End date period | | 0 .. 1 | Specified_ Period. End. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Specified_ Period/ Specified_ Period. End. Date Time |
| 799 | BDT00000055 | | 0 .. 1 | End time period <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery time period/End time period | | 0 .. 1 | Specified_ Period. End. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Specified_ Period/ Specified_ Period. End. Date Time |
| 800 | BDT00000010 | | 0 .. 1 | Begin time period <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical | | 0 .. 1 | Specified_ Period. Start. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| | | | | information/Requested delivery date time information/Requested ship date time period/Begin time period | | | Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Specified_ Period/ Specified_ Period. Start. Date Time |
| 801 | BDT00000009 | | 0 .. 1 | Begin period date <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time period/Begin period date | | 0 .. 1 | Specified_ Period. Start. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Specified_ Period/ Specified_ Period. Start. Date Time |
| 802 | BDT00000054 | | 0 .. 1 | End date period <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time period/End date period | | 0 .. 1 | Specified_ Period. End. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Specified_ Period/ Specified_ Period. End. Date Time |
| 803 | BDT00000055 | | 0 .. 1 | End time period <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time period/End time period | | 0 .. 1 | Specified_ Period. End. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Specified_ Period/ Specified_ Period. End. Date Time |
| 804 | BDT00000040 | | 0 .. 1 | Date <i>Path:</i> Order response/Order response line/ Order response line item shipping detail | | 0 .. 1 | Supply Chain_ Event. Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|----------------|--|
| | | | | information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time/Date | | | Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Date Time |
| 805 | BDT00000133 | | 0 .. 1 | Time <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time/Time | | 0 .. 1 | Supply Chain_ Event. Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Date Time |
| 806 | BDT00000040 | | 0 .. 1 | Date <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time/Date | | 0 .. 1 | Supply Chain_ Event. Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Requested_ Despatch. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Date Time |
| 807 | BDT00000133 | | 0 .. 1 | Time <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time/Time | | 0 .. 1 | Supply Chain_ Event. Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Requested_ Despatch. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Date Time |
| 808 | BDT00000647 | .. 80 | 1 .. 1 | Handling instruction code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Handling instruction code/ | | 0 .. unbounded | Delivery_ Instructions. Handling. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Specified. Delivery_ Instructions/Delivery_ |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | Handling instruction code content | | | Instructions. Handling. Code |
| 809 | BDT00000687 | .. 80 | 1 .. 1 | Transport means type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport means type code/Transport means type code content | 0 .. 1 | | Logistics_ Transport Means. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Specified. Logistics_ Transport Movement/Logistics_ Transport Movement. Used. Logistics_ Transport Means/Logistics_ Transport Means. Type. Code |
| 810 | BDT00000625 | .. 80 | 0 .. 1 | Transport means identification content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Transport means identification content | 0 .. 1 | | Logistics_ Transport Means. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Specified. Logistics_ Transport Movement/Logistics_ Transport Movement. Used. Logistics_ Transport Means/Logistics_ Transport Means. Identification. Identifier |
| 811 | BDT00000583 | .. 80 | 1 .. 1 | Identification scheme responsible agency code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme responsible agency code/Identification | 0 .. 1 | | Identification Scheme Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Specified. Logistics_ Transport Movement/Logistics_ Transport Movement. Used. Logistics_ Transport Means/Logistics_ Transport Means. Identification. Identifier/Identification Scheme Agency. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|----------------|------------|---|
| | | | | scheme responsible agency code content | | | Identifier |
| 812 | BDT00000688 | .. 80 | 1 .. 1 | Transport mode code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport mode code/Transport mode code content | 0 .. 1 | | Logistics_ Transport Movement. Mode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Specified. Logistics_ Transport Movement/Logistics_ Transport Movement. Mode. Code |
| 813 | BDT00000689 | .. 80 | 1 .. 1 | Transport service level code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport service level code/Transport service level code content | 0 .. 1 | | Logistics_ Transport Movement. Service. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Specified. Logistics_ Transport Movement/Logistics_ Transport Movement. Service. Code |
| 814 | BDT00000648 | .. 70 | 1 .. 1 | Handling instruction description content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Handling instruction description/Handling instruction description content | 0 .. unbounded | | Delivery_ Instructions. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Specified. Delivery_ Instructions/Delivery_ Instructions. Description. Text |
| 815 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|----------|------------|--|----------------|------------|---|
| | | | | information/Handling instruction description/Language code/Language code content | | | Delivery. Specified. Delivery_ Instructions/Instructions. Description. Text/Language. Identifier |
| 816 | BDT00000063 | 13 .. 13 | 0 .. 1 | Global location number, GLN <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Global location number, GLN <i>GS1 General Specifications:</i> The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit. | 0 .. unbounded | | Trade_Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Global_ Identification. Identifier |
| 817 | BDT00000578 | .. 80 | 1 .. 1 | Additional party identification content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification content | 0 .. unbounded | | Trade_Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Identification. Identifier |
| 818 | BDT00000570 | .. 80 | 1 .. 1 | Additional party identification type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ | 0 .. unbounded | | Trade_Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | Additional party identification information/Additional party identification type code/Additional party identification type code content | | | Type. Code |
| 819 | BDT00000020 | .. 200 | 0 .. 1 | City name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/City name | 0 .. 1 | | Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text |
| 820 | BDT00000019 | .. 80 | 0 .. 1 | City code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/City code | 0 .. 1 | | Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier |
| 821 | BDT00000034 | .. 80 | 0 .. 1 | County code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/County code | 0 .. 1 | | Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text |
| 822 | BDT00000035 | .. 200 | 0 .. 1 | Cross street <i>Path:</i> Order response/Order response line/ | 0 .. 1 | | Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Cross street | | | Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text |
| 823 | BDT00000106 | .. 200 | 0 .. 1 | Party name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Party name | 0 .. 1 | | Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Name. Text |
| 824 | BDT00000113 | .. 80 | 0 .. 1 | Post office box number <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Post office box number | 0 .. 1 | | Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text |
| 825 | BDT00000114 | .. 80 | 0 .. 1 | Postal code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Postal code | 0 .. 1 | | Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| 826 | BDT00000117 | 80 .. | 0 .. 1 | Province identity <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Address information/Province identity | 0 .. 1 | | Postal. Trade_ Address/Trade_ Address. Postcode. Code Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub- Division. Identifier |
| 827 | BDT00000127 | .. 80 | 0 .. 1 | State <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Address information/State | 0 .. 1 | | Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub- Division Name. Text |
| 828 | BDT00000128 | .. 200 | 0 .. 1 | Street address one <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Address information/Street address one | 0 .. 1 | | Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text |
| 829 | BDT00000130 | .. 200 | 0 .. 1 | Street address two <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical | 0 .. 1 | | Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| | | | | information/Shipment transportation information/Carrier party information/Address information/Street address two | | | Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text |
| 830 | BDT00000129 | .. 200 | 0 .. 1 | Street address three <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Street address three | 0 .. 1 | | Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text |
| 831 | BDT00000774 | | 1 .. 1 | Country code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Country code/Country code content | 0 .. 1 | | Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier |
| 832 | BDT00000085 | .. 80 | 1 .. 1 | Latitude <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Geographical coordinates information/Latitude | 0 .. 1 | | Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| 833 | BDT00000089 | .. 80 | 1 .. 1 | Longitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Address information/Geographical coordinates information/Longitude | 0 .. 1 | | Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure |
| 834 | BDT00000112 | .. 70 | 0 .. 1 | Person name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Business contact information/Person name | 0 .. 1 | | Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text |
| 835 | BDT00000044 | .. 70 | 0 .. 1 | Department name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Business contact information/ Department name | 0 .. 1 | | Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text |
| 836 | BDT00000083 | .. 70 | 0 .. 1 | Job title <i>Path:</i> Order response/Order response line/ Order response line item shipping detail | 0 .. 1 | | Trade_ Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Job title | | | Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text |
| 837 | BDT00000571 | .. 80 | 1 .. 1 | Contact type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Contact type code/Contact type code content | 0 .. 1 | | Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code |
| 838 | BDT00000580 | .. 70 | 1 .. 1 | Business contact responsibility description content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Carrier party information/Business contact information/Business contact responsibility description/Business contact responsibility description content | 0 .. 1 | | Trade_Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text |
| 839 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Carrier party information/Business contact information/Business | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| 840 | BDT00000525 | | 1 .. 1 | contact responsibility description/ Language code/Language code content Communication channel code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content | | 0 .. 1 | Defined. Trade_Contact/Trade_Contact. Responsibility. Text/Language. Identifier Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code |
| 841 | BDT00000032 | .. 200 | 1 .. 1 | Communication channel identification <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Business contact information/ Communication information/ Communication channel identification | | 0 .. 1 | Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier |
| 842 | BDT00000033 | .. 200 | 0 .. 1 | Communication channel name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Business contact information/ Communication information/ Communication channel name | | 0 .. 1 | Universal_ Communication. Complete Number. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Telephone. Universal_ Communication/Universal_ Communication. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|---|--------|------------|---|
| 843 | BDTG00000175 | | 1 .. 1 | Communication channel code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Business contact information/After hours communication information/ Communication channel code | | 0 .. 1 | Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code |
| 844 | BDT00000032 | .. 200 | 1 .. 1 | Communication channel identification <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Business contact information/After hours communication information/ Communication channel identification | | 0 .. 1 | Trade_Contact. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier |
| 845 | BDT00000369 | .. 80 | 0 .. 1 | Tax authority name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Tax registration information/Tax authority name | | 0 .. 1 | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 846 | BDT00000584 | .. 200 | 1 .. 1 | Tax registration identification content <i>Path:</i> Order response/Order response line/ | | 0 .. 1 | Tax_Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|---|--------|------------|---|
| | | | | Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Tax registration identification content | | | Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier |
| 847 | BDT00000074 | .. 80 | 0 .. 1 | Identification scheme name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name | 0 .. 1 | | Identification Scheme. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text |
| 848 | BDT00000073 | .. 80 | 0 .. 1 | Identification scheme agency name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name | 0 .. 1 | | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 849 | BDT000000583 | .. 80 | 1 .. 1 | Identification scheme responsible agency code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail | 0 .. 1 | | Identification Scheme Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|----------------|------------|--|
| | | | | information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content | | | Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier |
| 850 | BDT00000576 | .. 80 | 1 .. 1 | Tax type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax type code/Tax type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 851 | BDT00000754 | .. 70 | 1 .. 1 | Tax description content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax description/Tax description content | 0 .. unbounded | | Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text |
| 852 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| | | | | Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax description/Language code/Language code content | | | Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Language. Identifier |
| 853 | BDT00000588 | .. 80 | 1 .. 1 | Tax registration type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration type code/Tax registration type code content | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 854 | BDT00000102 | .. 200 | 1 .. 1 | Organisation name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Organisation name | 0 .. 1 | | Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text |
| 855 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | information/Shipment transportation information/Carrier party information/ Organisation legal information/ Language of the party code/Language code content | | | Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/Language. Identifier |
| 856 | BDT00000034 | .. 80 | 0 .. 1 | County code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/County code | 0 .. 1 | | Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text |
| 857 | BDT00000020 | .. 200 | 0 .. 1 | City name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/City name | 0 .. 1 | | Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text |
| 858 | BDT00000019 | .. 80 | 0 .. 1 | City code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official | 0 .. 1 | | Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | address/City code | | | Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier |
| 859 | BDT00000035 | .. 200 | 0 .. 1 | Cross street <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Cross street | 0 .. 1 | | Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text |
| 860 | BDT00000113 | .. 80 | 0 .. 1 | Post office box number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Post office box number | 0 .. 1 | | Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text |
| 861 | BDT00000114 | .. 80 | 0 .. 1 | Postal code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Postal code | 0 .. 1 | | Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| 862 | BDT00000117 | 80 .. | 0 .. 1 | Province identity <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Province identity | 0 .. 1 | | Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub- Division. Identifier |
| 863 | BDT00000127 | .. 80 | 0 .. 1 | State <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/State | 0 .. 1 | | Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub- Division Name. Text |
| 864 | BDT00000128 | .. 200 | 0 .. 1 | Street address one <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Street address one | 0 .. 1 | | Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text |
| 865 | BDT00000130 | .. 200 | 0 .. 1 | Street address two <i>Path:</i> Order response/Order response line/ | 0 .. 1 | | Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Street address two | | | Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text |
| 866 | BDT00000129 | .. 200 | 0 .. 1 | Street address three <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Street address three | 0 .. 1 | | Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text |
| 867 | BDT00000774 | | 1 .. 1 | Country code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Country code/Country code content | 0 .. 1 | | Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country. Identifier |
| 868 | BDT00000659 | .. 70 | 1 .. 1 | Legal structure description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation | 0 .. 1 | | Legal_ Organization. Legal Classification. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| | | | | information/Carrier party information/ Organisation legal information/Legal structure description/Legal structure description content | | | Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code |
| 869 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Legal structure description/Language code/ Language code content | 0 .. 1 | | Code List. Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code List. Agency. Identifier |
| 870 | BDT00000087 | .. 80 | 1 .. 1 | Legal registration number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/ Registered legal information/Legal registration number | 0 .. 1 | | Legal_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier |
| 871 | BDT00000658 | .. 80 | 1 .. 1 | Legal registration type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/ Registered legal information/Legal | 0 .. 1 | | Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|----------|------------|--|----------------|------------|--|
| | | | | registration type code/Legal registration type code content | | | Authorized. Legal_ Registration/Legal_ Registration. Type. Code |
| 872 | BDT00000063 | 13 .. 13 | 0 .. 1 | Global location number GLN <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Global location number GLN <i>GS1 General Specifications:</i> The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit. | 0 .. unbounded | | Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Global_ Identification. Identifier |
| 873 | BDT000000578 | .. 80 | 1 .. 1 | Additional party identification content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Additional party identification information/Additional party identification content | 0 .. unbounded | | Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Identification. Identifier |
| 874 | BDT000000570 | .. 80 | 1 .. 1 | Additional party identification type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Additional party | 0 .. unbounded | | Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Type. Code |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| 875 | BDT00000020 | .. 200 | 0 .. 1 | identification information/Additional party identification type code/Additional party identification type code content City name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/City name | 0 .. 1 | | Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text |
| 876 | BDT00000019 | .. 80 | 0 .. 1 | City code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/City code | 0 .. 1 | | Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier |
| 877 | BDT00000034 | .. 80 | 0 .. 1 | County code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/County code | 0 .. 1 | | Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text |
| 878 | BDT00000035 | .. 200 | 0 .. 1 | Cross street | 0 .. 1 | | Trade_ Address. Additional_ Street Name. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Cross street | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text |
| 879 | BDT00000106 | .. 200 | 0 .. 1 | Party name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Party name | | 0 .. 1 | Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Name. Text |
| 880 | BDT00000113 | .. 80 | 0 .. 1 | Post office box number <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Post office box number | | 0 .. 1 | Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text |
| 881 | BDT00000114 | .. 80 | 0 .. 1 | Postal code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party | | 0 .. 1 | Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| | | | | information/Address information/Postal code | | | Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code |
| 882 | BDT00000117 | 80 .. | 0 .. 1 | Province identity <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/ Province identity | 0 .. 1 | | Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier |
| 883 | BDT00000127 | .. 80 | 0 .. 1 | State <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/State | 0 .. 1 | | Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text |
| 884 | BDT00000128 | .. 200 | 0 .. 1 | Street address one <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Street address one | 0 .. 1 | | Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text |
| 885 | BDT00000130 | .. 200 | 0 .. 1 | Street address two | 0 .. 1 | | Trade_ Address. Line Two. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Street address two | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text |
| 886 | BDT00000129 | .. 200 | 0 .. 1 | Street address three <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Street address three | | 0 .. 1 | Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text |
| 887 | BDT00000774 | | 1 .. 1 | Country code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/ Country code/Country code content | | 0 .. 1 | Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier |
| 888 | BDT00000085 | .. 80 | 1 .. 1 | Latitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation | | 0 .. 1 | Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| | | | | information/Freight forwarder party information/Address information/Geographical coordinates information/Latitude | | | Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure |
| 889 | BDT00000089 | .. 80 | 1 .. 1 | Longitude <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Geographical coordinates information/Longitude | 0 .. 1 | | Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure |
| 890 | BDT00000112 | .. 70 | 0 .. 1 | Person name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Person name | 0 .. 1 | | Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text |
| 891 | BDT00000044 | .. 70 | 0 .. 1 | Department name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact | 0 .. 1 | | Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| | | | | information/Department name | | | Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text |
| 892 | BDT00000083 | .. 70 | 0 .. 1 | Job title <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Job title | 0 .. 1 | | Trade_ Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text |
| 893 | BDT00000571 | .. 80 | 1 .. 1 | Contact type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Contact type code/Contact type code content | 0 .. 1 | | Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code |
| 894 | BDT00000580 | .. 70 | 1 .. 1 | Business contact responsibility description content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Business contact responsibility description | 0 .. 1 | | Trade_ Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| 895 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/Language. Identifier |
| 896 | BDT00000525 | | 1 .. 1 | Communication channel code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel code/Communication channel code content | 0 .. 1 | | Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code |
| 897 | BDT00000032 | .. 200 | 1 .. 1 | Communication channel identification <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel | 0 .. 1 | | Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|--------------|--------|------------|--|--------|------------|---|
| | | | | identification | | | Communication. URI. Identifier |
| 898 | BDT00000033 | .. 200 | 0 .. 1 | Communication channel name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel name | 0 .. 1 | | Universal_ Communication. Complete Number. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Complete Number. Text |
| 899 | BDTG00000175 | | 1 .. 1 | Communication channel code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel code | 0 .. 1 | | Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code |
| 900 | BDT00000032 | .. 200 | 1 .. 1 | Communication channel identification <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel identification | 0 .. 1 | | Trade_ Contact. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| 901 | BDT00000369 | .. 80 | 0 .. 1 | Tax authority name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax authority name | 0 .. 1 | | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 902 | BDT00000584 | .. 200 | 1 .. 1 | Tax registration identification content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Tax registration identification content | 0 .. 1 | | Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier |
| 903 | BDT00000074 | .. 80 | 0 .. 1 | Identification scheme name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name | 0 .. 1 | | Identification Scheme. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| 904 | BDT00000073 | .. 80 | 0 .. 1 | Identification scheme agency name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name | 0 .. 1 | | Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text |
| 905 | BDT00000583 | .. 80 | 1 .. 1 | Identification scheme responsible agency code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content | 0 .. 1 | | Identification Scheme Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier |
| 906 | BDT00000576 | .. 80 | 1 .. 1 | Tax type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party | 0 .. 1 | | Registered Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|----------------|------------|--|
| | | | | information/Tax registration information/Tax type code/Tax type code content | | | Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 907 | BDT00000754 | .. 70 | 1 .. 1 | Tax description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax description/Tax description content | 0 .. unbounded | | Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text |
| 908 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax description/Language code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Language. Identifier |
| 909 | BDT00000588 | .. 80 | 1 .. 1 | Tax registration type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration | 0 .. 1 | | Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | information/Tax registration type code/ Tax registration type code content | | | Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code |
| 910 | BDT00000102 | .. 200 | 1 .. 1 | Organisation name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Organisation name | 0 .. 1 | | Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text |
| 911 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Language of the party code/Language code content | 0 .. 1 | | Language. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/Language. Identifier |
| 912 | BDT00000034 | .. 80 | 0 .. 1 | County code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/County code | 0 .. 1 | | Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|--|
| 913 | BDT00000020 | .. 200 | 0 .. 1 | City name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/City name | 0 .. 1 | | Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text |
| 914 | BDT00000019 | .. 80 | 0 .. 1 | City code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/City code | 0 .. 1 | | Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier |
| 915 | BDT00000035 | .. 200 | 0 .. 1 | Cross street <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Cross street | 0 .. 1 | | Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text |
| 916 | BDT00000113 | .. 80 | 0 .. 1 | Post office box number | 0 .. 1 | | Trade_ Address. Post Office Box. Text |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| | | | | <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Post office box number | | | <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text |
| 917 | BDT00000114 | .. 80 | 0 .. 1 | Postal code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Postal code | | 0 .. 1 | Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code |
| 918 | BDT00000117 | 80 .. | 0 .. 1 | Province identity <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Province identity | | 0 .. 1 | Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier |
| 919 | BDT00000127 | .. 80 | 0 .. 1 | State <i>Path:</i> Order response/Order response line/ | | 0 .. 1 | Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|---|
| | | | | Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/State | | | Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text |
| 920 | BDT00000128 | .. 200 | 0 .. 1 | Street address one <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Street address one | 0 .. 1 | | Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text |
| 921 | BDT00000130 | .. 200 | 0 .. 1 | Street address two <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Street address two | 0 .. 1 | | Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text |
| 922 | BDT00000129 | .. 200 | 0 .. 1 | Street address three <i>Path:</i> Order response/Order response line/Order response line item shipping detail | 0 .. 1 | | Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|--|--------|------------|--|
| | | | | information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Street address three | | | Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text |
| 923 | BDT00000774 | | 1 .. 1 | Country code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Country code/Country code content | | 0 .. 1 | Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country. Identifier |
| 924 | BDT00000659 | .. 70 | 1 .. 1 | Legal structure description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Legal structure description/ Legal structure description content | | 0 .. 1 | Legal_ Organization. Legal Classification. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code |
| 925 | BDT00000524 | .. 80 | 1 .. 1 | Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation | | 0 .. 1 | Code List. Agency. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade |

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft - Guide(CIORMapp)
 Root Element: **Order response**

Model: CIOR SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

| No | SDD-ID | Length | Occurrence | Element | Length | Occurrence | Element |
|-----|-------------|--------|------------|---|--------|------------|---|
| | | | | information/Freight forwarder party information/Organisation legal information/Legal structure description/ Language code/Language code content | | | Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code List. Agency. Identifier |
| 926 | BDT00000087 | .. 80 | 1 .. 1 | Legal registration number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration number | 0 .. 1 | | Legal_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier |
| 927 | BDT00000658 | .. 80 | 1 .. 1 | Legal registration type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content | 0 .. 1 | | Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code |

Legend: No = Consecutive Number