



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
001	BDT00000685	.. 80	1 .. 1	<b>Order type code content</b> <i>Path:</i> Order/Order type code/Order type code content	1 .. 80	0 .. 1	<b>orderTypeCode</b> <i>Path:</i> orderMessage/order/orderTypeCode
002	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderTypeCode/@codeListVersion
003	BDT00000079		0 .. 1	<b>Order receipt acknowledgement request indicator</b> <i>Path:</i> Order/Order receipt acknowledgement request indicator		0 .. 1	<b>isApplicationReceiptAcknowledgementRequired</b> <i>Path:</i> orderMessage/order/isApplicationReceiptAcknowledgementRequired
004	BDT00000673	.. 80	1 .. 1	<b>Order instruction code content</b> <i>Path:</i> Order/Order instruction code/Order instruction code content	1 .. 80	0 .. unbounded	<b>orderInstructionCode</b> <i>Path:</i> orderMessage/order/orderInstructionCode
005	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order instruction code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderInstructionCode/@codeListVersion
006	BDT00000674	.. 70	1 .. 1	<b>Order instruction description content</b> <i>Path:</i> Order/Order instruction description/Order instruction description content	1 .. 100	0 .. unbounded	<b>additionalOrderInstruction</b> <i>Path:</i> orderMessage/order/additionalOrderInstruction
007	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order instruction description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/additionalOrderInstruction/@languageCode
008	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order instruction description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/additionalOrderInstruction/@codeListVersion
009	BDT00000099		0 .. 1	<b>Order free of excise tax indicator</b> <i>Path:</i> Order/Order free of excise tax indicator		0 .. 1	<b>isOrderFreeOfExciseTaxDuty</b> <i>Path:</i> orderMessage/order/isOrderFreeOfExciseTaxDuty
010	BDT00000705		1 .. 1	<b>Total monetary net amount content</b> <i>Path:</i> Order/Total monetary net amount/Total		0 .. 1	<b>totalMonetaryAmountExcludingTaxes</b> <i>Path:</i> orderMessage/order/totalMonetaryAmountExcludingTaxes

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				monetary net amount content			
011	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Total monetary net amount/ Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/ totalMonetaryAmountExcludingTaxes/@currencyCode
012	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Total monetary net amount/ Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/ totalMonetaryAmountExcludingTaxes/@codeListVersion
013	BDT00000704		1 .. 1	<b>Total monetary amount content</b> <i>Path:</i> Order/Total monetary amount/Total monetary amount content		0 .. 1	<b>totalMonetaryAmountIncludingTaxes</b> <i>Path:</i> orderMessage/order/totalMonetaryAmountIncludingTaxes
014	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Total monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/ totalMonetaryAmountIncludingTaxes/@currencyCode
015	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Total monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/ totalMonetaryAmountIncludingTaxes/@codeListVersion
016	BDT00000672	.. 80	1 .. 1	<b>Order entry type code content</b> <i>Path:</i> Order/Order entry type code/Order entry type code content	1 .. 80	0 .. 1	<b>orderEntryType</b> <i>Path:</i> orderMessage/order/orderEntryType
017	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order entry type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderEntryType/@codeListVersion
018	BDT00000101	.. 35	0 .. 1	<b>Order priority description</b> <i>Path:</i> Order/Order priority description	1 .. 35	0 .. 1	<b>orderPriority</b> <i>Path:</i> orderMessage/order/orderPriority
019	BDT00000670	.. 70	1 .. 1	<b>Notation content</b> <i>Path:</i> Order/Notation/Notation content	1 .. 500	0 .. 1	<b>note</b> <i>Path:</i> orderMessage/order/note
020	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Notation/Language code/	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/note/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Language code content			
021	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Notation/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/note/@codeListVersion
022	BDT00000696	.. 80	1 .. 1	<b>Reason for status of business document code content</b> <i>Path:</i> Order/Reason for status of business document code/Reason for status of business document code content	1 .. 80	0 .. 1	<b>orderChangeReasonCode</b> <i>Path:</i> orderMessage/order/orderChangeReasonCode
023	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Reason for status of business document code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderChangeReasonCode/@codeListVersion
024	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Order/Structured notation information/Structured notation identification information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> orderMessage/order/structuredNote/structuredNotelIdentification/entityIdentification
025	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Structured notation information/Structured notation identification information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/structuredNote/structuredNotelIdentification/contentOwner/gln
026	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Structured notation information/Structured notation identification information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/structuredNote/structuredNotelIdentification/contentOwner/additionalPartyIdentification
027	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code</b>	1 .. 80		<b>additionalPartyIdentificationTypeCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<b>content</b> <i>Path:</i> Order/Structured notation information/ Structured notation identification information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content			<i>Path:</i> orderMessage/order/structuredNote/ structuredNoteIdentification/contentOwner/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
028	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Structured notation information/ Structured notation identification information/Document content owner/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/structuredNote/ structuredNoteIdentification/contentOwner/ additionalPartyIdentification/@codeListVersion
029	BDT00000670	.. 70	1 .. 1	<b>Notation content</b> <i>Path:</i> Order/Structured notation information/ Notation/Notation content	1 .. 500	1 .. 1	<b>noteText</b> <i>Path:</i> orderMessage/order/structuredNote/noteText
030	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Structured notation information/ Notation/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/structuredNote/noteText/ @languageCode
031	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Structured notation information/ Notation/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/structuredNote/noteText/ @codeListVersion
032	BDT00000738	.. 80	1 .. 1	<b>Structured notation type code content</b> <i>Path:</i> Order/Structured notation information/ Structured notation type code/	1 .. 80	0 .. 1	<b>structuredNoteType</b> <i>Path:</i> orderMessage/order/structuredNote/structuredNoteType

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Structured notation type code content			
033	BDT00000022	.. 80	0 .. 1	<b>Code description</b> <i>Path:</i> Order/Structured notation information/ Structured notation type code/Code description	1 .. 80		<b>codeDescription</b> <i>Path:</i> orderMessage/order/structuredNote/ structuredNoteType/@codeDescription
034	BDT00000023	.. 80	0 .. 1	<b>Code list agency code</b> <i>Path:</i> Order/Structured notation information/ Structured notation type code/Code list agency code	1 .. 80		<b>codeListAgencyCode</b> <i>Path:</i> orderMessage/order/structuredNote/ structuredNoteType/@codeListAgencyCode
035	BDT00000024	.. 35	0 .. 1	<b>Code list agency code list version</b> <i>Path:</i> Order/Structured notation information/ Structured notation type code/Code list agency code list version	1 .. 35		<b>codeListAgencyCodeListVersion</b> <i>Path:</i> orderMessage/order/structuredNote/ structuredNoteType/@codeListAgencyCodeListVersion
036	BDT00000025	.. 80	0 .. 1	<b>Code list agency name</b> <i>Path:</i> Order/Structured notation information/ Structured notation type code/Code list agency name	1 .. 80		<b>codeListAgencyName</b> <i>Path:</i> orderMessage/order/structuredNote/ structuredNoteType/@codeListAgencyName
037	BDT00000026	.. 80	0 .. 1	<b>Code list name</b> <i>Path:</i> Order/Structured notation information/ Structured notation type code/Code list name	1 .. 80		<b>codeListName</b> <i>Path:</i> orderMessage/order/structuredNote/ structuredNoteType/@codeListName
038	BDT00000027	.. 500	0 .. 1	<b>Code list URL</b> <i>Path:</i> Order/Structured notation information/ Structured notation type code/Code list URL			<b>codeListURI</b> <i>Path:</i> orderMessage/order/structuredNote/ structuredNoteType/@codeListURI
039	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Structured notation information/ Structured notation type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/structuredNote/ structuredNoteType/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
040	BDT00000601		1 .. 1	<b>Total tax monetary amount content</b> <i>Path:</i> Order/Total tax monetary amount/Total tax monetary amount content		0 .. 1	<b>totalTaxAmount</b> <i>Path:</i> orderMessage/order/totalTaxAmount
041	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Total tax monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/totalTaxAmount/@currencyCode
042	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Total tax monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/totalTaxAmount/@codeListVersion
043	BDT00000582	.. 80	1 .. 1	<b>Business unit type code content</b> <i>Path:</i> Order/Business unit information/Business unit type code/Business unit type code content	1 .. 80	1 .. 1	<b>administrativeUnitTypeCode</b> <i>Path:</i> orderMessage/order/administrativeUnit/administrativeUnitTypeCode
044	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Business unit information/Business unit type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/administrativeUnit/administrativeUnitTypeCode/@codeListVersion
045	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Business unit information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/administrativeUnit/gln
046	BDT00000076	.. 80	0 .. 1	<b>Business unit name</b> <i>Path:</i> Order/Business unit information/Business unit name	1 .. 80	0 .. 1	<b>internalAdministrativeUnitIdentification</b> <i>Path:</i> orderMessage/order/administrativeUnit/internalAdministrativeUnitIdentification
047	BDT00000618	.. 80	1 .. 1	<b>Charge type code content</b> <i>Path:</i> Order/Charge information/Charge type code/Charge type code content	1 .. 80	1 .. 1	<b>allowanceChargeType</b> <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeType
048	BDT00000531	.. 80	1 .. 1	<b>Allowance type code content</b> <i>Path:</i> Order/Allowance information/Allowance type code/Allowance type code content	1 .. 80	1 .. 1	<b>allowanceChargeType</b> <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeType

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
049	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Charge information/Charge type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeType/@codeListVersion
050	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Allowance information/Allowance type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeType/@codeListVersion
051	BDT000000617	.. 80	1 .. 1	<b>Settlement charge code content</b> <i>Path:</i> Order/Charge information/Settlement charge code/Settlement charge code content	1 .. 80	1 .. 1	<b>settlementType</b> <i>Path:</i> orderMessage/order/allowanceCharge/settlementType
052	BDT000000532	.. 80	1 .. 1	<b>Settlement allowance code content</b> <i>Path:</i> Order/Allowance information/Settlement allowance code/Settlement allowance code content	1 .. 80	1 .. 1	<b>settlementType</b> <i>Path:</i> orderMessage/order/allowanceCharge/settlementType
053	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Charge information/Settlement charge code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/allowanceCharge/settlementType/@codeListVersion
054	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Allowance information/Settlement allowance code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/allowanceCharge/settlementType/@codeListVersion
055	BDT000000619		0 .. 1	<b>Charge monetary amount content</b> <i>Path:</i> Order/Charge information/Charge monetary amount/Charge monetary amount content		0 .. 1	<b>allowanceChargeAmount</b> <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeAmount
056	BDT000000528		1 .. 1	<b>Allowance monetary amount content</b> <i>Path:</i> Order/Allowance information/Allowance monetary amount/Allowance monetary amount content		0 .. 1	<b>allowanceChargeAmount</b> <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeAmount
057	BDT000000589	.. 80	1 .. 1	<b>Currency code content</b>	1 .. 80		<b>currencyCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Charge information/Charge monetary amount/Currency code/Currency code content			<i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeAmount/@currencyCode
058	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Allowance information/Allowance monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeAmount/@currencyCode
059	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Charge information/Charge monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeAmount/@codeListVersion
060	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Allowance information/Allowance monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeAmount/@codeListVersion
061	BDT00000018		0 .. 1	<b>Charge percentage</b> <i>Path:</i> Order/Charge information/Charge percentage		0 .. 1	<b>allowanceChargePercentage</b> <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargePercentage
062	BDT00000006		0 .. 1	<b>Allowance percentage</b> <i>Path:</i> Order/Allowance information/Allowance percentage		0 .. 1	<b>allowanceChargePercentage</b> <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargePercentage
063	BDT00000620		1 .. 1	<b>Charge monetary amount per unit content</b> <i>Path:</i> Order/Charge information/Charge monetary amount per unit/Charge monetary amount per unit content		0 .. 1	<b>amountPerUnit</b> <i>Path:</i> orderMessage/order/allowanceCharge/amountPerUnit
064	BDT00000529		1 .. 1	<b>Allowance monetary amount per unit content</b> <i>Path:</i> Order/Allowance information/Allowance monetary amount per unit/Allowance		0 .. 1	<b>amountPerUnit</b> <i>Path:</i> orderMessage/order/allowanceCharge/amountPerUnit

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
065	BDT00000589	.. 80	1 .. 1	monetary amount per unit content <b>Currency code content</b> <i>Path:</i> Order/Charge information/Charge monetary amount per unit/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/allowanceCharge/amountPerUnit/@currencyCode
066	BDT00000589	.. 80	1 .. 1	monetary amount per unit content <b>Currency code content</b> <i>Path:</i> Order/Allowance information/Allowance monetary amount per unit/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/allowanceCharge/amountPerUnit/@currencyCode
067	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Charge information/Charge monetary amount per unit/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/allowanceCharge/amountPerUnit/@codeListVersion
068	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Allowance information/Allowance monetary amount per unit/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/allowanceCharge/amountPerUnit/@codeListVersion
069	BDT00000614		1 .. 1	<b>Charge basis monetary amount content</b> <i>Path:</i> Order/Charge information/Charge basis monetary amount/Charge basis monetary amount content		0 .. 1	<b>baseAmount</b> <i>Path:</i> orderMessage/order/allowanceCharge/baseAmount
070	BDT00000526		1 .. 1	<b>Allowance basis monetary amount content</b> <i>Path:</i> Order/Allowance information/Allowance basis monetary amount/Allowance basis monetary amount content		0 .. 1	<b>baseAmount</b> <i>Path:</i> orderMessage/order/allowanceCharge/baseAmount
071	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Charge information/Charge basis monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/allowanceCharge/baseAmount/@currencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
072	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Allowance information/Allowance basis monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/allowanceCharge/baseAmount/@currencyCode
073	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Charge information/Charge basis monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/allowanceCharge/baseAmount/@codeListVersion
074	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Allowance information/Allowance basis monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/allowanceCharge/baseAmount/@codeListVersion
075	BDT00000753		1 .. 1	<b>Charge quantity basis content</b> <i>Path:</i> Order/Charge information/Charge quantity basis/Charge quantity basis content		0 .. 1	<b>baseNumberOfUnits</b> <i>Path:</i> orderMessage/order/allowanceCharge/baseNumberOfUnits
076	BDT00000533		1 .. 1	<b>Allowance quantity basis content</b> <i>Path:</i> Order/Allowance information/Allowance quantity basis/Allowance quantity basis content		0 .. 1	<b>baseNumberOfUnits</b> <i>Path:</i> orderMessage/order/allowanceCharge/baseNumberOfUnits
077	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order/Charge information/Charge quantity basis/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderMessage/order/allowanceCharge/baseNumberOfUnits/@measurementUnitCode
078	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order/Allowance information/Allowance quantity basis/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderMessage/order/allowanceCharge/baseNumberOfUnits/@measurementUnitCode
079	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path: Order/Charge information/Charge quantity basis/Measurement unit code/Code list version</i>			<i>Path: orderMessage/order/allowanceCharge/baseNumberOfUnits/@codeListVersion</i>
080	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path: Order/Allowance information/Allowance quantity basis/Measurement unit code/Code list version</i>	1 .. 35		<b>codeListVersion</b> <i>Path: orderMessage/order/allowanceCharge/baseNumberOfUnits/@codeListVersion</i>
081	BDT00000012	.. 80	0 .. 1	<b>Bracket criteria</b> <i>Path: Order/Charge information/Bracket criteria</i>	1 .. 80	0 .. 1	<b>bracketIdentifier</b> <i>Path: orderMessage/order/allowanceCharge/bracketIdentifier</i>
082	BDT00000012	.. 80	0 .. 1	<b>Bracket criteria</b> <i>Path: Order/Allowance information/Bracket criteria</i>	1 .. 80	0 .. 1	<b>bracketIdentifier</b> <i>Path: orderMessage/order/allowanceCharge/bracketIdentifier</i>
083	BDT00000615	.. 80	1 .. 1	<b>Charge effective date type code content</b> <i>Path: Order/Charge information/Charge effective date type code/Charge effective date type code content</i>	1 .. 80	0 .. 1	<b>effectiveDateType</b> <i>Path: orderMessage/order/allowanceCharge/effectiveDateType</i>
084	BDT00000530	.. 80	1 .. 1	<b>Allowance effective date type code content</b> <i>Path: Order/Allowance information/Allowance effective date type code/Allowance effective date type code content</i>	1 .. 80	0 .. 1	<b>effectiveDateType</b> <i>Path: orderMessage/order/allowanceCharge/effectiveDateType</i>
085	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path: Order/Charge information/Charge effective date type code/Code list version</i>	1 .. 35		<b>codeListVersion</b> <i>Path: orderMessage/order/allowanceCharge/effectiveDateType/@codeListVersion</i>
086	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path: Order/Allowance information/Allowance effective date type code/Code list version</i>	1 .. 35		<b>codeListVersion</b> <i>Path: orderMessage/order/allowanceCharge/effectiveDateType/@codeListVersion</i>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
087	BDT00000014		0 .. 1	<b>Calculation sequence number</b> <i>Path:</i> Order/Charge information/Calculation sequence number		0 .. 1	<b>sequenceNumber</b> <i>Path:</i> orderMessage/order/allowanceCharge/sequenceNumber
088	BDT00000014		0 .. 1	<b>Calculation sequence number</b> <i>Path:</i> Order/Allowance information/Calculation sequence number		0 .. 1	<b>sequenceNumber</b> <i>Path:</i> orderMessage/order/allowanceCharge/sequenceNumber
089	BDT00000534	.. 80	1 .. 1	<b>Special service type code content</b> <i>Path:</i> Order/Charge information/Special service type code/Special service type code content	1 .. 80	0 .. 1	<b>specialServiceType</b> <i>Path:</i> orderMessage/order/allowanceCharge/specialServiceType
090	BDT00000534	.. 80	1 .. 1	<b>Special service type code content</b> <i>Path:</i> Order/Allowance information/Special service type code/Special service type code content	1 .. 80	0 .. 1	<b>specialServiceType</b> <i>Path:</i> orderMessage/order/allowanceCharge/specialServiceType
091	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Charge information/Special service type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/allowanceCharge/specialServiceType/@codeListVersion
092	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Allowance information/Special service type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/allowanceCharge/specialServiceType/@codeListVersion
093	BDT00000573	.. 70	1 .. 1	<b>Charge description content</b> <i>Path:</i> Order/Charge information/Charge description/Charge description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeDescription/description
094	BDT00000527	.. 70	1 .. 1	<b>Allowance description content</b> <i>Path:</i> Order/Allowance information/Allowance description/Allowance description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeDescription/description
095	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Charge information/Charge	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/allowanceCharge/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				description/Language code/Language code content			allowanceChargeDescription/description/@languageCode
096	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Allowance information/Allowance description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeDescription/description/@languageCode
097	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Charge information/Charge description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeDescription/description/@codeListVersion
098	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Allowance information/Allowance description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeDescription/description/@codeListVersion
099	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Bill to party information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/billTo/gln
100	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Bill to party information/Additional party identification/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/billTo/additionalPartyIdentification
101	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Bill to party information/Additional party identification/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/billTo/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
102	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Bill to party information/Additional	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/billTo/additionalPartyIdentification/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party identification/Additional party identification type code/Code list version			@codeListVersion
103	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Bill to party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/billTo/address/city
104	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Bill to party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/billTo/address/cityCode
105	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Bill to party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/billTo/address/countryCode
106	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Bill to party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/billTo/address/countryCode/@codeListVersion
107	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Bill to party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/billTo/address/countyCode
108	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Bill to party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/billTo/address/crossStreet
109	BDT000000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order/Bill to party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderMessage/order/billTo/address/currencyOfPartyCode
110	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Bill to party information/ Organisation legal information/Currency of party code/Code list version			<i>Path:</i> orderMessage/order/billTo/address/ currencyOfPartyCode/@codeListVersion
111	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/ Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderMessage/order/billTo/address/ languageOfThePartyCode
112	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/ Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/billTo/address/ languageOfThePartyCode/@codeListVersion
113	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Bill to party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/billTo/address/name
114	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Bill to party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/billTo/address/pOBoxNumber
115	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Bill to party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/billTo/address/postalCode
116	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Bill to party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/billTo/address/provinceCode
117	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Bill to party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/billTo/address/state
118	BDT00000128	.. 200	0 .. 1	<b>Street address one</b>	1 .. 200	0 .. 1	<b>streetAddressOne</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Bill to party information/Address information/Street address one			<i>Path:</i> orderMessage/order/billTo/address/streetAddressOne
119	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Bill to party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/billTo/address/streetAddressTwo
120	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Bill to party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/billTo/address/streetAddressThree
121	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Bill to party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/billTo/address/geographicalCoordinates/latitude
122	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Bill to party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/billTo/address/geographicalCoordinates/longitude
123	BDT000000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Bill to party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/billTo/contact/contactTypeCode
124	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Bill to party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/billTo/contact/contactTypeCode/@codeListVersion
125	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Bill to party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/billTo/contact/personName
126	BDT000000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Bill to party information/Business	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/billTo/contact/departmentName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				contact information/Department name			
127	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order/Bill to party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderMessage/order/billTo/contact/jobTitle
128	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Bill to party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/billTo/contact/responsibility
129	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Bill to party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/billTo/contact/responsibility/@languageCode
130	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Bill to party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/billTo/contact/responsibility/@codeListVersion
131	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Bill to party information/Business contact information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/billTo/contact/communicationChannel/communicationChannelCode
132	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Bill to party information/Business contact information/Communication	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/billTo/contact/communicationChannel/communicationChannelCode/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication channel code/Communication channel code content/Code list version			@codeListVersion
133	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Bill to party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/billTo/contact/communicationChannel/communicationValue
134	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Bill to party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/billTo/contact/communicationChannel/communicationChannelName
135	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Bill to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/billTo/contact/afterHoursCommunicationChannel/communicationChannelCode
136	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Bill to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/billTo/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
137	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Bill to party information/Business contact information/After hours communication information/	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/billTo/contact/afterHoursCommunicationChannel/communicationValue

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Communication channel identification			
138	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Bill to party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/billTo/contact/afterHoursCommunicationChannel/communicationChannelName
139	BDT00000622	.. 200	1 .. 1	<b>Customs registration identification content</b> <i>Path:</i> Order/Bill to party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
140	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Bill to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
141	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Bill to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
142	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Bill to party information/Customs	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name			dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
143	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Bill to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
144	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Bill to party information/Customs duty registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
145	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Bill to party information/Customs duty registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
146	BDT00000370	.. 80	0 .. 1	<b>Customs authority name</b> <i>Path:</i> Order/Bill to party information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
147	BDT00000563	.. 70	1 .. 1	<b>Customs duty description content</b> <i>Path:</i> Order/Bill to party information/Customs duty registration information/Customs duty description/Customs duty description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/dutyFeeTaxDescription
148	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Bill to party information/Customs duty registration information/Customs	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				duty description/Language code/ Language code content			
149	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Bill to party information/Customs duty registration information/Customs duty description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/ dutyFeeTaxDescription/@codeListVersion
150	BDT00000624	.. 80	1 .. 1	<b>Customs registration type code content</b> <i>Path:</i> Order/Bill to party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType
151	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Bill to party information/Customs duty registration information/Customs registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType/@codeListVersion
152	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/ Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ organisationName
153	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ issuedCapital
154	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ issuedCapital/@currencyCode
	BDT00000028						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
155		.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ issuedCapital/@codeListVersion
156	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ legalStructure
157	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ legalStructure/@languageCode
158	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ legalStructure/@codeListVersion
159	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/city
160	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/cityCode
161	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/countryCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address/Country code/Country code content			
162	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/countryCode/@codeListVersion
163	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/countyCode
164	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/crossStreet
165	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/pOBoxNumber
166	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/postalCode
167	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/provinceCode
168	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/state

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
169	BDT00000128	.. 200	0 .. 1	address/State <b>Street address one</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/streetAddressOne
170	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/streetAddressTwo
171	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/streetAddressThree
172	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/geographicalCoordinates/latitude
173	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/geographicalCoordinates/longitude
174	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ legalRegistration/legalRegistrationNumber
175	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b>	1 .. 80	1 .. 1	<b>legalRegistrationType</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Bill to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content			<i>Path:</i> orderMessage/order/billTo/organisationDetails/ legalRegistration/legalRegistrationType
176	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
177	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Bill to party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/billTo/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
178	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/ financialInstitutionName
179	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/ financialInstitutionBranchName
180	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/ financialAccount/financialAccountNumber
181	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code</b>	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<b>content</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content			<i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
182	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
183	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/financialAccount/financialAccountName
184	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
185	BDT00000064	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
186	BDT00000028	.. 35	0 .. 1	number type code content <b>Code list version</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
187	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/additionalFinancialInformation/description
188	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
189	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
190	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/City	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/city

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				name			
191	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/cityCode
192	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/countryCode
193	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/countryCode/@codeListVersion
194	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/countyCode
195	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/crossStreet
196	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Party	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/name

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				name			
197	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/pOBoxNumber
198	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/postalCode
199	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/provinceCode
200	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/state
201	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/streetAddressOne
202	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/streetAddressTwo

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
203	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/streetAddressThree
204	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/geographicalCoordinates/latitude
205	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/geographicalCoordinates/longitude
206	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Order/Buyer party information/Global location number, GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/buyer/gln
207	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Buyer party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/buyer/additionalPartyIdentification
208	BDT000000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Buyer party information/Additional party identification information/Additional party	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/buyer/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification type code/Additional party identification type code content			
209	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Buyer party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/buyer/additionalPartyIdentification/@codeListVersion
210	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Buyer party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/buyer/address/city
211	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Buyer party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/buyer/address/cityCode
212	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Buyer party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/buyer/address/countryCode
213	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Buyer party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/buyer/address/countryCode/@codeListVersion
214	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Buyer party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/buyer/address/countyCode
215	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Buyer party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/buyer/address/crossStreet
216	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b>	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Buyer party information/ Organisation legal information/Currency of party code/Currency of party code content			<i>Path:</i> orderMessage/order/buyer/address/currencyOfPartyCode
217	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/Currency of party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/buyer/address/ currencyOfPartyCode/@codeListVersion
218	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/ Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderMessage/order/buyer/address/ languageOfThePartyCode
219	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/ Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/buyer/address/ languageOfThePartyCode/@codeListVersion
220	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Buyer party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/buyer/address/name
221	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Buyer party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/buyer/address/pOBoxNumber
222	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Buyer party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/buyer/address/postalCode
223	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Buyer party information/Address	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/buyer/address/provinceCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Province identity			
224	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Buyer party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/buyer/address/state
225	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Buyer party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/buyer/address/streetAddressOne
226	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Buyer party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/buyer/address/streetAddressTwo
227	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Buyer party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/buyer/address/streetAddressThree
228	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Buyer party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/buyer/address/geographicalCoordinates/latitude
229	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Buyer party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/buyer/address/geographicalCoordinates/longitude
230	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Buyer party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/buyer/contact/contactTypeCode
231	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Buyer party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/buyer/contact/contactTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
232	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Buyer party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/buyer/contact/personName
233	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Buyer party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/buyer/contact/departmentName
234	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order/Buyer party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderMessage/order/buyer/contact/jobTitle
235	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Buyer party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/buyer/contact/responsibility
236	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Buyer party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/buyer/contact/responsibility/@languageCode
237	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Buyer party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/buyer/contact/responsibility/@codeListVersion
238	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Buyer party information/Business contact information/Communication information/Communication channel	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/buyer/contact/communicationChannel/communicationChannelCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Communication channel code content			
239	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Buyer party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/buyer/contact/communicationChannel/communicationChannelCode/@codeListVersion
240	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Buyer party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/buyer/contact/communicationChannel/communicationValue
241	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Buyer party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/buyer/contact/communicationChannel/communicationChannelName
242	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Buyer party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/buyer/contact/afterHoursCommunicationChannel/communicationChannelCode
243	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Buyer party information/Business contact information/After hours communication information/Communication channel code/Communication channel code	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/buyer/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
244	BDT00000032	.. 200	1 .. 1	content/Code list version <b>Communication channel identification</b> <i>Path:</i> Order/Buyer party information/Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/buyer/contact/ afterHoursCommunicationChannel/communicationValue
245	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Buyer party information/Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/buyer/contact/ afterHoursCommunicationChannel/ communicationChannelName
246	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order/Buyer party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID
247	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
248	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme responsible agency code/Code list version			
249	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
250	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
251	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Buyer party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
252	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Buyer party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
253	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Buyer party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
254	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order/Buyer party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/dutyFeeTaxDescription

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
255	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Buyer party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
256	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Buyer party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
257	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order/Buyer party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
258	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Buyer party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
259	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Buyer party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/organisationName
260	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order/Buyer party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/issuedCapital
261	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Buyer party information/Organisation legal information/Issued	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/issuedCapital/@currencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				capital/Currency code/Currency code content			
262	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/ issuedCapital/@codeListVersion
263	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/ legalStructure
264	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/ legalStructure/@languageCode
265	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/ legalStructure/@codeListVersion
266	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/city
267	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/cityCode
	BDT00000774						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
268			1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/countryCode
269	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/countryCode/@codeListVersion
270	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/countyCode
271	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/crossStreet
272	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/pOBoxNumber
273	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/postalCode
274	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/provinceCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
275	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/state
276	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/streetAddressOne
277	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/streetAddressTwo
278	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/streetAddressThree
279	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/geographicalCoordinates/latitude
280	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/geographicalCoordinates/longitude
281	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/ Registered legal information/Legal	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/ legalRegistration/legalRegistrationNumber

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
282	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/ legalRegistration/legalRegistrationType
283	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
284	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Buyer party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/buyer/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
285	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/ financialInstitutionName
286	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/ financialInstitutionBranchName
287	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Financial account	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/ financialAccount/financialAccountNumber

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
288	BDT00000645	.. 80	1 .. 1	information/Financial account number <b>Financial account number type code content</b> <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
289	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
290	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/financialAccount/financialAccountName
291	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
292	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Buyer party information/Financial institution and financial account	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content			
293	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
294	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/additionalFinancialInformation/description
295	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
296	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
297	BDT00000020	.. 200	0 .. 1	<b>City name</b>	1 .. 200	0 .. 1	<b>city</b>

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/City name			<i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/city
298	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/cityCode
299	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/countyCode
300	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/crossStreet
301	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/name
302	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/pOBoxNumber
303	BDT00000114	.. 80	0 .. 1	<b>Postal code</b>	1 .. 80	0 .. 1	<b>postalCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/Postal code			<i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/postalCode
304	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/provinceCode
305	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/state
306	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/streetAddressOne
307	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/streetAddressTwo
308	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/streetAddressThree
309	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Buyer party information/Financial	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/buyer/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution and financial account information/Address information/Geographical coordinates information/Latitude			financialInstitutionInformation/address/geographicalCoordinates/latitude
310	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/geographicalCoordinates/longitude
311	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Order/Consignee party information/Global location number, GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/consignee/gln
312	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Consignee party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/consignee/additionalPartyIdentification
313	BDT000000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Consignee party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/consignee/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
314	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Consignee party information/Additional party identification information/Additional party identification type code/Code list	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/consignee/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
315	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Consignee party information/ Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/consignee/address/city
316	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Consignee party information/ Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/consignee/address/cityCode
317	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Consignee party information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/consignee/address/countryCode
318	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Consignee party information/ Address information/Country code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/consignee/address/countryCode/ @codeListVersion
319	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Consignee party information/ Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/consignee/address/countyCode
320	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Consignee party information/ Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/consignee/address/crossStreet
321	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderMessage/order/consignee/address/ currencyOfPartyCode
322	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/Currency	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/consignee/address/ currencyOfPartyCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				of party code/Code list version			
323	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/ Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderMessage/order/consignee/address/ languageOfThePartyCode
324	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/ Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/consignee/address/ languageOfThePartyCode/@codeListVersion
325	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Consignee party information/ Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/consignee/address/name
326	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Consignee party information/ Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/consignee/address/pOBoxNumber
327	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Consignee party information/ Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/consignee/address/postalCode
328	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Consignee party information/ Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/consignee/address/provinceCode
329	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Consignee party information/ Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/consignee/address/state
330	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Consignee party information/	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/consignee/address/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Address information/Street address one			streetAddressOne
331	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Consignee party information/ Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/consignee/address/ streetAddressTwo
332	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Consignee party information/ Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/consignee/address/ streetAddressThree
333	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Consignee party information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/consignee/address/ geographicalCoordinates/latitude
334	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Consignee party information/ Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/consignee/address/ geographicalCoordinates/longitude
335	BDT000000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Consignee party information/ Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/consignee/contact/contactTypeCode
336	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Consignee party information/ Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/consignee/contact/ contactTypeCode/@codeListVersion
337	BDT000000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Consignee party information/ Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/consignee/contact/personName
338	BDT000000044	.. 70	0 .. 1	<b>Department name</b>	1 .. 70	0 .. 1	<b>departmentName</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Consignee party information/ Business contact information/ Department name			<i>Path:</i> orderMessage/order/consignee/contact/departmentName
339	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order/Consignee party information/ Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderMessage/order/consignee/contact/jobTitle
340	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Consignee party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/consignee/contact/responsibility
341	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Consignee party information/ Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/consignee/contact/responsibility/ @languageCode
342	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Consignee party information/ Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/consignee/contact/responsibility/ @codeListVersion
343	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Consignee party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/consignee/contact/ communicationChannel/communicationChannelCode
344	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Consignee party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version			<i>Path:</i> orderMessage/order/consignee/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
345	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Consignee party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/consignee/contact/ communicationChannel/communicationValue
346	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Consignee party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/consignee/contact/ communicationChannel/communicationChannelName
347	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Consignee party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/consignee/contact/ afterHoursCommunicationChannel/ communicationChannelCode
348	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Consignee party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/consignee/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
349	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b>	1 .. 200	1 .. 1	<b>communicationValue</b>

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Consignee party information/ Business contact information/After hours communication information/ Communication channel identification			<i>Path:</i> orderMessage/order/consignee/contact/ afterHoursCommunicationChannel/communicationValue
350	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Consignee party information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/consignee/contact/ afterHoursCommunicationChannel/ communicationChannelName
351	BDT000000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order/Consignee party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID
352	BDT000000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
353	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
	BDT000000073						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
354		.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
355	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
356	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Consignee party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
357	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Consignee party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
358	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Consignee party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
359	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order/Consignee party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/dutyFeeTaxDescription
360	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Consignee party information/Tax	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				registration information/Tax description/Language code/Language code content			dutyFeeTaxDescription/@languageCode
361	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Consignee party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
362	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order/Consignee party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
363	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Consignee party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
364	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Consignee party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/organisationName
365	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order/Consignee party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/issuedCapital
366	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Consignee party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/issuedCapital/@currencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
367	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/ issuedCapital/@codeListVersion
368	BDT000000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/ legalStructure
369	BDT000000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/ legalStructure/@languageCode
370	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/ legalStructure/@codeListVersion
371	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/city
372	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/cityCode
373	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/countryCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address/Country code/Country code content			
374	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/countryCode/@codeListVersion
375	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/countyCode
376	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/crossStreet
377	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/pOBoxNumber
378	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/postalCode
379	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/provinceCode
380	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/state

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
381	BDT00000128	.. 200	0 .. 1	address/State <b>Street address one</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/streetAddressOne
382	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/streetAddressTwo
383	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/streetAddressThree
384	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/geographicalCoordinates/latitude
385	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/geographicalCoordinates/longitude
386	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/ legalRegistration/legalRegistrationNumber
387	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b>	1 .. 80	1 .. 1	<b>legalRegistrationType</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Consignee party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content			<i>Path:</i> orderMessage/order/consignee/organisationDetails/ legalRegistration/legalRegistrationType
388	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
389	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Consignee party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/consignee/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
390	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/financialInstitutionName
391	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/ financialInstitutionBranchName
392	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/financialAccount/ financialAccountNumber

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
393	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
394	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
395	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/financialAccount/ financialAccountName
396	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber
397	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Financial institution	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				routing number information/Financial routing number type code/Financial routing number type code content			
398	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/consignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
399	BDT000000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order/Consignee party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/consignee/financialInstitutionInformation/additionalFinancialInformation/description
400	BDT000000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Consignee party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/consignee/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
401	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Consignee party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/consignee/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
402	BDT000000020	.. 200	0 .. 1	<b>City name</b>	1 .. 200	0 .. 1	<b>city</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Address information/City name			<i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/address/city
403	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/address/cityCode
404	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/address/countryCode
405	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/address/countryCode/ @codeListVersion
406	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/address/countyCode
407	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Address	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/address/crossStreet

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
408	BDT00000106	.. 200	0 .. 1	information/Cross street <b>Party name</b> <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/address/name
409	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/address/pOBoxNumber
410	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/address/postalCode
411	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/address/provinceCode
412	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/address/state
413	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Address	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/address/streetAddressOne

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
414	BDT00000130	.. 200	0 .. 1	information/Street address one <b>Street address two</b> <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/address/streetAddressTwo
415	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/address/ streetAddressThree
416	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
417	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
418	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Order/Referenced contract information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> orderMessage/order/contract/entityIdentification
419	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Referenced contract information/Document content owner/ Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/contract/contentOwner/gln

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
420	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Referenced contract information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/contract/contentOwner/additionalPartyIdentification
421	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Referenced contract information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/contract/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
422	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Referenced contract information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/contract/contentOwner/additionalPartyIdentification/@codeListVersion
423	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order/Referenced contract information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> orderMessage/order/contract/creationDateTime
424	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Order/Referenced contract information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> orderMessage/order/contract/revisionNumber
425	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Order/Referenced contract		0 .. 1	<b>lineltemNumber</b> <i>Path:</i> orderMessage/order/contract/lineltemNumber

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
426	BDT00000118	.. 200	0 .. 1	information/Document line number <b>Referenced document external location</b> <i>Path:</i> Order/Referenced contract information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUri</b> <i>Path:</i> orderMessage/order/contract/referencedDocumentUri
427	BDT00000708	.. 80	1 .. 1	<b>Currency conversion from code content</b> <i>Path:</i> Order/Currency conversion information/Currency conversion from code/Currency conversion from code content	1 .. 80	1 .. 1	<b>currencyConversionFromCode</b> <i>Path:</i> orderMessage/order/currencyExchangeRateInformation/currencyConversionFromCode
428	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Currency conversion information/Currency conversion from code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/currencyExchangeRateInformation/currencyConversionFromCode/@codeListVersion
429	BDT00000709	.. 80	1 .. 1	<b>Currency conversion to code content</b> <i>Path:</i> Order/Currency conversion information/Currency conversion to code/Currency conversion to code content	1 .. 80	1 .. 1	<b>currencyConversionToCode</b> <i>Path:</i> orderMessage/order/currencyExchangeRateInformation/currencyConversionToCode
430	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Currency conversion information/Currency conversion to code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/currencyExchangeRateInformation/currencyConversionToCode/@codeListVersion
431	BDT00000037		0 .. 1	<b>Currency exchange rate</b> <i>Path:</i> Order/Currency conversion information/Currency exchange rate		0 .. 1	<b>exchangeRate</b> <i>Path:</i> orderMessage/order/currencyExchangeRateInformation/exchangeRate
432	BDT00000038		0 .. 1	<b>Currency exchange rate date</b> <i>Path:</i> Order/Currency conversion information/Currency exchange rate		0 .. 1	<b>exchangeRateDateTime</b> <i>Path:</i> orderMessage/order/currencyExchangeRateInformation/exchangeRateDateTime

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				date			
433	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Order/Referenced customer document information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> orderMessage/order/customerDocumentReference/entityIdentification
434	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Referenced customer document information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/customerDocumentReference/contentOwner/gln
435	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Referenced customer document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/customerDocumentReference/contentOwner/additionalPartyIdentification
436	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Referenced customer document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/customerDocumentReference/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
437	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Referenced customer document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/customerDocumentReference/contentOwner/additionalPartyIdentification/@codeListVersion
438	BDT00000047		0 .. 1	<b>Business document creation date time</b>		0 .. 1	<b>creationDateTime</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path: Order/Referenced customer document information/Business document creation date time</i>			<i>Path: orderMessage/order/customerDocumentReference/creationDateTime</i>
439	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path: Order/Referenced customer document information/Revision number</i>		0 .. 1	<b>revisionNumber</b> <i>Path: orderMessage/order/customerDocumentReference/revisionNumber</i>
440	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path: Order/Referenced customer document information/Document line number</i>		0 .. 1	<b>lineltemNumber</b> <i>Path: orderMessage/order/customerDocumentReference/lineltemNumber</i>
441	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path: Order/Referenced customer document information/Referenced document external location</i>	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path: orderMessage/order/customerDocumentReference/referencedDocumentUrl</i>
442	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path: Order/Customs broker party information/Global location number, GLN</i>		0 .. 1	<b>gln</b> <i>Path: orderMessage/order/customsBroker/gln</i>
443	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path: Order/Customs broker party information/Additional party identification information/Additional party identification content</i>	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path: orderMessage/order/customsBroker/additionalPartyIdentification</i>
444	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path: Order/Customs broker party information/Additional party identification information/Additional party identification type code/Additional party identification type code content</i>	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path: orderMessage/order/customsBroker/additionalPartyIdentification/@additionalPartyIdentificationTypeCode</i>
	BDT00000028						

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
445		.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Customs broker party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/customsBroker/additionalPartyIdentification/@codeListVersion
446	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Customs broker party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/customsBroker/address/city
447	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Customs broker party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/customsBroker/address/cityCode
448	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Customs broker party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/customsBroker/address/countryCode
449	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Customs broker party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/customsBroker/address/countryCode/@codeListVersion
450	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Customs broker party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/customsBroker/address/countyCode
451	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Customs broker party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/customsBroker/address/crossStreet

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
452	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Customs broker party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/customsBroker/address/name
453	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Customs broker party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/customsBroker/address/pOBoxNumber
454	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Customs broker party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/customsBroker/address/postalCode
455	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Customs broker party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/customsBroker/address/provinceCode
456	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Customs broker party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/customsBroker/address/state
457	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Customs broker party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/customsBroker/address/streetAddressOne
458	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Customs broker party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/customsBroker/address/streetAddressTwo
459	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Customs broker party	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/customsBroker/address/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/Street address three			streetAddressThree
460	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Customs broker party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/customsBroker/address/geographicalCoordinates/latitude
461	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Customs broker party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/customsBroker/address/geographicalCoordinates/longitude
462	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Customs broker party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/customsBroker/contact/contactTypeCode
463	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Customs broker party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/customsBroker/contact/contactTypeCode/@codeListVersion
464	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Customs broker party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/customsBroker/contact/personName
465	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Customs broker party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/customsBroker/contact/departmentName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
466	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order/Customs broker party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderMessage/order/customsBroker/contact/jobTitle
467	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Customs broker party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/customsBroker/contact/responsibility
468	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Customs broker party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/customsBroker/contact/responsibility/@languageCode
469	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Customs broker party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/customsBroker/contact/responsibility/@codeListVersion
470	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Customs broker party information/Business contact information/Communication channel information/Communication channel code/Communication channel code	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/customsBroker/contact/communicationChannel/communicationChannelCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
471	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Customs broker party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/customsBroker/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
472	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Customs broker party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/customsBroker/contact/ communicationChannel/communicationValue
473	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Customs broker party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/customsBroker/contact/ communicationChannel/communicationChannelName
474	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Customs broker party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/customsBroker/contact/ afterHoursCommunicationChannel/ communicationChannelCode
475	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Customs broker party information/Business contact	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/customsBroker/contact/ afterHoursCommunicationChannel/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/After hours communication information/Communication channel code/Communication channel code content/Code list version			communicationChannelCode/@codeListVersion
476	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Customs broker party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/customsBroker/contact/ afterHoursCommunicationChannel/communicationValue
477	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Customs broker party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/customsBroker/contact/ afterHoursCommunicationChannel/ communicationChannelName
478	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/customsBroker/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
479	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/customsBroker/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
480	BDT00000028	.. 35	0 .. 1	agency code content <b>Code list version</b> <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/customsBroker/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
481	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/customsBroker/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
482	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/customsBroker/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
483	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/customsBroker/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
484	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Customs broker party	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/customsBroker/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax type code/Code list version			dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
485	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/customsBroker/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
486	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/customsBroker/ dutyFeeTaxRegistration/dutyFeeTaxDescription
487	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/customsBroker/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
488	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/customsBroker/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
489	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/customsBroker/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
490	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Customs broker party information/Tax registration	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/customsBroker/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration type code/ Code list version			@codeListVersion
491	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Customs broker party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/ organisationName
492	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order/Customs broker party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/ issuedCapital
493	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Customs broker party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/ issuedCapital/@currencyCode
494	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Customs broker party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/ issuedCapital/@codeListVersion
495	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Customs broker party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/ legalStructure
496	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Customs broker party information/Organisation legal	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/ legalStructure/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Legal structure description/Language code/Language code content			
497	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Customs broker party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/legalStructure/@codeListVersion
498	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/officialAddress/city
499	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/officialAddress/cityCode
500	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/officialAddress/countryCode
501	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/officialAddress/countryCode/@codeListVersion
502	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Customs broker party information/Organisation legal	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/officialAddress/countyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Official address/County code			
503	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/officialAddress/crossStreet
504	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/officialAddress/pOBoxNumber
505	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/officialAddress/postalCode
506	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/officialAddress/provinceCode
507	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/officialAddress/state
508	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/officialAddress/streetAddressOne

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
509	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/officialAddress/streetAddressTwo
510	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/officialAddress/streetAddressThree
511	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/officialAddress/geographicalCoordinates/latitude
512	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/officialAddress/geographicalCoordinates/longitude
513	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Customs broker party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/legalRegistration/legalRegistrationNumber
514	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order/Customs broker party information/Organisation legal	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/legalRegistration/legalRegistrationType

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Registered legal information/Legal registration type code/Legal registration type code content			
515	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Customs broker party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
516	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Customs broker party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
517	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/financialInstitutionName
518	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/financialInstitutionBranchName
519	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Financial	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/financialAccount/financialAccountNumber

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Financial account number			
520	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
521	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
522	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/financialAccount/financialAccountName
523	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
524	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b>	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/customsBroker/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content			financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
525	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
526	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/additionalFinancialInformation/description
527	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
528	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Customs broker party information/Financial institution and	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Additional financial institution description/ Language code/Code list version			additionalFinancialInformation/description/ @codeListVersion
529	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/customsBroker/ financialInstitutionInformation/address/city
530	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/customsBroker/ financialInstitutionInformation/address/cityCode
531	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/customsBroker/ financialInstitutionInformation/address/countryCode
532	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/customsBroker/ financialInstitutionInformation/address/countryCode/ @codeListVersion
533	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/customsBroker/ financialInstitutionInformation/address/countyCode

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
534	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/address/crossStreet
535	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/address/name
536	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/address/pOBoxNumber
537	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/address/postalCode
538	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/address/provinceCode
539	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/address/state

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
540	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/address/streetAddressOne
541	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/address/streetAddressTwo
542	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/address/streetAddressThree
543	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/address/geographicalCoordinates/latitude
544	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/address/geographicalCoordinates/longitude
545	BDT00000040		0 .. 1	<b>Date</b> <i>Path:</i> Order/Delivery date according to schedule/Date		1 .. 1	<b>date</b> <i>Path:</i> orderMessage/order/deliveryDateAccordingToSchedule/date

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
546	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Order/Delivery date according to schedule/Time		0 .. 1	<b>time</b> <i>Path:</i> orderMessage/order/deliveryDateAccordingToSchedule/time
547	BDT000000649		1 .. 1	<b>Incoterms code content</b> <i>Path:</i> Order/Delivery terms information/Incoterms code/Incoterms code content	1 .. 80	0 .. 1	<b>incotermsCode</b> <i>Path:</i> orderMessage/order/deliveryTerms/incotermsCode
548	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Delivery terms information/Incoterms code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/deliveryTerms/incotermsCode/@codeListVersion
549	BDT00000535	.. 80	1 .. 1	<b>Alternative delivery terms code content</b> <i>Path:</i> Order/Delivery terms information/Alternative delivery terms code/Alternative delivery terms code content	1 .. 80	0 .. 1	<b>alternateDeliveryTermsCode</b> <i>Path:</i> orderMessage/order/deliveryTerms/alternateDeliveryTermsCode
550	BDT000000022	.. 80	0 .. 1	<b>Code description</b> <i>Path:</i> Order/Delivery terms information/Alternative delivery terms code/Code description	1 .. 80		<b>codeDescription</b> <i>Path:</i> orderMessage/order/deliveryTerms/alternateDeliveryTermsCode/@codeDescription
551	BDT000000023	.. 80	0 .. 1	<b>Code list agency code</b> <i>Path:</i> Order/Delivery terms information/Alternative delivery terms code/Code list agency code	1 .. 80		<b>codeListAgencyCode</b> <i>Path:</i> orderMessage/order/deliveryTerms/alternateDeliveryTermsCode/@codeListAgencyCode
552	BDT000000024	.. 35	0 .. 1	<b>Code list agency code list version</b> <i>Path:</i> Order/Delivery terms information/Alternative delivery terms code/Code list agency code list version	1 .. 35		<b>codeListAgencyCodeListVersion</b> <i>Path:</i> orderMessage/order/deliveryTerms/alternateDeliveryTermsCode/@codeListAgencyCodeListVersion
553	BDT000000025	.. 80	0 .. 1	<b>Code list agency name</b> <i>Path:</i> Order/Delivery terms information/Alternative delivery terms code/Code list agency name	1 .. 80		<b>codeListAgencyName</b> <i>Path:</i> orderMessage/order/deliveryTerms/alternateDeliveryTermsCode/@codeListAgencyName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
554	BDT00000026	.. 80	0 .. 1	<b>Code list name</b> <i>Path:</i> Order/Delivery terms information/ Alternative delivery terms code/Code list name	1 .. 80		<b>codeListName</b> <i>Path:</i> orderMessage/order/deliveryTerms/ alternateDeliveryTermsCode/@codeListName
555	BDT00000027	.. 500	0 .. 1	<b>Code list URL</b> <i>Path:</i> Order/Delivery terms information/ Alternative delivery terms code/Code list URL			<b>codeListURI</b> <i>Path:</i> orderMessage/order/deliveryTerms/ alternateDeliveryTermsCode/@codeListURI
556	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Delivery terms information/ Alternative delivery terms code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/deliveryTerms/ alternateDeliveryTermsCode/@codeListVersion
557	BDT00000641	.. 70	1 .. 1	<b>Delivery instructions description content</b> <i>Path:</i> Order/Delivery terms information/ Delivery instructions description/ Delivery instructions description content	1 .. 500	0 .. 1	<b>deliveryInstructions</b> <i>Path:</i> orderMessage/order/deliveryTerms/deliveryInstructions
558	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Delivery terms information/ Delivery instructions description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/deliveryTerms/deliveryInstructions/ @languageCode
559	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Delivery terms information/ Delivery instructions description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/deliveryTerms/deliveryInstructions/ @codeListVersion
560	BDT00000701	.. 80	1 .. 1	<b>Transport cost payment code content</b> <i>Path:</i> Order/Delivery terms information/ Transport cost payment code/Transport cost payment code content	1 .. 80	0 .. 1	<b>deliveryCostPayment</b> <i>Path:</i> orderMessage/order/deliveryTerms/deliveryCostPayment
561	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Delivery terms information/ Transport cost payment code/Code list version			<i>Path:</i> orderMessage/order/deliveryTerms/ deliveryCostPayment/@codeListVersion
562	BDT00000080		0 .. 1	<b>Signature required indicator</b> <i>Path:</i> Order/Delivery terms information/ Signature required indicator		0 .. 1	<b>isSignatureRequired</b> <i>Path:</i> orderMessage/order/deliveryTerms/isSignatureRequired
563	BDT00000690	.. 80	1 .. 1	<b>United Nations location code, UN/LOCODE content</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/UN location code, UN/ LOCODE/United Nations location code, UN/LOCODE content	1 .. 80	0 .. 1	<b>unLocationCode</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/unLocationCode
564	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/UN location code, UN/ LOCODE/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/unLocationCode/ @codeListVersion
565	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/gln
566	BDT00000627	.. 80	1 .. 1	<b>Physical location identification content</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Additional physical location identification/Physical location identification content	1 .. 80	0 .. unbounded	<b>additionalLocationIdentification</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/additionalLocationIdentification
567	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency</b>	1 .. 80		<b>identificationSchemeAgencyCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<b>code content</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content			<i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/additionalLocationIdentification/ @identificationSchemeAgencyCode
568	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/additionalLocationIdentification/ @identificationSchemeAgencyCodeCodeListVersion
569	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/additionalLocationIdentification/ @identificationSchemeAgencyName
570	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/additionalLocationIdentification/ @identificationSchemeName
571	BDT00000132	.. 80	0 .. 1	<b>Sub location identification</b>	1 .. 80	0 .. 1	<b>sublocationIdentification</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Sub location identification			<i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/sublocationIdentification
572	BDT00000088	.. 80	0 .. 1	<b>Logistics location name</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/ Logistics location name	1 .. 80	0 .. 1	<b>locationName</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/locationName
573	BDT00000744	.. 70	1 .. 1	<b>Specific instructions location description content</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Specific instructions location description/Specific instructions location description content	1 .. 200	0 .. 1	<b>locationSpecificInstructions</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/locationSpecificInstructions
574	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Specific instructions location description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/locationSpecificInstructions/ @languageCode
575	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Specific instructions location description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/locationSpecificInstructions/ @codeListVersion
576	BDT00000137	.. 20	0 .. 1	<b>Universal Time Coordinated UTC offset</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Universal Time Coordinated		0 .. 1	<b>utcOffset</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/utcOffset

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				UTC offset			
577	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/city
578	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/cityCode
579	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/ Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/countryCode
580	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/ Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/countryCode/ @codeListVersion
581	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/countyCode
582	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/Cross	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/crossStreet

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
583	BDT00000106	.. 200	0 .. 1	street <b>Party name</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/name
584	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/pOBoxNumber
585	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/postalCode
586	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/ Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/provinceCode
587	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/state
588	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/streetAddressOne

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
589	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/streetAddressTwo
590	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/streetAddressThree
591	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/geographicalCoordinates/ latitude
592	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/geographicalCoordinates/ longitude
593	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/contact/contactTypeCode
594	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Delivery terms information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/deliveryTerms/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Delivery terms for location information/Business contact information/Contact type code/Code list version			deliveryTermsLocation/contact/contactTypeCode/@codeListVersion
595	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/deliveryTerms/deliveryTermsLocation/contact/personName
596	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/deliveryTerms/deliveryTermsLocation/contact/departmentName
597	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderMessage/order/deliveryTerms/deliveryTermsLocation/contact/jobTitle
598	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/deliveryTerms/deliveryTermsLocation/contact/responsibility
599	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Delivery terms information/	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/deliveryTerms/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Delivery terms for location information/Business contact information/Business contact responsibility description/Language code/Language code content			deliveryTermsLocation/contact/responsibility/@languageCode
600	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/deliveryTerms/deliveryTermsLocation/contact/responsibility/@codeListVersion
601	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/deliveryTerms/deliveryTermsLocation/contact/communicationChannel/communicationChannelCode
602	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/deliveryTerms/deliveryTermsLocation/contact/communicationChannel/communicationChannelCode/@codeListVersion
603	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Delivery terms information/Delivery terms for location	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/deliveryTerms/deliveryTermsLocation/contact/communicationChannel/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Communication information/Communication channel identification			communicationValue
604	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationChannelName
605	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode
606	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
607	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Business contact	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/communicationValue

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
608	BDT00000033	.. 200	0 .. 1	information/After hours communication information/Communication channel identification <b>Communication channel name</b> <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/deliveryTerms/deliveryTermsLocation/contact/afterHoursCommunicationChannel/communicationChannelName
609	BDT00000745	.. 80	1 .. 1	<b>Day of the week code content</b> <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/Regular operating hours information/Day of the week code/Day of the week code content		1 .. 1	<b>dayOfTheWeekCode</b> <i>Path:</i> orderMessage/order/deliveryTerms/deliveryTermsLocation/regularOperatingHours/dayOfTheWeekCode
610	BDT00000078		0 .. 1	<b>Business operational indicator</b> <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/Regular operating hours information/Business operational indicator		1 .. 1	<b>isOperational</b> <i>Path:</i> orderMessage/order/deliveryTerms/deliveryTermsLocation/regularOperatingHours/isOperational
611	BDT00000021		0 .. 1	<b>Closing time</b> <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/Regular operating hours information/Closing time		0 .. 1	<b>closingTime</b> <i>Path:</i> orderMessage/order/deliveryTerms/deliveryTermsLocation/regularOperatingHours/closingTime
612	BDT00000098		0 .. 1	<b>Opening time</b> <i>Path:</i> Order/Delivery terms information/Delivery terms for location		0 .. 1	<b>openingTime</b> <i>Path:</i> orderMessage/order/deliveryTerms/deliveryTermsLocation/regularOperatingHours/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Regular operating hours information/Opening time			openingTime
613	BDT00000078		0 .. 1	<b>Business operational indicator</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Special operating hours information/Business operational indicator	1 .. 1		<b>isOperational</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ isOperational
614	BDT00000126		0 .. 1	<b>Special date</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Special operating hours information/Special date	1 .. 1		<b>specialDate</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ specialDate
615	BDT00000021		0 .. 1	<b>Closing time</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Special operating hours information/Closing time	0 .. 1		<b>closingTime</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ closingTime
616	BDT00000098		0 .. 1	<b>Opening time</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Special operating hours information/Opening time	0 .. 1		<b>openingTime</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ openingTime
617	BDT00000669	.. 80	1 .. 1	<b>Name of special day content</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Special operating hours information/Name of special day/Name of special day content	1 .. 80	0 .. 1	<b>specialDateName</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ specialDateName
618	BDT00000524	.. 80	1 .. 1	<b>Language code content</b>	1 .. 80		<b>languageCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Special operating hours information/Name of special day/ Language code/Language code content			<i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ specialDateName/@languageCode
619	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Special operating hours information/Name of special day/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ specialDateName/@codeListVersion
620	BDT00000047		1 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order/Business document creation date time		1 .. 1	<b>creationDateTime</b> <i>Path:</i> orderMessage/order/ecomDocument/creationDateTime
621	BDT00000050		0 .. 1	<b>Business document status code</b> <i>Path:</i> Order/Business document status code		1 .. 1	<b>documentStatusCode</b> <i>Path:</i> orderMessage/order/ecomDocument/ documentStatusCode
622	BDT00000045		0 .. 1	<b>Business document action code</b> <i>Path:</i> Order/Business document action code		0 .. 1	<b>documentActionCode</b> <i>Path:</i> orderMessage/order/ecomDocument/ documentActionCode
623	BDT00000046		0 .. 1	<b>Business document standard version</b> <i>Path:</i> Order/Business document standard version	1 .. 80	0 .. 1	<b>documentStructureVersion</b> <i>Path:</i> orderMessage/order/ecomDocument/ documentStructureVersion
624	BDT00000048		0 .. 1	<b>Business document last update date time</b> <i>Path:</i> Order/Business document last update date time		0 .. 1	<b>lastUpdateDateTime</b> <i>Path:</i> orderMessage/order/ecomDocument/lastUpdateDateTime
625	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Order/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> orderMessage/order/ecomDocument/revisionNumber
626	BDT00000040		0 .. 1	<b>Date</b>		1 .. 1	<b>date</b>

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Document effective date time/Date			<i>Path:</i> orderMessage/order/ecomDocument/documentEffectiveDate/date
627	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Order/Document effective date time/Time		0 .. 1	<b>time</b> <i>Path:</i> orderMessage/order/ecomDocument/documentEffectiveDate/time
628	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Order/Invoice processing party information/Global location number, GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/gln
629	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Invoice processing party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/additionalPartyIdentification
630	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Invoice processing party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
631	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Invoice processing party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/additionalPartyIdentification/@codeListVersion
632	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Invoice processing party information/Address information/City	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/city

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				name			
633	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Invoice processing party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/cityCode
634	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Invoice processing party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/countryCode
635	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Invoice processing party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/countryCode/@codeListVersion
636	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Invoice processing party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/countyCode
637	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Invoice processing party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/crossStreet
638	BDT000000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/currencyOfPartyCode
639	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/currencyOfPartyCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Currency of party code/ Code list version			
640	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/ languageOfThePartyCode
641	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/ languageOfThePartyCode/@codeListVersion
642	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Invoice processing party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/ name
643	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Invoice processing party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/ pOBoxNumber
644	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Invoice processing party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/ postalCode
645	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Invoice processing party information/Address information/ Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/ provinceCode
646	BDT00000127	.. 80	0 .. 1	<b>State</b>	1 .. 80	0 .. 1	<b>state</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Invoice processing party information/Address information/State			<i>Path:</i> orderMessage/order/invoiceProcessingParty/address/state
647	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Invoice processing party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/streetAddressOne
648	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Invoice processing party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/streetAddressTwo
649	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Invoice processing party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/streetAddressThree
650	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Invoice processing party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/geographicalCoordinates/latitude
651	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Invoice processing party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/geographicalCoordinates/longitude
652	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Invoice processing party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/contactTypeCode
	BDT00000028						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
653		.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Invoice processing party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/contactTypeCode/@codeListVersion
654	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Invoice processing party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/personName
655	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Invoice processing party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/departmentName
656	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order/Invoice processing party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/jobTitle
657	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Invoice processing party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/responsibility
658	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Invoice processing party information/Business contact information/Business contact responsibility description/Language	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/responsibility/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
659	BDT000000028	.. 35	0 .. 1	code/Language code content <b>Code list version</b> <i>Path:</i> Order/Invoice processing party information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/responsibility/@codeListVersion
660	BDT000000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Invoice processing party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/communicationChannel/communicationChannelCode
661	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Invoice processing party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/communicationChannel/communicationChannelCode/@codeListVersion
662	BDT000000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Invoice processing party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/communicationChannel/communicationValue
663	BDT000000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Invoice processing party information/Business contact	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/communicationChannel/communicationChannelName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
664	BDT00000525		1 .. 1	information/Communication information/Communication channel name  <b>Communication channel code content</b> <i>Path:</i> Order/Invoice processing party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/ afterHoursCommunicationChannel/ communicationChannelCode
665	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Invoice processing party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
666	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Invoice processing party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/ afterHoursCommunicationChannel/communicationValue
667	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Invoice processing party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/ afterHoursCommunicationChannel/ communicationChannelName
668	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b>	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax registration identification information/Tax registration identification content			<i>Path:</i> orderMessage/order/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
669	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
670	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
671	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
672	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b>	1 .. 80		<b>identificationSchemeName</b>

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name			<i>Path:</i> orderMessage/order/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
673	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
674	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
675	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
676	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxDescription
677	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
678	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
679	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
680	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
681	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/organisationName
682	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/issuedCapital
683	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/issuedCapital/@currencyCode
684	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Invoice processing party information/Organisation legal information/Issued capital/Currency code/Code list version			<i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/issuedCapital/@codeListVersion
685	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/legalStructure
686	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/legalStructure/@languageCode
687	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/legalStructure/@codeListVersion
688	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/city
689	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/cityCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
690	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/countryCode
691	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/countryCode/@codeListVersion
692	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/countyCode
693	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/crossStreet
694	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/pOBoxNumber
695	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/postalCode
696	BDT00000117	80 ..	0 .. 1	<b>Province identity</b>	1 .. 80	0 .. 1	<b>provinceCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/Province identity			<i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/provinceCode
697	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/state
698	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/streetAddressOne
699	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/streetAddressTwo
700	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/streetAddressThree
701	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/geographicalCoordinates/latitude
702	BDT00000089	.. 80	1 .. 1	<b>Longitude</b>	1 .. 80	1 .. 1	<b>longitude</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/Geographical coordinates information/Longitude			<i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/geographicalCoordinates/longitude
703	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/legalRegistration/legalRegistrationNumber
704	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/legalRegistration/legalRegistrationType
705	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
706	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
707	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b>	1 .. 80	0 .. 1	<b>financialInstitutionName</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Financial institution name			<i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/financialInstitutionName
708	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/financialInstitutionBranchName
709	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/financialAccount/financialAccountNumber
710	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
711	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
712	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b>	1 .. 80	0 .. 1	<b>financialAccountName</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Financial account information/Financial account name			<i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/financialAccount/financialAccountName
713	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
714	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
715	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
716	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/additionalFinancialInformation/description

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Additional financial institution description/Additional financial institution description content			
717	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
718	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
719	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/city
720	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/cityCode
721	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/countryCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Country code/Country code content			
722	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/countryCode/@codeListVersion
723	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/countyCode
724	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/crossStreet
725	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/name
726	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/pOBoxNumber
727	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Invoice processing party	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/Postal code			financialInstitutionInformation/address/postalCode
728	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/provinceCode
729	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/state
730	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/streetAddressOne
731	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/streetAddressTwo
732	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/streetAddressThree
733	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Invoice processing party	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude			financialInstitutionInformation/address/geographicalCoordinates/latitude
734	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/geographicalCoordinates/longitude
735	BDT00000040		1 .. 1	<b>Date</b> <i>Path:</i> Order/Latest delivery date/Date		1 .. 1	<b>date</b> <i>Path:</i> orderMessage/order/latestDeliveryDate/date
736	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Order/Latest delivery date/Time		0 .. 1	<b>time</b> <i>Path:</i> orderMessage/order/latestDeliveryDate/time
737	BDT00000056	.. 80	0 .. 1	<b>Entity identification</b> <i>Path:</i> Order/Business document identification information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> orderMessage/order/orderIdentification/entityIdentification
738	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Business document identification information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/orderIdentification/contentOwner/gln
739	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Business document identification information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderIdentification/contentOwner/additionalPartyIdentification
740	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b>	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderIdentification/contentOwner/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
741	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderIdentification/contentOwner/ additionalPartyIdentification/@codeListVersion
742	BDT00000566		1 .. 1	<b>Total requested quantity content</b> <i>Path:</i> Order/Order line/Total requested quantity/Total requested quantity content		1 .. 1	<b>requestedQuantity</b> <i>Path:</i> orderMessage/order/orderLineItem/requestedQuantity
743	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order/Order line/Total requested quantity/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderMessage/order/orderLineItem/requestedQuantity/ @measurementUnitCode
744	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Total requested quantity/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/requestedQuantity/ @codeListVersion
745	BDT00000581	.. 80	1 .. 1	<b>Business document line action code content</b> <i>Path:</i> Order/Order line/Business document line action code/Business document line action code content	1 .. 80	0 .. 1	<b>lineItemActionCode</b> <i>Path:</i> orderMessage/order/orderLineItem/lineItemActionCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
746	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Business document line action code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/lineItemActionCode/@codeListVersion
747	BDT00000675	.. 80	1 .. 1	<b>Order line instruction description content</b> <i>Path:</i> Order/Order line/Order line item instruction description/Order line instruction description content	1 .. 200	0 .. unbounded	<b>additionalOrderLineInstruction</b> <i>Path:</i> orderMessage/order/orderLineItem/additionalOrderLineInstruction
748	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item instruction description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/additionalOrderLineInstruction/@languageCode
749	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item instruction description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/additionalOrderLineInstruction/@codeListVersion
750	BDT00000660		1 .. 1	<b>Line item net monetary amount content</b> <i>Path:</i> Order/Order line/Line item net monetary amount/Line item net monetary amount content		0 .. 1	<b>netAmount</b> <i>Path:</i> orderMessage/order/orderLineItem/netAmount
751	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Line item net monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/netAmount/@currencyCode
752	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Line item net monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/netAmount/@codeListVersion
753	BDT00000606		1 .. 1	<b>Trade item net price content</b> <i>Path:</i> Order/Order line/Trade item net price/		0 .. 1	<b>netPrice</b> <i>Path:</i> orderMessage/order/orderLineItem/netPrice

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Trade item net price content			
754	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Trade item net price/ Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/netPrice/ @currencyCode
755	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Trade item net price/ Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/netPrice/ @codeListVersion
756	BDT00000605		1 .. 1	<b>Trade item list price content</b> <i>Path:</i> Order/Order line/Trade item list price/ Trade item list price content		0 .. 1	<b>listPrice</b> <i>Path:</i> orderMessage/order/orderLineItem/listPrice
757	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Trade item list price/ Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/listPrice/ @currencyCode
758	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Trade item list price/ Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/listPrice/ @codeListVersion
759	BDT00000667		1 .. 1	<b>Monetary amount excluding all taxes content</b> <i>Path:</i> Order/Order line/Monetary amount excluding all taxes/Monetary amount excluding all taxes content		0 .. 1	<b>monetaryAmountExcludingTaxes</b> <i>Path:</i> orderMessage/order/orderLineItem/ monetaryAmountExcludingTaxes
760	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Monetary amount excluding all taxes/Currency code/ Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ monetaryAmountExcludingTaxes/@currencyCode
761	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Monetary amount excluding all taxes/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ monetaryAmountExcludingTaxes/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
762	BDT00000668		1 .. 1	<b>Monetary amount including all taxes content</b> <i>Path:</i> Order/Order line/Monetary amount including all taxes/Monetary amount including all taxes content		0 .. 1	<b>monetaryAmountIncludingTaxes</b> <i>Path:</i> orderMessage/order/orderLineItem/monetaryAmountIncludingTaxes
763	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Monetary amount including all taxes/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/monetaryAmountIncludingTaxes/@currencyCode
764	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Monetary amount including all taxes/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/monetaryAmountIncludingTaxes/@codeListVersion
765	BDT00000414		1 .. 1	<b>Trade item price base quantity content</b> <i>Path:</i> Order/Order line/Trade item price base quantity/Trade item price base quantity content		0 .. 1	<b>itemPriceBaseQuantity</b> <i>Path:</i> orderMessage/order/orderLineItem/itemPriceBaseQuantity
766	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order/Order line/Trade item price base quantity/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderMessage/order/orderLineItem/itemPriceBaseQuantity/@measurementUnitCode
767	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Trade item price base quantity/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/itemPriceBaseQuantity/@codeListVersion
768	BDT00000105	.. 6	0 .. 1	<b>Parent line item number</b> <i>Path:</i> Order/Order line/Parent line item number		0 .. 1	<b>parentLineItemNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/parentLineItemNumber
769	BDT00000720		1 .. 1	<b>Trade item recommended retail price</b>		0 .. 1	<b>recommendedRetailPrice</b>

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<b>content</b> <i>Path:</i> Order/Order line/Trade item recommended retail price/Trade item recommended retail price content			<i>Path:</i> orderMessage/order/orderLineItem/recommendedRetailPrice
770	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Trade item recommended retail price/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/recommendedRetailPrice/@currencyCode
771	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Trade item recommended retail price/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/recommendedRetailPrice/@codeListVersion
772	BDT00000676		1 .. 1	<b>Order line item instruction code content</b> <i>Path:</i> Order/Order line/Order line item instruction code/Order line item instruction code content	1 .. 80	0 .. 1	<b>orderLineItemInstructionCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemInstructionCode
773	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item instruction code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemInstructionCode/@codeListVersion
774	BDT00000100	.. 35	0 .. 1	<b>Order line item priority description</b> <i>Path:</i> Order/Order line/Order line item priority description		0 .. 1	<b>orderLineItemPriority</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemPriority
775	BDT00000711		1 .. 1	<b>Free goods quantity content</b> <i>Path:</i> Order/Order line/Free goods quantity/Free goods quantity content		0 .. 1	<b>freeGoodsQuantity</b> <i>Path:</i> orderMessage/order/orderLineItem/freeGoodsQuantity
776	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order/Order line/Free goods quantity/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderMessage/order/orderLineItem/freeGoodsQuantity/@measurementUnitCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
777	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Free goods quantity/ Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/freeGoodsQuantity/ @codeListVersion
778	BDT00000670	.. 70	1 .. 1	<b>Notation content</b> <i>Path:</i> Order/Order line/Notation/Notation content	1 .. 500	0 .. 1	<b>note</b> <i>Path:</i> orderMessage/order/orderLineItem/note
779	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Notation/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/note/@languageCode
780	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Notation/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/note/ @codeListVersion
781	BDT00000686	.. 80	1 .. 1	<b>Ordered trade item fulfillment source code content</b> <i>Path:</i> Order/Order line/Ordered trade item fulfillment source code/Ordered trade item fulfillment source code content	1 .. 80	0 .. 1	<b>itemSourceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/itemSourceCode
782	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Ordered trade item fulfillment source code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/itemSourceCode/ @codeListVersion
783	BDT00000673	.. 80	1 .. 1	<b>Order instruction code content</b> <i>Path:</i> Order/Order line/Order instruction code/Order instruction code content	1 .. 80	0 .. 1	<b>orderInstructionCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderInstructionCode
784	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order instruction code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ orderInstructionCode/@codeListVersion
785	BDT00000739	.. 80	1 .. 1	<b>Return of goods reason code content</b> <i>Path:</i> Order/Order line/Return of goods	1 .. 80	0 .. 1	<b>returnReasonCode</b> <i>Path:</i> orderMessage/order/orderLineItem/returnReasonCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				reason code/Return of goods reason code content			
786	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Return of goods reason code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/returnReasonCode/@codeListVersion
787	BDT000000415		1 .. 1	<b>Over allocation quantity content</b> <i>Path:</i> Order/Order line/Accepted over allocation/Over allocation quantity/Over allocation quantity content		0 .. 1	<b>overAllocationQuantity</b> <i>Path:</i> orderMessage/order/orderLineItem/acceptableOverAllocation/overAllocationQuantity
788	BDT000000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order/Order line/Accepted over allocation/Over allocation quantity/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderMessage/order/orderLineItem/acceptableOverAllocation/overAllocationQuantity/@measurementUnitCode
789	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Accepted over allocation/Over allocation quantity/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/acceptableOverAllocation/overAllocationQuantity/@codeListVersion
790	BDT00000103		0 .. 1	<b>Over allocation percentage</b> <i>Path:</i> Order/Order line/Accepted over allocation/Over allocation percentage		0 .. 1	<b>overAllocationPercentage</b> <i>Path:</i> orderMessage/order/orderLineItem/acceptableOverAllocation/overAllocationPercentage
791	BDT000000065	.. 29	0 .. 1	<b>Global returnable asset identifier, GRAI</b> <i>Path:</i> Order/Order line/Returnable asset identification information/Global returnable asset identifier, GRAI		0 .. 1	<b>grai</b> <i>Path:</i> orderMessage/order/orderLineItem/returnableAssetIdentification/grai
792	BDT000000743	.. 80	1 .. 1	<b>Additional returnable asset identification content</b> <i>Path:</i> Order/Order line/Returnable asset	1 .. 80	0 .. unbounded	<b>additionalReturnableAssetIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/returnableAssetIdentification/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional returnable asset identification information/Additional returnable asset identification content			additionalReturnableAssetIdentification
793	BDT00000514	.. 80	1 .. 1	<b>Additional returnable asset identification type code content</b> <i>Path:</i> Order/Order line/Returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification type code/Additional returnable asset identification type code content	1 .. 80		<b>additionalReturnableAssetIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/returnableAssetIdentification/additionalReturnableAssetIdentification/@additionalReturnableAssetIdentificationTypeCode
794	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/returnableAssetIdentification/additionalReturnableAssetIdentification/@codeListVersion
795	BDT00000531	.. 80	1 .. 1	<b>Allowance type code content</b> <i>Path:</i> Order/Order line/Allowance information/Allowance type code/Allowance type code content	1 .. 80	1 .. 1	<b>allowanceChargeType</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/allowanceChargeType
796	BDT00000618	.. 80	1 .. 1	<b>Charge type code content</b> <i>Path:</i> Order/Order line/Charge information/Charge type code/Charge type code content	1 .. 80	1 .. 1	<b>allowanceChargeType</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/allowanceChargeType
797	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Allowance	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Allowance type code/Code list version			allowanceChargeType/@codeListVersion
798	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Charge information/Charge type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/allowanceChargeType/@codeListVersion
799	BDT00000532	.. 80	1 .. 1	<b>Settlement allowance code content</b> <i>Path:</i> Order/Order line/Allowance information/Settlement allowance code/Settlement allowance code content	1 .. 80	1 .. 1	<b>settlementType</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/settlementType
800	BDT00000617	.. 80	1 .. 1	<b>Settlement charge code content</b> <i>Path:</i> Order/Order line/Charge information/Settlement charge code/Settlement charge code content	1 .. 80	1 .. 1	<b>settlementType</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/settlementType
801	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Allowance information/Settlement allowance code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/settlementType/@codeListVersion
802	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Charge information/Settlement charge code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/settlementType/@codeListVersion
803	BDT00000528		1 .. 1	<b>Allowance monetary amount content</b> <i>Path:</i> Order/Order line/Allowance information/Allowance monetary amount/Allowance monetary amount content		0 .. 1	<b>allowanceChargeAmount</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/allowanceChargeAmount
804	BDT00000619		0 .. 1	<b>Charge monetary amount content</b> <i>Path:</i> Order/Order line/Charge information/		0 .. 1	<b>allowanceChargeAmount</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Charge monetary amount/Charge monetary amount content			allowanceChargeAmount
805	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Allowance information/Allowance monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/allowanceChargeAmount/@currencyCode
806	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Charge information/Charge monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/allowanceChargeAmount/@currencyCode
807	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Allowance information/Allowance monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/allowanceChargeAmount/@codeListVersion
808	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Charge information/Charge monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/allowanceChargeAmount/@codeListVersion
809	BDT00000006		0 .. 1	<b>Allowance percentage</b> <i>Path:</i> Order/Order line/Allowance information/Allowance percentage		0 .. 1	<b>allowanceChargePercentage</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/allowanceChargePercentage
810	BDT00000018		0 .. 1	<b>Charge percentage</b> <i>Path:</i> Order/Order line/Charge information/Charge percentage		0 .. 1	<b>allowanceChargePercentage</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/allowanceChargePercentage
811	BDT00000529		1 .. 1	<b>Allowance monetary amount per unit content</b> <i>Path:</i> Order/Order line/Allowance		0 .. 1	<b>amountPerUnit</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/amountPerUnit

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
812	BDT00000620		1 .. 1	information/Allowance monetary amount per unit/Allowance monetary amount per unit content <b>Charge monetary amount per unit content</b> <i>Path:</i> Order/Order line/Charge information/Charge monetary amount per unit/Charge monetary amount per unit content		0 .. 1	<b>amountPerUnit</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/amountPerUnit
813	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Allowance information/Allowance monetary amount per unit/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/amountPerUnit/@currencyCode
814	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Charge information/Charge monetary amount per unit/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/amountPerUnit/@currencyCode
815	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Allowance information/Allowance monetary amount per unit/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/amountPerUnit/@codeListVersion
816	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Charge information/Charge monetary amount per unit/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/amountPerUnit/@codeListVersion
817	BDT00000526		1 .. 1	<b>Allowance basis monetary amount content</b> <i>Path:</i> Order/Order line/Allowance information/Allowance basis monetary amount/Allowance basis monetary		0 .. 1	<b>baseAmount</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/baseAmount

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
818	BDT00000614		1 .. 1	amount content <b>Charge basis monetary amount content</b> <i>Path:</i> Order/Order line/Charge information/ Charge basis monetary amount/Charge basis monetary amount content		0 .. 1	<b>baseAmount</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ baseAmount
819	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Allowance information/Allowance basis monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ baseAmount/@currencyCode
820	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Charge information/ Charge basis monetary amount/ Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ baseAmount/@currencyCode
821	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Allowance information/Allowance basis monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ baseAmount/@codeListVersion
822	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Charge information/ Charge basis monetary amount/ Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ baseAmount/@codeListVersion
823	BDT00000533		1 .. 1	<b>Allowance quantity basis content</b> <i>Path:</i> Order/Order line/Allowance information/Allowance quantity basis/ Allowance quantity basis content		0 .. 1	<b>baseNumberOfUnits</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ baseNumberOfUnits
824	BDT00000753		1 .. 1	<b>Charge quantity basis content</b> <i>Path:</i> Order/Order line/Charge information/		0 .. 1	<b>baseNumberOfUnits</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Charge quantity basis/Charge quantity basis content			baseNumberOfUnits
825	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order/Order line/Allowance information/Allowance quantity basis/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/baseNumberOfUnits/@measurementUnitCode
826	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order/Order line/Charge information/Charge quantity basis/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/baseNumberOfUnits/@measurementUnitCode
827	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Allowance information/Allowance quantity basis/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/baseNumberOfUnits/@codeListVersion
828	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Charge information/Charge quantity basis/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/baseNumberOfUnits/@codeListVersion
829	BDT00000012	.. 80	0 .. 1	<b>Bracket criteria</b> <i>Path:</i> Order/Order line/Allowance information/Bracket criteria	1 .. 80	0 .. 1	<b>bracketIdentifier</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/bracketIdentifier
830	BDT00000012	.. 80	0 .. 1	<b>Bracket criteria</b> <i>Path:</i> Order/Order line/Charge information/Bracket criteria	1 .. 80	0 .. 1	<b>bracketIdentifier</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/bracketIdentifier
831	BDT00000530	.. 80	1 .. 1	<b>Allowance effective date type code content</b> <i>Path:</i> Order/Order line/Allowance	1 .. 80	0 .. 1	<b>effectiveDateType</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Allowance effective date type code/Allowance effective date type code content			effectiveDateType
832	BDT00000615	.. 80	1 .. 1	<b>Charge effective date type code content</b> <i>Path:</i> Order/Order line/Charge information/Charge effective date type code/Charge effective date type code content	1 .. 80	0 .. 1	<b>effectiveDateType</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/effectiveDateType
833	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Allowance information/Allowance effective date type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/effectiveDateType/@codeListVersion
834	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Charge information/Charge effective date type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/effectiveDateType/@codeListVersion
835	BDT00000014		0 .. 1	<b>Calculation sequence number</b> <i>Path:</i> Order/Order line/Allowance information/Calculation sequence number		0 .. 1	<b>sequenceNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/sequenceNumber
836	BDT00000014		0 .. 1	<b>Calculation sequence number</b> <i>Path:</i> Order/Order line/Charge information/Calculation sequence number		0 .. 1	<b>sequenceNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/sequenceNumber
837	BDT00000534	.. 80	1 .. 1	<b>Special service type code content</b> <i>Path:</i> Order/Order line/Charge information/Special service type code/Special service type code content	1 .. 80	0 .. 1	<b>specialServiceType</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/specialServiceType
838	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Allowance information/Special service type code/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/specialServiceType/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Code list version			
839	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Charge information/ Special service type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ specialServiceType/@codeListVersion
840	BDT00000527	.. 70	1 .. 1	<b>Allowance description content</b> <i>Path:</i> Order/Order line/Allowance information/Allowance description/ Allowance description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ allowanceChargeDescription/description
841	BDT00000573	.. 70	1 .. 1	<b>Charge description content</b> <i>Path:</i> Order/Order line/Charge information/ Charge description/Charge description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ allowanceChargeDescription/description
842	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Allowance information/Allowance description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ allowanceChargeDescription/description/@languageCode
843	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Charge information/ Charge description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ allowanceChargeDescription/description/@languageCode
844	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Allowance information/Allowance description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ allowanceChargeDescription/description/ @codeListVersion
845	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Charge information/ Charge description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ allowanceChargeDescription/description/ @codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
846	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Order/Order line/Referenced contract information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/contract/entityIdentification
847	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Order line/Referenced contract information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/orderLineItem/contract/contentOwner/gln
848	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Order line/Referenced contract information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/contract/contentOwner/additionalPartyIdentification
849	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Order line/Referenced contract information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/contract/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
850	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Referenced contract information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/contract/contentOwner/additionalPartyIdentification/@codeListVersion
851	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order/Order line/Referenced contract		0 .. 1	<b>creationDateTime</b> <i>Path:</i> orderMessage/order/orderLineItem/contract/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business document creation date time			creationDateTime
852	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Order/Order line/Referenced contract information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/contract/revisionNumber
853	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Order/Order line/Referenced contract information/Document line number		0 .. 1	<b>lineltemNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/contract/lineltemNumber
854	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Order/Order line/Referenced contract information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> orderMessage/order/orderLineItem/contract/referencedDocumentUrl
855	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Order/Order line/Referenced customer document information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/customerDocumentReference/entityIdentification
856	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Order line/Referenced customer document information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/orderLineItem/customerDocumentReference/contentOwner/gln
857	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Order line/Referenced customer document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/customerDocumentReference/contentOwner/additionalPartyIdentification
858	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b>	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Referenced customer document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			customerDocumentReference/contentOwner/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
859	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Referenced customer document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ customerDocumentReference/contentOwner/ additionalPartyIdentification/@codeListVersion
860	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order/Order line/Referenced customer document information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> orderMessage/order/orderLineItem/ customerDocumentReference/creationDateTime
861	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Order/Order line/Referenced customer document information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/ customerDocumentReference/revisionNumber
862	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Order/Order line/Referenced customer document information/Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/ customerDocumentReference/lineItemNumber
863	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Order/Order line/Referenced customer document information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUri</b> <i>Path:</i> orderMessage/order/orderLineItem/ customerDocumentReference/referencedDocumentUri
864	BDT00000040		0 .. 1	<b>Date</b> <i>Path:</i> Order/Order line/Delivery date		1 .. 1	<b>date</b> <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				according to schedule/Date			deliveryDateAccordingToSchedule/date
865	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Order/Order line/Delivery date according to schedule/Time		0 .. 1	<b>time</b> <i>Path:</i> orderMessage/order/orderLineItem/deliveryDateAccordingToSchedule/time
866	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Order/Order line/Referenced despatch advice information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/despatchAdvice/entityIdentification
867	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Order line/Referenced despatch advice information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/orderLineItem/despatchAdvice/contentOwner/gln
868	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Order line/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/despatchAdvice/contentOwner/additionalPartyIdentification
869	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Order line/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/despatchAdvice/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
870	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/despatchAdvice/contentOwner/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification type code/Code list version			
871	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order/Order line/Referenced despatch advice information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> orderMessage/order/orderLineItem/despatchAdvice/creationDateTime
872	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Order/Order line/Referenced despatch advice information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/despatchAdvice/revisionNumber
873	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Order/Order line/Referenced despatch advice information/Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/despatchAdvice/lineItemNumber
874	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Order/Order line/Referenced despatch advice information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> orderMessage/order/orderLineItem/despatchAdvice/referencedDocumentUrl
875	BDT00000043		0 .. 1	<b>Delivery method code content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Delivery method code/Delivery method code content	1 .. 80	0 .. 1	<b>deliveryMethod</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/deliveryMethod
876	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Delivery method code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/deliveryMethod/@codeListVersion
877	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Global location		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/gln

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				number GLN			
878	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/additionalPartyIdentification
879	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
880	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/additionalPartyIdentification/@codeListVersion
881	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/city
882	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Address information/ City code			cityCode
883	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/ Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/address/ countryCode
884	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/ Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/address/ countryCode/@codeListVersion
885	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/ County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/address/ countyCode
886	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/ Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/address/ crossStreet
887	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Currency of party code/ Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/address/ currencyOfPartyCode
888	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Ultimate customer	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				delivery information/Ultimate customer party information/Organisation legal information/Currency of party code/Code list version			endCustomerRelatedDetails/ultimateCustomer/address/currencyOfPartyCode/@codeListVersion
889	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/languageOfThePartyCode
890	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/languageOfThePartyCode/@codeListVersion
891	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/name
892	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/pOBoxNumber
893	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/postalCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Postal code			
894	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/provinceCode
895	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/state
896	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/streetAddressOne
897	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/streetAddressTwo
898	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/streetAddressThree
899	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Geographical coordinates information/ Latitude			
900	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/address/ geographicalCoordinates/longitude
901	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/contact/ contactTypeCode
902	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/contact/ contactTypeCode/@codeListVersion
903	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/contact/ personName
904	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/contact/ departmentName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
905	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/contact/jobTitle
906	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/contact/responsibility
907	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/contact/responsibility/@languageCode
908	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/contact/responsibility/@codeListVersion
909	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Order line/Ultimate customer	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				delivery information/Ultimate customer party information/Business contact information/Communication channel code/Communication channel code content			endCustomerRelatedDetails/ultimateCustomer/contact/communicationChannel/communicationChannelCode
910	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/contact/communicationChannel/communicationChannelCode/@codeListVersion
911	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/contact/communicationChannel/communicationValue
912	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/contact/communicationChannel/communicationChannelName
913	BDT000000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/contact/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content			afterHoursCommunicationChannel/communicationChannelCode
914	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
915	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/contact/afterHoursCommunicationChannel/communicationValue
916	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/contact/afterHoursCommunicationChannel/communicationChannelName
917	BDT000000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
918	BDT00000583	.. 80	1 .. 1	information/Tax registration identification information/Tax registration identification content <b>Identification scheme responsible agency            code content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
919	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
920	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
921	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
922	BDT000000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
923	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
924	BDT000000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
925	BDT000000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax description/Tax	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxDescription

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
926	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
927	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
928	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
929	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
930	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/organisationName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
931	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/issuedCapital
932	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/issuedCapital/@currencyCode
933	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/issuedCapital/@codeListVersion
934	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalStructure
935	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Legal structure description/Language code/Language	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalStructure/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
936	BDT00000028	.. 35	0 .. 1	<b>code content</b> <b>Code list version</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalStructure/@codeListVersion
937	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/city
938	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/cityCode
939	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/countryCode
940	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/countryCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
941	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/countyCode
942	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/crossStreet
943	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/pOBoxNumber
944	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/postalCode
945	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/provinceCode
946	BDT00000127	.. 80	0 .. 1	<b>State</b>	1 .. 80	0 .. 1	<b>state</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/State			<i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/state
947	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/streetAddressOne
948	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/streetAddressTwo
949	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/streetAddressThree
950	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/geographicalCoordinates/latitude
951	BDT00000089	.. 80	1 .. 1	<b>Longitude</b>	1 .. 80	1 .. 1	<b>longitude</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Geographical coordinates information/Longitude			<i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/geographicalCoordinates/longitude
952	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalRegistration/legalRegistrationNumber
953	BDT000000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalRegistration/legalRegistrationType
954	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
955	BDT000000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalRegistration/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Registered legal information/Legal registration additional information			legalRegistrationAdditionalInformation
956	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialInstitutionName
957	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialInstitutionBranchName
958	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialAccount/financialAccountNumber
959	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
960	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
961	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialAccount/financialAccountName
962	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
963	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
964	BDT00000028	.. 35	0 .. 1	type code content <b>Code list version</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
965	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/additionalFinancialInformation/description
966	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
967	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/additionalFinancialInformation/description/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Additional financial institution description/Language code/Code list version			@codeListVersion
968	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/city
969	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/cityCode
970	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/countryCode
971	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/countryCode/@codeListVersion
972	BDT00000034	.. 80	0 .. 1	<b>County code</b>	1 .. 80	0 .. 1	<b>countyCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/County code			<i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/countyCode
973	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/crossStreet
974	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/name
975	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/pOBoxNumber
976	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/postalCode
	BDT00000117						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
977		80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/provinceCode
978	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/state
979	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/streetAddressOne
980	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/streetAddressTwo
981	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Street address	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/streetAddressThree

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				three			
982	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/geographicalCoordinates/latitude
983	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/geographicalCoordinates/longitude
984	BDT00000643	.. 80	1 .. 1	<b>European Union unique identifier type code content</b> <i>Path:</i> Order/Order line/Sale of tobacco products information/EU unique identifier type code/European Union unique identifier type code content	1 .. 80	1 .. 1	<b>euUniqueIDTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/euUniqueID/euUniqueIDTypeCode
985	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Sale of tobacco products information/EU unique identifier type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/euUniqueID/euUniqueIDTypeCode/@codeListVersion
986	BDT00000136	.. 500	0 .. unbounded	<b>Unit pack unique identifier upUI</b> <i>Path:</i> Order/Order line/Sale of tobacco products information/Unit pack unique identifier upUI	1 .. 500	0 .. unbounded	<b>unitPacketLevelUniqueIdentifier</b> <i>Path:</i> orderMessage/order/orderLineItem/euUniqueID/unitPacketLevelUniqueIdentifier
987	BDT00000005	.. 500	0 .. unbounded	<b>Aggregated level of package unique</b>	1 .. 500	0 .. unbounded	<b>aggregatedLevelUniqueIdentifier</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<b>identity</b> <i>Path:</i> Order/Order line/Sale of tobacco products information/Aggregated level of package unique identity			<i>Path:</i> orderMessage/order/orderLineItem/euUniqueID/aggregatedLevelUniqueIdentifier
988	BDT00000040		1 .. 1	<b>Date</b> <i>Path:</i> Order/Order line/Latest delivery date/Date		1 .. 1	<b>date</b> <i>Path:</i> orderMessage/order/orderLineItem/latestDeliveryDate/date
989	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Order/Order line/Latest delivery date/Time		0 .. 1	<b>time</b> <i>Path:</i> orderMessage/order/orderLineItem/latestDeliveryDate/time
990	BDT00000538	.. 80	1 .. 1	<b>Tax accounting currency code content</b> <i>Path:</i> Order/Order line/Applicable tax information/Tax accounting currency code/Tax accounting currency code content	1 .. 80	0 .. 1	<b>dutyFeeTaxAccountingCurrency</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxAccountingCurrency
991	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Applicable tax information/Tax accounting currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxAccountingCurrency/@codeListVersion
992	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Order line/Applicable tax information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxAgencyName
993	BDT00000562		1 .. 1	<b>Tax monetary amount content</b> <i>Path:</i> Order/Order line/Applicable tax information/Tax monetary amount/Tax monetary amount content		0 .. 1	<b>dutyFeeTaxAmount</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxAmount
994	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Applicable tax information/Tax monetary amount/	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxAmount/@currencyCode

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
995	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Applicable tax information/Tax monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxAmount/@codeListVersion
996	BDT000000561		1 .. 1	<b>Tax monetary amount in accounting currency content</b> <i>Path:</i> Order/Order line/Applicable tax information/Tax monetary amount in accounting currency/Tax monetary amount in accounting currency content		0 .. 1	<b>dutyFeeTaxAmountInAccountingCurrency</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxAmountInAccountingCurrency
997	BDT000000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Applicable tax information/Tax monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxAmountInAccountingCurrency/@currencyCode
998	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Applicable tax information/Tax monetary amount in accounting currency/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxAmountInAccountingCurrency/@codeListVersion
999	BDT000000559		1 .. 1	<b>Taxable monetary amount content</b> <i>Path:</i> Order/Order line/Applicable tax information/Taxable monetary amount/Taxable monetary amount content		0 .. 1	<b>dutyFeeTaxBasisAmount</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxBasisAmount
100	BDT000000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Applicable tax information/Taxable monetary amount/Currency code/Currency code	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxBasisAmount/@currencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
100	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Applicable tax information/Taxable monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxBasisAmount/@codeListVersion
100	BDT00000560		1 .. 1	<b>Taxable monetary amount in accounting currency content</b> <i>Path:</i> Order/Order line/Applicable tax information/Taxable monetary amount in accounting currency/Taxable monetary amount in accounting currency content		0 .. 1	<b>dutyFeeTaxBasisAmountInAccountingCurrency</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxBasisAmountInAccountingCurrency
100	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxBasisAmountInAccountingCurrency/@currencyCode
100	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxBasisAmountInAccountingCurrency/@codeListVersion
100	BDT00000537	.. 80	1 .. 1	<b>Tax category code content</b> <i>Path:</i> Order/Order line/Applicable tax information/Tax category code/Tax category code content	1 .. 80	0 .. 1	<b>dutyFeeTaxCategoryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxCategoryCode
100	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Applicable tax information/Tax category code/Code list	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxCategoryCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
100	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order/Order line/Applicable tax information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxDescription
100	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Applicable tax information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxDescription/@languageCode
100	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Applicable tax information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxDescription/@codeListVersion
101	BDT00000574	.. 70	1 .. 1	<b>Tax exemption reason description content</b> <i>Path:</i> Order/Order line/Applicable tax information/Tax exemption reason description/Tax exemption reason description content	1 .. 80	0 .. 1	<b>dutyFeeTaxExemptionDescription</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxExemptionDescription
101	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Applicable tax information/Tax exemption reason description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxExemptionDescription/@languageCode
101	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Applicable tax information/Tax exemption reason description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxExemptionDescription/@codeListVersion
101	BDT00000575	.. 80	1 .. 1	<b>Tax exemption reason code content</b>	1 .. 80	0 .. 1	<b>dutyFeeTaxExemptionReason</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Applicable tax information/Tax exemption reason code/Tax exemption reason code content			<i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxExemptionReason
101	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Applicable tax information/Tax exemption reason code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxExemptionReason/@codeListVersion
101	BDT00000371		0 .. 1	<b>Tax rate</b> <i>Path:</i> Order/Order line/Applicable tax information/Tax rate		0 .. 1	<b>dutyFeeTaxPercentage</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxPercentage
101	BDT00000377		0 .. 1	<b>Tax point date</b> <i>Path:</i> Order/Order line/Applicable tax information/Tax point date		0 .. 1	<b>dutyFeeTaxPointDate</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxPointDate
101	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Order line/Applicable tax information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxTypeCode
101	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Applicable tax information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxTypeCode/@codeListVersion
101	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Order line/Contact for ordered trade item information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/contactTypeCode
102	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Contact for ordered trade item information/Contact type	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/contactTypeCode/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Code list version			@codeListVersion
102	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Order line/Contact for ordered trade item information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/personName
102	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Order line/Contact for ordered trade item information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/departmentName
102	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order/Order line/Contact for ordered trade item information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/jobTitle
102	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Order line/Contact for ordered trade item information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/responsibility
102	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Contact for ordered trade item information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/responsibility/@languageCode
102	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Contact for ordered trade item information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/responsibility/@codeListVersion
102	BDT00000525		1 .. 1	<b>Communication channel code content</b>	1 .. 80	1 .. 1	<b>communicationChannelCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Contact for ordered trade item information/Communication information/Communication channel code/Communication channel code content			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/communicationChannel/communicationChannelCode
102	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Contact for ordered trade item information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/communicationChannel/communicationChannelCode/@codeListVersion
102	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Order line/Contact for ordered trade item information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/communicationChannel/communicationValue
103	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Order line/Contact for ordered trade item information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/communicationChannel/communicationChannelName
103	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Order line/Contact for ordered trade item information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/afterHoursCommunicationChannel/communicationChannelCode
103	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Contact for ordered trade item information/After hours	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				communication information/ Communication channel code/ Communication channel code content/Code list version			afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
103	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Order line/Contact for ordered trade item information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/ orderLineItemContact/ afterHoursCommunicationChannel/communicationValue
103	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Order line/Contact for ordered trade item information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLineItem/ orderLineItemContact/ afterHoursCommunicationChannel/ communicationChannelName
103	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Order/Order line/Referenced material specification information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/materialSpecification/ entityIdentification
103	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Order line/Referenced material specification information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/orderLineItem/materialSpecification/ contentOwner/gln
103	BDT00000078	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Order line/Referenced material specification information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/materialSpecification/ contentOwner/additionalPartyIdentification
103	BDT00000070	.. 80	1 .. 1	<b>Additional party identification type code</b>	1 .. 80		<b>additionalPartyIdentificationTypeCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<b>content</b> <i>Path:</i> Order/Order line/Referenced material specification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			<i>Path:</i> orderMessage/order/orderLineItem/materialSpecification/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
103	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Referenced material specification information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/materialSpecification/contentOwner/additionalPartyIdentification/@codeListVersion
104	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order/Order line/Referenced material specification information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> orderMessage/order/orderLineItem/materialSpecification/creationDateTime
104	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Order/Order line/Referenced material specification information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/materialSpecification/revisionNumber
104	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Order/Order line/Referenced material specification information/Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/materialSpecification/lineItemNumber
104	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Order/Order line/Referenced material specification information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> orderMessage/order/orderLineItem/materialSpecification/referencedDocumentUrl

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
104	BDT00000566		1 .. 1	<b>Total requested quantity content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Total requested quantity/Total requested quantity content		1 .. 1	<b>requestedQuantity</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/requestedQuantity
104	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Total requested quantity/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/requestedQuantity/@measurementUnitCode
104	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Total requested quantity/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/requestedQuantity/@codeListVersion
104	BDT00000568	.. 80	1 .. 1	<b>Transport cargo type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Transport cargo type code/Transport cargo type code content	1 .. 80	0 .. 1	<b>commodityTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/commodityTypeCode
104	BDT00000022	.. 80	0 .. 1	<b>Code description</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Transport cargo type code/Code description	1 .. 80		<b>codeDescription</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/commodityTypeCode/@codeDescription
104	BDT00000023	.. 80	0 .. 1	<b>Code list agency code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80		<b>codeListAgencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/commodityTypeCode/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Transport cargo type code/Code list agency code			@codeListAgencyCode
105	BDT000000024	.. 35	0 .. 1	<b>Code list agency code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Transport cargo type code/Code list agency code list version	1 .. 35		<b>codeListAgencyCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/commodityTypeCode/ @codeListAgencyCodeListVersion
105	BDT000000025	.. 80	0 .. 1	<b>Code list agency name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Transport cargo type code/Code list agency name	1 .. 80		<b>codeListAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/commodityTypeCode/ @codeListAgencyName
105	BDT000000026	.. 80	0 .. 1	<b>Code list name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Transport cargo type code/Code list name	1 .. 80		<b>codeListName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/commodityTypeCode/ @codeListName
105	BDT000000027	.. 500	0 .. 1	<b>Code list URL</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Transport cargo type code/Code list URL			<b>codeListURI</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/commodityTypeCode/ @codeListURI
105	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/commodityTypeCode/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Transport cargo type code/Code list version			@codeListVersion
105	BDT00000788		0 .. 1	<b>Logistic label customer information</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistic label customer information		0 .. 1	<b>logisticLabelCustomerText</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/logisticLabelCustomerText
105	BDT00000567	.. 80	1 .. 1	<b>Shipment split method code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment split method code/Shipment split method code content	1 .. 80	0 .. 1	<b>shipmentSplitMethodCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipmentSplitMethodCode
105	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment split method code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipmentSplitMethodCode/ @codeListVersion
105	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipFrom/gln
105	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipFrom/ additionalPartyIdentification

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				from party information/Additional party identification information/Additional party identification content			
106	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
106	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/additionalPartyIdentification/@codeListVersion
106	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/city
106	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/cityCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
106	BDT00000774		1 .. 1	information/City code <b>Country code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/countryCode
106	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/countryCode/@codeListVersion
106	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/countyCode
106	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/crossStreet
106	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Ship from party information/Organisation legal information/Currency of party code/Currency of party code content			currencyOfPartyCode
106	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/currencyOfPartyCode/@codeListVersion
107	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/languageOfThePartyCode
107	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/languageOfThePartyCode/@codeListVersion
107	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/name

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
107	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/pOBoxNumber
107	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/postalCode
107	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/provinceCode
107	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/state
107	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/streetAddressOne

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
107	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/streetAddressTwo
107	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/streetAddressThree
108	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/geographicalCoordinates/latitude
108	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/geographicalCoordinates/longitude
108	BDT000000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/contactTypeCode

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Contact type code/Contact type code content			
108	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/contactTypeCode/@codeListVersion
108	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/personName
108	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/departmentName
108	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/jobTitle
108	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Order line/Order line item	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/responsibility

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/Business contact responsibility description/Business contact responsibility description content			
108	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/responsibility/@languageCode
108	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/responsibility/@codeListVersion
109	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/Communication information/Communication channel code/Communication channel code	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/communicationChannel/communicationChannelCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
109	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/communicationChannel/communicationChannelCode/@codeListVersion
109	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/communicationChannel/communicationValue
109	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/communicationChannel/communicationChannelName
109	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/afterHoursCommunicationChannel/communicationChannelCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/After hours communication information/Communication channel code/Communication channel code content			
109	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
109	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ afterHoursCommunicationChannel/communicationValue
109	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ afterHoursCommunicationChannel/ communicationChannelName
109	BDT00000054	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order/Order line/Order line item	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration identification information/Tax registration identification content			orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
109	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
110	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
110	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name			dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
110	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
110	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
110	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
110	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Order line/Order line item	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax authority name			orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
110	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription
110	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
110	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
110	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration type code/	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
111	BDT00000028	.. 35	0 .. 1	<b>Tax registration type code content</b> <b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
111	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/organisationName
111	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/issuedCapital
111	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/issuedCapital/@currencyCode
111	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Issued capital/Currency code/Code list version			orderLogisticalInformation/shipFrom/organisationDetails/issuedCapital/@codeListVersion
111	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/legalStructure
111	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/legalStructure/@languageCode
111	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/legalStructure/@codeListVersion
111	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Order line item	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/City name			orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/city
111	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/cityCode
112	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/countryCode
112	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/countryCode/@codeListVersion
112	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/countyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				legal information/Official address/ County code			
112	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ officialAddress/crossStreet
112	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ officialAddress/pOBoxNumber
112	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ officialAddress/postalCode
112	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/ Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ officialAddress/provinceCode
	BDT00000127						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
112		.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/state
112	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/streetAddressOne
112	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/streetAddressTwo
113	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/streetAddressThree
113	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				from party information/Organisation legal information/Official address/Geographical coordinates information/Latitude			officialAddress/geographicalCoordinates/latitude
113	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/geographicalCoordinates/longitude
113	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/legalRegistration/legalRegistrationNumber
113	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/legalRegistration/legalRegistrationType
113	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Ship from party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version			legalRegistration/legalRegistrationType/@codeListVersion
113	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
113	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialInstitutionName
113	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialInstitutionBranchName
113	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number			financialInstitutionInformation/financialAccount/financialAccountNumber
114	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
114	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
114	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialAccount/financialAccountName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
114	BDT00000062	.. 80	1 .. 1	information/Financial account information/Financial account name  <b>Financial routing number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber
114	BDT000000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode
114	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
114	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/additionalFinancialInformation/description
114	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
114	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
114	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/City name			financialInstitutionInformation/address/city
115	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/cityCode
115	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/countryCode
115	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/countryCode/@codeListVersion
115	BDT00000034	.. 80	0 .. 1	<b>Country code</b> <i>Path:</i> Order/Order line/Order line item	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/County code			orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/countyCode
115	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/crossStreet
115	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/name
115	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/pOBoxNumber
115	BDT00000114	.. 80	0 .. 1	<b>Postal code</b>	1 .. 80	0 .. 1	<b>postalCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Postal code			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/postalCode
115	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/provinceCode
115	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/state
116	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/streetAddressOne
116	BDT00000130	.. 200	0 .. 1	<b>Street address two</b>	1 .. 200	0 .. 1	<b>streetAddressTwo</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Street address two			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/streetAddressTwo
116	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/streetAddressThree
116	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/geographicalCoordinates/latitude
116	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Geographical coordinates information/ Longitude			
116	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Global location number GLN	0 .. 1		<b>gln</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipTo/gln
116	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipTo/ additionalPartyIdentification
116	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipTo/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
116	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Additional party identification information/Additional party identification type code/Code list	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipTo/ additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
116	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/ City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/city
117	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/ City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/cityCode
117	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/ Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/countryCode
117	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/ Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/countryCode/@codeListVersion
117	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/countyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
117	BDT00000035	.. 200	0 .. 1	County code <b>Cross street</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/crossStreet
117	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/currencyOfPartyCode
117	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/currencyOfPartyCode/@codeListVersion
117	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/languageOfThePartyCode
117	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Language of the party code/Code list version			orderLogisticalInformation/shipTo/address/languageOfThePartyCode/@codeListVersion
117	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/ Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/name
118	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/ Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/pOBoxNumber
118	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/ Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/postalCode
118	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/ Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/provinceCode
118	BDT00000127	.. 80	0 .. 1	<b>State</b>	1 .. 80	0 .. 1	<b>state</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/State			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/state
118	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/streetAddressOne
118	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/streetAddressTwo
118	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/streetAddressThree
118	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/geographicalCoordinates/latitude
	BDT00000089						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
118		.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/geographicalCoordinates/longitude
118	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/contactTypeCode
119	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/contactTypeCode/@codeListVersion
119	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/personName
119	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Business contact information/Department name			departmentName
119	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/jobTitle
119	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/responsibility
119	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/responsibility/@languageCode
119	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/responsibility/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
119	BDT00000525		1 .. 1	information/Business contact responsibility description/Language code/Code list version  <b>Communication channel code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/communicationChannel/communicationChannelCode
119	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/communicationChannel/communicationChannelCode/@codeListVersion
119	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/communicationChannel/communicationValue
120	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Order line/Order line item	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/Communication information/Communication channel name			orderLogisticalInformation/shipTo/contact/communicationChannel/communicationChannelName
120	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/afterHoursCommunicationChannel/communicationChannelCode
120	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
120	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/After hours communication information/Communication channel	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/afterHoursCommunicationChannel/communicationValue

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification			
120	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/afterHoursCommunicationChannel/communicationChannelName
120	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
120	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
120	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version			orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
120	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
120	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
121	BDT000000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax type code/Tax type code content			
121	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
121	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
121	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription
121	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
121	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax description/Language code/Code list version			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
121	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
121	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
121	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/organisationName
121	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/issuedCapital

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
122	BDT00000589	.. 80	1 .. 1	information/Issued capital/Issued capital content <b>Currency code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/issuedCapital/@currencyCode
122	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/issuedCapital/@codeListVersion
122	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/legalStructure
122	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Legal structure description/Language code/Language	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/legalStructure/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
122	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/legalStructure/@codeListVersion
122	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/city
122	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/cityCode
122	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/countryCode
122	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Country code/Code list version			orderLogisticalInformation/shipTo/organisationDetails/officialAddress/countryCode/@codeListVersion
122	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/countyCode
123	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/crossStreet
123	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/pOBoxNumber
123	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/postalCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
123	BDT00000117	80 ..	0 .. 1	information/Official address/Postal code <b>Province identity</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/provinceCode
123	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/state
123	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/streetAddressOne
123	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/streetAddressTwo
123	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Order line item	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Street address three			orderLogisticalInformation/shipTo/organisationDetails/officialAddress/streetAddressThree
123	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/geographicalCoordinates/latitude
123	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/geographicalCoordinates/longitude
124	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/legalRegistration/legalRegistrationNumber
124	BDT000000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content			legalRegistration/legalRegistrationType
124	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
124	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
124	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialInstitutionName
124	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Order line/Order line item	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial institution division name			orderLogisticalInformation/shipTo/financialInstitutionInformation/financialInstitutionBranchName
124	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumber
124	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
124	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
124	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialAccount/financialAccountName
125	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
125	BDT00000064	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
125	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version			financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
125	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/additionalFinancialInformation/description
125	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
125	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Additional financial institution description/Language code/Code list version			
125	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/city
125	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/cityCode
125	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/countryCode
125	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/countryCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Address information/Country code/ Code list version			
126	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/ Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/countyCode
126	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/ Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/crossStreet
126	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/ Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/name
126	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/ Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/pOBoxNumber

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
126	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/postalCode
126	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/provinceCode
126	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/state
126	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/streetAddressOne
126	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Street address two			financialInstitutionInformation/address/streetAddressTwo
126	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/streetAddressThree
127	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/geographicalCoordinates/latitude
127	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/geographicalCoordinates/longitude
127	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/gln

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Storage location information/Global location number GLN			
127	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/additionalPartyIdentification
127	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
127	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/additionalPartyIdentification/@codeListVersion
127	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/city

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				location information/Address information/City name			
127	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/cityCode
127	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/countryCode
127	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/countryCode/@codeListVersion
128	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/countyCode
128	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Order line item	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Storage location information/Address information/Cross street			orderLogisticalInformation/inventoryLocation/address/crossStreet
128	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/currencyOfPartyCode
128	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Currency of party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/currencyOfPartyCode/@codeListVersion
128	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/languageOfThePartyCode
128	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Language of the party code/Language of the party	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/languageOfThePartyCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Code list version			
128	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/name
128	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/pOBoxNumber
128	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/postalCode
128	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/provinceCode
129	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/state

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
129	BDT00000128	.. 200	0 .. 1	information/State <b>Street address one</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/streetAddressOne
129	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/streetAddressTwo
129	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/streetAddressThree
129	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/geographicalCoordinates/latitude
129	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				location information/Address information/Geographical coordinates information/Longitude			
129	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ contactTypeCode
129	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ contactTypeCode/@codeListVersion
129	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ personName
129	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ departmentName
130	BDT00000083	.. 70	0 .. 1	<b>Job title</b>	1 .. 70	0 .. 1	<b>jobTitle</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/Job title			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/jobTitle
130	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/responsibility
130	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/responsibility/@languageCode
130	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/responsibility/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
130	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/communicationChannel/communicationChannelCode
130	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/communicationChannel/communicationChannelCode/@codeListVersion
130	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/communicationChannel/communicationValue
130	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/communicationChannel/communicationChannelName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
130	BDT00000525		1 .. 1	information/Communication information/Communication channel name <b>Communication channel code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode
130	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
131	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ afterHoursCommunicationChannel/communicationValue
131	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Order line/Order line item	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/After hours communication information/Communication channel name			orderLogisticalInformation/inventoryLocation/contact/afterHoursCommunicationChannel/communicationChannelName
131	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
131	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
131	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version			
131	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
131	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
131	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
131	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax type code/Code list version			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
131	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
132	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription
132	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
132	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
132	BDT00000588	.. 80	1 .. 1	information/Tax description/Language code/Code list version <b>Tax registration type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
132	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
132	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/organisationName
132	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/issuedCapital
132	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b>	1 .. 80		<b>currencyCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Issued capital/Currency code/Currency code content			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/issuedCapital/@currencyCode
132	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/issuedCapital/@codeListVersion
132	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/legalStructure
133	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/legalStructure/@languageCode
133	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Legal structure description/Language code/Code list version			orderLogisticalInformation/inventoryLocation/organisationDetails/legalStructure/@codeListVersion
133	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/city
133	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/cityCode
133	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/countryCode
133	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Country	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/countryCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Code list version			
133	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/countyCode
133	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/crossStreet
133	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/pOBoxNumber
133	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/postalCode
134	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Order line item	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Province identity			orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/provinceCode
134	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/state
134	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/streetAddressOne
134	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/streetAddressTwo
134	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Street	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/streetAddressThree

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address three			
134	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/geographicalCoordinates/latitude
134	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/geographicalCoordinates/longitude
134	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/legalRegistration/legalRegistrationNumber
134	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Registered legal information/Legal registration type	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/legalRegistration/legalRegistrationType

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Legal registration type code content			
134	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
135	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
135	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialInstitutionName
135	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialInstitutionBranchName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
135	BDT00000059	.. 80	1 .. 1	Financial institution division name <b>Financial account number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumber
135	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
135	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
135	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Storage location information/Financial institution and financial account information/Financial account information/Financial account name			financialInstitutionInformation/financialAccount/financialAccountName
135	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
135	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
135	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution routing number	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
136	BDT00000521	.. 70	1 .. 1	information/Financial routing number type code/Code list version <b>Additional financial institution description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/additionalFinancialInformation/description
136	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
136	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
136	BDT00000020	.. 200	0 .. 1	<b>City name</b>	1 .. 200	0 .. 1	<b>city</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/City name			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/city
136	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/cityCode
136	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/countryCode
136	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/countryCode/@codeListVersion
136	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Order line item	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/County code			orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/countyCode
136	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/crossStreet
136	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/name
137	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/pOBoxNumber
137	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/postalCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				location information/Financial institution and financial account information/ Address information/Postal code			
137	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/ Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/provinceCode
137	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/ Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/state
137	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/ Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/streetAddressOne
137	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/ Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/streetAddressTwo

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
137	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/streetAddressThree
137	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/geographicalCoordinates/latitude
137	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/geographicalCoordinates/longitude
137	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/gln
138	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b>	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Additional party identification information/Additional party identification content			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/additionalPartyIdentification
138	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
138	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/additionalPartyIdentification/@codeListVersion
138	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/city

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
138	BDT00000019	.. 80	0 .. 1	Address information/City name <b>City code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/cityCode
138	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/countryCode
138	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/countryCode/@codeListVersion
138	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/countyCode
138	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Ultimate consignee party information/ Address information/Cross street			crossStreet
138	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ currencyOfPartyCode
139	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Organisation legal information/Currency of party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ currencyOfPartyCode/@codeListVersion
139	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Organisation legal information/ Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ languageOfThePartyCode
139	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ languageOfThePartyCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/ Language of the party code/Code list version			
139	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ name
139	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ pOBoxNumber
139	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ postalCode
139	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ provinceCode
139	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Order line item	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Address information/State			orderLogisticalInformation/ultimateConsignee/address/state
139	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/streetAddressOne
139	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/streetAddressTwo
140	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/streetAddressThree
140	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/geographicalCoordinates/latitude
	BDT00000089						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
140		.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/geographicalCoordinates/longitude
140	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/contactTypeCode
140	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/contactTypeCode/@codeListVersion
140	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/personName
140	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Ultimate consignee party information/ Business contact information/ Department name			departmentName
140	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ jobTitle
140	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ responsibility
140	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ responsibility/@languageCode
141	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Ultimate consignee party information/ Business contact information/Business contact responsibility description/ Language code/Code list version			responsibility/@codeListVersion
141	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ communicationChannel/communicationChannelCode
141	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
141	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Business contact information/ Communication information/	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ communicationChannel/communicationValue

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
141	BDT00000033	.. 200	0 .. 1	Communication channel identification <b>Communication channel name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/communicationChannel/communicationChannelName
141	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationChannelCode
141	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
141	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Ultimate consignee party information/ Business contact information/After hours communication information/ Communication channel identification			afterHoursCommunicationChannel/communicationValue
141	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ afterHoursCommunicationChannel/ communicationChannelName
141	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Tax registration information/Tax registration identification information/ Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
142	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme responsible	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
142	BDT00000028	.. 35	0 .. 1	agency code/Identification scheme responsible agency code content <b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
142	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
142	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
142	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b>	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax type code/Tax type code content			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
142	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
142	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
142	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription
142	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Ultimate consignee party information/ Tax registration information/Tax description/Language code/Language code content			@languageCode
142	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
143	BDT000000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
143	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
143	BDT000000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/organisationName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
143	BDT00000655		1 .. 1	Ultimate consignee party information/ Organisation legal information/ Organisation name  <b>Issued capital content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/issuedCapital
143	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/issuedCapital/ @currencyCode
143	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/issuedCapital/ @codeListVersion
143	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Organisation legal information/Legal	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/legalStructure

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				structure description/Legal structure description content			
143	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/legalStructure/@languageCode
143	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/legalStructure/@codeListVersion
143	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/city
144	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/cityCode

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
144	BDT00000774		1 .. 1	address/City code <b>Country code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/countryCode
144	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/countryCode/@codeListVersion
144	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/countyCode
144	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/crossStreet
	BDT00000113						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
144		.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/pOBoxNumber
144	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/postalCode
144	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/provinceCode
144	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/state
144	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Ultimate consignee party information/ Organisation legal information/Official address/Street address one			organisationDetails/officialAddress/streetAddressOne
145	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/streetAddressTwo
145	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/streetAddressThree
145	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
145	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/ geographicalCoordinates/longitude

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Geographical coordinates information/Longitude			
145	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationNumber
145	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationType
145	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
145	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Ultimate consignee party information/ Organisation legal information/ Registered legal information/Legal registration additional information			organisationDetails/legalRegistration/ legalRegistrationAdditionalInformation
145	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/financialInstitutionName
145	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/ financialInstitutionBranchName
146	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/financialAccount/ financialAccountNumber
146	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b>	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content			orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
146	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
146	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountName
146	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Financial institution routing number information/Financial routing number			
146	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
146	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
146	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Additional financial institution description/Additional financial institution description content			
146	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
146	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
147	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/city
147	BDT00000019	.. 80	0 .. 1	<b>City code</b>	1 .. 80	0 .. 1	<b>cityCode</b>

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/City code			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/cityCode
147	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/countryCode
147	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/countryCode/@codeListVersion
147	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/countryCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
147	BDT00000035	.. 200	0 .. 1	account information/Address information/County code  <b>Cross street</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/crossStreet
147	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/name
147	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/pOBoxNumber
147	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/postalCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Address information/Postal code			
147	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/provinceCode
148	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/state
148	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/streetAddressOne
148	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/streetAddressTwo

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Ultimate consignee party information/ Financial institution and financial account information/Address information/Street address two			
148	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/ streetAddressThree
148	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
148	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
148	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b>		0 .. 1	<b>gln</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Global location number, GLN			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/gln
148	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/additionalPartyIdentification
148	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
148	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Additional party identification information/Additional	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party identification type code/Code list version			
149	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/city
149	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/cityCode
149	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/countryCode
149	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/countryCode/@codeListVersion
	BDT00000034						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
149		.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/countyCode
149	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/crossStreet
149	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/currencyOfPartyCode
149	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/currencyOfPartyCode/@codeListVersion
149	BDT00000524	.. 80	1 .. 1	<b>Language code content</b>	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Language of the party code/Language code content			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/languageOfThePartyCode
149	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/languageOfThePartyCode/@codeListVersion
150	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/name
150	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/pOBoxNumber
150	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Order line item	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Logistics services provider party information/Address information/Postal code			orderLogisticalInformation/intermediateDeliveryParty/address/postalCode
150	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/provinceCode
150	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/state
150	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/streetAddressOne
150	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Address information/Street	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/streetAddressTwo

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
150	BDT00000129	.. 200	0 .. 1	address two <b>Street address three</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/streetAddressThree
150	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/geographicalCoordinates/latitude
150	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/geographicalCoordinates/longitude
151	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Contact type code/Contact	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/contactTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
151	BDT00000028	.. 35	0 .. 1	type code content <b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/contactTypeCode/@codeListVersion
151	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/personName
151	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/departmentName
151	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/jobTitle
	BDT00000580						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
151		.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/responsibility
151	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/responsibility/@languageCode
151	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/responsibility/@codeListVersion
151	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Order line/Order line item	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Business contact information/Communication information/Communication channel code/Communication channel code content			orderLogisticalInformation/intermediateDeliveryParty/contact/communicationChannel/communicationChannelCode
151	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/communicationChannel/communicationChannelCode/@codeListVersion
152	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/communicationChannel/communicationValue
152	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/communicationChannel/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Logistics services provider party information/Business contact information/Communication information/Communication channel name			communicationChannelName
152	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/afterHoursCommunicationChannel/communicationChannelCode
152	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
152	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Business contact	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/afterHoursCommunicationChannel/communicationValue

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
152	BDT00000033	.. 200	0 .. 1	information/After hours communication information/Communication channel identification <b>Communication channel name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/afterHoursCommunicationChannel/communicationChannelName
152	BDT000000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
152	BDT000000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
152	BDT00000028	.. 35	0 .. 1	scheme responsible agency code/ Identification scheme responsible agency code content  <b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
152	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
153	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Tax registration information/Tax registration	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Identification scheme information/Identification scheme name			
153	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
153	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
153	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
153	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxDescription

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
153	BDT00000524	.. 80	1 .. 1	information/Tax registration information/Tax description/Tax description content  <b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
153	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
153	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
153	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Logistics services provider party information/Tax registration information/Tax registration type code/Code list version			@codeListVersion
153	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/organisationName
154	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/issuedCapital
154	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/issuedCapital/@currencyCode
154	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/issuedCapital/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Logistics services provider party information/Organisation legal information/Issued capital/Currency code/Code list version			
154	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalStructure
154	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalStructure/@languageCode
154	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalStructure/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
154	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/city
154	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/cityCode
154	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/countryCode
154	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/countryCode/@codeListVersion
155	BDT00000034	.. 80	0 .. 1	<b>County code</b>	1 .. 80	0 .. 1	<b>countyCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/County code			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/countyCode
155	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/crossStreet
155	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/pOBoxNumber
155	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/postalCode
155	BDT00000117	80 ..	0 .. 1	<b>Province identity</b>	1 .. 80	0 .. 1	<b>provinceCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Province identity			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/provinceCode
155	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/state
155	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/streetAddressOne
155	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/streetAddressTwo
155	BDT00000129	.. 200	0 .. 1	<b>Street address three</b>	1 .. 200	0 .. 1	<b>streetAddressThree</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Street address three			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/streetAddressThree
155	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/geographicalCoordinates/latitude
156	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/geographicalCoordinates/longitude
156	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalRegistration/legalRegistrationNumber

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
156	BDT00000658	.. 80	1 .. 1	information/Registered legal information/Legal registration number <b>Legal registration type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalRegistration/legalRegistrationType
156	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
156	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
156	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b>	1 .. 80	0 .. 1	<b>financialInstitutionName</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution name			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialInstitutionName
156	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialInstitutionBranchName
156	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialAccount/financialAccountNumber
156	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial account information/Financial account number type code/Financial account number type code content			
156	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
157	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialAccount/financialAccountName
157	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
157	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
157	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
157	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Additional financial institution description/	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/additionalFinancialInformation/description

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
157	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
157	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
157	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/city
157	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Logistics services provider party information/Financial institution and financial account information/Address information/City code			financialInstitutionInformation/address/cityCode
157	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/address/countryCode
158	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/address/countryCode/ @codeListVersion
158	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/address/countyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
158	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/crossStreet
158	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/name
158	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/pOBoxNumber
158	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/postalCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
158	BDT00000117	80 ..	0 .. 1	information/Postal code <b>Province identity</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/provinceCode
158	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/state
158	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/streetAddressOne
158	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/streetAddressTwo

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
159	BDT00000129	.. 200	0 .. 1	financial account information/Address information/Street address two <b>Street address three</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/streetAddressThree
159	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/geographicalCoordinates/latitude
159	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/geographicalCoordinates/longitude
159	BDT000000009		0 .. 1	<b>Begin period date</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered		0 .. 1	<b>beginDate</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Requested delivery date time information/Requested delivery time period/Begin period date			orderLogisticalDateInformation/ requestedDeliveryDateRange/beginDate
159	BDT00000010		0 .. 1	<b>Begin time period</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Requested delivery date time information/Requested delivery time period/Begin time period		0 .. 1	<b>beginTime</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedDeliveryDateRange/beginTime
159	BDT00000054		0 .. 1	<b>End date period</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Requested delivery date time information/Requested delivery time period/End date period		0 .. 1	<b>endDate</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedDeliveryDateRange/endDate
159	BDT00000055		0 .. 1	<b>End time period</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Requested delivery date time information/Requested delivery time period/End time period		0 .. 1	<b>endTime</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedDeliveryDateRange/endTime
159	BDT00000009		0 .. 1	<b>Begin period date</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Requested delivery date time information/Requested ship date time information		0 .. 1	<b>beginDate</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedShipDateRange/beginDate

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
159	BDT00000010		0 .. 1	period/Begin period date <b>Begin time period</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time period/Begin time period		0 .. 1	<b>beginTime</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedShipDateRange/beginTime
159	BDT00000054		0 .. 1	<b>End date period</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time period/End date period		0 .. 1	<b>endDate</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedShipDateRange/endDate
160	BDT00000055		0 .. 1	<b>End time period</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time period/End time period		0 .. 1	<b>endTime</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedShipDateRange/endTime
160	BDT00000009		0 .. 1	<b>Begin period date</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time period at ultimate consignee/Begin period date		0 .. 1	<b>beginDate</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRangeAtUltimateConsignee/beginDate
	BDT00000010						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
160			0 .. 1	<b>Begin time period</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time period at ultimate consignee/Begin time period		0 .. 1	<b>beginTime</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRangeAtUltimateConsignee/beginTime
160	BDT00000054		0 .. 1	<b>End date period</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time period at ultimate consignee/End date period		0 .. 1	<b>endDate</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRangeAtUltimateConsignee/endDate
160	BDT00000055		0 .. 1	<b>End time period</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time period at ultimate consignee/End time period		0 .. 1	<b>endTime</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRangeAtUltimateConsignee/endTime
160	BDT00000040		0 .. 1	<b>Date</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time/Date		1 .. 1	<b>date</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateTime/date

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
160	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time/Time		0 .. 1	<b>time</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateTime/time
160	BDT00000040		0 .. 1	<b>Date</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time/Date		1 .. 1	<b>date</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedShipDateTime/date
160	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time/Time		0 .. 1	<b>time</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedShipDateTime/time
160	BDT00000040		0 .. 1	<b>Date</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested date time for pick up/Date		1 .. 1	<b>date</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedPickUpDateTime/date
161	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered		0 .. 1	<b>time</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Requested delivery date time information/Requested date time for pick up/Time			orderLogisticalDateInformation/ requestedPickUpDateTime/time
161	BDT00000040		0 .. 1	<b>Date</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Requested delivery date time information/Requested delivery date time at ultimate consignee/Date	1 .. 1		<b>date</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedDeliveryDateTimeAtUltimateConsignee/date
161	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Requested delivery date time information/Requested delivery date time at ultimate consignee/Time	0 .. 1		<b>time</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedDeliveryDateTimeAtUltimateConsignee/time
161	BDT00000647	.. 80	1 .. 1	<b>Handling instruction code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Handling instruction code/Handling instruction code content	1 .. 80	0 .. unbounded	<b>handlingInstructionCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ handlingInstructionCode
161	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Handling instruction code/Code list	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ handlingInstructionCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
161	BDT00000687	.. 80	1 .. 1	<b>Transport means type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Transport means type code/Transport means type code content	1 .. 80	0 .. 1	<b>transportMeansType</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/transportMeansType
161	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Transport means type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/transportMeansType/@codeListVersion
161	BDT00000625	.. 80	0 .. 1	<b>Transport means identification content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Transport means identification content	1 .. 80	0 .. 1	<b>transportMeansID</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/transportMeansID
161	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme responsible	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/transportMeansID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				agency code/identification scheme responsible agency code content			
161	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/transportMeansID/@identificationSchemeAgencyCodeCodeListVersion
162	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/transportMeansID/@identificationSchemeAgencyName
162	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/transportMeansID/@identificationSchemeName
162	BDT00000688	.. 80	1 .. 1	<b>Transport mode code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/	1 .. 80	0 .. 1	<b>transportServiceCategoryType</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Transport mode code/Transport mode code content			transportServiceCategoryType
162	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Transport mode code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ transportServiceCategoryType/@codeListVersion
162	BDT000000689	.. 80	1 .. 1	<b>Transport service level code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Transport service level code/Transport service level code content	1 .. 80	0 .. 1	<b>transportServiceLevelCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ transportServiceLevelCode
162	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Transport service level code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ transportServiceLevelCode/@codeListVersion
162	BDT000000626	.. 80	1 .. 1	<b>Transport route identification content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Transport route identification/Transport route identification content	1 .. 80	0 .. 1	<b>routeID</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/routeID
	BDT000000583						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
162		.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/routeID/@identificationSchemeAgencyCode
162	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/routeID/@identificationSchemeAgencyCodeCodeListVersion
162	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/routeID/@identificationSchemeAgencyName
163	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Shipment transportation information/ Transport route identification/ Identification scheme information/ Identification scheme name			shipmentTransportationInformation/routeID/ @identificationSchemeName
163	BDT00000648	.. 70	1 .. 1	<b>Handling instruction description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Handling instruction description/ Handling instruction description content	1 .. 100	0 .. unbounded	<b>additionalHandlingInstruction</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ additionalHandlingInstruction
163	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Handling instruction description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ additionalHandlingInstruction/@languageCode
163	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Handling instruction description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ additionalHandlingInstruction/@codeListVersion
163	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/gln

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Carrier party information/Global location number, GLN			
163	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/additionalPartyIdentification
163	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
163	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/additionalPartyIdentification/@codeListVersion
163	BDT00000020	.. 200	0 .. 1	<b>City name</b>	1 .. 200	0 .. 1	<b>city</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/City name			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/city
163	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/cityCode
164	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/countryCode
164	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/countryCode/@codeListVersion
164	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Order line item	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Address information/County code			orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ countyCode
164	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ crossStreet
164	BDT000000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/name
164	BDT000000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ pOBoxNumber
164	BDT000000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ postalCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Carrier party information/Address information/Postal code			
164	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/provinceCode
164	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/state
164	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/streetAddressOne
165	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/streetAddressTwo
	BDT00000129						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
165		.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/streetAddressThree
165	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/geographicalCoordinates/latitude
165	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/geographicalCoordinates/longitude
165	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/contactTypeCode

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
165	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/contactTypeCode/@codeListVersion
165	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/personName
165	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/departmentName
165	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/jobTitle
165	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility</b>	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<b>description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Business contact responsibility description content			orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ responsibility
166	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/responsibility/@languageCode
166	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/responsibility/@codeListVersion
166	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Shipment transportation information/ Carrier party information/Business contact information/Communication information/Communication channel code/Communication channel code content			shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationChannelCode
166	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
166	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationValue
166	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationChannelName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Carrier party information/Business contact information/Communication information/Communication channel name			
166	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationChannelCode
166	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
166	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Business	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationValue

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
166	BDT00000033	.. 200	0 .. 1	contact information/After hours communication information/ Communication channel identification  <b>Communication channel name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ afterHoursCommunicationChannel/ communicationChannelName
167	BDT000000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
167	BDT000000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme responsible agency code/ Identification scheme responsible agency code content			
167	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
167	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
167	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Identification scheme information/Identification scheme name			
167	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Tax registration information/Tax type code/ Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
167	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Tax registration information/Tax type code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
167	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
167	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Carrier party information/Tax registration information/Tax description/Tax description content			dutyFeeTaxRegistration/dutyFeeTaxDescription
167	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
168	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
168	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
168	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
168	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/organisationName
168	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/issuedCapital
168	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Issued capital/ Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/issuedCapital/@currencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
168	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Issued capital/ Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/issuedCapital/ @codeListVersion
168	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/legalStructure
168	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/legalStructure/ @languageCode
168	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/legalStructure/ @codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Carrier party information/Organisation legal information/Legal structure description/Language code/Code list version			
169	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/city
169	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/cityCode
169	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/countryCode
169	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/ Country code/Code list version			shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/countryCode/ @codeListVersion
169	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/ County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/countyCode
169	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/crossStreet
169	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/pOBoxNumber
169	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Order line item	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Postal code			orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/postalCode
169	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/ Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/provinceCode
169	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/state
170	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/streetAddressOne
170	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Order line item	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Street address two			orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/streetAddressTwo
170	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/streetAddressThree
170	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
170	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/ Geographical coordinates information/	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/ geographicalCoordinates/longitude

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
170	BDT00000087	.. 80	1 .. 1	Longitude <b>Legal registration number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationNumber
170	BDT00000068	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationType
170	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
170	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Registered legal information/Legal registration additional information			shipmentTransportationInformation/carrier/ organisationDetails/legalRegistration/ legalRegistrationAdditionalInformation
170	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialInstitutionName
171	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/ financialInstitutionBranchName
171	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial account	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialAccount/ financialAccountNumber

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
171	BDT00000645	.. 80	1 .. 1	information/Financial account number <b>Financial account number type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
171	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
171	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial account	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
171	BDT00000062	.. 80	1 .. 1	information/Financial account name <b>Financial routing number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
171	BDT000000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
171	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial institution routing	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
171	BDT00000521	.. 70	1 .. 1	number information/Financial routing number type code/Code list version  <b>Additional financial institution description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/ additionalFinancialInformation/description
171	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
172	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Additional financial	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution description/Language code/ Code list version			
172	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/city
172	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/cityCode
172	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/ Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/countryCode
172	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/ Country code/Code list version			orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/countryCode/ @codeListVersion
172	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/countryCode
172	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/crossStreet
172	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/name

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution and financial account information/Address information/Party name			
172	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/pOBoxNumber
172	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/postalCode
173	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/ Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/provinceCode
173	BDT00000127	.. 80	0 .. 1	<b>State</b>	1 .. 80	0 .. 1	<b>state</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/State			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/state
173	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/streetAddressOne
173	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/streetAddressTwo
173	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/streetAddressThree

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution and financial account information/Address information/Street address three			
173	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/geographicalCoordinates/latitude
173	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/geographicalCoordinates/longitude
173	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/gln
173	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b>	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b>

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Additional party identification information/Additional party identification content			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/additionalPartyIdentification
173	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
174	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/additionalPartyIdentification/@codeListVersion
174	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Order line item	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/City name			orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/city
174	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/cityCode
174	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/countryCode
174	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/Country code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/countryCode/ @codeListVersion
174	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/County code			shipmentTransportationInformation/freightForwarder/ address/countyCode
174	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/crossStreet
174	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/name
174	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/pOBoxNumber
174	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/postalCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Freight forwarder party information/ Address information/Postal code			
175	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/provinceCode
175	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/state
175	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/streetAddressOne
175	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/streetAddressTwo
	BDT00000129						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
175		.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/streetAddressThree
175	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/geographicalCoordinates/latitude
175	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/geographicalCoordinates/longitude
175	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Contact	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/contactTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
175	BDT00000028	.. 35	0 .. 1	type code/Contact type code content <b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/contactTypeCode/@codeListVersion
175	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/personName
176	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/ Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/departmentName
176	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/jobTitle

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
176	BDT00000580	.. 70	1 .. 1	Business contact information/Job title <b>Business contact responsibility description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/responsibility
176	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/responsibility/@languageCode
176	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/responsibility/@codeListVersion
176	BDT00000525		1 .. 1	<b>Communication channel code content</b>	1 .. 80	1 .. 1	<b>communicationChannelCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/contact/communicationChannel/ communicationChannelCode
176	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/contact/communicationChannel/ communicationChannelCode/@codeListVersion
176	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationValue
176	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Order line/Order line item	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/ Communication information/ Communication channel name			orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/communicationChannel/ communicationChannelName
176	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationChannelCode
177	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
177	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/After hours communication information/ Communication channel identification			shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationValue
177	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationChannelName
177	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
177	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			
177	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
177	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
177	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name			dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
177	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax type code/ Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
177	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax type code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
178	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
178	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b>	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax description/Tax description content			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription
178	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
178	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
178	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				registration information/Tax registration type code/Tax registration type code content			
178	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
178	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/organisationName
178	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/issuedCapital
178	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Issued capital/Currency code/Currency code content			organisationDetails/issuedCapital/@currencyCode
178	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/issuedCapital/@codeListVersion
179	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalStructure
179	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalStructure/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
179	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/legalStructure/@codeListVersion
179	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/city
179	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/cityCode
179	BDT00000074		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/countryCode

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Country code/Country code content			
179	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/countryCode/@codeListVersion
179	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/countyCode
179	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/crossStreet
179	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Post office box number			organisationDetails/officialAddress/pOBoxNumber
180	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/postalCode
180	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/provinceCode
180	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/state
180	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Street address one			shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/streetAddressOne
180	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/streetAddressTwo
180	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/streetAddressThree
180	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
180	BDT00000089	.. 80	1 .. 1	<b>Longitude</b>	1 .. 80	1 .. 1	<b>longitude</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/geographicalCoordinates/longitude
180	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationNumber
180	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationType
181	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version			organisationDetails/legalRegistration/ legalRegistrationType/@codeListVersion
181	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalRegistration/ legalRegistrationAdditionalInformation
181	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialInstitutionName
181	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial institution	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/ financialInstitutionBranchName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
181	BDT00000059	.. 80	1 .. 1	<div>division name</div> <b>Financial account number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumber
181	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
181	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				type code/Code list version			
181	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountName
181	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
181	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
182	BDT00000028	.. 35	0 .. 1	routing number type code content <b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
182	BDT000000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/additionalFinancialInformation/description
182	BDT000000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Additional financial	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
182	BDT00000028	.. 35	0 .. 1	institution description/Language code/ Language code content  <b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
182	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/city
182	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/cityCode
182	BDT00000774		1 .. 1	<b>Country code content</b>	1 .. 80	0 .. 1	<b>countryCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Country code/Country code content			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/countryCode
182	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/countryCode/ @codeListVersion
182	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/countyCode
182	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Cross street			shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/crossStreet
183	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/name
183	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/pOBoxNumber
183	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/postalCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Address information/Postal code			
183	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/provinceCode
183	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/state
183	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/streetAddressOne
183	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Order line item	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Street address two			orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/streetAddressTwo
183	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/ streetAddressThree
183	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
183	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Freight forwarder party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude			geographicalCoordinates/longitude
184	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Referenced purchase conditions information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ purchaseConditions/entityIdentification
184	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Referenced purchase conditions information/ Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ purchaseConditions/contentOwner/gln
184	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Referenced purchase conditions information/ Document content owner/Additional party identification information/ Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ purchaseConditions/contentOwner/ additionalPartyIdentification
184	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Referenced purchase conditions information/ Document content owner/Additional party identification information/ Additional party identification type	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ purchaseConditions/contentOwner/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Additional party identification type code content			
184	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Referenced purchase conditions information/ Document content owner/Additional party identification information/ Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ purchaseConditions/contentOwner/ additionalPartyIdentification/@codeListVersion
184	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Referenced purchase conditions information/ Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ purchaseConditions/creationDateTime
184	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Referenced purchase conditions information/ Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ purchaseConditions/revisionNumber
184	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Referenced purchase conditions information/ Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ purchaseConditions/lineItemNumber
184	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Order/Order line/Order line item shipping details information/Referenced purchase conditions information/ Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ purchaseConditions/referencedDocumentUrl

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
184	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Global location number GLN	0 .. 1		<b>gln</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/gln
185	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Additional party identification/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/additionalPartyIdentification
185	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Additional party identification/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
185	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Additional party identification/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/additionalPartyIdentification/@codeListVersion
185	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/city
185	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/cityCode

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
185	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/countryCode
185	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/countryCode/@codeListVersion
185	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/countyCode
185	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/crossStreet
185	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/currencyOfPartyCode
186	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/currencyOfPartyCode/@codeListVersion
186	BDT00000524	.. 80	1 .. 1	<b>Language code content</b>	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/ Language of the party code/ Language code content			<i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/address/languageOfThePartyCode
186	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/ Language of the party code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/address/ languageOfThePartyCode/ @codeListVersion
186	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Address information/ Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/address/name
186	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Address information/ Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/address/pOBoxNumber
186	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Address information/ Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/address/postalCode
186	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Address information/ Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/address/provinceCode
186	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Address	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/address/state

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/State			
186	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/streetAddressOne
186	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/streetAddressTwo
187	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/streetAddressThree
187	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/geographicalCoordinates/latitude
187	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/geographicalCoordinates/longitude
187	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/contact/contactTypeCode
187	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/Contact type code/Code list version			<i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/contactTypeCode/ @codeListVersion
187	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/personName
187	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/departmentName
187	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/jobTitle
187	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/responsibility
187	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/Business	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/responsibility/ @languageCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
188	BDT00000028	.. 35	0 .. 1	contact responsibility description/ Language code/Language code content <b>Code list version</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/responsibility/ @codeListVersion
188	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/communicationChannel/ communicationChannelCode
188	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/communicationChannel/ communicationChannelCode/@codeListVersion
188	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/communicationChannel/ communicationValue
188	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b>	1 .. 200	0 .. 1	<b>communicationChannelName</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/ Communication information/ Communication channel name			<i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/communicationChannel/ communicationChannelName
188	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/ afterHoursCommunicationChannel/ communicationChannelCode
188	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
188	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/ afterHoursCommunicationChannel/communicationValue
188	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/After hours communication information/	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/ afterHoursCommunicationChannel/ communicationChannelName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
188	BDT00000584	.. 200	1 .. 1	Communication channel name <b>Tax registration identification content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
189	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
189	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
189	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
189	BDT00000074	.. 80	0 .. 1	scheme agency name <b>Identification scheme name</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
189	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
189	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
189	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
189	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxDescription
189	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Preferred	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				manufacturer party information/Tax registration information/Tax description/Language code/Language code content			preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
189	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
190	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
190	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
190	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/ Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ organisationName
190	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Issued		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/issuedCapital

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
190	BDT00000589	.. 80	1 .. 1	capital/Issued capital content <b>Currency code content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ issuedCapital/ @currencyCode
190	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ issuedCapital/ @codeListVersion
190	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/legalStructure
190	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ legalStructure/ @languageCode
190	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ legalStructure/ @codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
190	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/city
191	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/cityCode
191	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/countryCode
191	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/countryCode/ @codeListVersion
191	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/countyCode
191	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/crossStreet

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address/Cross street			
191	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/pOBoxNumber
191	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/postalCode
191	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/provinceCode
191	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/state
191	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/streetAddressOne
192	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/streetAddressTwo

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
192	BDT00000129	.. 200	0 .. 1	address/Street address two <b>Street address three</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/streetAddressThree
192	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/geographicalCoordinates/latitude
192	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/geographicalCoordinates/longitude
192	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ legalRegistration/legalRegistrationNumber
192	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ legalRegistration/legalRegistrationType

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				type code content			
192	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
192	BDT000000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
192	BDT000000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/financialInstitutionInformation/ financialInstitutionName
192	BDT000000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/financialInstitutionInformation/ financialInstitutionBranchName
193	BDT000000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Financial institution and financial account information/Financial account	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/financialInstitutionInformation/ financialAccount/financialAccountNumber

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
193	BDT00000645	.. 80	1 .. 1	information/Financial account number <b>Financial account number type code content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
193	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
193	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/financialAccount/financialAccountName
193	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
	BDT00000644						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
193		.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
193	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
193	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/additionalFinancialInformation/description
193	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Additional financial institution description/Language code/	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Language code content			
193	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
194	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/address/city
194	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/address/cityCode
194	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/address/countryCode/@codeListVersion
194	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Address information/County code			address/countyCode
194	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/address/crossStreet
194	BDT000000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/address/name
194	BDT000000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/address/pOBoxNumber
194	BDT000000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/address/postalCode
194	BDT000000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Address information/Province identity			address/provinceCode
194	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/address/state
195	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/address/streetAddressOne
195	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/address/streetAddressTwo
195	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/address/streetAddressThree
195	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Address information/Geographical coordinates information/Latitude			address/geographicalCoordinates/latitude
195	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/address/geographicalCoordinates/longitude
195	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Order/Order line/Referenced promotional deal information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/promotionalDeal/entityIdentification
195	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Order line/Referenced promotional deal information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/orderLineItem/promotionalDeal/contentOwner/gln
195	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Order line/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/promotionalDeal/contentOwner/additionalPartyIdentification
195	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Order line/Referenced promotional deal information/Document	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/promotionalDeal/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			
195	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/promotionalDeal/contentOwner/additionalPartyIdentification/@codeListVersion
196	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order/Order line/Referenced promotional deal information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> orderMessage/order/orderLineItem/promotionalDeal/creationDateTime
196	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Order/Order line/Referenced promotional deal information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/promotionalDeal/revisionNumber
196	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Order/Order line/Referenced promotional deal information/Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/promotionalDeal/lineItemNumber
196	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Order/Order line/Referenced promotional deal information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> orderMessage/order/orderLineItem/promotionalDeal/referencedDocumentUrl
196	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Order/Order line/Referenced purchase conditions information/Entity	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/purchaseConditions/entityIdentification

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification			
196	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Order line/Referenced purchase conditions information/Document content owner/Global location number GLN	0 .. 1		<b>gln</b> <i>Path:</i> orderMessage/order/orderLineItem/purchaseConditions/contentOwner/gln
196	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Order line/Referenced purchase conditions information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/purchaseConditions/contentOwner/additionalPartyIdentification
196	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Order line/Referenced purchase conditions information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/purchaseConditions/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
196	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Referenced purchase conditions information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/purchaseConditions/contentOwner/additionalPartyIdentification/@codeListVersion
196	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order/Order line/Referenced purchase conditions information/Business	0 .. 1		<b>creationDateTime</b> <i>Path:</i> orderMessage/order/orderLineItem/purchaseConditions/creationDateTime

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				document creation date time			
197	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Order/Order line/Referenced purchase conditions information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/purchaseConditions/revisionNumber
197	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Order/Order line/Referenced purchase conditions information/Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/purchaseConditions/lineItemNumber
197	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Order/Order line/Referenced purchase conditions information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> orderMessage/order/orderLineItem/purchaseConditions/referencedDocumentUrl
197	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Order/Order line/Referenced related order information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/referencedOrder/entityIdentification
197	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Order line/Referenced related order information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/orderLineItem/referencedOrder/contentOwner/gln
197	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Order line/Referenced related order information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/referencedOrder/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
197	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Referenced related	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/referencedOrder/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				order information/Document content owner/Additional party identification information/Additional party identification type code/Code list version			contentOwner/additionalPartyIdentification/@codeListVersion
197	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order/Order line/Referenced related order information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> orderMessage/order/orderLineItem/referencedOrder/creationDateTime
197	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Order/Order line/Referenced related order information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/referencedOrder/revisionNumber
197	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Order/Order line/Referenced related order information/Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/referencedOrder/lineItemNumber
198	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Order/Order line/Referenced related order information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> orderMessage/order/orderLineItem/referencedOrder/referencedDocumentUrl
198	BDT00000682	.. 80	1 .. 1	<b>Order relationship code content</b> <i>Path:</i> Order/Order line/Referenced related order information/Order relationship code/Order relationship code content	1 .. 80	1 .. 1	<b>orderRelationship</b> <i>Path:</i> orderMessage/order/orderLineItem/referencedOrder/orderRelationship
198	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Referenced related order information/Order relationship code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/referencedOrder/orderRelationship/@codeListVersion
198	BDT00000647	.. 80	1 .. 1	<b>Handling instruction code content</b>	1 .. 80	0 .. unbounded	<b>handlingInstructionCode</b>

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Shipment transportation information/Handling instruction code/Handling instruction code content			<i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/handlingInstructionCode
198	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Handling instruction code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/handlingInstructionCode/@codeListVersion
198	BDT00000687	.. 80	1 .. 1	<b>Transport means type code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Transport means type code/Transport means type code content	1 .. 80	0 .. 1	<b>transportMeansType</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/transportMeansType
198	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Transport means type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/transportMeansType/@codeListVersion
198	BDT00000625	.. 80	0 .. 1	<b>Transport means identification content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Transport means identification/Transport means identification content	1 .. 80	0 .. 1	<b>transportMeansID</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/transportMeansID
198	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/transportMeansID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				agency code content			
198	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeAgencyCodeCodeListVersion
199	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeAgencyName
199	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeName
199	BDT00000688	.. 80	1 .. 1	<b>Transport mode code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Transport mode code/Transport mode code content	1 .. 80	0 .. 1	<b>transportServiceCategoryType</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/ transportServiceCategoryType
199	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Transport mode code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/ transportServiceCategoryType/@codeListVersion
199	BDT00000689	.. 80	1 .. 1	<b>Transport service level code content</b>	1 .. 80	0 .. 1	<b>transportServiceLevelCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Shipment transportation information/Transport service level code/Transport service level code content			<i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/transportServiceLevelCode
199	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Transport service level code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/transportServiceLevelCode/@codeListVersion
199	BDT00000626	.. 80	1 .. 1	<b>Transport route identification content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Transport route identification/Transport route identification content	1 .. 80	0 .. 1	<b>routeID</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/routeID
199	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/routeID/@identificationSchemeAgencyCode
199	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/routeID/@identificationSchemeAgencyCodeCodeListVersion
199	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b>	1 .. 80		<b>identificationSchemeAgencyName</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme agency name			<i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/routeID/@identificationSchemeAgencyName
200	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/routeID/@identificationSchemeName
200	BDT00000648	.. 70	1 .. 1	<b>Handling instruction description content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Handling instruction description/Handling instruction description content	1 .. 100	0 .. unbounded	<b>additionalHandlingInstruction</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/additionalHandlingInstruction
200	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Handling instruction description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/additionalHandlingInstruction/@languageCode
200	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Handling instruction description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/additionalHandlingInstruction/@codeListVersion
200	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Global location number,		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/gln

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				GLN			
200	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/additionalPartyIdentification
200	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
200	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/additionalPartyIdentification/@codeListVersion
200	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/city
200	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/City code			cityCode
201	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/countryCode
201	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/countryCode/@codeListVersion
201	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/countyCode
201	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/crossStreet
201	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/currencyOfPartyCode
201	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Carrier party information/Organisation legal information/Currency of party code/Code list version			shipmentTransportationInformation/carrier/address/currencyOfPartyCode/@codeListVersion
201	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/languageOfThePartyCode
201	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/languageOfThePartyCode/@codeListVersion
201	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/name
201	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/pOBoxNumber
202	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Postal	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/postalCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code			
202	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/provinceCode
202	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/state
202	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/streetAddressOne
202	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/streetAddressTwo
202	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/streetAddressThree
202	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Geographical coordinates information/	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
202	BDT000000089	.. 80	1 .. 1	<b>Latitude</b> <b>Longitude</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/geographicalCoordinates/longitude
202	BDT000000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/contactTypeCode
202	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/contactTypeCode/@codeListVersion
203	BDT000000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/personName
203	BDT000000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/departmentName
203	BDT000000083	.. 70	0 .. 1	<b>Job title</b>	1 .. 70	0 .. 1	<b>jobTitle</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/Job title			<i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/jobTitle
203	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/responsibility
203	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/responsibility/@languageCode
203	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/responsibility/@codeListVersion
203	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/communicationChannel/communicationChannelCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication information/Communication channel code/Communication channel code content			
203	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
203	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationValue
203	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationChannelName
204	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/After hours communication	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/contact/ afterHoursCommunicationChannel/ communicationChannelCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication channel code/Communication channel code content			
204	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
204	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationValue
204	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationChannelName
204	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Tax	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
204	BDT00000583	.. 80	1 .. 1	registration identification content <b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
204	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
204	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
204	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Order line/Shipment	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name			shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
204	BDT000000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
205	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
205	BDT000000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
205	BDT000000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxDescription
205	BDT000000524	.. 80	1 .. 1	<b>Language code content</b>	1 .. 80		<b>languageCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax description/Language code/Language code content			<i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
205	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
205	BDT000000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
205	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
205	BDT000000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/organisationName
205	BDT000000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order/Order line/Shipment		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Carrier party information/Organisation legal information/Issued capital/Issued capital content			shipmentTransportationInformation/carrier/organisationDetails/issuedCapital
205	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/issuedCapital/@currencyCode
206	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/issuedCapital/@codeListVersion
206	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/legalStructure
206	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/legalStructure/@languageCode
	BDT00000028						

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
206		.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/legalStructure/@codeListVersion
206	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/city
206	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/cityCode
206	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/countryCode
206	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/countryCode/@codeListVersion
206	BDT00000034	.. 80	0 .. 1	<b>County code</b>	1 .. 80	0 .. 1	<b>countyCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/County code			<i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/countyCode
206	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/crossStreet
207	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/pOBoxNumber
207	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/postalCode
207	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/provinceCode
207	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Shipment	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Carrier party information/Organisation legal information/Official address/State			shipmentTransportationInformation/carrier/organisationDetails/officialAddress/state
207	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/streetAddressOne
207	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/streetAddressTwo
207	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/streetAddressThree
207	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/geographicalCoordinates/latitude
207	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Shipment	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Carrier party information/Organisation legal information/Official address/Geographical coordinates information/Longitude			shipmentTransportationInformation/carrier/organisationDetails/officialAddress/geographicalCoordinates/longitude
207	BDT000000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationNumber
208	BDT000000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationType
208	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
208	BDT000000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Registered legal	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Legal registration additional information			
208	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialInstitutionName
208	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialInstitutionBranchName
208	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountNumber
208	BDT000000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
	BDT000000028						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
208		.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
208	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountName
208	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
209	BDT00000064	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
209	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution routing number information/ Financial routing number type code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
209	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Additional financial institution description/ Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description
209	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Additional financial institution description/ Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
209	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
209	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/city
209	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/cityCode
209	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/countryCode
209	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/countryCode/@codeListVersion
209	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/countyCode

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
210	BDT000000035	.. 200	0 .. 1	information/County code <b>Cross street</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/crossStreet
210	BDT000000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/name
210	BDT000000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/pOBoxNumber
210	BDT000000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/postalCode
210	BDT000000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/provinceCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
210	BDT00000127	.. 80	0 .. 1	information/Province identity <b>State</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/state
210	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/streetAddressOne
210	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/streetAddressTwo
210	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/streetAddressThree
210	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
211	BDT00000089	.. 80	1 .. 1	information/Geographical coordinates information/Latitude <b>Longitude</b> <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
211	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/gln
211	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Additional party identification information/ Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ additionalPartyIdentification
211	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Additional party identification information/ Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
211	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Additional party identification information/Additional party identification type code/Code list version			<i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/additionalPartyIdentification/@codeListVersion
211	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/city
211	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/cityCode
211	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/countryCode
211	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/countryCode/@codeListVersion
211	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Shipment	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Freight forwarder party information/Address information/County code			shipmentTransportationInformation/freightForwarder/address/countyCode
212	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/crossStreet
212	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/currencyOfPartyCode
212	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/currencyOfPartyCode/@codeListVersion
212	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/languageOfThePartyCode
212	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Freight forwarder party information/ Organisation legal information/ Language of the party code/Code list version			shipmentTransportationInformation/freightForwarder/ address/languageOfThePartyCode/@codeListVersion
212	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ address/name
212	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ address/pOBoxNumber
212	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ address/postalCode
212	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ address/provinceCode
212	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ address/state

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
213	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/streetAddressOne
213	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/streetAddressTwo
213	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/streetAddressThree
213	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/geographicalCoordinates/latitude
213	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/geographicalCoordinates/longitude
213	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				forwarder party information/Business contact information/Contact type code/Contact type code content			contact/contactTypeCode
213	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/contactTypeCode/@codeListVersion
213	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/personName
213	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/departmentName
213	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/jobTitle
214	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/responsibility

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				responsibility description/Business contact responsibility description content			
214	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/responsibility/@languageCode
214	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/responsibility/@codeListVersion
214	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationChannelCode
214	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
214	BDT00000032	.. 200	1 .. 1	code/Communication channel code content/Code list version <b>Communication channel identification</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationValue
214	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationChannelName
214	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/afterHoursCommunicationChannel/communicationChannelCode
214	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel code/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
214	BDT00000032	.. 200	1 .. 1	Communication channel code content/Code list version <b>Communication channel identification</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/afterHoursCommunicationChannel/communicationValue
215	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/afterHoursCommunicationChannel/communicationChannelName
215	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
215	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme responsible agency code/ Identification scheme responsible agency code content			
215	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
215	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
215	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
215	BDT000000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				forwarder party information/Tax registration information/Tax type code/Tax type code content			dutyFeeTaxRegistration/dutyFeeTaxTypeCode
215	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
215	BDT000000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
215	BDT000000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription
216	BDT000000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
216	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Freight forwarder party information/Tax registration information/Tax description/Language code/Code list version			shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
216	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
216	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
216	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/organisationName
216	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/issuedCapital
	BDT00000589						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
216		.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/issuedCapital/@currencyCode
216	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/issuedCapital/@codeListVersion
216	BDT000000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/legalStructure
216	BDT000000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/legalStructure/@languageCode
217	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Legal structure description/Language code/Code list version			organisationDetails/legalStructure/@codeListVersion
217	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/city
217	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/cityCode
217	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/countryCode
217	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/countryCode/@codeListVersion
217	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Shipment	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Freight forwarder party information/ Organisation legal information/Official address/County code			shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/countyCode
217	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/crossStreet
217	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/pOBoxNumber
217	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/postalCode
217	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/provinceCode
218	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Shipment	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Freight forwarder party information/ Organisation legal information/Official address/State			shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/state
218	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/streetAddressOne
218	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/streetAddressTwo
218	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/streetAddressThree
218	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/geographicalCoordinates/latitude
218	BDT00000089	.. 80	1 .. 1	<b>Longitude</b>	1 .. 80	1 .. 1	<b>longitude</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude			<i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/geographicalCoordinates/longitude
218	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationNumber
218	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationType
218	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
218	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				forwarder party information/ Organisation legal information/ Registered legal information/Legal registration additional information			organisationDetails/legalRegistration/ legalRegistrationAdditionalInformation
219	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialInstitutionName
219	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/ financialInstitutionBranchName
219	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialAccount/ financialAccountNumber
219	BDT000000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
219	BDT00000028	.. 35	0 .. 1	information/Financial account number type code/Financial account number type code content <b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
219	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountName
219	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
219	BDT00000064	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content			
219	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialRoutingNumber/@codeListVersion
219	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/additionalFinancialInformation/description
220	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
220	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version			<i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
220	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/city
220	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/cityCode
220	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/countryCode
220	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				forwarder party information/Financial institution and financial account information/Address information/Country code/Code list version			financialInstitutionInformation/address/countryCode/@codeListVersion
220	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/countryCode
220	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/crossStreet
220	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/name
220	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Post	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/pOBoxNumber

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				office box number			
221	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/postalCode
221	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/provinceCode
221	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/state
221	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/streetAddressOne
221	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Order line/Shipment	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Street address two			shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/streetAddressTwo
221	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/streetAddressThree
221	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/geographicalCoordinates/latitude
221	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/geographicalCoordinates/longitude
221	BDT00000699	.. 80	1 .. 1	<b>Referenced document type code content</b> <i>Path:</i> Order/Order line/Referenced additional information/Referenced document type	1 .. 80	1 .. 1	<b>transactionalReferenceTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalGenericReference/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Referenced document type code content			transactionalReferenceTypeCode
221	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Referenced additional information/Referenced document type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalGenericReference/transactionalReferenceTypeCode/@codeListVersion
222	BDT00000135	.. 200	1 .. 1	<b>Business document reference identification</b> <i>Path:</i> Order/Order line/Referenced additional information/Business document reference identification	1 .. 200	1 .. 1	<b>transactionalReferenceValue</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalGenericReference/transactionalReferenceValue
222	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order/Order line/Referenced additional information/Business document creation date time		0 .. 1	<b>transactionalReferenceDateTime</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalGenericReference/transactionalReferenceDateTime
222	BDT00000066	14 .. 14	0 .. 1	<b>Global trade item number, GTIN</b> <i>Path:</i> Order/Order line/Requested trade item information/Global trade item number, GTIN		0 .. 1	<b>gtin</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/gtin
222	BDT00000516	.. 80	1 .. 1	<b>Additional trade item identification content</b> <i>Path:</i> Order/Order line/Requested trade item information/Additional trade item identification/Additional trade item identification content	1 .. 80	0 .. unbounded	<b>additionalTradeItemIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/additionalTradeItemIdentification
222	BDT00000518	.. 80	1 .. 1	<b>Additional trade item identification type code content</b> <i>Path:</i> Order/Order line/Requested trade item information/Additional trade item identification/Additional trade item identification type code/Additional trade	1 .. 80		<b>additionalTradeItemIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/additionalTradeItemIdentification/@additionalTradeItemIdentificationTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
222	BDT00000028	.. 35	0 .. 1	item identification type code content <b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Additional trade item identification/Additional trade item identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/additionalTradeItemIdentification/@codeListVersion
222	BDT00000678		1 .. 1	<b>Trade item quantity content</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item quantity/Trade item quantity content		0 .. 1	<b>tradeItemQuantity</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/tradeItemQuantity
222	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item quantity/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/tradeItemQuantity/@measurementUnitCode
222	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item quantity/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/tradeItemQuantity/@codeListVersion
222	BDT00000684	.. 70	1 .. 1	<b>Trade item description content</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item description/Trade item description content	1 .. 200	0 .. 1	<b>tradeItemDescription</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/tradeItemDescription
223	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/tradeItemDescription/@languageCode
	BDT00000028						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
223		.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradelItem/tradelItemDescription/ @codeListVersion
223	BDT00000115	.. 80	0 .. 1	<b>Product variant identifier</b> <i>Path:</i> Order/Order line/Requested trade item information/Product variant identifier	1 .. 80	0 .. 1	<b>productVariantIdentifier</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradelItem/productVariantIdentifier
223	BDT00000656	.. 80	1 .. 1	<b>Item type code content</b> <i>Path:</i> Order/Order line/Requested trade item information/Item type code/Item type code content	1 .. 80	0 .. 1	<b>itemTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradelItem/itemTypeCode
223	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Item type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradelItem/itemTypeCode/ @codeListVersion
223	BDT00000700	.. 80	1 .. 1	<b>Trade item transactional data owner code content</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item transactional data owner code/Trade item transactional data owner code content	1 .. 80	0 .. 1	<b>tradelItemDataOwner</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradelItem/tradelItemDataOwner
223	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item transactional data owner code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradelItem/tradelItemDataOwner/ @codeListVersion
223	BDT00000013	.. 35	0 .. 1	<b>Butter fat reference</b> <i>Path:</i> Order/Order line/Requested trade item information/Butter fat reference	1 .. 35	0 .. 1	<b>butterFatReference</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradelItem/butterFatReference
223	BDT00000007		0 .. 1	<b>Available for sale date</b>		0 .. 1	<b>availableForSaleDate</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Available for sale date			<i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/availableForSaleDate
223	BDT00000008	.. 80	0 .. 1	<b>Batch number</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Batch number	1 .. 80	0 .. 1	<b>batchNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/batchNumber
224	BDT00000011		0 .. 1	<b>Best before date</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Best before date		0 .. 1	<b>bestBeforeDate</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/bestBeforeDate
224	BDT00000572		1 .. 1	<b>Country of origin code content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Country of origin/Country of origin code content	1 .. 80	0 .. 1	<b>countryOfOrigin</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/countryOfOrigin
224	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Country of origin/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/countryOfOrigin/@codeListVersion
224	BDT00000057		0 .. 1	<b>Expiration date</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Expiration date		0 .. 1	<b>itemExpirationDate</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/itemExpirationDate
224	BDT00000090	.. 80	0 .. 1	<b>Lot number</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Lot number	1 .. 80	0 .. 1	<b>lotNumber</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/lotNumber
	BDT00000104						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
224			0 .. 1	<b>Packaging date</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Packaging date		0 .. 1	<b>packagingDate</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/packagingDate
224	BDT00000116		0 .. 1	<b>Production date</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Production date		0 .. 1	<b>productionDate</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/productionDate
224	BDT00000695		1 .. 1	<b>Product quality value content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Product quality value/Product quality value content		0 .. 1	<b>productQualityIndication</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/productQualityIndication
224	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Product quality value/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/productQualityIndication/@measurementUnitCode
224	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Product quality value/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/productQualityIndication/@codeListVersion
225	BDT00000120		0 .. 1	<b>Sell by date</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Sell by date		0 .. 1	<b>sellByDate</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/sellByDate
225	BDT00000121	.. 20	0 .. unbounded	<b>Serial number</b>	1 .. 20	0 .. unbounded	<b>serialNumber</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Serial number			<i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/serialNumber
225	BDT00000122	.. 80	0 .. 1	<b>Shelf life</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Shelf life	1 .. 80	0 .. 1	<b>shelfLife</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/shelfLife
225	BDT00000678		1 .. 1	<b>Trade item quantity content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item quantity/Trade item quantity content		0 .. 1	<b>tradeItemQuantity</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/tradeItemQuantity
225	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item quantity/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/tradeItemQuantity/@measurementUnitCode
225	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item quantity/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/tradeItemQuantity/@codeListVersion
225	BDT00000082		0 .. 1	<b>Item in contact with food product indicator</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Item in contact with food product indicator		0 .. 1	<b>itemInContactWithFoodProduct</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/itemInContactWithFoodProduct
225	BDT00000666	.. 80	1 .. 1	<b>Measurement type code content</b>	1 .. 80	1 .. 1	<b>measurementType</b>

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item weight information/Measurement type code/Measurement type code content			<i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementType
225	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item weight information/Measurement type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementType/@codeListVersion
225	BDT00000728		1 .. 1	<b>Trade item weight content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content		1 .. 1	<b>measurementValue</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementValue
226	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item weight information/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementValue/@measurementUnitCode
226	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item weight information/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementValue/@codeListVersion
226	BDT00000666	.. 80	1 .. 1	<b>Measurement type code content</b> <i>Path:</i> Order/Order line/Requested trade item	1 .. 80	1 .. 1	<b>measurementType</b> <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Dynamic trade item information/Trade item volume information/Measurement type code/ Measurement type code content			transactionalTradeItem/transactionalItemData/ transactionalItemVolume/measurementType
226	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item volume information/Measurement type code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemVolume/measurementType/ @codeListVersion
226	BDT00000752		1 .. 1	<b>Trade item volume content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item volume information/Trade item volume content		1 .. 1	<b>measurementValue</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemVolume/measurementValue
226	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item volume information/Measurement unit code/ Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemVolume/measurementValue/ @measurementUnitCode
226	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item volume information/Measurement unit code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemVolume/measurementValue/ @codeListVersion
226	BDT00000092		0 .. 1	<b>Maximum value</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item		0 .. 1	<b>maximumValue</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Serial number range/ Maximum value			serialNumberRange/maximumValue
226	BDT00000094		0 .. 1	<b>Minimum value</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Serial number range/ Minimum value		0 .. 1	<b>minimumValue</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ serialNumberRange/minimumValue
226	BDT000000661		1 .. 1	<b>Depth measurement content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item measurements information/Depth measurement/Depth measurement content		1 .. 1	<b>depth</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/depth
227	BDT000000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item measurements information/Depth measurement/ Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/depth/ @measurementUnitCode
227	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item measurements information/Depth measurement/ Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/depth/@codeListVersion
227	BDT000000650		1 .. 1	<b>Height measurement content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item		1 .. 1	<b>height</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Trade item measurements information/Height measurement/Height measurement content			transactionalItemDimensions/height
227	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item measurements information/Height measurement/ Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/height/ @measurementUnitCode
227	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item measurements information/Height measurement/ Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/height/@codeListVersion
227	BDT00000662		1 .. 1	<b>Width measurement content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item measurements information/Width measurement/Width measurement content		1 .. 1	<b>width</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/width
227	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item measurements information/Width measurement/ Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/width/ @measurementUnitCode
	BDT00000028						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
227		.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/width/@codeListVersion
227	BDT000000095		0 .. 1	<b>Number of layers</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Number of layers		0 .. 1	<b>numberOfLayers</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/numberOfLayers
227	BDT000000096		0 .. 1	<b>Number of units per layer</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Number of units per layer		0 .. 1	<b>numberOfUnitsPerLayer</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/numberOfUnitsPerLayer
228	BDT000000097		0 .. 1	<b>Number of units per platform</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Number of units per platform		0 .. 1	<b>numberOfUnitsPerPallet</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/numberOfUnitsPerPallet
228	BDT000000663	.. 80	1 .. 1	<b>Packaging terms and conditions code content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Packaging terms	1 .. 80	0 .. 1	<b>packagingTerms</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/packagingTerms

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				and conditions code/Packaging terms and conditions code content			
228	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Packaging terms and conditions code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/packagingTerms/@codeListVersion
228	BDT00000664	.. 80	1 .. 1	<b>Package type code content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Package type code/Package type code content	1 .. 80	0 .. 1	<b>packageTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/packageTypeCode
228	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Package type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/packageTypeCode/@codeListVersion
228	BDT00000091		1 .. 1	<b>Maximum stacking factor</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Maximum stacking factor		1 .. 1	<b>maximumStackingFactor</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/maximumStackingFactor
228	BDT00000665	.. 80	1 .. 1	<b>Returnable package return transport payment code content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item	1 .. 80	0 .. 1	<b>returnablePackageTransportCostPayment</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Logistic unit packaging pattern information/Returnable package return transport payment code/Returnable package return transport payment code content			returnablePackageTransportCostPayment
228	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Returnable package return transport payment code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/returnablePackageTransportCostPayment/@codeListVersion
228	BDT000000661		1 .. 1	<b>Depth measurement content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Depth measurement/Depth measurement content		1 .. 1	<b>depth</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/depth
228	BDT000000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Depth measurement/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/depth/@measurementUnitCode
229	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Logistic unit packaging pattern information/Logistic unit dimensions information/Depth measurement/Measurement unit code/Code list version			transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/depth/@codeListVersion
229	BDT00000650		1 .. 1	<b>Height measurement content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Height measurement/Height measurement content		1 .. 1	<b>height</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/height
229	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Height measurement/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/height/@measurementUnitCode
229	BDT00000662		1 .. 1	<b>Width measurement content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Width measurement/Width measurement content		1 .. 1	<b>width</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/width
229	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order/Order line/Requested trade item	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Width measurement/Measurement unit code/Measurement unit code content			transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/width/@measurementUnitCode
229	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Width measurement/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/width/@codeListVersion
229	BDT000000646	.. 80	1 .. 1	<b>GS1 global trade item number format code content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/ GS1 global trade item number format code/GS1 global trade item number format code content	1 .. 80	0 .. 1	<b>gs1TransactionalItemIdentificationKey</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDataCarrierAndIdentification/ gs1TransactionalItemIdentificationKey
229	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/ GS1 global trade item number format code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDataCarrierAndIdentification/ gs1TransactionalItemIdentificationKey/@codeListVersion
229	BDT000000639	.. 80	1 .. 1	<b>Data carrier type code content</b>	1 .. 80	0 .. 1	<b>dataCarrier</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/Data carrier type code/Data carrier type code content			<i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDataCarrierAndIdentification/dataCarrier
229	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/Data carrier type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDataCarrierAndIdentification/dataCarrier/@codeListVersion
230	BDT000000138		0 .. 1	<b>Waste identification</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item waste information/Waste identification		0 .. 1	<b>wasteIdentification</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/wasteIdentification
230	BDT000000702	.. 80	1 .. 1	<b>Waste type code content</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Waste type code content	1 .. 80	0 .. unbounded	<b>typeOfWaste</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste
230	BDT000000022	.. 80	0 .. 1	<b>Code description</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code description	1 .. 80		<b>codeDescription</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeDescription
230	BDT000000023	.. 80	0 .. 1	<b>Code list agency code</b>	1 .. 80		<b>codeListAgencyCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list agency code			<i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeListAgencyCode
230	BDT00000024	.. 35	0 .. 1	<b>Code list agency code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list agency code list version	1 .. 35		<b>codeListAgencyCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeListAgencyCodeListVersion
230	BDT00000025	.. 80	0 .. 1	<b>Code list agency name</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list agency name	1 .. 80		<b>codeListAgencyName</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeListAgencyName
230	BDT00000026	.. 80	0 .. 1	<b>Code list name</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list name	1 .. 80		<b>codeListName</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeListName
230	BDT00000027	.. 500	0 .. 1	<b>Code list URL</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list URL			<b>codeListURI</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeListURI
230	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list version			<i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeListVersion
230	BDT00000081		1 .. 1	<b>Trade item organic indicator</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item organic information/Trade item organic indicator		1 .. 1	<b>isTradeItemOrganic</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemOrganicInformation/isTradeItemOrganic
231	BDT00000015	.. 200	0 .. 1	<b>Certification agency name</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item organic information/Organic certification information/Certification agency name	1 .. 200	0 .. 1	<b>itemCertificationAgency</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemOrganicInformation/organicCertification/itemCertificationAgency
231	BDT00000016	.. 200	0 .. 1	<b>Certification standard name</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item organic information/Organic certification information/Certification standard name	1 .. 200	0 .. 1	<b>itemCertificationStandard</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemOrganicInformation/organicCertification/itemCertificationStandard
231	BDT00000017	.. 200	0 .. 1	<b>Certification value</b> <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item organic information/Organic certification information/Certification value	1 .. 200	0 .. 1	<b>itemCertificationValue</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemOrganicInformation/organicCertification/itemCertificationValue
231	BDT00000736		1 .. 1	<b>Colour code content</b> <i>Path:</i> Order/Order line/Requested trade item	1 .. 80	0 .. 1	<b>colourCode</b> <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Trade item colour information/Colour code/Colour code content			transactionalTradeItem/colour/colourCode
231	BDT00000029	.. 80	1 .. 1	<b>Colour code system code</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item colour information/Colour code/Colour code system code	1 .. 80		<b>colourCodeListCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/colour/colourCode/ @colourCodeListCode
231	BDT00000030	.. 80	0 .. 1	<b>Colour code system description</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item colour information/Colour code/Colour code system description	1 .. 80		<b>colourCodeListDescription</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/colour/colourCode/ @colourCodeListDescription
231	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item colour information/Colour code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/colour/colourCode/ @codeListVersion
231	BDT00000031	.. 35	0 .. 1	<b>Colour code system version</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item colour information/Colour code/Colour code system version	1 .. 35		<b>colourCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/colour/colourCode/ @colourCodeListVersion
231	BDT00000737	.. 70	1 .. 1	<b>Colour description content</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item colour information/Colour description/Colour description content	1 .. 80	0 .. unbounded	<b>colourDescription</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/colour/colourDescription
231	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Requested trade item	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Trade item colour information/Colour description/ Language code/Language code content			transactionalTradeItem/colour/colourDescription/ @languageCode
232	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item colour information/Colour description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/colour/colourDescription/ @codeListVersion
232	BDT000000679	.. 70	1 .. 1	<b>Size description content</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item size information/Size description/Size description content	1 .. 80	0 .. 1	<b>descriptiveSize</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/size/descriptiveSize
232	BDT000000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item size information/Size description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/size/descriptiveSize/ @languageCode
232	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item size information/Size description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/size/descriptiveSize/ @codeListVersion
232	BDT000000680	.. 80	1 .. 1	<b>Size code content</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item size information/Size code/Size code content	1 .. 80	0 .. 1	<b>sizeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/size/sizeCode
232	BDT000000681	.. 80	1 .. 1	<b>Size code list code content</b> <i>Path:</i> Order/Order line/Requested trade item	1 .. 80		<b>sizeCodeListCode</b> <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Trade item size information/Size code/Size code list code/Size code list code content			transactionalTradeltem/size/sizeCode/ @sizeCodeListCode
232	BDT00000124	.. 80	0 .. 1	<b>Size code list description</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item size information/Size code/Size code list description	1 .. 80		<b>sizeCodeListDescription</b> <i>Path:</i> orderMessage/order/orderLinItem/ transactionalTradeltem/size/sizeCode/ @sizeCodeListDescription
232	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item size information/Size code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLinItem/ transactionalTradeltem/size/sizeCode/@codeListVersion
232	BDT00000125	.. 35	0 .. 1	<b>Size code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item size information/Size code/Size code list version	1 .. 35		<b>sizeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLinItem/ transactionalTradeltem/size/sizeCode/ @sizeCodeListVersion
232	BDT00000070	.. 8	1 .. 1	<b>GS1 global product classification GPC brick code</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item classification information/GS1 global product classification GPC brick code	1 .. 1		<b>gpcCategoryCode</b> <i>Path:</i> orderMessage/order/orderLinItem/ transactionalTradeltem/tradeltemClassification/ gpcCategoryCode
233	BDT00000536	.. 80	1 .. 1	<b>Alternative trade item product classification code content</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item classification information/Alternative trade item product classification code/Alternative trade item product classification code	1 .. 80	0 .. unbounded	<b>additionalTradeltemClassificationCode</b> <i>Path:</i> orderMessage/order/orderLinItem/ transactionalTradeltem/tradeltemClassification/ additionalTradeltemClassificationCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
233	BDT00000002	.. 80	0 .. 1	<b>Additional trade item classification scheme code</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item classification information/Alternative trade item product classification code/Additional trade item classification scheme code	1 .. 80		<b>additionalTradeItemClassificationCodeListCode</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/tradeItemClassification/additionalTradeItemClassificationCode/@additionalTradeItemClassificationCodeListCode
233	BDT00000003	.. 35	0 .. 1	<b>Additional trade item classification scheme version</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item classification information/Alternative trade item product classification code/Additional trade item classification scheme version	1 .. 35		<b>additionalTradeItemClassificationCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/tradeItemClassification/additionalTradeItemClassificationCode/@additionalTradeItemClassificationCodeListVersion
233	BDT00000022	.. 80	0 .. 1	<b>Code description</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item classification information/Alternative trade item product classification code/Code description	1 .. 80		<b>codeDescription</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/tradeItemClassification/additionalTradeItemClassificationCode/@codeDescription
233	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item classification information/Alternative trade item product classification code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/tradeItemClassification/additionalTradeItemClassificationCode/@codeListVersion
233	BDT00000071	.. 200	0 .. 1	<b>GS1 global product classification GPC brick name</b>	1 .. 105	0 .. 1	<b>gpcCategoryName</b> <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Requested trade item information/Trade item classification information/GS1 global product classification GPC brick name			transactionalTradeltem/tradeltemClassification/gpcCategoryName
233	BDT00000067	.. 8	1 .. 1	<b>GS1 global product classification GPC attribute type code</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute type code	1 .. 1		<b>gpcAttributeTypeCode</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeltem/tradeltemClassification/gpcAttribute/gpcAttributeTypeCode
233	BDT00000068	.. 8	1 .. 1	<b>GS1 global product classification GPC attribute value code</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute value code	1 .. 1		<b>gpcAttributeValueCode</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeltem/tradeltemClassification/gpcAttribute/gpcAttributeValueCode
233	BDT00000064	.. 200	0 .. 1	<b>Global product classification GPC attribute type name</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item classification information/Global Product Classification attributes/Global product classification GPC attribute type name	1 .. 105	0 .. 1	<b>gpcAttributeTypeName</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeltem/tradeltemClassification/gpcAttribute/gpcAttributeTypeName
233	BDT00000069	.. 200	0 .. 1	<b>GS1 global product classification GPC attribute value name</b> <i>Path:</i> Order/Order line/Requested trade item information/Trade item classification	1 .. 105	0 .. 1	<b>gpcAttributeValueName</b> <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeltem/tradeltemClassification/gpcAttribute/gpcAttributeValueName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Global Product Classification attributes/GS1 global product classification GPC attribute value name			
234	BDT00000568	.. 80	1 .. 1	<b>Transport cargo type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Transport cargo type code/Transport cargo type code content	1 .. 80	0 .. 1	<b>commodityTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/commodityTypeCode
234	BDT00000022	.. 80	0 .. 1	<b>Code description</b> <i>Path:</i> Order/Ordered trade item logistical information/Transport cargo type code/Code description	1 .. 80		<b>codeDescription</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/commodityTypeCode/@codeDescription
234	BDT00000023	.. 80	0 .. 1	<b>Code list agency code</b> <i>Path:</i> Order/Ordered trade item logistical information/Transport cargo type code/Code list agency code	1 .. 80		<b>codeListAgencyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/commodityTypeCode/@codeListAgencyCode
234	BDT00000024	.. 35	0 .. 1	<b>Code list agency code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Transport cargo type code/Code list agency code list version	1 .. 35		<b>codeListAgencyCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/commodityTypeCode/@codeListAgencyCodeListVersion
234	BDT00000025	.. 80	0 .. 1	<b>Code list agency name</b> <i>Path:</i> Order/Ordered trade item logistical information/Transport cargo type code/Code list agency name	1 .. 80		<b>codeListAgencyName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/commodityTypeCode/@codeListAgencyName
234	BDT00000026	.. 80	0 .. 1	<b>Code list name</b> <i>Path:</i> Order/Ordered trade item logistical information/Transport cargo type code/Code list name	1 .. 80		<b>codeListName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/commodityTypeCode/@codeListName
234	BDT00000027	.. 500	0 .. 1	<b>Code list URL</b>			<b>codeListURI</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Transport cargo type code/Code list URL			<i>Path:</i> orderMessage/order/orderLogisticalInformation/commodityTypeCode/@codeListURI
234	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Transport cargo type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/commodityTypeCode/@codeListVersion
234	BDT00000788		0 .. 1	<b>Logistic label customer information</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistic label customer information		0 .. 1	<b>logisticLabelCustomerText</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/logisticLabelCustomerText
234	BDT00000567	.. 80	1 .. 1	<b>Shipment split method code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment split method code/Shipment split method code content	1 .. 80	0 .. 1	<b>shipmentSplitMethodCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentSplitMethodCode
235	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment split method code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentSplitMethodCode/@codeListVersion
235	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/gln
235	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Additional party identification information/Additional	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/additionalPartyIdentification

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
235	BDT00000570	.. 80	1 .. 1	party identification content <b>Additional party identification type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
235	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/additionalPartyIdentification/@codeListVersion
235	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/city
235	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/cityCode
235	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/countryCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
235	BDT00000028	.. 35	0 .. 1	Country code/Country code content <b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/countryCode/@codeListVersion
235	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/countyCode
236	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/crossStreet
236	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/name
236	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/pOBoxNumber
236	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/Postal	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/postalCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code			
236	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/provinceCode
236	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/state
236	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/streetAddressOne
236	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/streetAddressTwo
236	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/streetAddressThree
236	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/Geographical coordinates information/	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
237	BDT000000089	.. 80	1 .. 1	<b>Latitude</b> <b>Longitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/geographicalCoordinates/longitude
237	BDT000000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/contactTypeCode
237	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/contactTypeCode/@codeListVersion
237	BDT000000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/personName
237	BDT000000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/departmentName
237	BDT000000083	.. 70	0 .. 1	<b>Job title</b>	1 .. 70	0 .. 1	<b>jobTitle</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/Job title			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/jobTitle
237	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/responsibility
237	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/responsibility/@languageCode
237	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/responsibility/@codeListVersion
237	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/communicationChannel/communicationChannelCode

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication information/Communication channel code/Communication channel code content			
238	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/contact/communicationChannel/ communicationChannelCode/@codeListVersion
238	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/contact/communicationChannel/ communicationValue
238	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/contact/communicationChannel/ communicationChannelName
238	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/contact/afterHoursCommunicationChannel/ communicationChannelCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication channel code/Communication channel code content			
238	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
238	BDT000000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/afterHoursCommunicationChannel/communicationValue
238	BDT000000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/afterHoursCommunicationChannel/communicationChannelName
238	BDT000000622	.. 200	1 .. 1	<b>Customs registration identification content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs registration identification information/Customs	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
238	BDT00000583	.. 80	1 .. 1	registration identification content <b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
238	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
239	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
239	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Ordered trade item logistical	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ship from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name			shipFrom/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/@identificationSchemeName
239	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
239	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode/@codeListVersion
239	BDT00000370	.. 80	0 .. 1	<b>Customs authority name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/dutyFeeTaxRegistration/ dutyFeeTaxAgencyName
239	BDT00000563	.. 70	1 .. 1	<b>Customs duty description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs duty description/ Customs duty description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription
239	BDT00000524	.. 80	1 .. 1	<b>Language code content</b>	1 .. 80		<b>languageCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs duty description/ Language code/Language code content			<i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/dutyFeeTaxRegistration/ dutyFeeTaxDescription/@languageCode
239	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs duty description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/dutyFeeTaxRegistration/ dutyFeeTaxDescription/@codeListVersion
239	BDT00000624	.. 80	1 .. 1	<b>Customs registration type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType
239	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType/@codeListVersion
240	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/organisationDetails/organisationName
240	BDT00000655		1 .. 1	<b>Issued capital content</b>		0 .. 1	<b>issuedCapital</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Issued capital/Issued capital content			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/issuedCapital
240	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/issuedCapital/@currencyCode
240	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/issuedCapital/@codeListVersion
240	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/legalStructure
240	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/legalStructure/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
240	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/legalStructure/@codeListVersion
240	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/city
240	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/cityCode
240	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/countryCode
241	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/countryCode/@codeListVersion
241	BDT00000034	.. 80	0 .. 1	<b>County code</b>	1 .. 80	0 .. 1	<b>countyCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/County code			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/countyCode
241	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/crossStreet
241	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/pOBoxNumber
241	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/postalCode
241	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/provinceCode
241	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Ordered trade item logistical	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ship from party information/Organisation legal information/Official address/State			shipFrom/organisationDetails/officialAddress/state
241	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/organisationDetails/officialAddress/ streetAddressOne
241	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/organisationDetails/officialAddress/ streetAddressTwo
241	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/organisationDetails/officialAddress/ streetAddressThree
242	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/organisationDetails/officialAddress/ geographicalCoordinates/latitude
242	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Ordered trade item logistical	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ship from party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude			shipFrom/organisationDetails/officialAddress/ geographicalCoordinates/longitude
242	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/organisationDetails/legalRegistration/ legalRegistrationNumber
242	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/organisationDetails/legalRegistration/ legalRegistrationType
242	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/organisationDetails/legalRegistration/ legalRegistrationType/@codeListVersion
242	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Registered legal	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/organisationDetails/legalRegistration/ legalRegistrationAdditionalInformation

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Legal registration additional information			
242	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialInstitutionName
242	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialInstitutionBranchName
242	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialAccount/financialAccountNumber
242	BDT000000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
	BDT00000028						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
243		.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
243	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialAccount/financialAccountName
243	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
243	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
243	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
243	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/additionalFinancialInformation/description
243	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
243	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
243	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/city
243	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/cityCode
244	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/countryCode
244	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/countryCode/@codeListVersion
244	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/countyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
244	BDT000000035	.. 200	0 .. 1	information/County code <b>Cross street</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/crossStreet
244	BDT000000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/name
244	BDT000000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/pOBoxNumber
244	BDT000000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/postalCode
244	BDT000000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/provinceCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
244	BDT00000127	.. 80	0 .. 1	information/Province identity <b>State</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/state
244	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/streetAddressOne
245	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/streetAddressTwo
245	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/streetAddressThree
245	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Geographical coordinates information/Latitude			
245	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
245	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/gln
245	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ additionalPartyIdentification
245	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
245	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Additional party identification information/Additional party identification type code/Code list version			
245	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ address/city
245	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ address/cityCode
246	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ address/countryCode
246	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Address information/Country code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ address/countryCode/ @codeListVersion
246	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ address/countyCode
246	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ address/crossStreet

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
246	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/address/name
246	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/address/pOBoxNumber
246	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/address/postalCode
246	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/address/provinceCode
246	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/address/state
246	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/address/streetAddressOne
247	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/address/streetAddressTwo

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
247	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/address/streetAddressThree
247	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/address/geographicalCoordinates/latitude
247	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/address/geographicalCoordinates/longitude
247	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/contact/contactTypeCode
247	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/contact/contactTypeCode/@codeListVersion
247	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/contact/personName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
247	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/contact/departmentName
247	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/contact/jobTitle
247	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/contact/responsibility
248	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/contact/responsibility/@languageCode
248	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/contact/responsibility/@codeListVersion
248	BDT00000525		1 .. 1	<b>Communication channel code content</b>	1 .. 80	1 .. 1	<b>communicationChannelCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ contact/communicationChannel/ communicationChannelCode
248	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ contact/communicationChannel/ communicationChannelCode/@codeListVersion
248	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ contact/communicationChannel/communicationValue
248	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ contact/communicationChannel/ communicationChannelName
248	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Business contact information/After hours communication information/	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ contact/afterHoursCommunicationChannel/ communicationChannelCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Communication channel code/ Communication channel code content			
248	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ contact/afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
248	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ contact/afterHoursCommunicationChannel/ communicationValue
248	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ contact/afterHoursCommunicationChannel/ communicationChannelName
249	BDT000000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Tax registration information/Tax registration identification information/ Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
249	BDT000000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b>	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content			dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
249	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
249	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
249	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
249	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b>	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b>

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax type code/Tax type code content			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
249	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
249	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
249	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription
249	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
250	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax description/Language code/Code list	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
250	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
250	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
250	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/organisationName
250	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/issuedCapital
250	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/issuedCapital/@currencyCode
250	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ship to party information/ Organisation legal information/Issued capital/Currency code/Code list version			organisationDetails/issuedCapital/@codeListVersion
250	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ organisationDetails/legalStructure
250	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ organisationDetails/legalStructure/@languageCode
250	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ organisationDetails/legalStructure/@codeListVersion
251	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ organisationDetails/officialAddress/city
251	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Official	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ organisationDetails/officialAddress/cityCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
251	BDT00000774		1 .. 1	address/City code <b>Country code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/countryCode
251	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/countryCode/@codeListVersion
251	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/countyCode
251	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/crossStreet
251	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/pOBoxNumber
251	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/postalCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Postal code			
251	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ organisationDetails/officialAddress/provinceCode
251	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ organisationDetails/officialAddress/state
252	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ organisationDetails/officialAddress/streetAddressOne
252	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ organisationDetails/officialAddress/streetAddressTwo
252	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ organisationDetails/officialAddress/streetAddressThree
252	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ organisationDetails/officialAddress/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Geographical coordinates information/Latitude			geographicalCoordinates/latitude
252	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
252	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ organisationDetails/legalRegistration/ legalRegistrationNumber
252	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ organisationDetails/legalRegistration/ legalRegistrationType
252	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ organisationDetails/legalRegistration/ legalRegistrationType/@codeListVersion
252	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Ordered trade item logistical	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ship to party information/ Organisation legal information/ Registered legal information/Legal registration additional information			organisationDetails/legalRegistration/ legalRegistrationAdditionalInformation
252	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ financialInstitutionInformation/financialInstitutionName
253	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ financialInstitutionInformation/ financialInstitutionBranchName
253	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ financialInstitutionInformation/financialAccount/ financialAccountNumber
253	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
253	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
253	BDT000000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialAccount/financialAccountName
253	BDT000000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
253	BDT000000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
253	BDT000000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
253	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/additionalFinancialInformation/description
253	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
254	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
254	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Ordered trade item logistical	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ship to party information/ Financial institution and financial account information/Address information/City name			financialInstitutionInformation/address/city
254	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/cityCode
254	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/countryCode
254	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/countryCode/ @codeListVersion
254	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/countyCode
	BDT00000035						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
254		.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/crossStreet
254	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/name
254	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/pOBoxNumber
254	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/postalCode
255	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/provinceCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
255	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/state
255	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/streetAddressOne
255	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/streetAddressTwo
255	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/streetAddressThree
255	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Geographical coordinates	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
255	BDT00000089	.. 80	1 .. 1	information/Latitude <b>Longitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/geographicalCoordinates/longitude
255	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Global location number GLN	0 .. 1		<b>gln</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/gln
255	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/additionalPartyIdentification
255	BDT000000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
256	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/additionalPartyIdentification/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional party identification information/Additional party identification type code/Code list version			@codeListVersion
256	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/city
256	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/cityCode
256	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/countryCode
256	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/countryCode/@codeListVersion
256	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/countyCode
256	BDT00000035	.. 200	0 .. 1	<b>Cross street</b>	1 .. 200	0 .. 1	<b>crossStreet</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/Cross street			<i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/crossStreet
256	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/name
256	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/pOBoxNumber
256	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/postalCode
257	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/provinceCode
257	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/state
257	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Ordered trade item logistical	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Storage location information/Address information/Street address one			inventoryLocation/address/streetAddressOne
257	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/address/streetAddressTwo
257	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/address/streetAddressThree
257	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/address/geographicalCoordinates/ latitude
257	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/address/geographicalCoordinates/ longitude
257	BDT000000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/Contact type code/Contact	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/contact/contactTypeCode

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
257	BDT00000028	.. 35	0 .. 1	type code content <b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/contact/contactTypeCode/@codeListVersion
257	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/contact/personName
258	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/contact/departmentName
258	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/contact/jobTitle
258	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/Business contact responsibility description/Business contact responsibility description	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/contact/responsibility

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
258	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/contact/responsibility/@languageCode
258	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/contact/responsibility/@codeListVersion
258	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/contact/communicationChannel/communicationChannelCode
258	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/contact/communicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
258	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/contact/communicationChannel/communicationValue
258	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/contact/communicationChannel/communicationChannelName
258	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/contact/afterHoursCommunicationChannel/communicationChannelCode
259	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
259	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b>	1 .. 200	1 .. 1	<b>communicationValue</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/After hours communication information/Communication channel identification			<i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/contact/afterHoursCommunicationChannel/communicationValue
259	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/contact/afterHoursCommunicationChannel/communicationChannelName
259	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
259	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
259	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
259	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
259	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
259	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
259	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
260	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
260	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription
260	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
260	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
260	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b>	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration type code/Tax registration type code content			<i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
260	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
260	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/organisationName
260	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/issuedCapital
260	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/issuedCapital/@currencyCode
260	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Storage location information/Organisation legal information/Issued capital/Currency code/Code list version			inventoryLocation/organisationDetails/issuedCapital/ @codeListVersion
261	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/organisationDetails/legalStructure
261	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/organisationDetails/legalStructure/ @languageCode
261	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/organisationDetails/legalStructure/ @codeListVersion
261	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/organisationDetails/officialAddress/city
	BDT00000019						

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
261		.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/cityCode
261	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/countryCode
261	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/countryCode/@codeListVersion
261	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/countyCode
261	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/crossStreet
261	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b>	1 .. 80	0 .. 1	<b>pOBoxNumber</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Post office box number			<i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/pOBoxNumber
262	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/postalCode
262	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/provinceCode
262	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/state
262	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/streetAddressOne
262	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Street address two			streetAddressTwo
262	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/organisationDetails/officialAddress/ streetAddressThree
262	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/organisationDetails/officialAddress/ geographicalCoordinates/latitude
262	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/organisationDetails/officialAddress/ geographicalCoordinates/longitude
262	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/organisationDetails/legalRegistration/ legalRegistrationNumber
262	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b>	1 .. 80	1 .. 1	<b>legalRegistrationType</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content			<i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/legalRegistration/legalRegistrationType
263	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
263	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
263	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialInstitutionName
263	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialInstitutionBranchName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial institution division name			
263	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumber
263	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
263	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
263	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial account information/Financial account	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				name			
263	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
263	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
264	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
264	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/additionalFinancialInformation/description

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Additional financial institution description/Additional financial institution description content			
264	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
264	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
264	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/city
264	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/cityCode
	BDT00000774						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
264			1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/countryCode
264	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/countryCode/@codeListVersion
264	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/countyCode
264	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/crossStreet
265	BDT000000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/name

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
265	BDT00000113	.. 80	0 .. 1	information/Party name <b>Post office box number</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/pOBoxNumber
265	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/postalCode
265	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/provinceCode
265	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/state
265	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/streetAddressOne

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
265	BDT00000130	.. 200	0 .. 1	information/Street address one <b>Street address two</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/streetAddressTwo
265	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/streetAddressThree
265	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/geographicalCoordinates/latitude
265	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/geographicalCoordinates/longitude
266	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/gln

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Global location number GLN			
266	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/additionalPartyIdentification
266	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
266	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/additionalPartyIdentification/ @codeListVersion
266	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/address/city
266	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Ordered trade item logistical	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate consignee party information/Address information/City code			ultimateConsignee/address/cityCode
266	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/ Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/countryCode
266	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/ Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/countryCode/@codeListVersion
266	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/countyCode
266	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/crossStreet
267	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/name
267	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Ordered trade item logistical	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate consignee party information/Address information/Post office box number			ultimateConsignee/address/poBoxNumber
267	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/postalCode
267	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/provinceCode
267	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/state
267	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/streetAddressOne
267	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/streetAddressTwo
267	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/streetAddressThree

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/Street address three			
267	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/geographicalCoordinates/latitude
267	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/geographicalCoordinates/longitude
268	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/contact/contactTypeCode
268	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/contact/contactTypeCode/@codeListVersion
268	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/contact/personName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
268	BDT00000044	.. 70	0 .. 1	information/Person name <b>Department name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/contact/departmentName
268	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/contact/jobTitle
268	BDT000000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/contact/responsibility
268	BDT000000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/contact/responsibility/@languageCode
268	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/contact/responsibility/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Business contact responsibility description/Language code/Code list version			@codeListVersion
268	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/contact/communicationChannel/ communicationChannelCode
268	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/contact/communicationChannel/ communicationChannelCode/@codeListVersion
269	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/contact/communicationChannel/ communicationValue
269	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/contact/communicationChannel/ communicationChannelName

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication information/Communication channel name			
269	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/contact/ afterHoursCommunicationChannel/ communicationChannelCode
269	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
269	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/contact/ afterHoursCommunicationChannel/communicationValue
269	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/After hours communication	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/contact/ afterHoursCommunicationChannel/ communicationChannelName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication channel name			
269	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
269	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
269	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
269	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Ordered trade item logistical	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name			ultimateConsignee/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
270	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/@identificationSchemeName
270	BDT000000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode
270	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode/@codeListVersion
270	BDT000000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/dutyFeeTaxRegistration/ dutyFeeTaxAgencyName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
270	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription
270	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
270	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
270	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
270	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
270	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/organisationName
271	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/issuedCapital
271	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/issuedCapital/@currencyCode
271	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/issuedCapital/@codeListVersion
271	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/legalStructure

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
271	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/legalStructure/@languageCode
271	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/legalStructure/@codeListVersion
271	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/city
271	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/cityCode
271	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/countryCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
271	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/countryCode/@codeListVersion
272	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/countyCode
272	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/crossStreet
272	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/pOBoxNumber
272	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/postalCode
272	BDT00000117	80 ..	0 .. 1	<b>Province identity</b>	1 .. 80	0 .. 1	<b>provinceCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Province identity			<i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/provinceCode
272	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/state
272	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/streetAddressOne
272	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/streetAddressTwo
272	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/streetAddressThree
272	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Ordered trade item logistical	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate consignee party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude			ultimateConsignee/organisationDetails/officialAddress/ geographicalCoordinates/latitude
273	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/organisationDetails/officialAddress/ geographicalCoordinates/longitude
273	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/organisationDetails/legalRegistration/ legalRegistrationNumber
273	BDT00000068	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/organisationDetails/legalRegistration/ legalRegistrationType
273	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Registered legal	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/organisationDetails/legalRegistration/ legalRegistrationType/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
273	BDT00000086	.. 200	0 .. 1	information/Legal registration type code/Code list version <b>Legal registration additional information</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
273	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialInstitutionName
273	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialInstitutionBranchName
273	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumber
273	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b>	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content			ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
273	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
274	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountName
274	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
274	BDT00000064	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Ordered trade item logistical	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content			financialRoutingNumber/ financialRoutingNumberTypeCode
274	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
274	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description
274	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description/ @languageCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
274	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
274	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/city
274	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/cityCode
274	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/countryCode
275	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/countryCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Country code/Code list version			
275	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/countyCode
275	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/crossStreet
275	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/name
275	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/pOBoxNumber
275	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/postalCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/Postal code			
275	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/provinceCode
275	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/state
275	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/streetAddressOne
275	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/streetAddressTwo
276	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/streetAddressThree

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/Street address three			
276	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/geographicalCoordinates/latitude
276	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/geographicalCoordinates/longitude
276	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Global location number, GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/gln
276	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/additionalPartyIdentification
276	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Ordered trade item logistical	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/additionalPartyIdentification/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Logistics services provider party information/Additional party identification information/Additional party identification type code/Additional party identification type code content			@additionalPartyIdentificationTypeCode
276	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/additionalPartyIdentification/@codeListVersion
276	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/address/city
276	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/address/cityCode
276	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/address/countryCode
277	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/address/countryCode/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Address information/ Country code/Code list version			@codeListVersion
277	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/ County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/address/countyCode
277	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/ Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/address/crossStreet
277	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/ Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/address/name
277	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/ Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/address/pOBoxNumber
277	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/ Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/address/postalCode
277	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/address/provinceCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Address information/ Province identity			
277	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/ State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/address/state
277	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/ Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/address/streetAddressOne
277	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/ Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/address/streetAddressTwo
278	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/ Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/address/streetAddressThree
278	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/address/ geographicalCoordinates/latitude
278	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Ordered trade item logistical	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Logistics services provider party information/Address information/Geographical coordinates information/Longitude			intermediateDeliveryParty/address/geographicalCoordinates/longitude
278	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/contactTypeCode
278	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/contactTypeCode/@codeListVersion
278	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/personName
278	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/departmentName
278	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/jobTitle

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
278	BDT00000580	.. 70	1 .. 1	information/Job title <b>Business contact responsibility description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/responsibility
278	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/responsibility/@languageCode
279	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/responsibility/@codeListVersion
279	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Communication information/Communication channel code/Communication channel code	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/communicationChannel/communicationChannelCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
279	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/communicationChannel/communicationChannelCode/@codeListVersion
279	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/communicationChannel/communicationValue
279	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/communicationChannel/communicationChannelName
279	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/afterHoursCommunicationChannel/communicationChannelCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
279	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
279	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/afterHoursCommunicationChannel/communicationValue
279	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/afterHoursCommunicationChannel/communicationChannelName
279	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
280	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency</b>	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<b>code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content			intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
280	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
280	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
280	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration identification information/Identification scheme information/Identification scheme name			
280	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode
280	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode/@codeListVersion
280	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/dutyFeeTaxRegistration/ dutyFeeTaxAgencyName
280	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/dutyFeeTaxRegistration/ dutyFeeTaxDescription
280	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/dutyFeeTaxRegistration/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Tax registration information/Tax description/Language code/Language code content			dutyFeeTaxDescription/@languageCode
280	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
281	BDT000000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
281	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
281	BDT000000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/organisationName
281	BDT000000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/issuedCapital

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Issued capital/Issued capital content			
281	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/issuedCapital/@currencyCode
281	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/issuedCapital/@codeListVersion
281	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalStructure
281	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalStructure/@languageCode
281	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Logistics services provider party information/Organisation legal information/Legal structure description/Language code/Code list version			intermediateDeliveryParty/organisationDetails/legalStructure/@codeListVersion
281	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/city
282	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/cityCode
282	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/countryCode
282	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/countryCode/@codeListVersion
282	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Organisation legal information/Official address/County code			officialAddress/countyCode
282	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/crossStreet
282	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/pOBoxNumber
282	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/postalCode
282	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/provinceCode
282	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/state

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
282	BDT00000128	.. 200	0 .. 1	information/Official address/State <b>Street address one</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/streetAddressOne
283	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/streetAddressTwo
283	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/streetAddressThree
283	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/geographicalCoordinates/latitude
283	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/geographicalCoordinates/longitude

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Official address/ Geographical coordinates information/ Longitude			
283	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/organisationDetails/ legalRegistration/legalRegistrationNumber
283	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/organisationDetails/ legalRegistration/legalRegistrationType
283	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
283	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
283	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialInstitutionName
283	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialInstitutionBranchName
284	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialAccount/financialAccountNumber
284	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
284	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Logistics services provider party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version			intermediateDeliveryParty/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
284	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialAccount/financialAccountName
284	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
284	BDT00000064	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
284	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version			<i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
284	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/additionalFinancialInformation/description
284	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
284	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
285	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/ Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/city
285	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/ Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/cityCode
285	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/countryCode
285	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/ Address information/Country code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/countryCode/@codeListVersion
285	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Financial institution and financial account information/ Address information/County code			address/countyCode
285	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/ Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/financialInstitutionInformation/ address/crossStreet
285	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/ Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/financialInstitutionInformation/ address/name
285	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/ Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/financialInstitutionInformation/ address/pOBoxNumber
285	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/ Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/financialInstitutionInformation/ address/postalCode
285	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Ordered trade item logistical	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Logistics services provider party information/Financial institution and financial account information/Address information/Province identity			intermediateDeliveryParty/financialInstitutionInformation/address/provinceCode
286	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/state
286	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/streetAddressOne
286	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/streetAddressTwo
286	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/streetAddressThree
286	BDT00000085	.. 80	1 .. 1	<b>Latitude</b>	1 .. 80	1 .. 1	<b>latitude</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude			<i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/geographicalCoordinates/latitude
286	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/geographicalCoordinates/longitude
286	BDT00000009		0 .. 1	<b>Begin period date</b> <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested delivery time period/Begin period date		0 .. 1	<b>beginDate</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRange/beginDate
286	BDT00000010		0 .. 1	<b>Begin time period</b> <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested delivery time period/Begin time period		0 .. 1	<b>beginTime</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRange/beginTime
286	BDT00000054		0 .. 1	<b>End date period</b> <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested delivery time period/End date period		0 .. 1	<b>endDate</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRange/endDate
286	BDT00000055		0 .. 1	<b>End time period</b> <i>Path:</i> Order/Ordered trade item logistical		0 .. 1	<b>endTime</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Requested delivery date time information/Requested delivery time period/End time period			orderLogisticalDateInformation/ requestedDeliveryDateRange/endTime
287	BDT00000009		0 .. 1	<b>Begin period date</b> <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time period/Begin period date		0 .. 1	<b>beginDate</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ orderLogisticalDateInformation/ requestedShipDateRange/beginDate
287	BDT00000010		0 .. 1	<b>Begin time period</b> <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time period/Begin time period		0 .. 1	<b>beginTime</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ orderLogisticalDateInformation/ requestedShipDateRange/beginTime
287	BDT00000054		0 .. 1	<b>End date period</b> <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time period/End date period		0 .. 1	<b>endDate</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ orderLogisticalDateInformation/ requestedShipDateRange/endDate
287	BDT00000055		0 .. 1	<b>End time period</b> <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time period/End time period		0 .. 1	<b>endTime</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ orderLogisticalDateInformation/ requestedShipDateRange/endTime
287	BDT00000009		0 .. 1	<b>Begin period date</b> <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time period at ultimate consignee/Begin period date		0 .. 1	<b>beginDate</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ orderLogisticalDateInformation/ requestedDeliveryDateRangeAtUltimateConsignee/ beginDate
287	BDT00000010		0 .. 1	<b>Begin time period</b>		0 .. 1	<b>beginTime</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time period at ultimate consignee/Begin time period			<i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRangeAtUltimateConsignee/beginTime
287	BDT00000054		0 .. 1	<b>End date period</b> <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time period at ultimate consignee/End date period		0 .. 1	<b>endDate</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRangeAtUltimateConsignee/endDate
287	BDT00000055		0 .. 1	<b>End time period</b> <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time period at ultimate consignee/End time period		0 .. 1	<b>endTime</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRangeAtUltimateConsignee/endTime
287	BDT00000040		0 .. 1	<b>Date</b> <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time/Date		1 .. 1	<b>date</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateTime/date
287	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time/Time		0 .. 1	<b>time</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateTime/time
288	BDT00000040		0 .. 1	<b>Date</b> <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date		1 .. 1	<b>date</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedShipDateTime/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				time information/Requested ship date time/Date			date
288	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time/Time		0 .. 1	<b>time</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedShipDateTime/time
288	BDT00000040		0 .. 1	<b>Date</b> <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested date time for pick up/Date		1 .. 1	<b>date</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedPickUpDateTime/date
288	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested date time for pick up/Time		0 .. 1	<b>time</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedPickUpDateTime/time
288	BDT00000040		0 .. 1	<b>Date</b> <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time at ultimate consignee/Date		1 .. 1	<b>date</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateTimeAtUltimateConsignee/date
288	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time at ultimate consignee/Time		0 .. 1	<b>time</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateTimeAtUltimateConsignee/time
288	BDT00000647	.. 80	1 .. 1	<b>Handling instruction code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation	1 .. 80	0 .. unbounded	<b>handlingInstructionCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Handling instruction code/ Handling instruction code content			handlingInstructionCode
288	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Handling instruction code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/ handlingInstructionCode/@codeListVersion
288	BDT00000687	.. 80	1 .. 1	<b>Transport means type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport means type code/Transport means type code content	1 .. 80	0 .. 1	<b>transportMeansType</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/transportMeansType
288	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport means type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/ transportMeansType/@codeListVersion
289	BDT00000625	.. 80	0 .. 1	<b>Transport means identification content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Transport means identification content	1 .. 80	0 .. 1	<b>transportMeansID</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/transportMeansID
289	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Identification scheme	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeAgencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Identification scheme responsible agency code/Identification scheme responsible agency code content			
289	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/transportMeansID/@identificationSchemeAgencyCodeCodeListVersion
289	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/transportMeansID/@identificationSchemeAgencyName
289	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/transportMeansID/@identificationSchemeName
289	BDT00000688	.. 80	1 .. 1	<b>Transport mode code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport mode code/Transport mode code content	1 .. 80	0 .. 1	<b>transportServiceCategoryType</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/transportServiceCategoryType
	BDT00000028						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
289		.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport mode code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/transportServiceCategoryType/@codeListVersion
289	BDT00000689	.. 80	1 .. 1	<b>Transport service level code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport service level code/Transport service level code content	1 .. 80	0 .. 1	<b>transportServiceLevelCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/transportServiceLevelCode
289	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport service level code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/transportServiceLevelCode/@codeListVersion
289	BDT00000626	.. 80	1 .. 1	<b>Transport route identification content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Transport route identification content	1 .. 80	0 .. 1	<b>routeID</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/routeID
290	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme responsible agency code/Identification	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/routeID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
290	BDT00000028	.. 35	0 .. 1	scheme responsible agency code content  <b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/routeID/@identificationSchemeAgencyCodeCodeListVersion
290	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/routeID/@identificationSchemeAgencyName
290	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/routeID/@identificationSchemeName
290	BDT00000648	.. 70	1 .. 1	<b>Handling instruction description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Handling instruction description/Handling instruction description content	1 .. 100	0 .. unbounded	<b>additionalHandlingInstruction</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/additionalHandlingInstruction
290	BDT00000524	.. 80	1 .. 1	<b>Language code content</b>	1 .. 80		<b>languageCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Handling instruction description/Language code/Language code content			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/additionalHandlingInstruction/@languageCode
290	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Handling instruction description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/additionalHandlingInstruction/@codeListVersion
290	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Global location number, GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/gln
290	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/additionalPartyIdentification
290	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification type code/Additional party	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
291	BDT00000028	.. 35	0 .. 1	<b>identification type code content</b> <b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/additionalPartyIdentification/@codeListVersion
291	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/city
291	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/cityCode
291	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/countryCode
291	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Country code/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/countryCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Code list version			
291	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/countyCode
291	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/crossStreet
291	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/name
291	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/pOBoxNumber
291	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/postalCode
292	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Carrier party information/ Address information/Province identity			provinceCode
292	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/state
292	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ streetAddressOne
292	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ streetAddressTwo
292	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ streetAddressThree
292	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ geographicalCoordinates/latitude
292	BDT00000089	.. 80	1 .. 1	<b>Longitude</b>	1 .. 80	1 .. 1	<b>longitude</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Geographical coordinates information/Longitude			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/geographicalCoordinates/longitude
292	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/contactTypeCode
292	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/contactTypeCode/@codeListVersion
292	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/personName
293	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/departmentName
293	BDT00000083	.. 70	0 .. 1	<b>Job title</b>	1 .. 70	0 .. 1	<b>jobTitle</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Job title			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/jobTitle
293	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/responsibility
293	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/responsibility/@languageCode
293	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/responsibility/@codeListVersion
293	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/communicationChannel/communicationChannelCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/ Communication information/ Communication channel code/ Communication channel code content			
293	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
293	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationValue
293	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationChannelName
293	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ afterHoursCommunicationChannel/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/After hours communication information/Communication channel code/Communication channel code content			communicationChannelCode
294	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
294	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationValue
294	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationChannelName
294	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Tax registration information/Tax registration identification information/Tax registration identification content			
294	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
294	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
294	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
294	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
294	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
294	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
295	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
295	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxDescription

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
295	BDT00000524	.. 80	1 .. 1	description/Tax description content <b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
295	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
295	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
295	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
295	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Ordered trade item logistical	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Shipment transportation information/Carrier party information/ Organisation legal information/ Organisation name			shipmentTransportationInformation/carrier/ organisationDetails/organisationName
295	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/issuedCapital
295	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/issuedCapital/ @currencyCode
295	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/issuedCapital/ @codeListVersion
296	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/legalStructure
	BDT00000524						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
296		.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalStructure/@languageCode
296	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalStructure/@codeListVersion
296	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/city
296	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/cityCode
296	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/countryCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address/Country code/Country code content			
296	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/countryCode/@codeListVersion
296	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/countyCode
296	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/crossStreet
296	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/pOBoxNumber
297	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/postalCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Postal code			
297	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/provinceCode
297	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/state
297	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/streetAddressOne
297	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/streetAddressTwo
297	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/streetAddressThree

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Street address three			
297	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/geographicalCoordinates/latitude
297	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/geographicalCoordinates/longitude
297	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationNumber
297	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationType

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
298	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
298	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
298	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialInstitutionName
298	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialInstitutionBranchName
298	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Carrier party information/ Financial institution and financial account information/Financial account information/Financial account number			financialInstitutionInformation/financialAccount/ financialAccountNumber
298	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
298	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
298	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialAccount/ financialAccountName
298	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order/Ordered trade item logistical	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number			shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
298	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
299	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
299	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Additional financial institution description/Additional financial institution description content			
299	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
299	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
299	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/city
299	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/cityCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
299	BDT00000774		1 .. 1	account information/Address information/City code  <b>Country code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/countryCode
299	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/countryCode/ @codeListVersion
299	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/countyCode
299	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Financial institution and financial account information/Address	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/crossStreet

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
300	BDT00000106	.. 200	0 .. 1	information/Cross street <b>Party name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/name
300	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/pOBoxNumber
300	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/postalCode
300	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/provinceCode
300	BDT00000127	.. 80	0 .. 1	<b>State</b>	1 .. 80	0 .. 1	<b>state</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/State			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/state
300	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/streetAddressOne
300	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/streetAddressTwo
300	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/streetAddressThree
300	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Address information/Geographical coordinates information/Latitude			geographicalCoordinates/latitude
300	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/geographicalCoordinates/longitude
301	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/gln
301	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/additionalPartyIdentification
301	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Additional party	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional party identification type code/Additional party identification type code content			
301	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/additionalPartyIdentification/@codeListVersion
301	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/city
301	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/cityCode
301	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/countryCode
301	BDT000000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Country code/Code list version			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/countryCode/@codeListVersion
301	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/countyCode
301	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/crossStreet
302	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/name
302	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/pOBoxNumber
302	BDT00000114	.. 80	0 .. 1	<b>Postal code</b>	1 .. 80	0 .. 1	<b>postalCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Postal code			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/postalCode
302	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/provinceCode
302	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/state
302	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/streetAddressOne
302	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/streetAddressTwo
302	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Ordered trade item logistical	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Shipment transportation information/Freight forwarder party information/Address information/Street address three			shipmentTransportationInformation/freightForwarder/address/streetAddressThree
302	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/geographicalCoordinates/latitude
302	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/geographicalCoordinates/longitude
303	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/contactTypeCode
303	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Contact type code/Code list	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/contactTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
303	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/personName
303	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/departmentName
303	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/jobTitle
303	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/responsibility
303	BDT00000524	.. 80	1 .. 1	<b>Language code content</b>	1 .. 80		<b>languageCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Language code/Language code content			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/responsibility/@languageCode
303	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/responsibility/@codeListVersion
303	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationChannelCode
303	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
304	BDT00000032	.. 200	1 .. 1	code/Communication channel code content/Code list version <b>Communication channel identification</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationValue
304	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationChannelName
304	BDT000000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/afterHoursCommunicationChannel/communicationChannelCode
304	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/afterHoursCommunicationChannel/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version			communicationChannelCode/@codeListVersion
304	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationValue
304	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationChannelName
304	BDT000000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
304	BDT000000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b>	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content			shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
304	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
304	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
305	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Ordered trade item logistical	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name			shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
305	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
305	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
305	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
305	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
305	BDT00000524	.. 80	1 .. 1	information/Tax registration information/Tax description/Tax description content <b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
305	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
305	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
305	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration type code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
305	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/organisationName
306	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/issuedCapital
306	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/issuedCapital/@currencyCode
306	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/issuedCapital/@codeListVersion
306	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Legal structure description/Legal structure description content			organisationDetails/legalStructure
306	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalStructure/@languageCode
306	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalStructure/@codeListVersion
306	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/city
306	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/cityCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
306	BDT00000774		1 .. 1	information/Official address/City code <b>Country code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/countryCode
306	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/countryCode/@codeListVersion
307	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/countyCode
307	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/crossStreet
307	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b>	1 .. 80	0 .. 1	<b>pOBoxNumber</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Post office box number			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/pOBoxNumber
307	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/postalCode
307	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/provinceCode
307	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/state
307	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Street	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/streetAddressOne

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
307	BDT00000130	.. 200	0 .. 1	address one <b>Street address two</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/streetAddressTwo
307	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/streetAddressThree
307	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/geographicalCoordinates/latitude
308	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/geographicalCoordinates/longitude

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
308	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationNumber
308	BDT000000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationType
308	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
308	BDT000000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration additional	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
308	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialInstitutionName
308	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialInstitutionBranchName
308	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumber
308	BDT000000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
308	BDT00000028	.. 35	0 .. 1	number type code/Financial account number type code content <b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
309	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialAccount/ financialAccountName
309	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution routing number information/ Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber
309	BDT00000064	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content			
309	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
309	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/additionalFinancialInformation/description
309	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Additional	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
309	BDT00000028	.. 35	0 .. 1	financial institution description/ Language code/Language code content <b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
309	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/city
309	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/cityCode
309	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Country code/Country code	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/countryCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
310	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/countryCode/@codeListVersion
310	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/countyCode
310	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/crossStreet
310	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/name
	BDT00000113						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
310		.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/pOBoxNumber
310	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/postalCode
310	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/provinceCode
310	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/state
310	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Freight forwarder party information/Financial institution and financial account information/Address information/Street address one			financialInstitutionInformation/address/streetAddressOne
310	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/streetAddressTwo
311	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/streetAddressThree
311	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/geographicalCoordinates/latitude
311	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/Geographical coordinates information/Longitude			
311	BDT00000693		1 .. 1	<b>Payment terms event code content</b> <i>Path:</i> Order/Payment terms information/ Payment terms event code/Payment terms event code content	1 .. 80	1 .. 1	<b>paymentTermsEventCode</b> <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsEventCode
311	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Payment terms information/ Payment terms event code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsEventCode/@codeListVersion
311	BDT00000694	.. 80	1 .. 1	<b>Payment terms type code content</b> <i>Path:</i> Order/Payment terms information/ Payment terms type code/Payment terms type code content	1 .. 80	1 .. 1	<b>paymentTermsTypeCode</b> <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsTypeCode
311	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Payment terms information/ Payment terms type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsTypeCode/@codeListVersion
311	BDT00000039		0 .. 1	<b>Cut off day</b> <i>Path:</i> Order/Payment terms information/Cut off day		0 .. 1	<b>proximoCutOffDay</b> <i>Path:</i> orderMessage/order/paymentTerms/proximoCutOffDay
311	BDT00000109		0 .. 1	<b>Payment due date</b> <i>Path:</i> Order/Payment terms information/ Payment due information/Payment due date		0 .. 1	<b>dateDue</b> <i>Path:</i> orderMessage/order/paymentTerms/netPaymentDue/ dateDue
311	BDT00000041		0 .. 1	<b>Day of month payment due</b> <i>Path:</i> Order/Payment terms information/ Payment due information/Day of month		0 .. 1	<b>dayOfMonthDue</b> <i>Path:</i> orderMessage/order/paymentTerms/netPaymentDue/ dayOfMonthDue

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
312	BDT00000651	.. 80	1 .. 1	payment due <b>Time period due code content</b> <i>Path:</i> Order/Payment terms information/ Payment due information/Time period due code/Time period due code content	0 .. 1		<b>timePeriodDue</b> <i>Path:</i> orderMessage/order/paymentTerms/netPaymentDue/ timePeriodDue
312	BDT00000134		0 .. 1	<b>Time period measurement unit code content</b> <i>Path:</i> Order/Payment terms information/ Payment due information/Time period due code/Time period measurement unit code/Time period measurement unit code content	1 .. 80		<b>timeMeasurementUnitCode</b> <i>Path:</i> orderMessage/order/paymentTerms/netPaymentDue/ timePeriodDue/@timeMeasurementUnitCode
312	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Payment terms information/ Payment due information/Time period due code/Time period measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/paymentTerms/netPaymentDue/ timePeriodDue/@codeListVersion
312	BDT00000111		1 .. 1	<b>Percent of payment due</b> <i>Path:</i> Order/Payment terms information/ Installment due information/Percent of payment due	1 .. 1		<b>percentOfPaymentDue</b> <i>Path:</i> orderMessage/order/paymentTerms/installmentDue/ percentOfPaymentDue
312	BDT00000109		0 .. 1	<b>Payment due date</b> <i>Path:</i> Order/Payment terms information/ Installment due information/Payment time period/Payment due date	0 .. 1		<b>dateDue</b> <i>Path:</i> orderMessage/order/paymentTerms/installmentDue/ paymentTimePeriod/dateDue
312	BDT00000041		0 .. 1	<b>Day of month payment due</b> <i>Path:</i> Order/Payment terms information/ Installment due information/Payment time period/Day of month payment due	0 .. 1		<b>dayOfMonthDue</b> <i>Path:</i> orderMessage/order/paymentTerms/installmentDue/ paymentTimePeriod/dayOfMonthDue
	BDT00000651						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
312		.. 80	1 .. 1	<b>Time period due code content</b> <i>Path:</i> Order/Payment terms information/ Installment due information/Payment time period/Time period due code/Time period due code content		0 .. 1	<b>timePeriodDue</b> <i>Path:</i> orderMessage/order/paymentTerms/installmentDue/ paymentTimePeriod/timePeriodDue
312	BDT00000134		0 .. 1	<b>Time period measurement unit code content</b> <i>Path:</i> Order/Payment terms information/ Installment due information/Payment time period/Time period due code/Time period measurement unit code/Time period measurement unit code content		1 .. 80	<b>timeMeasurementUnitCode</b> <i>Path:</i> orderMessage/order/paymentTerms/installmentDue/ paymentTimePeriod/timePeriodDue/ @timeMeasurementUnitCode
312	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Payment terms information/ Installment due information/Payment time period/Time period due code/Time period measurement unit code/Code list version		1 .. 35	<b>codeListVersion</b> <i>Path:</i> orderMessage/order/paymentTerms/installmentDue/ paymentTimePeriod/timePeriodDue/@codeListVersion
312	BDT00000107	.. 80	0 .. 1	<b>Payment discount description</b> <i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Payment discount description		1 .. 80	<b>discountType</b> <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/discountType
313	BDT00000692		1 .. 1	<b>Discount monetary amount content</b> <i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Discount monetary amount/Discount monetary amount content		0 .. 1	<b>discountAmount</b> <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/discountAmount
313	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Payment terms information/ Payment terms discount information/		1 .. 80	<b>currencyCode</b> <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/discountAmount/@currencyCode

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Discount monetary amount/Currency code/Currency code content			
313	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Discount monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/discountAmount/ @codeListVersion
313	BDT00000108		0 .. 1	<b>Payment discount percentage</b> <i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Payment discount percentage		0 .. 1	<b>discountPercent</b> <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/discountPercent
313	BDT00000109		0 .. 1	<b>Payment due date</b> <i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Payment time period/Payment due date		0 .. 1	<b>dateDue</b> <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/paymentTimePeriod/dateDue
313	BDT00000041		0 .. 1	<b>Day of month payment due</b> <i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Payment time period/Day of month payment due		0 .. 1	<b>dayOfMonthDue</b> <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/paymentTimePeriod/ dayOfMonthDue
313	BDT00000651	.. 80	1 .. 1	<b>Time period due code content</b> <i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Payment time period/Time period due code/Time period due code content		0 .. 1	<b>timePeriodDue</b> <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/paymentTimePeriod/ timePeriodDue
313	BDT00000134		0 .. 1	<b>Time period measurement unit code content</b> <i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Payment time period/Time period due	1 .. 80		<b>timeMeasurementUnitCode</b> <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/paymentTimePeriod/ timePeriodDue/@timeMeasurementUnitCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Time period measurement unit code/Time period measurement unit code content			
313	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Payment time period/Time period due code/Time period measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/paymentTimePeriod/ timePeriodDue/@codeListVersion
313	BDT00000640	.. 70	1 .. 1	<b>Discount description content</b> <i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Discount description/Discount description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/discountDescription/description
314	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Discount description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/discountDescription/ description/@languageCode
314	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Discount description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/discountDescription/ description/@codeListVersion
314	BDT00000691	.. 80	1 .. 1	<b>Payment method code content</b> <i>Path:</i> Order/Payment terms information/ Payment method information/Payment method code/Payment method code content	1 .. 80	1 .. 1	<b>paymentMethodCode</b> <i>Path:</i> orderMessage/order/paymentTerms/paymentMethod/ paymentMethodCode
314	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Payment terms information/ Payment method information/Payment method code/Code list version			<i>Path:</i> orderMessage/order/paymentTerms/paymentMethod/ paymentMethodCode/@codeListVersion
314	BDT00000110	.. 35	0 .. 1	<b>Payment method identification</b> <i>Path:</i> Order/Payment terms information/ Payment method information/Payment method identification	1 .. 200	0 .. 1	<b>paymentMethodIdentification</b> <i>Path:</i> orderMessage/order/paymentTerms/paymentMethod/ paymentMethodIdentification
314	BDT00000565		1 .. 1	<b>Automated clearing house payment format code content</b> <i>Path:</i> Order/Payment terms information/ Payment method information/ Automated clearing house payment format code/Automated clearing house payment format code content	1 .. 80	0 .. 1	<b>automatedClearingHousePaymentFormat</b> <i>Path:</i> orderMessage/order/paymentTerms/paymentMethod/ automatedClearingHousePaymentFormat
314	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Payment terms information/ Payment method information/ Automated clearing house payment format code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/paymentTerms/paymentMethod/ automatedClearingHousePaymentFormat/ @codeListVersion
314	BDT00000699	.. 80	1 .. 1	<b>Referenced document type code content</b> <i>Path:</i> Order/Payment terms information/ SEPA information/Transactional reference type code/Referenced document type code content	1 .. 80	1 .. 1	<b>transactionalReferenceTypeCode</b> <i>Path:</i> orderMessage/order/paymentTerms/sEPAResponse/ transactionalReferenceTypeCode
314	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Payment terms information/ SEPA information/Transactional reference type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/paymentTerms/sEPAResponse/ transactionalReferenceTypeCode/@codeListVersion
314	BDT00000135	.. 200	1 .. 1	<b>Transactional reference identification</b> <i>Path:</i> Order/Payment terms information/	1 .. 200	1 .. 1	<b>transactionalReferenceValue</b> <i>Path:</i> orderMessage/order/paymentTerms/sEPAResponse/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				SEPA information/Transactional reference identification			transactionalReferenceValue
315	BDT00000364		0 .. 1	<b>Referenced document date time</b> <i>Path:</i> Order/Payment terms information/SEPA information/Referenced document date time		0 .. 1	<b>transactionalReferenceDateTime</b> <i>Path:</i> orderMessage/order/paymentTerms/sEPAReference/transactionalReferenceDateTime
315	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Pick up from party information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/pickupFrom/gln
315	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Pick up from party information/Additional party identification/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/pickupFrom/additionalPartyIdentification
315	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Pick up from party information/Additional party identification/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/pickupFrom/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
315	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Pick up from party information/Additional party identification/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/pickupFrom/additionalPartyIdentification/@codeListVersion
315	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Pick up from party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/pickupFrom/address/city
315	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Pick up from party information/	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/pickupFrom/address/cityCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Address information/City code			
315	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Pick up from party information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/pickupFrom/address/countryCode
315	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Pick up from party information/ Address information/Country code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/pickupFrom/address/countryCode/ @codeListVersion
315	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Pick up from party information/ Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/pickupFrom/address/countyCode
316	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Pick up from party information/ Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/pickupFrom/address/crossStreet
316	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderMessage/order/pickupFrom/address/ currencyOfPartyCode
316	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Currency of party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/pickupFrom/address/ currencyOfPartyCode/@codeListVersion
316	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/ Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderMessage/order/pickupFrom/address/ languageOfThePartyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
316	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/ Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/pickupFrom/address/ languageOfThePartyCode/@codeListVersion
316	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Pick up from party information/ Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/pickupFrom/address/name
316	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Pick up from party information/ Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/pickupFrom/address/pOBoxNumber
316	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Pick up from party information/ Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/pickupFrom/address/postalCode
316	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Pick up from party information/ Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/pickupFrom/address/provinceCode
316	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Pick up from party information/ Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/pickupFrom/address/state
317	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Pick up from party information/ Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/pickupFrom/address/ streetAddressOne
317	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Pick up from party information/ Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/pickupFrom/address/ streetAddressTwo
317	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Pick up from party information/	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/pickupFrom/address/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Address information/Street address three			streetAddressThree
317	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Pick up from party information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/pickupFrom/address/ geographicalCoordinates/latitude
317	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Pick up from party information/ Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/pickupFrom/address/ geographicalCoordinates/longitude
317	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Pick up from party information/ Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/pickupFrom/contact/ contactTypeCode
317	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Pick up from party information/ Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/pickupFrom/contact/ contactTypeCode/@codeListVersion
317	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order/Pick up from party information/ Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> orderMessage/order/pickupFrom/contact/personName
317	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Pick up from party information/ Business contact information/ Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/pickupFrom/contact/ departmentName
317	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order/Pick up from party information/ Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderMessage/order/pickupFrom/contact/jobTitle

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
318	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Pick up from party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/pickupFrom/contact/responsibility
318	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Pick up from party information/ Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/pickupFrom/contact/responsibility/ @languageCode
318	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Pick up from party information/ Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/pickupFrom/contact/responsibility/ @codeListVersion
318	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Pick up from party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/pickupFrom/contact/ communicationChannel/communicationChannelCode
318	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Pick up from party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/pickupFrom/contact/ communicationChannel/communicationChannelCode/ @codeListVersion

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
318	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Pick up from party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/pickupFrom/contact/ communicationChannel/communicationValue
318	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Pick up from party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/pickupFrom/contact/ communicationChannel/communicationChannelName
318	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Pick up from party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/pickupFrom/contact/ afterHoursCommunicationChannel/ communicationChannelCode
318	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Pick up from party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/pickupFrom/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
318	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Pick up from party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/pickupFrom/contact/ afterHoursCommunicationChannel/communicationValue
319	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Pick up from party information/	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/pickupFrom/contact/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/After hours communication information/Communication channel name			afterHoursCommunicationChannel/communicationChannelName
319	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax registration identification information/ Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
319	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
319	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
319	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
	BDT00000074						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
319		.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
319	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
319	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
319	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
319	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription
320	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
320	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				description/Language code/Code list version			@codeListVersion
320	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
320	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
320	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/ Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ organisationName
320	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ issuedCapital
320	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ issuedCapital/@currencyCode
320	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ issuedCapital/@codeListVersion
320	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b>	1 .. 80	0 .. 1	<b>legalStructure</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Pick up from party information/ Organisation legal information/Legal structure description/Legal structure description content			<i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ legalStructure
320	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ legalStructure/@languageCode
321	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ legalStructure/@codeListVersion
321	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/city
321	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/cityCode
321	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/countryCode
321	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/countryCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address/Country code/Code list version			
321	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/countyCode
321	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/crossStreet
321	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/pOBoxNumber
321	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/postalCode
321	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/provinceCode
322	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/state
322	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/streetAddressOne

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
322	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/streetAddressTwo
322	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/streetAddressThree
322	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/geographicalCoordinates/latitude
322	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/geographicalCoordinates/longitude
322	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ legalRegistration/legalRegistrationNumber
322	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ legalRegistration/legalRegistrationType
322	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Pick up from party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version			<i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
322	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Pick up from party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
323	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/financialInstitutionName
323	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/ financialInstitutionBranchName
323	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/financialAccount/ financialAccountNumber
323	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				type code/Financial account number type code content			
323	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
323	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/financialAccount/ financialAccountName
323	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber
323	BDT00000064	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode
323	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Pick up from party information/ Financial institution and financial	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/financialRoutingNumber/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Financial institution routing number information/Financial routing number type code/Code list version			financialRoutingNumberTypeCode/@codeListVersion
323	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order/Pick up from party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/pickupFrom/financialInstitutionInformation/additionalFinancialInformation/description
324	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Pick up from party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/pickupFrom/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
324	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Pick up from party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/pickupFrom/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
324	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Pick up from party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/pickupFrom/financialInstitutionInformation/address/city
324	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Pick up from party information/	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/pickupFrom/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Address information/City code			financialInstitutionInformation/address/cityCode
324	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Pick up from party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/pickupFrom/financialInstitutionInformation/address/countryCode
324	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Pick up from party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/pickupFrom/financialInstitutionInformation/address/countryCode/@codeListVersion
324	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Pick up from party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/pickupFrom/financialInstitutionInformation/address/countyCode
324	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Pick up from party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/pickupFrom/financialInstitutionInformation/address/crossStreet
324	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Pick up from party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/pickupFrom/financialInstitutionInformation/address/name

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
324	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/pOBoxNumber
325	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/postalCode
325	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/provinceCode
325	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/state
325	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/streetAddressOne
325	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/streetAddressTwo

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
325	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/ streetAddressThree
325	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
325	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
325	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Order/Referenced price list information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> orderMessage/order/priceList/entityIdentification
325	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Referenced price list information/Document content owner/ Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/priceList/contentOwner/gln
326	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Referenced price list information/Document content owner/ Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/priceList/contentOwner/ additionalPartyIdentification

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
326	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Referenced price list information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/priceList/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
326	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Referenced price list information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/priceList/contentOwner/additionalPartyIdentification/@codeListVersion
326	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order/Referenced price list information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> orderMessage/order/priceList/creationDateTime
326	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Order/Referenced price list information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> orderMessage/order/priceList/revisionNumber
326	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Order/Referenced price list information/Document line number		0 .. 1	<b>lineltemNumber</b> <i>Path:</i> orderMessage/order/priceList/lineltemNumber
326	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Order/Referenced price list information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> orderMessage/order/priceList/referencedDocumentUrl
326	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b>	1 .. 80	1 .. 1	<b>entityIdentification</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Referenced promotional deal information/Entity identification			<i>Path:</i> orderMessage/order/promotionalDeal/entityIdentification
326	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Referenced promotional deal information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/promotionalDeal/contentOwner/gln
326	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/promotionalDeal/contentOwner/additionalPartyIdentification
327	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/promotionalDeal/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
327	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/promotionalDeal/contentOwner/additionalPartyIdentification/@codeListVersion
327	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order/Referenced promotional deal information/Business document		0 .. 1	<b>creationDateTime</b> <i>Path:</i> orderMessage/order/promotionalDeal/creationDateTime

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				creation date time			
327	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Order/Referenced promotional deal information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> orderMessage/order/promotionalDeal/revisionNumber
327	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Order/Referenced promotional deal information/Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> orderMessage/order/promotionalDeal/lineItemNumber
327	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Order/Referenced promotional deal information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> orderMessage/order/promotionalDeal/referencedDocumentUrl
327	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Order/Referenced quotation information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> orderMessage/order/quoteNumber/entityIdentification
327	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Referenced quotation information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/quoteNumber/contentOwner/gln
327	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Referenced quotation information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/quoteNumber/contentOwner/additionalPartyIdentification
327	BDT000000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Referenced quotation information/Document content owner/Additional party identification	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/quoteNumber/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional party identification type code/Additional party identification type code content			
328	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Referenced quotation information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/quoteNumber/contentOwner/additionalPartyIdentification/@codeListVersion
328	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order/Referenced quotation information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> orderMessage/order/quoteNumber/creationDateTime
328	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Order/Referenced quotation information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> orderMessage/order/quoteNumber/revisionNumber
328	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Order/Referenced quotation information/Document line number		0 .. 1	<b>lineltemNumber</b> <i>Path:</i> orderMessage/order/quoteNumber/lineltemNumber
328	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Order/Referenced quotation information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> orderMessage/order/quoteNumber/referencedDocumentUrl
328	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Order/Referenced related order information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> orderMessage/order/referencedOrder/entityIdentification
328	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Referenced related order		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/referencedOrder/contentOwner/gln

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
328	BDT00000578	.. 80	1 .. 1	information/Document content owner/ Global location number GLN <b>Additional party identification content</b> <i>Path:</i> Order/Referenced related order information/Document content owner/ Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/referencedOrder/contentOwner/ additionalPartyIdentification
328	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Referenced related order information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/referencedOrder/contentOwner/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
328	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Referenced related order information/Document content owner/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/referencedOrder/contentOwner/ additionalPartyIdentification/@codeListVersion
329	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order/Referenced related order information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> orderMessage/order/referencedOrder/creationDateTime
329	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Order/Referenced related order information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> orderMessage/order/referencedOrder/revisionNumber

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
329	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Order/Referenced related order information/Document line number	0 .. 1		<b>lineItemNumber</b> <i>Path:</i> orderMessage/order/referencedOrder/lineItemNumber
329	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Order/Referenced related order information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUri</b> <i>Path:</i> orderMessage/order/referencedOrder/referencedDocumentUri
329	BDT00000682	.. 80	1 .. 1	<b>Order relationship code content</b> <i>Path:</i> Order/Referenced related order information/Order relationship code/Order relationship code content	1 .. 80	1 .. 1	<b>orderRelationship</b> <i>Path:</i> orderMessage/order/referencedOrder/orderRelationship
329	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Referenced related order information/Order relationship code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/referencedOrder/orderRelationship/@codeListVersion
329	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Order/Seller party information/Global location number, GLN	0 .. 1		<b>gln</b> <i>Path:</i> orderMessage/order/seller/gln
329	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Seller party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/seller/additionalPartyIdentification
329	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Seller party information/Additional party identification information/Additional party identification type code/Additional party	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/seller/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification type code content			
329	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Seller party information/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/seller/additionalPartyIdentification/ @codeListVersion
330	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Seller party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/seller/address/city
330	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Seller party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/seller/address/cityCode
330	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Seller party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/seller/address/countryCode
330	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Seller party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/seller/address/countryCode/ @codeListVersion
330	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Seller party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/seller/address/countyCode
330	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Seller party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/seller/address/crossStreet
330	BDT00000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Order/Seller party information/	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> orderMessage/order/seller/address/currencyOfPartyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Currency of party code/Currency of party code content			
330	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/Currency of party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/seller/address/ currencyOfPartyCode/@codeListVersion
330	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/ Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> orderMessage/order/seller/address/ languageOfThePartyCode
330	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/ Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/seller/address/ languageOfThePartyCode/@codeListVersion
331	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order/Seller party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> orderMessage/order/seller/address/name
331	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Seller party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/seller/address/pOBoxNumber
331	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Seller party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/seller/address/postalCode
331	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Seller party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/seller/address/provinceCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
331	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Seller party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/seller/address/state
331	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Seller party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/seller/address/streetAddressOne
331	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Seller party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/seller/address/streetAddressTwo
331	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Seller party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/seller/address/streetAddressThree
331	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Seller party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/seller/address/geographicalCoordinates/latitude
331	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Seller party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/seller/address/geographicalCoordinates/longitude
332	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order/Seller party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> orderMessage/order/seller/contact/contactTypeCode
332	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Seller party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/seller/contact/contactTypeCode/@codeListVersion
332	BDT00000112	.. 70	0 .. 1	<b>Person name</b>	1 .. 70	0 .. 1	<b>personName</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Seller party information/Business contact information/Person name			<i>Path:</i> orderMessage/order/seller/contact/personName
332	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order/Seller party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> orderMessage/order/seller/contact/departmentName
332	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Order/Seller party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> orderMessage/order/seller/contact/jobTitle
332	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Order/Seller party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> orderMessage/order/seller/contact/responsibility
332	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Seller party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/seller/contact/responsibility/@languageCode
332	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Seller party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/seller/contact/responsibility/@codeListVersion
332	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Seller party information/Business contact information/Communication information/Communication channel code/Communication channel code	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/seller/contact/communicationChannel/communicationChannelCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
332	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Seller party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/seller/contact/communicationChannel/communicationChannelCode/@codeListVersion
333	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Seller party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/seller/contact/communicationChannel/communicationValue
333	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Seller party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/seller/contact/communicationChannel/communicationChannelName
333	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order/Seller party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> orderMessage/order/seller/contact/afterHoursCommunicationChannel/communicationChannelCode
333	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Seller party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/seller/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
333	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order/Seller party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> orderMessage/order/seller/contact/afterHoursCommunicationChannel/communicationValue
333	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Order/Seller party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> orderMessage/order/seller/contact/afterHoursCommunicationChannel/communicationChannelName
333	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Order/Seller party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
333	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Order/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
333	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				list version			
333	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Order/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
334	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Order/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
334	BDT000000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order/Seller party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
334	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Seller party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
334	BDT000000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Order/Seller party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
334	BDT000000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order/Seller party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxDescription
	BDT000000524						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
334		.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Seller party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
334	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Seller party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
334	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Order/Seller party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
334	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Seller party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
334	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Order/Seller party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/organisationName
335	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Order/Seller party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/issuedCapital
335	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order/Seller party information/Organisation legal information/Issued	1 .. 80		<b>currencyCode</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/issuedCapital/@currencyCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				capital/Currency code/Currency code content			
335	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/ issuedCapital/@codeListVersion
335	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/ legalStructure
335	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/ legalStructure/@languageCode
335	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/ legalStructure/@codeListVersion
335	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/city
335	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/cityCode
	BDT00000774						

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
335			1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/countryCode
335	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/countryCode/@codeListVersion
336	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/countyCode
336	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/crossStreet
336	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/pOBoxNumber
336	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/postalCode
336	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/provinceCode

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
336	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/state
336	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/streetAddressOne
336	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/streetAddressTwo
336	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/streetAddressThree
336	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/geographicalCoordinates/latitude
337	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/geographicalCoordinates/longitude
337	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/ Registered legal information/Legal	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/ legalRegistration/legalRegistrationNumber

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
337	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/ legalRegistration/legalRegistrationType
337	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
337	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Order/Seller party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> orderMessage/order/seller/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
337	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/ financialInstitutionName
337	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/ financialInstitutionBranchName
337	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Financial account	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/ financialAccount/financialAccountNumber

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
337	BDT00000645	.. 80	1 .. 1	information/Financial account number <b>Financial account number type code content</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
337	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
338	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/financialAccount/financialAccountName
338	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
338	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode

Legend: No = Consecutive Number





## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content			
338	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
338	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/additionalFinancialInformation/description
338	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
338	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
338	BDT00000020	.. 200	0 .. 1	<b>City name</b>	1 .. 200	0 .. 1	<b>city</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/City name			<i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/city
338	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/cityCode
338	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/countryCode
339	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/countryCode/@codeListVersion
339	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/countyCode
339	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/crossStreet
339	BDT000000106	.. 200	0 .. 1	<b>Party name</b>	1 .. 200	0 .. 1	<b>name</b>

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/Party name			<i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/name
339	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/pOBoxNumber
339	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/postalCode
339	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/provinceCode
339	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/state
339	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/streetAddressOne
339	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order/Seller party information/Financial	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution and financial account information/Address information/Street address two			address/streetAddressTwo
340	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/streetAddressThree
340	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/geographicalCoordinates/latitude
340	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/geographicalCoordinates/longitude
340	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Order/Referenced trade agreement information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> orderMessage/order/tradeAgreement/entityIdentification
340	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order/Referenced trade agreement information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> orderMessage/order/tradeAgreement/contentOwner/gln
340	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Order/Referenced trade agreement information/Document content owner/	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> orderMessage/order/tradeAgreement/contentOwner/additionalPartyIdentification

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Additional party identification information/Additional party identification content			
340	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Order/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> orderMessage/order/tradeAgreement/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
340	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/tradeAgreement/contentOwner/additionalPartyIdentification/@codeListVersion
340	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order/Referenced trade agreement information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> orderMessage/order/tradeAgreement/creationDateTime
340	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Order/Referenced trade agreement information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> orderMessage/order/tradeAgreement/revisionNumber
341	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Order/Referenced trade agreement information/Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> orderMessage/order/tradeAgreement/lineItemNumber
341	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Order/Referenced trade agreement	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> orderMessage/order/tradeAgreement/

Legend: No = Consecutive Number



## Mapping

Model: Order model guide; 0.2; Draft  
Root Element: **Order**

Schema: Order Guide; GS1 3.5  
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Referenced document external location			referencedDocumentUrl
341	BDT00000699	.. 80	1 .. 1	<b>Referenced document type code content</b> <i>Path:</i> Order/Referenced additional information/Referenced document type code/Referenced document type code content	1 .. 80	1 .. 1	<b>transactionalReferenceTypeCode</b> <i>Path:</i> orderMessage/order/transactionalGenericReference/transactionalReferenceTypeCode
341	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Order/Referenced additional information/Referenced document type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> orderMessage/order/transactionalGenericReference/transactionalReferenceTypeCode/@codeListVersion
341	BDT00000135	.. 200	1 .. 1	<b>Business document reference identification</b> <i>Path:</i> Order/Referenced additional information/Business document reference identification	1 .. 200	1 .. 1	<b>transactionalReferenceValue</b> <i>Path:</i> orderMessage/order/transactionalGenericReference/transactionalReferenceValue
341	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order/Referenced additional information/Business document creation date time		0 .. 1	<b>transactionalReferenceDateTime</b> <i>Path:</i> orderMessage/order/transactionalGenericReference/transactionalReferenceDateTime

Legend: No = Consecutive Number