



Business data terms and groups	Usage	Business data terms and groups description	
<b>Order</b>		Context:	The order document is used when a buyer sends an order to a seller.
— <b>Revision number</b>	0..1	SDD-ID:	<b>BDT00000119</b>
		Definition:	The number assigned to a specific release of a document to keep track of changes and updates between revisions.
— <b>Business document creation date time</b>	1..1	SDD-ID:	<b>BDT00000047</b>
		Definition:	The date and optional time when the business document was issued.
— <b>Business document status code</b>	0..1	SDD-ID:	<b>BDT00000050</b>
		Definition:	The code specifying the status of a business document.
		Example:	ORIGINAL
		Used code list:	DocumentStatusEnumeration
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentStatusEnumeration">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentStatusEnumeration</a>
— <b>Business document action code</b>	0..1	SDD-ID:	<b>BDT00000045</b>
		Definition:	The code indicating the action to be taken by a process within the IT system of the recipient of the business document.
		Context:	A reason for the specified action can be given by using "BDTG00000247 Reason for status of business document code".
		Usage:	By the received code the IT-system can start the relevant IT process such as adding an original business document transaction when the code ADD is specified, or delete a previously received document transaction when the code DELETE is specified (a reference to the document transaction for deletion is required).
		Used code list:	DocumentActionEnumeration
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentActionEnumeration">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentActionEnumeration</a>
— <b>Business document standard version</b>	0..1	SDD-ID:	<b>BDT00000046</b>
		Definition:	The version number of the standard used for the business document.
— <b>Business document last update date time</b>	0..1	SDD-ID:	<b>BDT00000048</b>
		Definition:	The last date and time when a business document was updated.
— <b>Document effective date time</b>	0..1	SDD-ID:	<b>BDTG00000197</b>
		Definition:	The date and optional time from when the business document is valid from commercial or legal point of view.
— <b>Date</b>	0..1	SDD-ID:	<b>BDT00000040</b>
		Definition:	The day of a year as a calendar date.
		Example:	2020-06-15
— <b>Time</b>	0..1	SDD-ID:	<b>BDT00000133</b>
		Definition:	The indication of a point in time.
		Example:	08:01:15
— <b>Order receipt acknowledgement request indicator</b>	0..1	SDD-ID:	<b>BDT00000079</b>
		Definition:	The code indicating if an order receipt acknowledgement is requested.
		Example:	NO
		Used code list:	Available codes: "YES" and "NO"
— <b>Order free of excise tax indicator</b>	0..1	SDD-ID:	<b>BDT00000099</b>
		Definition:	The code indicating whether the ordered trade items are free of excise tax.



Business data terms and groups	Usage	Business data terms and groups description	
		Usage:	An excise tax is a tax applied to the consumption of a particular type of product, such as alcohol or tobacco.
		Example:	NO
		Used code list:	Available codes: "YES" and "NO"
<b>Order priority description</b>	0..1	SDD-ID:	<b>BDT00000101</b>
		Definition:	The statement indicating the prioritisation for the order according to an IT business system expressed as a text.
		Usage:	The business data term is normally to be used internally in an IT business system processing customers orders from different customers. The information is used in the IT business system to determine which customer order should be prioritized compared to another customer order. A bilateral agreement is needed if the business data term is to be used in communication with an external party.
<b>Business document identification information</b>	0..1	SDD-ID:	<b>BDTG00000480</b>
		Definition:	The information specifying the identification details of the business document.
<b>Entity identification</b>	0..1	SDD-ID:	<b>BDT00000056</b>
		Definition:	The identity of an entity such as a document or an object.
<b>Document content owner</b>	0..1	SDD-ID:	<b>BDTG00000196</b>
		Definition:	The information specifying the party that is responsible for the content of a document.
<b>Global location number GLN</b>	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<b>Additional party identification information</b>	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<b>Additional party identification content</b>	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
<b>Additional party identification type code</b>	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
<b>Additional party identification type code content</b>	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Reason for status of business document code</b>	0..1	SDD-ID:	<b>BDTG00000247</b>
		Definition:	The code specifying the reason for the specified status of the received business



Business data terms and groups	Usage	Business data terms and groups description	
		Context:	document. The business data term is to be used in accordance with specified code in "BDT00000045 Business document action code". The business data term is used to indicate a reason for why a previously sent order is changed, deleted or partial changed.
		Example:	INVALID BUYER IDENTIFICATION
<b>Reason for status of business document code content</b>	1..1	SDD-ID:	<b>BDT00000696</b>
		Definition:	The code specifying the reason for the specified status of the received business document.
		Example:	ITEM_TEMPORARILY_NOT_AVAILABLE
		Used code list:	ErrorOrWarningCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ErrorOrWarningCode&amp;release=3">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ErrorOrWarningCode&amp;release=3</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Total tax monetary amount</b>	0..1	SDD-ID:	<b>BDTG00000333</b>
		Definition:	The total tax monetary amount.
<b>Total tax monetary amount content</b>	1..1	SDD-ID:	<b>BDT00000601</b>
		Definition:	The total tax monetary amount.
		Usage:	The Invoice total tax amount is the sum of all category tax amounts.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Notation</b>	0..1	SDD-ID:	<b>BDTG00000244</b>
		Definition:	The descriptive information expressed as text to be read and not to be processed by a receiving IT application.
<b>Notation content</b>	1..1	SDD-ID:	<b>BDT00000670</b>
		Definition:	The descriptive information expressed as text to be read and not to be processed by a receiving IT application.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>



## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Order instruction code</b>	0..1	Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG00000248</b>
<b>Order instruction code content</b>	1..1	Definition:	The code indicating instructions for delivery of ordered trade items.
		SDD-ID:	<b>BDT00000673</b>
		Definition:	The code indicating instructions for delivery of ordered trade items.
		Example:	PARTIAL_DELIVERY_ALLOWED
		Used code list:	OrderInstructionCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:OrderInstructionCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:OrderInstructionCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Order instruction description</b>	0..1	SDD-ID:	<b>BDTG00000249</b>
		Definition:	The instructions for delivery of ordered trade items expressed as text.
		Usage rule:	Only used if no coded value for the order instruction is available using the business data term Order instruction code.
<b>Order instruction description content</b>	1..1	SDD-ID:	<b>BDT00000674</b>
		Definition:	The instructions for delivery of ordered trade items expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Order type code</b>	0..1	SDD-ID:	<b>BDTG00000258</b>
		Definition:	The code specifying the type of an order.
		Context:	Identifies the type of purchase order which enable the order receiving IT system to determine the appropriate processing.
<b>Order type code content</b>	1..1	SDD-ID:	<b>BDT00000685</b>
		Definition:	The code specifying the type of an order.
		Used code list:	OrderTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:OrderTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:OrderTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Order currency code</b>	0..1	SDD-ID:	<b>BDTG00000481</b>
		Definition:	The code specifying the currency used for the order.
<b>Order currency code content</b>	1..1	SDD-ID:	<b>BDT00000671</b>
		Definition:	The code specifying the currency used for the order.
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .



Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Buyer party information	0..1	SDD-ID: Definition: Usage:	<b>BDTG00000162</b> The information specifying details of the party that purchases products or services. To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
Buyer party registered in the European Union indicator	0..1	SDD-ID: Definition: Usage:	<b>BDT00000404</b> The code indicating if the company specified as the buyer is registered as a company in a member state of the European Union. The business data term is used for fighting illicit trade.
Global location number, GLN	0..1	SDD-ID: Definition: Ref. definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
Additional party identification type code	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Electronic address information	0..1	SDD-ID: Definition:	<b>BDTG00000784</b> The information about the electronic address of a party
Electronic address identification scheme	1..1	SDD-ID: Definition:	<b>BDT00000786</b> The identification scheme of of the electronic address
Electronic address identification	1..1	SDD-ID: Definition:	<b>BDT00000785</b> The identifier of of the electronic address to which a business document should be delivered
Address information	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.

## Order

Business data terms and groups	Usage	Business data terms and groups description	
City name	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	<b>BDT00000019</b>
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	<b>BDT00000034</b>
		Definition:	The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
		Definition:	The street crossing another street.
Party name	0..1	SDD-ID:	<b>BDT00000106</b>
		Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	<b>BDT00000127</b>
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies

Business data terms and groups	Usage	Business data terms and groups description	
<b>Longitude</b>	1..1	Example: SDD-ID: Definition:	the north-south position of a point on the Earth's surface. <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
<b>Business contact information</b>	0..unbounded	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
<b>Person name</b>	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
<b>Department name</b>	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
<b>Job title</b>	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
<b>Contact type code</b>	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
<b>Contact type code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000571</b> The code specifying the function or role of a contact person.
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Business contact responsibility description</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
<b>Business contact responsibility description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
<b>Communication channel code</b>	1..1	SDD-ID: Definition:	<b>BDTG00000175</b> The code specifying the channel for communication.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Communication channel code content</b>	1..1	Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
			SDD-ID:	<b>BDT00000525</b>
			Definition:	The code specifying the channel for communication.
			Example:	TELEPHONE
			Used code list:	CommunicationChannelCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Communication channel identification</b>	1..1	SDD-ID:	<b>BDT00000032</b>
			Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	<b>Communication channel name</b>	0..1	SDD-ID:	<b>BDT00000033</b>
			Definition:	The name of a communication channel expressed as text.
	<b>After hours communication information</b>	0..unbounded	SDD-ID:	<b>BDTG00000145</b>
			Definition:	The information specifying details of communication channels to use after regular business hours.
	<b>Communication channel code</b>	1..1	SDD-ID:	<b>BDTG00000175</b>
			Definition:	The code specifying the channel for communication.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Communication channel code content</b>	1..1	SDD-ID:	<b>BDT00000525</b>
			Definition:	The code specifying the channel for communication.
			Example:	TELEPHONE
			Used code list:	CommunicationChannelCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Communication channel identification</b>	1..1	SDD-ID:	<b>BDT00000032</b>
			Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	<b>Communication channel name</b>	0..1	SDD-ID:	<b>BDT00000033</b>
			Definition:	The name of a communication channel expressed as text.
	<b>Tax registration information</b>	0..unbounded	SDD-ID:	<b>BDTG00000326</b>
			Definition:	The information specifying details of a party registered for tax.
	<b>Tax authority name</b>	0..1	SDD-ID:	<b>BDT00000369</b>
			Definition:	The name of the authority administering the collection of taxes expressed as text.
	<b>Tax registration identification information</b>	1..1	SDD-ID:	<b>BDTG00000585</b>
			Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
	<b>Tax registration identification content</b>	1..1	SDD-ID:	<b>BDT00000584</b>



## Order

Business data terms and groups	Usage	Business data terms and groups description	
Identification scheme information	0..1	Definition:	The identity assigned to a party registered for tax according to a national tax register.
Identification scheme name	0..1	SDD-ID:	<b>BDTG00000587</b>
Identification scheme agency name	0..1	Definition:	The information specifying details of the used identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDT00000074</b>
Identification scheme responsible agency code content	1..1	Definition:	The name of the identification scheme.
Code list version	0..1	SDD-ID:	<b>BDT00000073</b>
Tax type code	0..1	Definition:	The name of the agency responsible for a identification scheme.
Tax type code content	1..1	SDD-ID:	<b>BDTG00000586</b>
Code list version	0..1	Definition:	The code specifying the agency responsible for the identification scheme.
Tax description	0..1	SDD-ID:	<b>BDT00000583</b>
Tax description content	1..1	Definition:	The code specifying the agency responsible for the identification scheme.
Language code	0..1	Used code list:	ResponsibleAgencyCode
Language code content	1..1	Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
Tax registration type code	0..1	Definition:	The version number of the code list.
Tax registration type code content	1..1	SDD-ID:	<b>BDTG00000328</b>
		Definition:	The code specifying the type of tax.
		SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
		SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG00000322</b>
		Definition:	The description of the tax expressed as text.
		SDD-ID:	<b>BDT00000754</b>
		Definition:	The description of the tax expressed as text.
		SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
		SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG00000327</b>
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
		SDD-ID:	<b>BDT00000588</b>
		Definition:	The code specifying the type of tax registration number assigned by a national



## Order

Business data terms and groups	Usage	Business data terms and groups description	
		Used code list: authority. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Customs duty registration information	0..unbounded	SDD-ID: <b>BDTG00000375</b> Definition: The information specifying details of a party registered for customs duty.	
Customs authority name	0..1	SDD-ID: <b>BDT00000370</b> Definition: The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.	
Customs registration identification information	1..1	SDD-ID: <b>BDTG00000621</b> Definition: The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.	
Customs registration identification content	1..1	SDD-ID: <b>BDT00000622</b> Definition: The identity assigned to a party registered for customs duty according to a national customs register.	
Identification scheme information	0..1	SDD-ID: <b>BDTG00000587</b> Definition: The information specifying details of the used identification scheme.	
Identification scheme name	0..1	SDD-ID: <b>BDT00000074</b> Definition: The name of the identification scheme.	
Identification scheme agency name	0..1	SDD-ID: <b>BDT00000073</b> Definition: The name of the agency responsible for a identification scheme.	
Identification scheme responsible agency code	0..1	SDD-ID: <b>BDTG00000586</b> Definition: The code specifying the agency responsible for the identification scheme.	
Identification scheme responsible agency code content	1..1	SDD-ID: <b>BDT00000583</b> Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Tax type code	0..1	SDD-ID: <b>BDTG00000328</b> Definition: The code specifying the type of tax.	
Tax type code content	1..1	SDD-ID: <b>BDT00000576</b> Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Customs duty description	0..1	SDD-ID: <b>BDTG00000378</b> Definition: The description of the customs duty expressed as text.	



## Order

Business data terms and groups	Usage	Business data terms and groups description	
Customs duty description content	1..1	SDD-ID:	<b>BDT00000563</b>
		Definition:	The description of the customs duty expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Customs registration type code	0..1	SDD-ID:	<b>BDTG00000623</b>
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
Customs registration type code content	1..1	SDD-ID:	<b>BDT00000624</b>
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Organisation legal information	0..1	SDD-ID:	<b>BDTG00000262</b>
		Definition:	The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID:	<b>BDT00000102</b>
		Definition:	The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID:	<b>BDTG00000228</b>
		Definition:	The code specifying the language of a party.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Currency of party code	0..1	SDD-ID:	<b>BDTG00000184</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID:	<b>BDT00000710</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.

Business data terms and groups	Usage	Business data terms and groups description
		Link to code list: <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Official address	0..1	SDD-ID: <b>BDTG00000246</b> Definition: The registered legal address of the organisation.
County code	0..1	SDD-ID: <b>BDT00000034</b> Definition: The code indicating a geographical region in a country.
City name	0..1	SDD-ID: <b>BDT00000020</b> Definition: The name of the city, town or village.
City code	0..1	SDD-ID: <b>BDT00000019</b> Definition: The code specifying a city.
Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition: The street crossing another street.
Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition: The number of a post office box located on the premises of a post office station or other postal service location.
Postal code	0..1	Synonyms: P.O. box, postal box SDD-ID: <b>BDT00000114</b> Definition: The code according to the relevant postal system or service to specify a geographical area. Example: SE 190 90
Province identity	0..1	Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode SDD-ID: <b>BDT00000117</b> Definition: The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID: <b>BDT00000127</b> Definition: The political unit that a country can be divided into. Example: California
Street address one	0..1	SDD-ID: <b>BDT00000128</b> Definition: The first street address line of a structured address. Example: Avenue Louise 326
Street address two	0..1	SDD-ID: <b>BDT00000130</b> Definition: The second street address line of a structured address. Example: Blue Tower
Street address three	0..1	SDD-ID: <b>BDT00000129</b> Definition: The third street address line of a structured address. Example: Floor 4
Country code	0..1	SDD-ID: <b>BDTG00000179</b> Definition: The code specifying a country.
Country code content	1..1	SDD-ID: <b>BDT00000774</b> Definition: The code specifying a country.
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Geographical coordinates information	0..1	SDD-ID: <b>BDTG00000214</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Latitude	1..1	Definition:	The information specifying details on a location using geographical coordinates.
			SDD-ID:	<b>BDT00000085</b>
	Longitude	1..1	Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Issued capital	0..1	SDD-ID:	<b>BDTG00000225</b>
			Definition:	The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID:	<b>BDT00000655</b>
			Definition:	The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
			Definition:	The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
	Code list version	0..1	Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Legal structure description	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Legal structure description content	1..1	SDD-ID:	<b>BDTG00000231</b>
			Definition:	The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID:	<b>BDT00000659</b>
			Definition:	The description of the legal structure expressed as text.
	Language code content	1..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Code list version	0..1	Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Registered legal information	0..unbounded	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Legal registration number	1..1	SDD-ID:	<b>BDTG00000288</b>
			Definition:	The information specifying the registered data on a legal entity in accordance with national law.
	Legal registration additional information	0..1	SDD-ID:	<b>BDT00000087</b>
			Definition:	The identification number of an organisation according to a legal register.
	Legal registration type code	1..1	SDD-ID:	<b>BDT00000086</b>
			Definition:	The additional information related to the legal registration expressed as text.
			SDD-ID:	<b>BDTG00000230</b>

## Order

Business data terms and groups	Usage	Business data terms and groups description	
Legal registration type code content	1..1	Definition:	The code specifying the type of legal registration.
		SDD-ID:	<b>BDT00000658</b>
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
		Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID:	<b>BDT00000061</b>
		Definition:	The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID:	<b>BDT00000060</b>
		Definition:	The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID:	<b>BDTG00000207</b>
		Definition:	The information specifying details of a financial account.
Financial account name	0..1	SDD-ID:	<b>BDT00000058</b>
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
Financial account number	1..1	SDD-ID:	<b>BDT00000059</b>
		Definition:	The number of a financial account expressed as text.
Financial account number type code	1..1	SDD-ID:	<b>BDTG00000208</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:FinancialAccountNumberTypeCode</a>
Financial account number type code content	1..1	SDD-ID:	<b>BDT00000645</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:FinancialAccountNumberTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Financial institution routing number information	0..1	SDD-ID:	<b>BDTG00000210</b>
		Definition:	The information specifying details on a routing number of a financial institution.
Financial routing number	1..1	SDD-ID:	<b>BDT00000062</b>
		Definition:	The routing number of a financial transaction according to the specified financial routing type.
		Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
Financial routing number type code	1..1	SDD-ID:	<b>BDTG00000211</b>
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode



## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Financial routing number type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000644</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Additional financial institution description	0..1	SDD-ID: Definition:	<b>BDTG00000522</b> The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID: Definition:	<b>BDT00000521</b> The text value describing the additional financial institution.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Address information	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	Party name	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
	Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Seller party information	0..1	SDD-ID:	<b>BDTG00000305</b>
			Definition:	The information specifying the party that sells products or services.
			Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
			Synonyms:	Supplier
	Global location number, GLN	0..1	SDD-ID:	<b>BDT00000063</b>
			Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
			Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.





Business data terms and groups	Usage	Business data terms and groups description	
Party commercial name	0..1	SDD-ID:	<b>BDT00000787</b>
		Definition:	The commercial name of the party expressed as text.
Additional party identification information	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Electronic address information	0..1	SDD-ID:	<b>BDTG00000784</b>
		Definition:	The information about the electronic address of a party
Electronic address identification scheme	1..1	SDD-ID:	<b>BDT00000786</b>
		Definition:	The identification scheme of of the electronic address
Electronic address identification	1..1	SDD-ID:	<b>BDT00000785</b>
		Definition:	The identifier of of the electronic address to which a business document should be delivered
Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	<b>BDT00000019</b>
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	<b>BDT00000034</b>
		Definition:	The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
		Definition:	The street crossing another street.
Party name	0..1	SDD-ID:	<b>BDT00000106</b>
		Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box



Business data terms and groups	Usage	Business data terms and groups description	
Postal code	0..1	SDD-ID: <b>BDT00000114</b> Definition: The code according to the relevant postal system or service to specify a geographical area. Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode	
Province identity	0..1	SDD-ID: <b>BDT00000117</b> Definition: The identity of a province according to national codes assigned to provinces.	
State	0..1	SDD-ID: <b>BDT00000127</b> Definition: The political unit that a country can be divided into. Example: California	
Street address one	0..1	SDD-ID: <b>BDT00000128</b> Definition: The first street address line of a structured address. Example: Avenue Louise 326	
Street address two	0..1	SDD-ID: <b>BDT00000130</b> Definition: The second street address line of a structured address. Example: Blue Tower	
Street address three	0..1	SDD-ID: <b>BDT00000129</b> Definition: The third street address line of a structured address. Example: Floor 4	
Country code	0..1	SDD-ID: <b>BDTG00000179</b> Definition: The code specifying a country.	
Country code content	1..1	SDD-ID: <b>BDT00000774</b> Definition: The code specifying a country.	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Geographical coordinates information	0..1	SDD-ID: <b>BDTG00000214</b> Definition: The information specifying details on a location using geographical coordinates.	
Latitude	1..1	SDD-ID: <b>BDT00000085</b> Definition: The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. Example: 23°26'12.2" S	
Longitude	1..1	SDD-ID: <b>BDT00000089</b> Definition: The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. Example: 18°3'59.0616"	
Business contact information	0..unbounded	SDD-ID: <b>BDTG00000158</b> Definition: The information specifying details of the person or department who can give special assistance regarding a business transaction.	
Person name	0..1	SDD-ID: <b>BDT00000112</b> Definition: The name of an individual person expressed as text.	
Department name	0..1	SDD-ID: <b>BDT00000044</b> Definition: The name of the department.	
Job title	0..1	SDD-ID: <b>BDT00000083</b>	

## Order

Business data terms and groups	Usage	Business data terms and groups description
<b>Contact type code</b>	0..1	Definition: The title of a position or the role of a person holding the position. SDD-ID: <b>BDTG00000178</b> Definition: The code specifying the function or role of a contact person. Used code list: ISO 3166-1 or equivalent representation in specific syntax. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
<b>Contact type code content</b>	1..1	SDD-ID: <b>BDT00000571</b> Definition: The code specifying the function or role of a contact person.
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Business contact responsibility description</b>	0..unbounded	SDD-ID: <b>BDTG00000159</b> Definition: The description of the responsibility of a business contact such as a person or a department expressed as text.
<b>Business contact responsibility description content</b>	1..1	SDD-ID: <b>BDT00000580</b> Definition: The description of the responsibility of a business contact such as a person or a department expressed as text.
<b>Language code</b>	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Communication information</b>	0..unbounded	SDD-ID: <b>BDTG00000176</b> Definition: The information specifying details of a contact person's communication channel.
<b>Communication channel code</b>	1..1	SDD-ID: <b>BDTG00000175</b> Definition: The code specifying the channel for communication. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Communication channel code content</b>	1..1	SDD-ID: <b>BDT00000525</b> Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Communication channel identification</b>	1..1	SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
<b>Communication channel name</b>	0..1	SDD-ID: <b>BDT00000033</b>



Business data terms and groups	Usage	Business data terms and groups description
<b>After hours communication information</b>	0..unbounded	Definition: The name of a communication channel expressed as text. SDD-ID: <b>BDTG00000145</b> Definition: The information specifying details of communication channels to use after regular business hours.
<b>Communication channel code</b>	1..1	SDD-ID: <b>BDTG00000175</b> Definition: The code specifying the channel for communication. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Communication channel code content</b>	1..1	SDD-ID: <b>BDT00000525</b> Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Communication channel identification</b>	1..1	SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
<b>Communication channel name</b>	0..1	SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.
<b>Tax registration information</b>	0..unbounded	SDD-ID: <b>BDTG00000326</b> Definition: The information specifying details of a party registered for tax.
<b>Tax authority name</b>	0..1	SDD-ID: <b>BDT00000369</b> Definition: The name of the authority administering the collection of taxes expressed as text.
<b>Tax registration identification information</b>	1..1	SDD-ID: <b>BDTG00000585</b> Definition: The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
<b>Tax registration identification content</b>	1..1	SDD-ID: <b>BDT00000584</b> Definition: The identity assigned to a party registered for tax according to a national tax register.
<b>Identification scheme information</b>	0..1	SDD-ID: <b>BDTG00000587</b> Definition: The information specifying details of the used identification scheme.
<b>Identification scheme name</b>	0..1	SDD-ID: <b>BDT00000074</b> Definition: The name of the identification scheme.
<b>Identification scheme agency name</b>	0..1	SDD-ID: <b>BDT00000073</b> Definition: The name of the agency responsible for a identification scheme.
<b>Identification scheme responsible agency code</b>	0..1	SDD-ID: <b>BDTG00000586</b> Definition: The code specifying the agency responsible for the identification scheme.
<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: <b>BDT00000583</b> Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>



Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax description	0..1	SDD-ID:	<b>BDTG00000322</b>
		Definition:	The description of the tax expressed as text.
Tax description content	1..1	SDD-ID:	<b>BDT00000754</b>
		Definition:	The description of the tax expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax registration type code	0..1	SDD-ID:	<b>BDTG00000327</b>
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
Tax registration type code content	1..1	SDD-ID:	<b>BDT00000588</b>
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Customs duty registration information	0..unbounded	SDD-ID:	<b>BDTG00000375</b>
		Definition:	The information specifying details of a party registered for customs duty.
Customs authority name	0..1	SDD-ID:	<b>BDT00000370</b>
		Definition:	The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.
Customs registration identification information	1..1	SDD-ID:	<b>BDTG00000621</b>
		Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.



## Order

Business data terms and groups	Usage	Business data terms and groups description	
Customs registration identification content	1..1	SDD-ID: <b>BDT00000622</b> Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
Identification scheme information	0..1	SDD-ID: <b>BDTG00000587</b> Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: <b>BDT00000074</b> Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: <b>BDT00000073</b> Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID: <b>BDTG00000586</b> Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID: <b>BDT00000583</b> Definition: Used code list: Link to code list:	The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID: <b>BDTG00000328</b> Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: <b>BDT00000576</b> Definition: Used code list: Link to code list:	The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
Customs duty description	0..1	SDD-ID: <b>BDTG00000378</b> Definition:	The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID: <b>BDT00000563</b> Definition:	The description of the customs duty expressed as text.
Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition:	The code specifying the language.
Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: Example: Used code list:	The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
Customs registration type code	0..1	SDD-ID: <b>BDTG00000623</b> Definition:	The code specifying the type of customs registration number assigned by a national authority.



## Order

Business data terms and groups	Usage	Business data terms and groups description	
Customs registration type code content	1..1	SDD-ID: <b>BDT00000624</b> Definition: The code specifying the type of customs registration number assigned by a national authority. Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Organisation legal information	0..1	SDD-ID: <b>BDTG00000262</b> Definition: The information specifying details of a legal organisation.	
Organisation name	1..1	SDD-ID: <b>BDT00000102</b> Definition: The official and legal name of the organisation.	
Language of the party code	0..1	SDD-ID: <b>BDTG00000228</b> Definition: The code specifying the language of a party.	
Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Currency of party code	0..1	SDD-ID: <b>BDTG00000184</b> Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax.	
Currency of party code content	1..1	SDD-ID: <b>BDT00000710</b> Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax. Link to code list: <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Official address	0..1	SDD-ID: <b>BDTG00000246</b> Definition: The registered legal address of the organisation.	
County code	0..1	SDD-ID: <b>BDT00000034</b> Definition: The code indicating a geographical region in a country.	
City name	0..1	SDD-ID: <b>BDT00000020</b> Definition: The name of the city, town or village.	
City code	0..1	SDD-ID: <b>BDT00000019</b> Definition: The code specifying a city.	
Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition: The street crossing another street.	
Post office box number	0..1	SDD-ID: <b>BDT00000113</b>	

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Postal code</b>	0..1	Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	<b>Province identity</b>	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
	<b>State</b>	0..1	Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	<b>Street address one</b>	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	<b>Street address two</b>	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
	<b>Street address three</b>	0..1	Example:	California
			SDD-ID:	<b>BDT00000128</b>
	<b>Country code</b>	0..1	Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	<b>Country code content</b>	1..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
	<b>Code list version</b>	0..1	Example:	Blue Tower
			SDD-ID:	<b>BDT00000129</b>
	<b>Geographical coordinates information</b>	0..1	Definition:	The third street address line of a structured address.
			Example:	Floor 4
	<b>Latitude</b>	1..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	<b>Longitude</b>	1..1	SDD-ID:	<b>BDTG00000774</b>
			Definition:	The code specifying a country.
	<b>Issued capital</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Issued capital content</b>	1..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	<b>Currency code</b>	0..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
			SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
			SDD-ID:	<b>BDTG00000225</b>
			Definition:	The monetary amount representing the value of the issued capital of a company.
			SDD-ID:	<b>BDT00000655</b>
			Definition:	The monetary amount representing the issued capital of a company.
			SDD-ID:	<b>BDTG00000590</b>





## Order

Business data terms and groups	Usage	Business data terms and groups description
<b>Currency code content</b>	1..1	Definition: The code specifying the currency of a monetary amount. SDD-ID: <b>BDT00000589</b> Definition: The code specifying the currency of a monetary amount. Example: EUR Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Legal structure description</b>	0..1	SDD-ID: <b>BDTG00000231</b> Definition: The description of the legal structure expressed as text.
<b>Legal structure description content</b>	1..1	SDD-ID: <b>BDT00000659</b> Definition: The description of the legal structure expressed as text.
<b>Language code</b>	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Registered legal information</b>	0..unbounded	SDD-ID: <b>BDTG00000288</b> Definition: The information specifying the registered data on a legal entity in accordance with national law.
<b>Legal registration number</b>	1..1	SDD-ID: <b>BDT00000087</b> Definition: The identification number of an organisation according to a legal register.
<b>Legal registration additional information</b>	0..1	SDD-ID: <b>BDT00000086</b> Definition: The additional information related to the legal registration expressed as text.
<b>Legal registration type code</b>	1..1	SDD-ID: <b>BDTG00000230</b> Definition: The code specifying the type of legal registration.
<b>Legal registration type code content</b>	1..1	SDD-ID: <b>BDT00000658</b> Definition: The code specifying the type of legal registration. Used code list: LegalRegistrationCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Financial institution and financial account information</b>	0..unbounded	SDD-ID: <b>BDTG00000209</b> Definition: The information specifying details of a financial institution and financial account.
<b>Financial institution name</b>	0..1	SDD-ID: <b>BDT00000061</b> Definition: The name of a financial institution expressed as text.
<b>Financial institution division name</b>	0..1	SDD-ID: <b>BDT00000060</b> Definition: The name of a division or branch within a financial institution expressed as text.



## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Financial account information</b>	0..1	SDD-ID:	<b>BDTG00000207</b>
		Definition:	The information specifying details of a financial account.
<b>Financial account name</b>	0..1	SDD-ID:	<b>BDT00000058</b>
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
<b>Financial account number</b>	1..1	SDD-ID:	<b>BDT00000059</b>
		Definition:	The number of a financial account expressed as text.
<b>Financial account number type code</b>	1..1	SDD-ID:	<b>BDTG00000208</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
<b>Financial account number type code content</b>	1..1	SDD-ID:	<b>BDT00000065</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Financial institution routing number information</b>	0..1	SDD-ID:	<b>BDTG00000210</b>
		Definition:	The information specifying details on a routing number of a financial institution.
<b>Financial routing number</b>	1..1	SDD-ID:	<b>BDT00000062</b>
		Definition:	The routing number of a financial transaction according to the specified financial routing type.
		Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
<b>Financial routing number type code</b>	1..1	SDD-ID:	<b>BDTG00000211</b>
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
<b>Financial routing number type code content</b>	1..1	SDD-ID:	<b>BDT00000064</b>
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Additional financial institution description</b>	0..1	SDD-ID:	<b>BDTG00000522</b>
		Definition:	The additional description of a financial institution expressed as text.
<b>Additional financial institution description content</b>	1..1	SDD-ID:	<b>BDT00000521</b>
		Definition:	The text value describing the additional financial institution.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>

Business data terms and groups		Usage	Business data terms and groups description	
	Language code content	1..1	Definition:	The code specifying the language.
			SDD-ID:	<b>BDT00000524</b>
	Code list version	0..1	Definition:	The code specifying the language.
			Example:	en
	Address information	0..1	Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			SDD-ID:	<b>BDT00000028</b>
	City name	0..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000144</b>
	City code	0..1	Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
			SDD-ID:	<b>BDT00000020</b>
	County code	0..1	Definition:	The name of the city, town or village.
			SDD-ID:	<b>BDT00000019</b>
	Cross street	0..1	Definition:	The code specifying a city.
			SDD-ID:	<b>BDT00000034</b>
	Party name	0..1	Definition:	The code indicating a geographical region in a country.
			SDD-ID:	<b>BDT00000035</b>
	Post office box number	0..1	Definition:	The street crossing another street.
			SDD-ID:	<b>BDT00000106</b>
	Postal code	0..1	Definition:	The name of the party expressed as text.
			SDD-ID:	<b>BDT00000113</b>
	Province identity	0..1	Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	State	0..1	Definition:	The code according to the relevant postal system or service to specify a geographical area.
			SDD-ID:	<b>BDT00000114</b>
	Street address one	0..1	Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Street address two	0..1	Definition:	The identity of a province according to national codes assigned to provinces.
			SDD-ID:	<b>BDT00000117</b>
	Street address three	0..1	Definition:	The political unit that a country can be divided into.
			Example:	California
		0..1	Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
		0..1	Definition:	The second street address line of a structured address.
			Example:	Blue Tower
		0..1	SDD-ID:	<b>BDT00000128</b>
			SDD-ID:	<b>BDT00000130</b>
		0..1	SDD-ID:	<b>BDT00000129</b>
			SDD-ID:	<b>BDT00000129</b>



Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Consignee party information	0..1	SDD-ID:	<b>BDTG00000714</b>
			Definition:	The information specifying details of the party receiving a consignment of goods.
			Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
	Global location number, GLN	0..1	SDD-ID:	<b>BDT00000063</b>
			Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
			Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	Additional party identification information	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
			Definition:	The information specifying the additional identification details of a party.
			Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
			Definition:	The additional identity of a party.
	Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
			Definition:	The code specifying the additional identification type of the party.
	Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
			Definition:	The code specifying the additional identification type of the party.
			Used code list:	AdditionalPartyIdentificationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>



## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Address information</b>	0..1	Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG00000144</b>
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.
<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
		Definition:	The code specifying a city.
<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
		Definition:	The code indicating a geographical region in a country.
<b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
		Definition:	The street crossing another street.
<b>Party name</b>	0..1	SDD-ID:	<b>BDT00000106</b>
		Definition:	The name of the party expressed as text.
<b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
<b>Postal code</b>	0..1	SDD-ID:	<b>BDT00000114</b>
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
<b>Province identity</b>	0..1	SDD-ID:	<b>BDT00000117</b>
		Definition:	The identity of a province according to national codes assigned to provinces.
<b>State</b>	0..1	SDD-ID:	<b>BDT00000127</b>
		Definition:	The political unit that a country can be divided into.
		Example:	California
<b>Street address one</b>	0..1	SDD-ID:	<b>BDT00000128</b>
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
<b>Street address two</b>	0..1	SDD-ID:	<b>BDT00000130</b>
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
<b>Street address three</b>	0..1	SDD-ID:	<b>BDT00000129</b>
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
<b>Country code</b>	0..1	SDD-ID:	<b>BDTG00000179</b>
		Definition:	The code specifying a country.
<b>Country code content</b>	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>

## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Geographical coordinates information</b>	0..1	Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG00000214</b>
<b>Latitude</b>	1..1	Definition:	The information specifying details on a location using geographical coordinates.
		SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
<b>Longitude</b>	1..1	SDD-ID:	<b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
<b>Business contact information</b>	0..unbounded	SDD-ID:	<b>BDTG00000158</b>
		Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
<b>Person name</b>	0..1	SDD-ID:	<b>BDT00000112</b>
		Definition:	The name of an individual person expressed as text.
<b>Department name</b>	0..1	SDD-ID:	<b>BDT00000044</b>
		Definition:	The name of the department.
<b>Job title</b>	0..1	SDD-ID:	<b>BDT00000083</b>
		Definition:	The title of a position or the role of a person holding the position.
<b>Contact type code</b>	0..1	SDD-ID:	<b>BDTG00000178</b>
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
<b>Contact type code content</b>	1..1	SDD-ID:	<b>BDT00000571</b>
		Definition:	The code specifying the function or role of a contact person.
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Business contact responsibility description</b>	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
<b>Business contact responsibility description content</b>	1..1	SDD-ID:	<b>BDT00000580</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>



## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Communication information</b>	0..unbounded	Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG00000176</b>
<b>Communication channel code</b>	1..1	Definition:	The information specifying details of a contact person's communication channel.
		SDD-ID:	<b>BDTG00000175</b>
		Definition:	The code specifying the channel for communication.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Communication channel code content</b>	1..1	SDD-ID:	<b>BDT00000525</b>
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Communication channel identification</b>	1..1	SDD-ID:	<b>BDT00000032</b>
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
<b>Communication channel name</b>	0..1	SDD-ID:	<b>BDT00000033</b>
		Definition:	The name of a communication channel expressed as text.
<b>After hours communication information</b>	0..unbounded	SDD-ID:	<b>BDTG00000145</b>
		Definition:	The information specifying details of communication channels to use after regular business hours.
<b>Communication channel code</b>	1..1	SDD-ID:	<b>BDTG00000175</b>
		Definition:	The code specifying the channel for communication.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Communication channel code content</b>	1..1	SDD-ID:	<b>BDT00000525</b>
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Communication channel identification</b>	1..1	SDD-ID:	<b>BDT00000032</b>
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
<b>Communication channel name</b>	0..1	SDD-ID:	<b>BDT00000033</b>
		Definition:	The name of a communication channel expressed as text.
<b>Tax registration information</b>	0..unbounded	SDD-ID:	<b>BDTG00000326</b>
		Definition:	The information specifying details of a party registered for tax.
<b>Tax authority name</b>	0..1	SDD-ID:	<b>BDT00000369</b>



## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Tax registration identification information</b>	1..1	Definition:	The name of the authority administrating the collection of taxes expressed as text.
		SDD-ID:	<b>BDTG00000585</b>
<b>Tax registration identification content</b>	1..1	Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
		SDD-ID:	<b>BDT00000584</b>
<b>Identification scheme information</b>	0..1	Definition:	The identity assigned to a party registered for tax according to a national tax register.
		SDD-ID:	<b>BDTG00000587</b>
<b>Identification scheme name</b>	0..1	Definition:	The information specifying details of the used identification scheme.
		SDD-ID:	<b>BDT00000074</b>
<b>Identification scheme agency name</b>	0..1	Definition:	The name of the identification scheme.
		SDD-ID:	<b>BDT00000073</b>
<b>Identification scheme responsible agency code</b>	0..1	Definition:	The name of the agency responsible for a identification scheme.
		SDD-ID:	<b>BDTG00000586</b>
<b>Identification scheme responsible agency code content</b>	1..1	Definition:	The code specifying the agency responsible for the identification scheme.
		SDD-ID:	<b>BDT00000583</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax type code</b>	0..1	SDD-ID:	<b>BDTG00000328</b>
<b>Tax type code content</b>	1..1	Definition:	The code specifying the type of tax.
		SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax description</b>	0..1	SDD-ID:	<b>BDTG00000322</b>
<b>Tax description content</b>	1..1	Definition:	The description of the tax expressed as text.
		SDD-ID:	<b>BDT00000754</b>
		Definition:	The description of the tax expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.





## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Tax registration type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000327</b> The code specifying the type of tax registration number assigned by a national authority.
<b>Tax registration type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000588</b> The code specifying the type of tax registration number assigned by a national authority. DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Customs duty registration information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000375</b> The information specifying details of a party registered for customs duty.
<b>Customs authority name</b>	0..1	SDD-ID: Definition:	<b>BDT00000370</b> The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.
<b>Customs registration identification information</b>	1..1	SDD-ID: Definition:	<b>BDTG00000621</b> The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
<b>Customs registration identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000622</b> The identity assigned to a party registered for customs duty according to a national customs register.
<b>Identification scheme information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
<b>Identification scheme name</b>	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
<b>Identification scheme agency name</b>	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
<b>Identification scheme responsible agency code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Tax type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.
<b>Tax type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:</a>

## Order

Business data terms and groups	Usage	Business data terms and groups description
<b>Code list version</b>	0..1	SDD-ID: <a href="#">DutyFeeTaxTypeCode</a> Definition: <b>BDT00000028</b> The version number of the code list.
<b>Customs duty description</b>	0..1	SDD-ID: <b>BDTG00000378</b> Definition: The description of the customs duty expressed as text.
<b>Customs duty description content</b>	1..1	SDD-ID: <b>BDT00000563</b> Definition: The description of the customs duty expressed as text.
<b>Language code</b>	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Customs registration type code</b>	0..1	SDD-ID: <b>BDTG00000623</b> Definition: The code specifying the type of customs registration number assigned by a national authority.
<b>Customs registration type code content</b>	1..1	SDD-ID: <b>BDT00000624</b> Definition: The code specifying the type of customs registration number assigned by a national authority. Used code list: <a href="#">DutyFeeTaxRegistrationTypeCode</a> Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Organisation legal information</b>	0..1	SDD-ID: <b>BDTG00000262</b> Definition: The information specifying details of a legal organisation.
<b>Organisation name</b>	1..1	SDD-ID: <b>BDT00000102</b> Definition: The official and legal name of the organisation.
<b>Language of the party code</b>	0..1	SDD-ID: <b>BDTG00000228</b> Definition: The code specifying the language of a party.
<b>Language code content</b>	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Currency of party code</b>	0..1	SDD-ID: <b>BDTG00000184</b> Definition: The code specifying the currency of a party. Example: EUR

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Currency of party code content	1..1	Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
			SDD-ID:	<b>BDT00000710</b>
			Definition:	The code specifying the currency of a party.
			Example:	EUR
			Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
			Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Official address	0..1	SDD-ID:	<b>BDTG00000246</b>
			Definition:	The registered legal address of the organisation.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
	Longitude	1..1	Example:	23°26'12.2" S
			SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Issued capital	0..1	SDD-ID:	<b>BDTG00000225</b>
			Definition:	The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID:	<b>BDT00000655</b>
			Definition:	The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
			Definition:	The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Legal structure description	0..1	SDD-ID:	<b>BDTG00000231</b>
			Definition:	The description of the legal structure expressed as text.
	Legal structure description content	1..1	SDD-ID:	<b>BDT00000659</b>
			Definition:	The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Registered legal information	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
			Definition:	The information specifying the registered data on a legal entity in accordance with national law.



Business data terms and groups	Usage	Business data terms and groups description	
Legal registration number	1..1	SDD-ID:	<b>BDT00000087</b>
		Definition:	The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID:	<b>BDT00000086</b>
		Definition:	The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID:	<b>BDTG00000230</b>
		Definition:	The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID:	<b>BDT00000068</b>
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
		Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID:	<b>BDT00000061</b>
		Definition:	The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID:	<b>BDT00000060</b>
		Definition:	The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID:	<b>BDTG00000207</b>
		Definition:	The information specifying details of a financial account.
Financial account name	0..1	SDD-ID:	<b>BDT00000058</b>
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
Financial account number	1..1	SDD-ID:	<b>BDT00000059</b>
		Definition:	The number of a financial account expressed as text.
Financial account number type code	1..1	SDD-ID:	<b>BDTG00000208</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
Financial account number type code content	1..1	SDD-ID:	<b>BDT00000065</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Financial institution routing number information	0..1	SDD-ID:	<b>BDTG00000210</b>
		Definition:	The information specifying details on a routing number of a financial institution.
Financial routing number	1..1	SDD-ID:	<b>BDT00000062</b>
		Definition:	The routing number of a financial transaction according to the specified financial routing type.

Business data terms and groups	Usage	Business data terms and groups description
		Business rule: This business data term must be used in conjunction with the Financial routing number type code class.
Financial routing number type code	1..1	SDD-ID: <b>BDTG00000211</b> Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
Financial routing number type code content	1..1	SDD-ID: <b>BDT00000644</b> Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Additional financial institution description	0..1	SDD-ID: <b>BDTG00000522</b> Definition: The additional description of a financial institution expressed as text.
Additional financial institution description content	1..1	SDD-ID: <b>BDT00000521</b> Definition: The text value describing the additional financial institution.
Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Address information	0..1	SDD-ID: <b>BDTG00000144</b> Definition: The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: <b>BDT00000020</b> Definition: The name of the city, town or village.
City code	0..1	SDD-ID: <b>BDT00000019</b> Definition: The code specifying a city.
County code	0..1	SDD-ID: <b>BDT00000034</b> Definition: The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition: The street crossing another street.
Party name	0..1	SDD-ID: <b>BDT00000106</b> Definition: The name of the party expressed as text.
Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition: The number of a post office box located on the premises of a post office station or

Business data terms and groups		Usage	Business data terms and groups description	
<ul style="list-style-type: none"> <li>Postal code</li> <li>Province identity</li> <li>State</li> <li>Street address one</li> <li>Street address two</li> <li>Street address three</li> <li>Country code</li> <li>Country code content</li> <li>Code list version</li> <li>Geographical coordinates information</li> <li>Latitude</li> <li>Longitude</li> <li>Bill to party information</li> </ul>		0..1	Synonyms: SDD-ID: Definition: Example: Synonyms: SDD-ID: Definition: Example:	other postal service location. P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area. SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b> The identity of a province according to national codes assigned to provinces. <b>BDT00000127</b> The political unit that a country can be divided into. California <b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326 <b>BDT00000130</b> The second street address line of a structured address. Blue Tower <b>BDT00000129</b> The third street address line of a structured address. Floor 4 <b>BDTG00000179</b> The code specifying a country. <b>BDT00000774</b> The code specifying a country. <b>BDT00000028</b> The version number of the code list. <b>BDTG00000214</b> The information specifying details on a location using geographical coordinates. <b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. Example: 23°26'12.2" S <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. Example: 18°3'59.0616" <b>BDTG00000157</b> The information specifying details of the party who receives the invoice. Usage: To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both. Usage rule: Used if the receiver of the invoice is other than the buyer. Synonyms: Invoicee



Business data terms and groups	Usage	Business data terms and groups description	
Global location number GLN	0..1	SDD-ID: Definition: Ref. definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
Additional party identification type code	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Address information	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
Party name	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.



## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Province identity</b>	0..1	Example: Synonyms:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode
<b>State</b>	0..1	SDD-ID: Definition:	<b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
<b>Street address one</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
<b>Street address two</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
<b>Street address three</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
<b>Country code</b>	0..1	SDD-ID: Definition:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
<b>Country code content</b>	1..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
<b>Geographical coordinates information</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Latitude</b>	1..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
<b>Longitude</b>	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
<b>Business contact information</b>	0..unbounded	Example: SDD-ID: Definition:	23°26'12.2" S <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
<b>Person name</b>	0..1	SDD-ID: Definition:	<b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
<b>Department name</b>	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
<b>Job title</b>	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
<b>Contact type code</b>	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
		SDD-ID: Definition:	<b>BDTG00000178</b> The code specifying the function or role of a contact person.



Business data terms and groups	Usage	Business data terms and groups description
		Used code list: ISO 3166-1 or equivalent representation in specific syntax. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
— <b>Contact type code content</b>	1..1	SDD-ID: <b>BDT00000571</b> Definition: The code specifying the function or role of a contact person.
— <b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
— <b>Business contact responsibility description</b>	0..unbounded	SDD-ID: <b>BDTG00000159</b> Definition: The description of the responsibility of a business contact such as a person or a department expressed as text.
— <b>Business contact responsibility description content</b>	1..1	SDD-ID: <b>BDT00000580</b> Definition: The description of the responsibility of a business contact such as a person or a department expressed as text.
— <b>Language code</b>	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
— <b>Language code content</b>	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
— <b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
— <b>Communication information</b>	0..unbounded	SDD-ID: <b>BDTG00000176</b> Definition: The information specifying details of a contact person's communication channel.
— <b>Communication channel code</b>	1..1	SDD-ID: <b>BDTG00000175</b> Definition: The code specifying the channel for communication. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
— <b>Communication channel code content</b>	1..1	SDD-ID: <b>BDT00000525</b> Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
— <b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
— <b>Communication channel identification</b>	1..1	SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
— <b>Communication channel name</b>	0..1	SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.
— <b>After hours communication information</b>	0..unbounded	SDD-ID: <b>BDTG00000145</b> Definition: The information specifying details of communication channels to use after regular

## Order

Business data terms and groups	Usage	Business data terms and groups description
<b>Communication channel code</b>	1..1	SDD-ID: <b>BDTG00000175</b> Definition: The code specifying the channel for communication. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Communication channel code content</b>	1..1	SDD-ID: <b>BDT00000525</b> Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Communication channel identification</b>	1..1	SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
<b>Communication channel name</b>	0..1	SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.
<b>Tax registration information</b>	0..unbounded	SDD-ID: <b>BDTG00000326</b> Definition: The information specifying details of a party registered for tax.
<b>Tax authority name</b>	0..1	SDD-ID: <b>BDT00000369</b> Definition: The name of the authority administering the collection of taxes expressed as text.
<b>Tax registration identification information</b>	1..1	SDD-ID: <b>BDTG00000585</b> Definition: The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
<b>Tax registration identification content</b>	1..1	SDD-ID: <b>BDT00000584</b> Definition: The identity assigned to a party registered for tax according to a national tax register.
<b>Identification scheme information</b>	0..1	SDD-ID: <b>BDTG00000587</b> Definition: The information specifying details of the used identification scheme.
<b>Identification scheme name</b>	0..1	SDD-ID: <b>BDT00000074</b> Definition: The name of the identification scheme.
<b>Identification scheme agency name</b>	0..1	SDD-ID: <b>BDT00000073</b> Definition: The name of the agency responsible for a identification scheme.
<b>Identification scheme responsible agency code</b>	0..1	SDD-ID: <b>BDTG00000586</b> Definition: The code specifying the agency responsible for the identification scheme.
<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: <b>BDT00000583</b> Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Tax type code</b>	0..1	SDD-ID: <b>BDTG00000328</b>

## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Tax type code content</b>	1..1	Definition:	The code specifying the type of tax.
		SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax description</b>	0..1	SDD-ID:	<b>BDTG00000322</b>
		Definition:	The description of the tax expressed as text.
<b>Tax description content</b>	1..1	SDD-ID:	<b>BDT00000754</b>
		Definition:	The description of the tax expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax registration type code</b>	0..1	SDD-ID:	<b>BDTG00000327</b>
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
<b>Tax registration type code content</b>	1..1	SDD-ID:	<b>BDT00000588</b>
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Customs duty registration information</b>	0..unbounded	SDD-ID:	<b>BDTG00000375</b>
		Definition:	The information specifying details of a party registered for customs duty.
<b>Customs authority name</b>	0..1	SDD-ID:	<b>BDT00000370</b>
		Definition:	The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.
<b>Customs registration identification information</b>	1..1	SDD-ID:	<b>BDTG00000621</b>
		Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
<b>Customs registration identification content</b>	1..1	SDD-ID:	<b>BDT00000622</b>
		Definition:	The identity assigned to a party registered for customs duty according to a national customs register.

## Order

Business data terms and groups	Usage	Business data terms and groups description	
Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Customs duty description	0..1	SDD-ID:	<b>BDTG00000378</b>
		Definition:	The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID:	<b>BDT00000563</b>
		Definition:	The description of the customs duty expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Customs registration type code	0..1	SDD-ID:	<b>BDTG00000623</b>
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
Customs registration type code content	1..1	SDD-ID:	<b>BDT00000624</b>
		Definition:	The code specifying the type of customs registration number assigned by a national authority.



## Order

Business data terms and groups	Usage	Business data terms and groups description
		Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Organisation legal information	0..1	SDD-ID: <b>BDTG00000262</b> Definition: The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID: <b>BDT00000102</b> Definition: The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID: <b>BDTG00000228</b> Definition: The code specifying the language of a party.
Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Currency of party code	0..1	SDD-ID: <b>BDTG00000184</b> Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID: <b>BDT00000710</b> Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax. Link to code list: <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Official address	0..1	SDD-ID: <b>BDTG00000246</b> Definition: The registered legal address of the organisation.
County code	0..1	SDD-ID: <b>BDT00000034</b> Definition: The code indicating a geographical region in a country.
City name	0..1	SDD-ID: <b>BDT00000020</b> Definition: The name of the city, town or village.
City code	0..1	SDD-ID: <b>BDT00000019</b> Definition: The code specifying a city.
Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition: The street crossing another street.
Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition: The number of a post office box located on the premises of a post office station or other postal service location. Synonyms: P.O. box, postal box



Business data terms and groups		Usage	Business data terms and groups description	
	Postal code	0..1	SDD-ID: Definition: Example: Synonyms:	<b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area. SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID: Definition:	<b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
	Street address one	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
	Street address three	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
	Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
	Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: Definition: Example:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. 23°26'12.2" S
	Longitude	1..1	SDD-ID: Definition: Example:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. 18°3'59.0616"
	Issued capital	0..1	SDD-ID: Definition:	<b>BDTG00000225</b> The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID: Definition:	<b>BDT00000655</b> The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID: Definition:	<b>BDT00000589</b> The code specifying the currency of a monetary amount.



## Order

Business data terms and groups	Usage	Business data terms and groups description	
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Legal structure description	0..1	SDD-ID:	<b>BDTG00000231</b>
		Definition:	The description of the legal structure expressed as text.
Legal structure description content	1..1	SDD-ID:	<b>BDT00000659</b>
		Definition:	The description of the legal structure expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Registered legal information	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID:	<b>BDT00000087</b>
		Definition:	The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID:	<b>BDT00000086</b>
		Definition:	The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID:	<b>BDTG00000230</b>
		Definition:	The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID:	<b>BDT00000658</b>
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
		Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID:	<b>BDT00000061</b>
		Definition:	The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID:	<b>BDT00000060</b>
		Definition:	The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID:	<b>BDTG00000207</b>
		Definition:	The information specifying details of a financial account.
Financial account name	0..1	SDD-ID:	<b>BDT00000058</b>





Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The name of a financial account expressed as text.
			Example:	John Doe
	Financial account number	1..1	SDD-ID:	<b>BDT00000059</b>
			Definition:	The number of a financial account expressed as text.
	Financial account number type code	1..1	SDD-ID:	<b>BDTG00000208</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Financial account number type code content	1..1	SDD-ID:	<b>BDT00000645</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Financial institution routing number information	0..1	SDD-ID:	<b>BDTG00000210</b>
			Definition:	The information specifying details on a routing number of a financial institution.
	Financial routing number	1..1	SDD-ID:	<b>BDT00000062</b>
			Definition:	The routing number of a financial transaction according to the specified financial routing type.
			Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
	Financial routing number type code	1..1	SDD-ID:	<b>BDTG00000211</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Financial routing number type code content	1..1	SDD-ID:	<b>BDT00000644</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Additional financial institution description	0..1	SDD-ID:	<b>BDTG00000522</b>
			Definition:	The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID:	<b>BDT00000521</b>
			Definition:	The text value describing the additional financial institution.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.



## Order

Business data terms and groups	Usage	Business data terms and groups description	
		Example: Used code list:	en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Address information	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
Party name	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
Province identity	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
Street address one	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
Street address two	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
Street address three	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
Country code	0..1	SDD-ID:	<b>BDTG00000179</b>



Business data terms and groups	Usage	Business data terms and groups description	
<b>Country code content</b>	1..1	Definition:	The code specifying a country.
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000774</b>
<b>Geographical coordinates information</b>	0..1	Definition:	The code specifying a country.
<b>Latitude</b>	1..1	SDD-ID:	<b>BDT00000028</b>
<b>Longitude</b>	1..1	Definition:	The version number of the code list.
<b>Pick up from party information</b>	0..1	SDD-ID:	<b>BDTG00000214</b>
<b>Global location number GLN</b>	0..1	Definition:	The information specifying details on a location using geographical coordinates.
<b>Additional party identification</b>	0..unbounded	SDD-ID:	<b>BDT00000085</b>
<b>Additional party identification content</b>	1..1	Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
<b>Additional party identification type code</b>	1..1	Example:	23°26'12.2" S
<b>Additional party identification type code content</b>	1..1	SDD-ID:	<b>BDT00000089</b>
<b>Code list version</b>	0..1	Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
<b>Address information</b>	0..1	Example:	18°3'59.0616"



## Order

Business data terms and groups	Usage	Business data terms and groups description
		a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: <b>BDT00000020</b> Definition: The name of the city, town or village.
City code	0..1	SDD-ID: <b>BDT00000019</b> Definition: The code specifying a city.
County code	0..1	SDD-ID: <b>BDT00000034</b> Definition: The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition: The street crossing another street.
Party name	0..1	SDD-ID: <b>BDT00000106</b> Definition: The name of the party expressed as text.
Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition: The number of a post office box located on the premises of a post office station or other postal service location.
Postal code	0..1	Synonyms: P.O. box, postal box SDD-ID: <b>BDT00000114</b> Definition: The code according to the relevant postal system or service to specify a geographical area. Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID: <b>BDT00000117</b> Definition: The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID: <b>BDT00000127</b> Definition: The political unit that a country can be divided into. Example: California
Street address one	0..1	SDD-ID: <b>BDT00000128</b> Definition: The first street address line of a structured address. Example: Avenue Louise 326
Street address two	0..1	SDD-ID: <b>BDT00000130</b> Definition: The second street address line of a structured address. Example: Blue Tower
Street address three	0..1	SDD-ID: <b>BDT00000129</b> Definition: The third street address line of a structured address. Example: Floor 4
Country code	0..1	SDD-ID: <b>BDTG00000179</b> Definition: The code specifying a country.
Country code content	1..1	SDD-ID: <b>BDT00000774</b> Definition: The code specifying a country.
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Geographical coordinates information	0..1	SDD-ID: <b>BDTG00000214</b> Definition: The information specifying details on a location using geographical coordinates.



Business data terms and groups	Usage	Business data terms and groups description	
<b>Latitude</b>	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
<b>Longitude</b>	1..1	Example: SDD-ID: Definition:	23°26'12.2" S <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
<b>Business contact information</b>	0..1	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
<b>Person name</b>	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
<b>Department name</b>	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
<b>Job title</b>	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
<b>Contact type code</b>	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
<b>Contact type code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000571</b> The code specifying the function or role of a contact person.
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Business contact responsibility description</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
<b>Business contact responsibility description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	After hours communication information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000145</b> The information specifying details of communication channels to use after regular business hours.
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	Tax registration information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000326</b> The information specifying details of a party registered for tax.
	Tax authority name	0..1	SDD-ID: Definition:	<b>BDT00000369</b> The name of the authority administering the collection of taxes expressed as text.
	Tax registration identification information	1..1	SDD-ID: Definition:	<b>BDTG00000585</b> The information specifying details of the identity assigned to a party registered for tax

## Order

Business data terms and groups	Usage	Business data terms and groups description
		according to a national tax register.
<b>Tax registration identification content</b>	1..1	SDD-ID: <b>BDT00000584</b> Definition: The identity assigned to a party registered for tax according to a national tax register.
<b>Identification scheme information</b>	0..1	SDD-ID: <b>BDTG00000587</b> Definition: The information specifying details of the used identification scheme.
<b>Identification scheme name</b>	0..1	SDD-ID: <b>BDT00000074</b> Definition: The name of the identification scheme.
<b>Identification scheme agency name</b>	0..1	SDD-ID: <b>BDT00000073</b> Definition: The name of the agency responsible for a identification scheme.
<b>Identification scheme responsible agency code</b>	0..1	SDD-ID: <b>BDTG00000586</b> Definition: The code specifying the agency responsible for the identification scheme.
<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: <b>BDT00000583</b> Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Tax type code</b>	0..1	SDD-ID: <b>BDTG00000328</b> Definition: The code specifying the type of tax.
<b>Tax type code content</b>	1..1	SDD-ID: <b>BDT00000576</b> Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Tax description</b>	0..1	SDD-ID: <b>BDTG00000322</b> Definition: The description of the tax expressed as text.
<b>Tax description content</b>	1..1	SDD-ID: <b>BDT00000754</b> Definition: The description of the tax expressed as text.
<b>Language code</b>	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Tax registration type code</b>	0..1	SDD-ID: <b>BDTG00000327</b> Definition: The code specifying the type of tax registration number assigned by a national authority.

Business data terms and groups	Usage	Business data terms and groups description	
<b>Tax registration type code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000588</b> The code specifying the type of tax registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Customs duty registration information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000375</b> The information specifying details of a party registered for customs duty.
<b>Customs authority name</b>	0..1	SDD-ID: Definition:	<b>BDT00000370</b> The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
<b>Customs registration identification information</b>	1..1	SDD-ID: Definition:	<b>BDTG00000621</b> The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
<b>Customs registration identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000622</b> The identity assigned to a party registered for customs duty according to a national customs register.
<b>Identification scheme information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
<b>Identification scheme name</b>	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
<b>Identification scheme agency name</b>	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
<b>Identification scheme responsible agency code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Tax type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.
<b>Tax type code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000576</b> The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.



## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Customs duty description</b>	0..1	SDD-ID:	<b>BDTG00000378</b>
		Definition:	The description of the customs duty expressed as text.
<b>Customs duty description content</b>	1..1	SDD-ID:	<b>BDT00000563</b>
		Definition:	The description of the customs duty expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Customs registration type code</b>	0..1	SDD-ID:	<b>BDTG00000623</b>
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
<b>Customs registration type code content</b>	1..1	SDD-ID:	<b>BDT00000624</b>
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Organisation legal information</b>	0..1	SDD-ID:	<b>BDTG00000262</b>
		Definition:	The information specifying details of a legal organisation.
<b>Organisation name</b>	1..1	SDD-ID:	<b>BDT00000102</b>
		Definition:	The official and legal name of the organisation.
<b>Language of the party code</b>	0..1	SDD-ID:	<b>BDTG00000228</b>
		Definition:	The code specifying the language of a party.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Currency of party code</b>	0..1	SDD-ID:	<b>BDTG00000184</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
<b>Currency of party code content</b>	1..1	SDD-ID:	<b>BDT00000710</b>
		Definition:	The code specifying the currency of a party.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Example:	EUR
			Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
			Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Official address	0..1	SDD-ID:	<b>BDTG00000246</b>
			Definition:	The registered legal address of the organisation.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The version number of the code list.
	<b>Geographical coordinates information</b>	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	<b>Latitude</b>	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	<b>Longitude</b>	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	<b>Issued capital</b>	0..1	SDD-ID:	<b>BDTG00000225</b>
			Definition:	The monetary amount representing the value of the issued capital of a company.
	<b>Issued capital content</b>	1..1	SDD-ID:	<b>BDT00000655</b>
			Definition:	The monetary amount representing the issued capital of a company.
	<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
			Definition:	The code specifying the currency of a monetary amount.
	<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Legal structure description</b>	0..1	SDD-ID:	<b>BDTG00000231</b>
			Definition:	The description of the legal structure expressed as text.
	<b>Legal structure description content</b>	1..1	SDD-ID:	<b>BDT00000659</b>
			Definition:	The description of the legal structure expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Registered legal information</b>	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
			Definition:	The information specifying the registered data on a legal entity in accordance with national law.
	<b>Legal registration number</b>	1..1	SDD-ID:	<b>BDT00000087</b>
			Definition:	The identification number of an organisation according to a legal register.
	<b>Legal registration additional information</b>	0..1	SDD-ID:	<b>BDT00000086</b>

## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Legal registration type code</b>	1..1	Definition:	The additional information related to the legal registration expressed as text.
		SDD-ID:	<b>BDTG00000230</b>
<b>Legal registration type code content</b>	1..1	Definition:	The code specifying the type of legal registration.
		SDD-ID:	<b>BDT00000658</b>
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Financial institution and financial account information</b>	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
		Definition:	The information specifying details of a financial institution and financial account.
<b>Financial institution name</b>	0..1	SDD-ID:	<b>BDT00000061</b>
		Definition:	The name of a financial institution expressed as text.
<b>Financial institution division name</b>	0..1	SDD-ID:	<b>BDT00000060</b>
		Definition:	The name of a division or branch within a financial institution expressed as text.
<b>Financial account information</b>	0..1	SDD-ID:	<b>BDTG00000207</b>
		Definition:	The information specifying details of a financial account.
<b>Financial account name</b>	0..1	SDD-ID:	<b>BDT00000058</b>
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
<b>Financial account number</b>	1..1	SDD-ID:	<b>BDT00000059</b>
		Definition:	The number of a financial account expressed as text.
<b>Financial account number type code</b>	1..1	SDD-ID:	<b>BDTG00000208</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:FinancialAccountNumberTypeCode</a>
<b>Financial account number type code content</b>	1..1	SDD-ID:	<b>BDT00000645</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:FinancialAccountNumberTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Financial institution routing number information</b>	0..1	SDD-ID:	<b>BDTG00000210</b>
		Definition:	The information specifying details on a routing number of a financial institution.
<b>Financial routing number</b>	1..1	SDD-ID:	<b>BDT00000062</b>
		Definition:	The routing number of a financial transaction according to the specified financial routing type.
		Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
<b>Financial routing number type code</b>	1..1	SDD-ID:	<b>BDTG00000211</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Financial routing number type code content	1..1	SDD-ID:	<b>BDT00000644</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Additional financial institution description	0..1	SDD-ID:	<b>BDTG00000522</b>
			Definition:	The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID:	<b>BDT00000521</b>
			Definition:	The text value describing the additional financial institution.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Referenced price list information	0..1	SDD-ID:	<b>BDTG00000446</b>
			Definition:	The information specifying the details of a reference to a price list.
	Entity identification	1..1	SDD-ID:	<b>BDT00000056</b>
			Definition:	The identity of an entity such as a document or an object.
	Business document creation date time	0..1	SDD-ID:	<b>BDT00000047</b>
			Definition:	The date and optional time when the business document was issued.
	Revision number	0..1	SDD-ID:	<b>BDT00000119</b>
			Definition:	The number assigned to a specific release of a document to keep track of changes and updates between revisions.



Business data terms and groups	Usage	Business data terms and groups description	
Referenced document external location	0..1	SDD-ID: Definition: Usage:	<b>BDT00000118</b> The external location of the referenced document expressed as an uniform resource locator. The external location can be an internet address to a document stored in a server on the internet.
Document line number	0..1	SDD-ID: Definition:	<b>BDT00000049</b> The sequence number of a line within the business document.
Document content owner	0..1	SDD-ID: Definition:	<b>BDTG00000196</b> The information specifying the party that is responsible for the content of a document.
Global location number GLN	0..1	SDD-ID: Definition: Ref. definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
Additional party identification type code	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Customs broker party information	0..1	SDD-ID: Definition: Usage:	<b>BDTG00000362</b> The information specifying details of the party acting as a service provider in customs matters on behalf of an importing or exporting company. To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
Global location number, GLN	0..1	SDD-ID: Definition: Ref. definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID:	<b>BDTG00000577</b>



Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The information specifying the additional identification details of a party.
			Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
			Definition:	The additional identity of a party.
	Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
			Definition:	The code specifying the additional identification type of the party.
	Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
			Definition:	The code specifying the additional identification type of the party.
			Used code list:	AdditionalPartyIdentificationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California



Business data terms and groups	Usage	Business data terms and groups description	
Street address one	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
Street address two	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
Street address three	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID: Definition: Example:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. 23°26'12.2" S
Longitude	1..1	SDD-ID: Definition: Example:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. 18°3'59.0616"
Business contact information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
Department name	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
Job title	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
Contact type code content	1..1	SDD-ID: Definition:	<b>BDT00000571</b> The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.

Business data terms and groups	Usage	Business data terms and groups description	
<b>Business contact responsibility description</b>	0..unbounde	SDD-ID:	<b>BDTG00000159</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
<b>Business contact responsibility description content</b>	1..1	SDD-ID:	<b>BDT00000580</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Communication information</b>	0..unbounde	SDD-ID:	<b>BDTG00000176</b>
		Definition:	The information specifying details of a contact person's communication channel.
<b>Communication channel code</b>	1..1	SDD-ID:	<b>BDTG00000175</b>
		Definition:	The code specifying the channel for communication.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Communication channel code content</b>	1..1	SDD-ID:	<b>BDT00000525</b>
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Communication channel identification</b>	1..1	SDD-ID:	<b>BDT00000032</b>
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
<b>Communication channel name</b>	0..1	SDD-ID:	<b>BDT00000033</b>
		Definition:	The name of a communication channel expressed as text.
<b>After hours communication information</b>	0..unbounde	SDD-ID:	<b>BDTG00000145</b>
		Definition:	The information specifying details of communication channels to use after regular business hours.
<b>Communication channel code</b>	1..1	SDD-ID:	<b>BDTG00000175</b>
		Definition:	The code specifying the channel for communication.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Communication channel code content</b>	1..1	SDD-ID:	<b>BDT00000525</b>
		Definition:	The code specifying the channel for communication.

## Order

Business data terms and groups	Usage	Business data terms and groups description	
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	<b>BDT00000032</b>
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>
		Definition:	The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID:	<b>BDTG00000326</b>
		Definition:	The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID:	<b>BDT00000369</b>
		Definition:	The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID:	<b>BDTG00000585</b>
		Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID:	<b>BDT00000584</b>
		Definition:	The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>

## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Tax description</b>	0..1	Definition:	The version number of the code list.
<b>Tax description content</b>	1..1	SDD-ID:	<b>BDTG00000322</b>
<b>Language code</b>	0..1	Definition:	The description of the tax expressed as text.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDTG00000754</b>
<b>Code list version</b>	0..1	Definition:	The description of the tax expressed as text.
<b>Tax registration type code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
<b>Tax registration type code content</b>	1..1	Definition:	The code specifying the language.
<b>Code list version</b>	0..1	SDD-ID:	<b>BDTG00000524</b>
<b>Customs duty registration information</b>	0..unbounded	Definition:	The code specifying the language.
<b>Customs authority name</b>	0..1	Example:	en
<b>Customs registration identification information</b>	1..1	Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Customs registration identification content</b>	1..1	SDD-ID:	<b>BDTG00000028</b>
<b>Identification scheme information</b>	0..1	Definition:	The version number of the code list.
<b>Identification scheme name</b>	0..1	SDD-ID:	<b>BDTG00000375</b>
<b>Identification scheme agency name</b>	0..1	Definition:	The information specifying details of a party registered for customs duty.
<b>Identification scheme responsible agency</b>	0..1	SDD-ID:	<b>BDTG00000370</b>
		Definition:	The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
		SDD-ID:	<b>BDTG00000621</b>
		Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
		SDD-ID:	<b>BDTG00000622</b>
		Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
		SDD-ID:	<b>BDTG00000587</b>
		Definition:	The information specifying details of the used identification scheme.
		SDD-ID:	<b>BDTG00000074</b>
		Definition:	The name of the identification scheme.
		SDD-ID:	<b>BDTG00000073</b>
		Definition:	The name of the agency responsible for a identification scheme.
		SDD-ID:	<b>BDTG00000586</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>code</b>		Definition:	The code specifying the agency responsible for the identification scheme.
	<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID:	<b>BDT00000583</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Tax type code</b>	0..1	SDD-ID:	<b>BDTG00000328</b>
			Definition:	The code specifying the type of tax.
	<b>Tax type code content</b>	1..1	SDD-ID:	<b>BDT00000576</b>
			Definition:	The code specifying the type of tax.
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Customs duty description</b>	0..1	SDD-ID:	<b>BDTG00000378</b>
			Definition:	The description of the customs duty expressed as text.
	<b>Customs duty description content</b>	1..1	SDD-ID:	<b>BDT00000563</b>
			Definition:	The description of the customs duty expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Customs registration type code</b>	0..1	SDD-ID:	<b>BDTG00000623</b>
			Definition:	The code specifying the type of customs registration number assigned by a national authority.
	<b>Customs registration type code content</b>	1..1	SDD-ID:	<b>BDT00000624</b>
			Definition:	The code specifying the type of customs registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Organisation legal information</b>	0..1	SDD-ID:	<b>BDTG00000262</b>
			Definition:	The information specifying details of a legal organisation.

## Order

Business data terms and groups	Usage	Business data terms and groups description	
— <b>Organisation name</b>	1..1	SDD-ID:	<b>BDT00000102</b>
		Definition:	The official and legal name of the organisation.
— <b>Language of the party code</b>	0..1	SDD-ID:	<b>BDTG00000228</b>
		Definition:	The code specifying the language of a party.
— <b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
— <b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
— <b>Currency of party code</b>	0..1	SDD-ID:	<b>BDTG00000184</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
— <b>Currency of party code content</b>	1..1	SDD-ID:	<b>BDT00000710</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
— <b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
— <b>Official address</b>	0..1	SDD-ID:	<b>BDTG00000246</b>
		Definition:	The registered legal address of the organisation.
— <b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
		Definition:	The code indicating a geographical region in a country.
— <b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.
— <b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
		Definition:	The code specifying a city.
— <b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
		Definition:	The street crossing another street.
— <b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
— <b>Postal code</b>	0..1	SDD-ID:	<b>BDT00000114</b>
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
— <b>Province identity</b>	0..1	SDD-ID:	<b>BDT00000117</b>
		Definition:	The identity of a province according to national codes assigned to provinces.

## Order

Business data terms and groups			Usage	Business data terms and groups description	
		State	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
		Street address one	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
		Street address two	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
		Street address three	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
		Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
		Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
		Latitude	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Longitude	1..1	SDD-ID: Definition: Example:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. 23°26'12.2" S 18°3'59.0616"
		Issued capital	0..1	SDD-ID: Definition:	<b>BDTG00000225</b> The monetary amount representing the value of the issued capital of a company.
		Issued capital content	1..1	SDD-ID: Definition:	<b>BDT00000655</b> The monetary amount representing the issued capital of a company.
		Currency code	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
		Currency code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000589</b> The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org.
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Legal structure description	0..1	SDD-ID: Definition:	<b>BDTG00000231</b> The description of the legal structure expressed as text.





Business data terms and groups	Usage	Business data terms and groups description	
Legal structure description content	1..1	SDD-ID:	<b>BDT00000659</b>
		Definition:	The description of the legal structure expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Registered legal information	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID:	<b>BDT00000087</b>
		Definition:	The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID:	<b>BDT00000086</b>
		Definition:	The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID:	<b>BDTG00000230</b>
		Definition:	The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID:	<b>BDT00000658</b>
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
		Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID:	<b>BDT00000061</b>
		Definition:	The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID:	<b>BDT00000060</b>
		Definition:	The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID:	<b>BDTG00000207</b>
		Definition:	The information specifying details of a financial account.
Financial account name	0..1	SDD-ID:	<b>BDT00000058</b>
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
Financial account number	1..1	SDD-ID:	<b>BDT00000059</b>
		Definition:	The number of a financial account expressed as text.
Financial account number type code	1..1	SDD-ID:	<b>BDTG00000208</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode





Business data terms and groups		Usage	Business data terms and groups description	
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Financial account number type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000645</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Financial institution routing number information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000210</b> The information specifying details on a routing number of a financial institution.
	<b>Financial routing number</b>	1..1	SDD-ID: Definition:  Business rule:	<b>BDT00000062</b> The routing number of a financial transaction according to the specified financial routing type.  This business data term must be used in conjunction with the Financial routing number type code class.
	<b>Financial routing number type code</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000211</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	<b>Financial routing number type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000644</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Additional financial institution description</b>	0..1	SDD-ID: Definition:	<b>BDTG00000522</b> The additional description of a financial institution expressed as text.
	<b>Additional financial institution description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000521</b> The text value describing the additional financial institution.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Address information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person,

## Order

Business data terms and groups		Usage	Business data terms and groups description	
				a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: <b>BDT00000020</b> Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID: <b>BDT00000019</b> Definition:	The code specifying a city.
	County code	0..1	SDD-ID: <b>BDT00000034</b> Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition:	The street crossing another street.
	Party name	0..1	SDD-ID: <b>BDT00000106</b> Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: P.O. box, postal box SDD-ID: <b>BDT00000114</b> Definition:	The code according to the relevant postal system or service to specify a geographical area.
	Province identity	0..1	Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode SDD-ID: <b>BDT00000117</b> Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: <b>BDT00000127</b> Definition:	The political unit that a country can be divided into.
	Street address one	0..1	Example: California SDD-ID: <b>BDT00000128</b> Definition:	The first street address line of a structured address.
	Street address two	0..1	Example: Avenue Louise 326 SDD-ID: <b>BDT00000130</b> Definition:	The second street address line of a structured address.
	Street address three	0..1	Example: Blue Tower SDD-ID: <b>BDT00000129</b> Definition:	The third street address line of a structured address.
	Country code	0..1	Example: Floor 4 SDD-ID: <b>BDTG00000179</b> Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID: <b>BDT00000774</b> Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: <b>BDTG00000214</b> Definition:	The information specifying details on a location using geographical coordinates.



Business data terms and groups	Usage	Business data terms and groups description	
Latitude	1..1	SDD-ID: <b>BDT00000085</b> Definition: The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. Example: 23°26'12.2" S	
Longitude	1..1	SDD-ID: <b>BDT00000089</b> Definition: The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. Example: 18°3'59.0616"	
Ordered trade item logistical information	0..1	SDD-ID: <b>BDTG00000259</b> Definition: The information specifying various requirements of logistical nature for ordered trade item.	
Logistic label customer information	0..1	SDD-ID: <b>BDT00000788</b> Definition: The customer defined text to be printed on the logistics label(s) of the logistic unit(s)	
Shipment split method code	0..1	SDD-ID: <b>BDTG00000396</b> Definition: The code specifying the method by which a shipment of ordered trade items may be split.	
Shipment split method code content	1..1	SDD-ID: <b>BDT00000567</b> Definition: The code specifying the method by which a shipment of ordered trade items may be split. Used code list: ShipmentSplitMethodCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:ShipmentSplitMethodCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:ShipmentSplitMethodCode&amp;release=1</a>	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Transport cargo type code	0..1	SDD-ID: <b>BDTG00000348</b> Definition: The code specifying the type of transport cargo.	
Transport cargo type code content	1..1	SDD-ID: <b>BDT00000568</b> Definition: The code specifying the type of transport cargo.	
Code description	0..1	SDD-ID: <b>BDT00000022</b> Definition: The description of a code value expressed as text.	
Code list agency code	0..1	SDD-ID: <b>BDT00000023</b> Definition: The code specifying the agency responsible for a code list.	
Code list agency code list version	0..1	SDD-ID: <b>BDT00000024</b> Definition: The version number of a code list issued by the responsible agency for the code list.	
Code list agency name	0..1	SDD-ID: <b>BDT00000025</b> Definition: The name of the agency responsible for a code list.	
Code list name	0..1	SDD-ID: <b>BDT00000026</b> Definition: The name of the code list expressed as text.	
Code list URL	0..1	SDD-ID: <b>BDT00000027</b> Definition: The character string that identifies the location of the code list in a network.	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Ship from party information	0..1	SDD-ID: <b>BDTG00000310</b>	



Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The information specifying the location from which goods are shipped.
			Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
	Global location number GLN	0..1	SDD-ID:	<b>BDT00000063</b>
			Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
			Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	Additional party identification information	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
			Definition:	The information specifying the additional identification details of a party.
			Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
			Definition:	The additional identity of a party.
	Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
			Definition:	The code specifying the additional identification type of the party.
	Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
			Definition:	The code specifying the additional identification type of the party.
			Used code list:	AdditionalPartyIdentificationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box

Business data terms and groups		Usage	Business data terms and groups description	
	Postal code	0..1	SDD-ID: Definition:	<b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID: Definition:	<b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: Definition:	<b>BDT00000127</b> The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID: Definition:	<b>BDT00000128</b> The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition:	<b>BDT00000130</b> The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID: Definition:	<b>BDT00000129</b> The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
	Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID: Definition:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Business contact information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
	Person name	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
	Department name	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
	Job title	0..1	SDD-ID:	<b>BDT00000083</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Contact type code</b>	0..1	Definition: SDD-ID: Definition: Used code list: Link to code list:	The title of a position or the role of a person holding the position. <b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	<b>Contact type code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000571</b> The code specifying the function or role of a contact person.
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Business contact responsibility description</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Business contact responsibility description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
	<b>Communication channel code</b>	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Communication channel code content</b>	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Communication channel identification</b>	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	<b>Communication channel name</b>	0..1	SDD-ID:	<b>BDT00000033</b>

Business data terms and groups		Usage	Business data terms and groups description	
<ul style="list-style-type: none"> <li>After hours communication information</li> <li>Communication channel code</li> <li>Communication channel code content</li> <li>Code list version</li> <li>Communication channel identification</li> <li>Communication channel name</li> </ul>	After hours communication information	0..unbounded	Definition:	The name of a communication channel expressed as text.
			SDD-ID:	<b>BDTG00000145</b>
	Communication channel code	1..1	Definition:	The information specifying details of communication channels to use after regular business hours.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID:	<b>BDT00000525</b>
<ul style="list-style-type: none"> <li>Tax registration information</li> <li>Tax authority name</li> <li>Tax registration identification information</li> <li>Tax registration identification content</li> <li>Identification scheme information</li> <li>Identification scheme name</li> <li>Identification scheme agency name</li> <li>Identification scheme responsible agency code</li> <li>Identification scheme responsible agency code content</li> </ul>			Definition:	The code specifying the channel for communication.
			Example:	TELEPHONE
			Used code list:	CommunicationChannelCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Communication channel identification	1..1	SDD-ID:	<b>BDT00000032</b>
			Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>
			Definition:	The name of a communication channel expressed as text.
	Tax registration information	0..unbounded	SDD-ID:	<b>BDTG00000326</b>
			Definition:	The information specifying details of a party registered for tax.
	Tax authority name	0..1	SDD-ID:	<b>BDT00000369</b>
			Definition:	The name of the authority administering the collection of taxes expressed as text.
	Tax registration identification information	1..1	SDD-ID:	<b>BDTG00000585</b>
			Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
	Tax registration identification content	1..1	SDD-ID:	<b>BDT00000584</b>
			Definition:	The identity assigned to a party registered for tax according to a national tax register.
	Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
			Definition:	The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
			Definition:	The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
			Definition:	The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>





Business data terms and groups		Usage	Business data terms and groups description	
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Tax type code	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.
	Tax type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Tax description	0..1	SDD-ID: Definition:	<b>BDTG00000322</b> The description of the tax expressed as text.
	Tax description content	1..1	SDD-ID: Definition:	<b>BDT00000754</b> The description of the tax expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Tax registration type code	0..1	SDD-ID: Definition:	<b>BDTG00000327</b> The code specifying the type of tax registration number assigned by a national authority.
	Tax registration type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000588</b> The code specifying the type of tax registration number assigned by a national authority. DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Customs duty registration information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000375</b> The information specifying details of a party registered for customs duty.
	Customs authority name	0..1	SDD-ID: Definition:	<b>BDT00000370</b> The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.
	Customs registration identification information	1..1	SDD-ID: Definition:	<b>BDTG00000621</b> The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.





## Order

Business data terms and groups		Usage	Business data terms and groups description	
<ul style="list-style-type: none"> <li>Customs registration identification content</li> <li>Identification scheme information</li> <li>Identification scheme name</li> <li>Identification scheme agency name</li> <li>Identification scheme responsible agency code</li> <li>Identification scheme responsible agency code content</li> <li>Code list version</li> </ul>	Customs registration identification content	1..1	SDD-ID: Definition:	<b>BDT00000622</b> The identity assigned to a party registered for customs duty according to a national customs register.
	Identification scheme information	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<ul style="list-style-type: none"> <li>Tax type code</li> <li>Tax type code content</li> <li>Code list version</li> </ul>	Tax type code	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.
	Tax type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<ul style="list-style-type: none"> <li>Customs duty description</li> <li>Customs duty description content</li> <li>Language code</li> <li>Language code content</li> <li>Code list version</li> </ul>	Customs duty description	0..1	SDD-ID: Definition:	<b>BDTG00000378</b> The description of the customs duty expressed as text.
	Customs duty description content	1..1	SDD-ID: Definition:	<b>BDT00000563</b> The description of the customs duty expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Customs registration type code	0..1	SDD-ID: Definition:	<b>BDTG00000623</b> The code specifying the type of customs registration number assigned by a national authority.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Customs registration type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000624</b> The code specifying the type of customs registration number assigned by a national authority. DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Organisation legal information	0..1	SDD-ID: Definition:	<b>BDTG00000262</b> The information specifying details of a legal organisation.
	Organisation name	1..1	SDD-ID: Definition:	<b>BDT00000102</b> The official and legal name of the organisation.
	Language of the party code	0..1	SDD-ID: Definition:	<b>BDTG00000228</b> The code specifying the language of a party.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Currency of party code	0..1	SDD-ID: Definition: Example: Used code list:	<b>BDTG00000184</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax.
	Currency of party code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000710</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax. <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Official address	0..1	SDD-ID: Definition:	<b>BDTG00000246</b> The registered legal address of the organisation.
	County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>

Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
				Synonyms:	P.O. box, postal box
		Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
				Definition:	The code according to the relevant postal system or service to specify a geographical area.
				Example:	SE 190 90
		Province identity	0..1	Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
				SDD-ID:	<b>BDT00000117</b>
				Definition:	The identity of a province according to national codes assigned to provinces.
		State	0..1	SDD-ID:	<b>BDT00000127</b>
				Definition:	The political unit that a country can be divided into.
				Example:	California
		Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
				Definition:	The first street address line of a structured address.
				Example:	Avenue Louise 326
		Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
				Definition:	The second street address line of a structured address.
				Example:	Blue Tower
		Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
				Definition:	The third street address line of a structured address.
				Example:	Floor 4
		Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
				Definition:	The code specifying a country.
		Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
				Definition:	The code specifying a country.
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
				Definition:	The information specifying details on a location using geographical coordinates.
		Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
				Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
				Example:	23°26'12.2" S
		Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
				Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
				Example:	18°3'59.0616"
		Issued capital	0..1	SDD-ID:	<b>BDTG00000225</b>
				Definition:	The monetary amount representing the value of the issued capital of a company.
		Issued capital content	1..1	SDD-ID:	<b>BDT00000655</b>
				Definition:	The monetary amount representing the issued capital of a company.
		Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>

Business data terms and groups		Usage	Business data terms and groups description	
	Currency code content	1..1	Definition:	The code specifying the currency of a monetary amount.
			SDD-ID:	<b>BDT00000589</b>
	Code list version	0..1	Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
	Legal structure description	0..1	Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			SDD-ID:	<b>BDT00000028</b>
	Legal structure description content	1..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000231</b>
	Language code	0..1	Definition:	The description of the legal structure expressed as text.
			SDD-ID:	<b>BDT00000659</b>
	Language code content	1..1	Definition:	The description of the legal structure expressed as text.
			SDD-ID:	<b>BDTG00000523</b>
	Code list version	0..1	Definition:	The code specifying the language.
			SDD-ID:	<b>BDT00000524</b>
	Registered legal information	0..unbounded	Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Legal registration number	1..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Legal registration additional information	0..1	SDD-ID:	<b>BDTG00000288</b>
			Definition:	The information specifying the registered data on a legal entity in accordance with national law.
	Legal registration type code	1..1	SDD-ID:	<b>BDT00000087</b>
			Definition:	The identification number of an organisation according to a legal register.
	Legal registration type code content	1..1	SDD-ID:	<b>BDT00000086</b>
			Definition:	The additional information related to the legal registration expressed as text.
	Code list version	0..1	SDD-ID:	<b>BDTG00000230</b>
			Definition:	The code specifying the type of legal registration.
	Financial institution and financial account information	0..unbounded	SDD-ID:	<b>BDT00000658</b>
			Definition:	The code specifying the type of legal registration.
	Financial institution name	0..1	Used code list:	LegalRegistrationCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
	Financial institution division name	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000209</b>
			Definition:	The information specifying details of a financial institution and financial account.
			SDD-ID:	<b>BDT00000061</b>
			Definition:	The name of a financial institution expressed as text.
			SDD-ID:	<b>BDT00000060</b>
			Definition:	The name of a division or branch within a financial institution expressed as text.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Financial account information</b>	0..1	SDD-ID:	<b>BDTG00000207</b>
			Definition:	The information specifying details of a financial account.
	<b>Financial account name</b>	0..1	SDD-ID:	<b>BDT00000058</b>
			Definition:	The name of a financial account expressed as text.
			Example:	John Doe
	<b>Financial account number</b>	1..1	SDD-ID:	<b>BDT00000059</b>
			Definition:	The number of a financial account expressed as text.
	<b>Financial account number type code</b>	1..1	SDD-ID:	<b>BDTG00000208</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Financial account number type code content</b>	1..1	SDD-ID:	<b>BDT00000645</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Financial institution routing number information</b>	0..1	SDD-ID:	<b>BDTG00000210</b>
			Definition:	The information specifying details on a routing number of a financial institution.
	<b>Financial routing number</b>	1..1	SDD-ID:	<b>BDT00000062</b>
			Definition:	The routing number of a financial transaction according to the specified financial routing type.
			Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
	<b>Financial routing number type code</b>	1..1	SDD-ID:	<b>BDTG00000211</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	<b>Financial routing number type code content</b>	1..1	SDD-ID:	<b>BDT00000644</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Additional financial institution description</b>	0..1	SDD-ID:	<b>BDTG00000522</b>
			Definition:	The additional description of a financial institution expressed as text.
	<b>Additional financial institution description content</b>	1..1	SDD-ID:	<b>BDT00000521</b>
			Definition:	The text value describing the additional financial institution.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Language code content	1..1	Definition:	The code specifying the language.
			SDD-ID:	<b>BDT00000524</b>
	Code list version	0..1	Definition:	The code specifying the language.
			Example:	en
	Address information	0..1	Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
			SDD-ID:	<b>BDT00000020</b>
	City name	0..1	Definition:	The name of the city, town or village.
			SDD-ID:	<b>BDT00000019</b>
	City code	0..1	Definition:	The code specifying a city.
			SDD-ID:	<b>BDT00000034</b>
	County code	0..1	Definition:	The code indicating a geographical region in a country.
			SDD-ID:	<b>BDT00000035</b>
	Cross street	0..1	Definition:	The street crossing another street.
			SDD-ID:	<b>BDT00000106</b>
	Party name	0..1	Definition:	The name of the party expressed as text.
			SDD-ID:	<b>BDT00000113</b>
	Post office box number	0..1	Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			SDD-ID:	



Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Ship to party information	0..1	SDD-ID:	<b>BDTG00000311</b>
			Definition:	The information specifying the location to which goods are shipped.
			Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
	Global location number GLN	0..1	SDD-ID:	<b>BDT00000063</b>
			Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
			Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	Additional party identification information	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
			Definition:	The information specifying the additional identification details of a party.
			Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
			Definition:	The additional identity of a party.
	Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
			Definition:	The code specifying the additional identification type of the party.
	Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
			Definition:	The code specifying the additional identification type of the party.
			Used code list:	AdditionalPartyIdentificationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>



Business data terms and groups		Usage	Business data terms and groups description	
	<b>Address information</b>	0..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	<b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	<b>Party name</b>	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	<b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	<b>Postal code</b>	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	<b>Province identity</b>	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	<b>State</b>	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	<b>Street address one</b>	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	<b>Street address two</b>	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	<b>Street address three</b>	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	<b>Country code</b>	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	<b>Country code content</b>	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>





Business data terms and groups		Usage	Business data terms and groups description	
	<b>Geographical coordinates information</b>	0..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000214</b>
	<b>Latitude</b>	1..1	Definition:	The information specifying details on a location using geographical coordinates.
			SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	<b>Longitude</b>	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	<b>Business contact information</b>	0..unbounded	SDD-ID:	<b>BDTG00000158</b>
			Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
	<b>Person name</b>	0..1	SDD-ID:	<b>BDT00000112</b>
			Definition:	The name of an individual person expressed as text.
	<b>Department name</b>	0..1	SDD-ID:	<b>BDT00000044</b>
			Definition:	The name of the department.
	<b>Job title</b>	0..1	SDD-ID:	<b>BDT00000083</b>
			Definition:	The title of a position or the role of a person holding the position.
	<b>Contact type code</b>	0..1	SDD-ID:	<b>BDTG00000178</b>
			Definition:	The code specifying the function or role of a contact person.
			Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	<b>Contact type code content</b>	1..1	SDD-ID:	<b>BDT00000571</b>
			Definition:	The code specifying the function or role of a contact person.
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Business contact responsibility description</b>	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
			Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Business contact responsibility description content</b>	1..1	SDD-ID:	<b>BDT00000580</b>
			Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>



## Order

Business data terms and groups	Usage	Business data terms and groups description
<b>Communication information</b>	0..unbounded	Definition: The version number of the code list. SDD-ID: <b>BDTG00000176</b>
<b>Communication channel code</b>	1..1	Definition: The information specifying details of a contact person's communication channel. SDD-ID: <b>BDTG00000175</b>
<b>Communication channel code content</b>	1..1	Definition: The code specifying the channel for communication. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a> SDD-ID: <b>BDT00000525</b>
<b>Code list version</b>	0..1	Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a> SDD-ID: <b>BDT00000028</b>
<b>Communication channel identification</b>	1..1	Definition: The version number of the code list. SDD-ID: <b>BDT00000032</b>
<b>Communication channel name</b>	0..1	Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text. SDD-ID: <b>BDT00000033</b>
<b>After hours communication information</b>	0..unbounded	Definition: The name of a communication channel expressed as text. SDD-ID: <b>BDTG00000145</b>
<b>Communication channel code</b>	1..1	Definition: The information specifying details of communication channels to use after regular business hours. SDD-ID: <b>BDTG00000175</b>
<b>Communication channel code content</b>	1..1	Definition: The code specifying the channel for communication. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a> SDD-ID: <b>BDT00000525</b>
<b>Code list version</b>	0..1	Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a> SDD-ID: <b>BDT00000028</b>
<b>Communication channel identification</b>	1..1	Definition: The version number of the code list. SDD-ID: <b>BDT00000032</b>
<b>Communication channel name</b>	0..1	Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text. SDD-ID: <b>BDT00000033</b>
<b>Tax registration information</b>	0..unbounded	Definition: The name of a communication channel expressed as text. SDD-ID: <b>BDTG00000326</b>
<b>Tax authority name</b>	0..1	Definition: The information specifying details of a party registered for tax. SDD-ID: <b>BDT00000369</b>



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Tax registration identification information</b>	1..1	Definition:	The name of the authority administrating the collection of taxes expressed as text.
			SDD-ID:	<b>BDTG00000585</b>
	<b>Tax registration identification content</b>	1..1	Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
			SDD-ID:	<b>BDT00000584</b>
	<b>Identification scheme information</b>	0..1	Definition:	The identity assigned to a party registered for tax according to a national tax register.
			SDD-ID:	<b>BDTG00000587</b>
	<b>Identification scheme name</b>	0..1	Definition:	The information specifying details of the used identification scheme.
			SDD-ID:	<b>BDT00000074</b>
	<b>Identification scheme agency name</b>	0..1	Definition:	The name of the identification scheme.
			SDD-ID:	<b>BDT00000073</b>
	<b>Identification scheme responsible agency code</b>	0..1	Definition:	The name of the agency responsible for a identification scheme.
			SDD-ID:	<b>BDTG00000586</b>
	<b>Identification scheme responsible agency code content</b>	1..1	Definition:	The code specifying the agency responsible for the identification scheme.
			SDD-ID:	<b>BDT00000583</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Tax type code</b>	0..1	SDD-ID:	<b>BDTG00000328</b>
			Definition:	The code specifying the type of tax.
	<b>Tax type code content</b>	1..1	SDD-ID:	<b>BDT00000576</b>
			Definition:	The code specifying the type of tax.
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Tax description</b>	0..1	SDD-ID:	<b>BDTG00000322</b>
			Definition:	The description of the tax expressed as text.
	<b>Tax description content</b>	1..1	SDD-ID:	<b>BDT00000754</b>
			Definition:	The description of the tax expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.



## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Tax registration type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000327</b> The code specifying the type of tax registration number assigned by a national authority.
<b>Tax registration type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000588</b> The code specifying the type of tax registration number assigned by a national authority. DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Customs duty registration information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000375</b> The information specifying details of a party registered for customs duty.
<b>Customs authority name</b>	0..1	SDD-ID: Definition:	<b>BDT00000370</b> The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.
<b>Customs registration identification information</b>	1..1	SDD-ID: Definition:	<b>BDTG00000621</b> The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
<b>Customs registration identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000622</b> The identity assigned to a party registered for customs duty according to a national customs register.
<b>Identification scheme information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
<b>Identification scheme name</b>	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
<b>Identification scheme agency name</b>	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
<b>Identification scheme responsible agency code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Tax type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.
<b>Tax type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:</a>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
				<a href="#">DutyFeeTaxTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Customs duty description	0..1	SDD-ID: Definition:	<b>BDTG00000378</b> The description of the customs duty expressed as text.
	Customs duty description content	1..1	SDD-ID: Definition:	<b>BDT00000563</b> The description of the customs duty expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Customs registration type code	0..1	SDD-ID: Definition:	<b>BDTG00000623</b> The code specifying the type of customs registration number assigned by a national authority.
	Customs registration type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000624</b> The code specifying the type of customs registration number assigned by a national authority. DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Organisation legal information	0..1	SDD-ID: Definition:	<b>BDTG00000262</b> The information specifying details of a legal organisation.
	Organisation name	1..1	SDD-ID: Definition:	<b>BDT00000102</b> The official and legal name of the organisation.
	Language of the party code	0..1	SDD-ID: Definition:	<b>BDTG00000228</b> The code specifying the language of a party.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Currency of party code	0..1	SDD-ID: Definition: Example:	<b>BDTG00000184</b> The code specifying the currency of a party. EUR

## Order

Business data terms and groups			Usage	Business data terms and groups description	
		<b>Currency of party code content</b>	1..1	Used code list: SDD-ID: Definition: Example: Used code list: Link to code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax. <b>BDT00000710</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax. <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Official address</b>	0..1	SDD-ID: Definition:	<b>BDTG00000246</b> The registered legal address of the organisation.
		<b>County code</b>	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
		<b>City name</b>	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
		<b>City code</b>	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
		<b>Cross street</b>	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
		<b>Post office box number</b>	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
		<b>Postal code</b>	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
		<b>Province identity</b>	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
		<b>State</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
		<b>Street address one</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
		<b>Street address two</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
		<b>Street address three</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
		<b>Country code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.

## Order

Business data terms and groups			Usage	Business data terms and groups description	
		Country code content	1..1	SDD-ID: <b>BDT00000774</b> Definition:	The code specifying a country.
		Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
		Geographical coordinates information	0..1	SDD-ID: <b>BDTG00000214</b> Definition:	The information specifying details on a location using geographical coordinates.
		Latitude	1..1	SDD-ID: <b>BDT00000085</b> Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Longitude	1..1	SDD-ID: <b>BDT00000089</b> Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Issued capital	0..1	SDD-ID: <b>BDTG00000225</b> Definition:	The monetary amount representing the value of the issued capital of a company.
		Issued capital content	1..1	SDD-ID: <b>BDT00000655</b> Definition:	The monetary amount representing the issued capital of a company.
		Currency code	0..1	SDD-ID: <b>BDTG00000590</b> Definition:	The code specifying the currency of a monetary amount.
		Currency code content	1..1	SDD-ID: <b>BDT00000589</b> Definition:	The code specifying the currency of a monetary amount.
		Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
		Legal structure description	0..1	SDD-ID: <b>BDTG00000231</b> Definition:	The description of the legal structure expressed as text.
		Legal structure description content	1..1	SDD-ID: <b>BDT00000659</b> Definition:	The description of the legal structure expressed as text.
		Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition:	The code specifying the language.
		Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition:	The code specifying the language.
		Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
		Registered legal information	0..unbounded	SDD-ID: <b>BDTG00000288</b> Definition:	The information specifying the registered data on a legal entity in accordance with national law.





Business data terms and groups		Usage	Business data terms and groups description	
	Legal registration number	1..1	SDD-ID: Definition:	<b>BDT00000087</b> The identification number of an organisation according to a legal register.
	Legal registration additional information	0..1	SDD-ID: Definition:	<b>BDT00000086</b> The additional information related to the legal registration expressed as text.
	Legal registration type code	1..1	SDD-ID: Definition:	<b>BDTG00000230</b> The code specifying the type of legal registration.
	Legal registration type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000068</b> The code specifying the type of legal registration. LegalRegistrationCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Financial institution and financial account information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000209</b> The information specifying details of a financial institution and financial account.
	Financial institution name	0..1	SDD-ID: Definition:	<b>BDT00000061</b> The name of a financial institution expressed as text.
	Financial institution division name	0..1	SDD-ID: Definition:	<b>BDT00000060</b> The name of a division or branch within a financial institution expressed as text.
	Financial account information	0..1	SDD-ID: Definition:	<b>BDTG00000207</b> The information specifying details of a financial account.
	Financial account name	0..1	SDD-ID: Definition: Example:	<b>BDT00000058</b> The name of a financial account expressed as text. John Doe
	Financial account number	1..1	SDD-ID: Definition:	<b>BDT00000059</b> The number of a financial account expressed as text.
	Financial account number type code	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000208</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Financial account number type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000065</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Financial institution routing number information	0..1	SDD-ID: Definition:	<b>BDTG00000210</b> The information specifying details on a routing number of a financial institution.
	Financial routing number	1..1	SDD-ID: Definition:	<b>BDT00000062</b> The routing number of a financial transaction according to the specified financial routing type.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
	Financial routing number type code	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000211</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Financial routing number type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000644</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Additional financial institution description	0..1	SDD-ID: Definition:	<b>BDTG00000522</b> The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID: Definition:	<b>BDT00000521</b> The text value describing the additional financial institution.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Address information	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	Party name	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
	Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or



Business data terms and groups		Usage	Business data terms and groups description	
	<b>Postal code</b>	0..1	Synonyms: SDD-ID: Definition:	other postal service location. P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
			Example: Synonyms:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode
	<b>Province identity</b>	0..1	SDD-ID: Definition:	<b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
	<b>State</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
	<b>Street address one</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
	<b>Street address two</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
	<b>Street address three</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
	<b>Country code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
	<b>Country code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Geographical coordinates information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
	<b>Latitude</b>	1..1	SDD-ID: Definition: Example:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. 23°26'12.2" S
	<b>Longitude</b>	1..1	SDD-ID: Definition: Example:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. 18°3'59.0616"
	<b>Storage location information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000224</b> The information specifying details of a location of an inventory such as a warehouse or a store.
	<b>Global location number GLN</b>	0..1	SDD-ID: Definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	<b>Additional party identification information</b>	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	<b>Additional party identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
	<b>Additional party identification type code</b>	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
	<b>Additional party identification type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Address information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	<b>City name</b>	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	<b>City code</b>	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	<b>County code</b>	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	<b>Cross street</b>	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	<b>Party name</b>	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
	<b>Post office box number</b>	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
	<b>Postal code</b>	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
	<b>Province identity</b>	0..1	Example: Synonyms: SDD-ID:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b>

Business data terms and groups		Usage	Business data terms and groups description	
	<b>State</b>	0..1	Definition:	The identity of a province according to national codes assigned to provinces.
			SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
	<b>Street address one</b>	0..1	Example:	California
			SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
	<b>Street address two</b>	0..1	Example:	Avenue Louise 326
			SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
	<b>Street address three</b>	0..1	Example:	Blue Tower
			SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
	<b>Country code</b>	0..1	Example:	Floor 4
			SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	<b>Country code content</b>	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Geographical coordinates information</b>	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	<b>Latitude</b>	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	<b>Longitude</b>	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	<b>Business contact information</b>	0..unbounded	SDD-ID:	<b>BDTG00000158</b>
			Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
	<b>Person name</b>	0..1	SDD-ID:	<b>BDT00000112</b>
			Definition:	The name of an individual person expressed as text.
	<b>Department name</b>	0..1	SDD-ID:	<b>BDT00000044</b>
			Definition:	The name of the department.
	<b>Job title</b>	0..1	SDD-ID:	<b>BDT00000083</b>
			Definition:	The title of a position or the role of a person holding the position.
	<b>Contact type code</b>	0..1	SDD-ID:	<b>BDTG00000178</b>
			Definition:	The code specifying the function or role of a contact person.
			Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Contact type code content	1..1	SDD-ID:	<b>BDT00000571</b>
			Definition:	The code specifying the function or role of a contact person.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Business contact responsibility description	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
			Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
	Business contact responsibility description content	1..1	SDD-ID:	<b>BDT00000580</b>
			Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Communication information	0..unbounded	SDD-ID:	<b>BDTG00000176</b>
			Definition:	The information specifying details of a contact person's communication channel.
	Communication channel code	1..1	SDD-ID:	<b>BDTG00000175</b>
			Definition:	The code specifying the channel for communication.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID:	<b>BDT00000525</b>
			Definition:	The code specifying the channel for communication.
			Example:	TELEPHONE
			Used code list:	CommunicationChannelCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Communication channel identification	1..1	SDD-ID:	<b>BDT00000032</b>
			Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>
			Definition:	The name of a communication channel expressed as text.
	After hours communication information	0..unbounded	SDD-ID:	<b>BDTG00000145</b>
			Definition:	The information specifying details of communication channels to use after regular business hours.
	Communication channel code	1..1	SDD-ID:	<b>BDTG00000175</b>
			Definition:	The code specifying the channel for communication.

## Order

Business data terms and groups	Usage	Business data terms and groups description
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Communication channel code content</li> </ul> </li> <li>Code list version</li> <li>Communication channel identification</li> <li>Communication channel name</li> </ul> </li> <li>Tax registration information           <ul style="list-style-type: none"> <li>Tax authority name</li> <li>Tax registration identification information               <ul style="list-style-type: none"> <li>Tax registration identification content</li> <li>Identification scheme information                   <ul style="list-style-type: none"> <li>Identification scheme name</li> <li>Identification scheme agency name</li> <li>Identification scheme responsible agency code                       <ul style="list-style-type: none"> <li>Identification scheme responsible agency code content</li> </ul> </li> <li>Code list version</li> </ul> </li> </ul> </li> <li>Tax type code               <ul style="list-style-type: none"> <li>Tax type code content</li> </ul> </li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>1..1</li> <li>0..1</li> <li>1..1</li> <li>0..1</li> <li>0..unbounded</li> <li>0..1</li> <li>1..1</li> <li>1..1</li> <li>0..1</li> <li>0..1</li> <li>0..1</li> <li>0..1</li> <li>1..1</li> <li>0..1</li> <li>0..1</li> <li>1..1</li> </ul>	<ul style="list-style-type: none"> <li>Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a></li> <li>SDD-ID: <b>BDT00000525</b> Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a></li> <li>SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.</li> <li>SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.</li> <li>SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.</li> <li>SDD-ID: <b>BDTG00000326</b> Definition: The information specifying details of a party registered for tax.</li> <li>SDD-ID: <b>BDT00000369</b> Definition: The name of the authority administering the collection of taxes expressed as text.</li> <li>SDD-ID: <b>BDTG00000585</b> Definition: The information specifying details of the identity assigned to a party registered for tax according to a national tax register.</li> <li>SDD-ID: <b>BDT00000584</b> Definition: The identity assigned to a party registered for tax according to a national tax register.</li> <li>SDD-ID: <b>BDTG00000587</b> Definition: The information specifying details of the used identification scheme.</li> <li>SDD-ID: <b>BDT00000074</b> Definition: The name of the identification scheme.</li> <li>SDD-ID: <b>BDT00000073</b> Definition: The name of the agency responsible for a identification scheme.</li> <li>SDD-ID: <b>BDTG00000586</b> Definition: The code specifying the agency responsible for the identification scheme.</li> <li>SDD-ID: <b>BDT00000583</b> Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a></li> <li>SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.</li> <li>SDD-ID: <b>BDTG00000328</b> Definition: The code specifying the type of tax.</li> <li>SDD-ID: <b>BDT00000576</b> Definition: The code specifying the type of tax.</li> </ul>



Business data terms and groups		Usage	Business data terms and groups description	
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax description	0..1	SDD-ID:	<b>BDTG00000322</b>
			Definition:	The description of the tax expressed as text.
	Tax description content	1..1	SDD-ID:	<b>BDT00000754</b>
			Definition:	The description of the tax expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax registration type code	0..1	SDD-ID:	<b>BDTG00000327</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
	Tax registration type code content	1..1	SDD-ID:	<b>BDT00000588</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Customs duty registration information	0..unbounded	SDD-ID:	<b>BDTG00000375</b>
			Definition:	The information specifying details of a party registered for customs duty.
	Customs authority name	0..1	SDD-ID:	<b>BDT00000370</b>
			Definition:	The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.
	Customs registration identification information	1..1	SDD-ID:	<b>BDTG00000621</b>
			Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
	Customs registration identification content	1..1	SDD-ID:	<b>BDT00000622</b>
			Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
	Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
			Definition:	The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Identification scheme agency name	0..1	Definition:	The name of the identification scheme.
			SDD-ID:	<b>BDT00000073</b>
	Identification scheme responsible agency code	0..1	Definition:	The name of the agency responsible for a identification scheme.
			SDD-ID:	<b>BDTG00000586</b>
	Identification scheme responsible agency code content	1..1	Definition:	The code specifying the agency responsible for the identification scheme.
			SDD-ID:	<b>BDT00000583</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
	Code list version	0..1	Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
			SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000328</b>
	Tax type code	0..1	Definition:	The code specifying the type of tax.
			SDD-ID:	<b>BDTG00000328</b>
	Tax type code content	1..1	Definition:	The code specifying the type of tax.
			SDD-ID:	<b>BDT00000576</b>
			Definition:	The code specifying the type of tax.
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
			SDD-ID:	<b>BDT00000028</b>
	Code list version	0..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000378</b>
	Customs duty description	0..1	Definition:	The description of the customs duty expressed as text.
			SDD-ID:	<b>BDTG00000378</b>
	Customs duty description content	1..1	Definition:	The description of the customs duty expressed as text.
			SDD-ID:	<b>BDT00000563</b>
	Language code	0..1	Definition:	The code specifying the language.
			SDD-ID:	<b>BDTG00000523</b>
	Language code content	1..1	Definition:	The code specifying the language.
			SDD-ID:	<b>BDT00000524</b>
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Customs registration type code	0..1	SDD-ID:	<b>BDTG00000623</b>
			Definition:	The code specifying the type of customs registration number assigned by a national authority.
	Customs registration type code content	1..1	SDD-ID:	<b>BDT00000624</b>
			Definition:	The code specifying the type of customs registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
			SDD-ID:	<b>BDT00000624</b>
			Definition:	The code specifying the type of customs registration number assigned by a national authority.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Organisation legal information	0..1	SDD-ID: <b>BDTG00000262</b> Definition: The information specifying details of a legal organisation.	
	Organisation name	1..1	SDD-ID: <b>BDT00000102</b> Definition: The official and legal name of the organisation.	
	Language of the party code	0..1	SDD-ID: <b>BDTG00000228</b> Definition: The code specifying the language of a party.	
	Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Currency of party code	0..1	SDD-ID: <b>BDTG00000184</b> Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax.	
	Currency of party code content	1..1	SDD-ID: <b>BDT00000710</b> Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax. Link to code list: <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Official address	0..1	SDD-ID: <b>BDTG00000246</b> Definition: The registered legal address of the organisation.	
	County code	0..1	SDD-ID: <b>BDT00000034</b> Definition: The code indicating a geographical region in a country.	
	City name	0..1	SDD-ID: <b>BDT00000020</b> Definition: The name of the city, town or village.	
	City code	0..1	SDD-ID: <b>BDT00000019</b> Definition: The code specifying a city.	
	Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition: The street crossing another street.	
	Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition: The number of a post office box located on the premises of a post office station or other postal service location.	
	Postal code	0..1	Synonyms: P.O. box, postal box SDD-ID: <b>BDT00000114</b> Definition: The code according to the relevant postal system or service to specify a geographical area.	

## Order

Business data terms and groups			Usage	Business data terms and groups description	
				Example:	SE 190 90
				Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
				Definition:	The identity of a province according to national codes assigned to provinces.
		State	0..1	SDD-ID:	<b>BDT00000127</b>
				Definition:	The political unit that a country can be divided into.
				Example:	California
		Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
				Definition:	The first street address line of a structured address.
				Example:	Avenue Louise 326
		Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
				Definition:	The second street address line of a structured address.
				Example:	Blue Tower
		Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
				Definition:	The third street address line of a structured address.
				Example:	Floor 4
		Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
				Definition:	The code specifying a country.
		Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
				Definition:	The code specifying a country.
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
				Definition:	The information specifying details on a location using geographical coordinates.
		Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
				Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
				Example:	23°26'12.2" S
		Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
				Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
				Example:	18°3'59.0616"
		Issued capital	0..1	SDD-ID:	<b>BDTG00000225</b>
				Definition:	The monetary amount representing the value of the issued capital of a company.
		Issued capital content	1..1	SDD-ID:	<b>BDT00000655</b>
				Definition:	The monetary amount representing the issued capital of a company.
		Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
				Definition:	The code specifying the currency of a monetary amount.
		Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
				Definition:	The code specifying the currency of a monetary amount.
				Example:	EUR
				Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Legal structure description	0..1	SDD-ID:	<b>BDTG00000231</b>
			Definition:	The description of the legal structure expressed as text.
	Legal structure description content	1..1	SDD-ID:	<b>BDT00000659</b>
			Definition:	The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Registered legal information	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
			Definition:	The information specifying the registered data on a legal entity in accordance with national law.
	Legal registration number	1..1	SDD-ID:	<b>BDT00000087</b>
			Definition:	The identification number of an organisation according to a legal register.
	Legal registration additional information	0..1	SDD-ID:	<b>BDT00000086</b>
			Definition:	The additional information related to the legal registration expressed as text.
	Legal registration type code	1..1	SDD-ID:	<b>BDTG00000230</b>
			Definition:	The code specifying the type of legal registration.
	Legal registration type code content	1..1	SDD-ID:	<b>BDT00000658</b>
			Definition:	The code specifying the type of legal registration.
			Used code list:	LegalRegistrationCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Financial institution and financial account information	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
			Definition:	The information specifying details of a financial institution and financial account.
	Financial institution name	0..1	SDD-ID:	<b>BDT00000061</b>
			Definition:	The name of a financial institution expressed as text.
	Financial institution division name	0..1	SDD-ID:	<b>BDT00000060</b>
			Definition:	The name of a division or branch within a financial institution expressed as text.
	Financial account information	0..1	SDD-ID:	<b>BDTG00000207</b>
			Definition:	The information specifying details of a financial account.
	Financial account name	0..1	SDD-ID:	<b>BDT00000058</b>
			Definition:	The name of a financial account expressed as text.
	Financial account number	1..1	SDD-ID:	<b>BDT00000059</b>
			Example:	John Doe

## Order

Business data terms and groups			Usage	Business data terms and groups description	
		<b>Financial account number type code</b>	1..1	Definition: SDD-ID: Definition: Used code list: Link to code list:	The number of a financial account expressed as text. <b>BDTG00000208</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
		<b>Financial account number type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000645</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Financial institution routing number information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000210</b> The information specifying details on a routing number of a financial institution.
		<b>Financial routing number</b>	1..1	SDD-ID: Definition:  Business rule:	<b>BDT00000062</b> The routing number of a financial transaction according to the specified financial routing type. This business data term must be used in conjunction with the Financial routing number type code class.
		<b>Financial routing number type code</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000211</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		<b>Financial routing number type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000644</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Additional financial institution description</b>	0..1	SDD-ID: Definition:	<b>BDTG00000522</b> The additional description of a financial institution expressed as text.
		<b>Additional financial institution description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000521</b> The text value describing the additional financial institution.
		<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
		<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Address information	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	Party name	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
	Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
	Province identity	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
	Street address one	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
	Street address three	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
	Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
	Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.



Business data terms and groups		Usage	Business data terms and groups description	
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
	Longitude	1..1	Example:	23°26'12.2" S
			SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Ultimate consignee party information	0..1	SDD-ID:	<b>BDTG00000355</b>
			Definition:	The information specifying the ultimate consignee responsible for the receipt of a shipment.
			Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
	Global location number GLN	0..1	SDD-ID:	<b>BDT00000063</b>
			Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
			Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	Additional party identification information	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
			Definition:	The information specifying the additional identification details of a party.
			Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
			Definition:	The additional identity of a party.
	Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
			Definition:	The code specifying the additional identification type of the party.
	Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
			Definition:	The code specifying the additional identification type of the party.
			Used code list:	AdditionalPartyIdentificationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms:	P.O. box, postal box
			SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
	Province identity	0..1	Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
			SDD-ID:	<b>BDT00000117</b>
	State	0..1	Definition:	The identity of a province according to national codes assigned to provinces.
			SDD-ID:	<b>BDT00000127</b>
	Street address one	0..1	Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address two	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
	Street address three	0..1	Example:	Avenue Louise 326
			SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Country code	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
	Country code content	1..1	Example:	Floor 4
			SDD-ID:	<b>BDTG00000179</b>
	Code list version	0..1	Definition:	The code specifying a country.
			SDD-ID:	<b>BDT00000774</b>
	Geographical coordinates information	0..1	Definition:	The code specifying a country.
			SDD-ID:	<b>BDT00000028</b>
	Latitude	1..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
			SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Longitude</b>	1..1	Example: SDD-ID: Definition:	the north-south position of a point on the Earth's surface. <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
	<b>Business contact information</b>	0..unbounded	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
	<b>Person name</b>	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
	<b>Department name</b>	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
	<b>Job title</b>	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
	<b>Contact type code</b>	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	<b>Contact type code content</b>	1..1	SDD-ID: Definition:	<b>BDT000000571</b> The code specifying the function or role of a contact person.
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Business contact responsibility description</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Business contact responsibility description content</b>	1..1	SDD-ID: Definition:	<b>BDT000000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG000000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT000000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
	<b>Communication channel code</b>	1..1	SDD-ID: Definition:	<b>BDTG00000175</b> The code specifying the channel for communication.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	After hours communication information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000145</b> The information specifying details of communication channels to use after regular business hours.
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	Tax registration information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000326</b> The information specifying details of a party registered for tax.
	Tax authority name	0..1	SDD-ID: Definition:	<b>BDT00000369</b> The name of the authority administering the collection of taxes expressed as text.
	Tax registration identification information	1..1	SDD-ID: Definition:	<b>BDTG00000585</b> The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
	Tax registration identification content	1..1	SDD-ID:	<b>BDT00000584</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The identity assigned to a party registered for tax according to a national tax register.
	Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
			Definition:	The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
			Definition:	The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
			Definition:	The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
			Definition:	The code specifying the type of tax.
	Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
			Definition:	The code specifying the type of tax.
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax description	0..1	SDD-ID:	<b>BDTG00000322</b>
			Definition:	The description of the tax expressed as text.
	Tax description content	1..1	SDD-ID:	<b>BDT00000754</b>
			Definition:	The description of the tax expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax registration type code	0..1	SDD-ID:	<b>BDTG00000327</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
	Tax registration type code content	1..1	SDD-ID:	<b>BDT00000588</b>
			Definition:	The code specifying the type of tax registration number assigned by a national



Business data terms and groups	Usage	Business data terms and groups description
		authority. DutyFeeTaxRegistrationTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Customs duty registration information	0..unbounded	SDD-ID: <b>BDTG00000375</b> Definition: The information specifying details of a party registered for customs duty.
Customs authority name	0..1	SDD-ID: <b>BDT00000370</b> Definition: The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
Customs registration identification information	1..1	SDD-ID: <b>BDTG00000621</b> Definition: The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
Customs registration identification content	1..1	SDD-ID: <b>BDT00000622</b> Definition: The identity assigned to a party registered for customs duty according to a national customs register.
Identification scheme information	0..1	SDD-ID: <b>BDTG00000587</b> Definition: The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: <b>BDT00000074</b> Definition: The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: <b>BDT00000073</b> Definition: The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID: <b>BDTG00000586</b> Definition: The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID: <b>BDT00000583</b> Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Tax type code	0..1	SDD-ID: <b>BDTG00000328</b> Definition: The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: <b>BDT00000576</b> Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Customs duty description	0..1	SDD-ID: <b>BDTG00000378</b> Definition: The description of the customs duty expressed as text.

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Customs duty description content	1..1	SDD-ID: Definition:	<b>BDT00000563</b> The description of the customs duty expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Customs registration type code	0..1	SDD-ID: Definition:	<b>BDTG00000623</b> The code specifying the type of customs registration number assigned by a national authority.
	Customs registration type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000624</b> The code specifying the type of customs registration number assigned by a national authority. DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Organisation legal information	0..1	SDD-ID: Definition:	<b>BDTG00000262</b> The information specifying details of a legal organisation.
	Organisation name	1..1	SDD-ID: Definition:	<b>BDT00000102</b> The official and legal name of the organisation.
	Language of the party code	0..1	SDD-ID: Definition:	<b>BDTG00000228</b> The code specifying the language of a party.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Currency of party code	0..1	SDD-ID: Definition: Example: Used code list:	<b>BDTG00000184</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax.
	Currency of party code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000710</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax.

Business data terms and groups			Usage	Business data terms and groups description	
				Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Official address	0..1	SDD-ID:	<b>BDTG00000246</b>
				Definition:	The registered legal address of the organisation.
		County code	0..1	SDD-ID:	<b>BDT00000034</b>
				Definition:	The code indicating a geographical region in a country.
		City name	0..1	SDD-ID:	<b>BDT00000020</b>
				Definition:	The name of the city, town or village.
		City code	0..1	SDD-ID:	<b>BDT00000019</b>
				Definition:	The code specifying a city.
		Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
				Definition:	The street crossing another street.
		Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
				Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
				Synonyms:	P.O. box, postal box
		Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
				Definition:	The code according to the relevant postal system or service to specify a geographical area.
				Example:	SE 190 90
				Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
				Definition:	The identity of a province according to national codes assigned to provinces.
		State	0..1	SDD-ID:	<b>BDT00000127</b>
				Definition:	The political unit that a country can be divided into.
				Example:	California
		Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
				Definition:	The first street address line of a structured address.
				Example:	Avenue Louise 326
		Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
				Definition:	The second street address line of a structured address.
				Example:	Blue Tower
		Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
				Definition:	The third street address line of a structured address.
				Example:	Floor 4
		Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
				Definition:	The code specifying a country.
		Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
				Definition:	The code specifying a country.
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Latitude</b>	1..1	Definition:	The information specifying details on a location using geographical coordinates.
			SDD-ID:	<b>BDT00000085</b>
	<b>Longitude</b>	1..1	Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	<b>Issued capital</b>	0..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
	<b>Issued capital content</b>	1..1	Example:	18°3'59.0616"
			SDD-ID:	<b>BDTG00000225</b>
	<b>Currency code</b>	0..1	Definition:	The monetary amount representing the value of the issued capital of a company.
			SDD-ID:	<b>BDT00000655</b>
	<b>Currency code content</b>	1..1	Definition:	The monetary amount representing the issued capital of a company.
			SDD-ID:	<b>BDTG00000590</b>
	<b>Code list version</b>	0..1	Definition:	The code specifying the currency of a monetary amount.
			SDD-ID:	<b>BDT00000589</b>
	<b>Legal structure description</b>	0..1	Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
	<b>Legal structure description content</b>	1..1	Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			SDD-ID:	<b>BDT00000028</b>
	<b>Language code</b>	0..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000231</b>
	<b>Language code content</b>	1..1	Definition:	The description of the legal structure expressed as text.
			SDD-ID:	<b>BDT00000659</b>
	<b>Code list version</b>	0..1	Definition:	The description of the legal structure expressed as text.
			SDD-ID:	<b>BDTG00000523</b>
	<b>Registered legal information</b>	0..unbounded	Definition:	The code specifying the language.
			SDD-ID:	<b>BDT00000524</b>
	<b>Legal registration number</b>	1..1	Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Legal registration additional information</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Legal registration type code</b>	1..1	SDD-ID:	<b>BDTG00000288</b>
			Definition:	The information specifying the registered data on a legal entity in accordance with national law.
			SDD-ID:	<b>BDT00000087</b>
			Definition:	The identification number of an organisation according to a legal register.
			SDD-ID:	<b>BDT00000086</b>
			Definition:	The additional information related to the legal registration expressed as text.
			SDD-ID:	<b>BDTG00000230</b>

## Order

Business data terms and groups	Usage	Business data terms and groups description
<ul style="list-style-type: none"> <li>Legal registration type code content</li> </ul>	1..1	Definition: The code specifying the type of legal registration. SDD-ID: <b>BDT00000658</b> Definition: The code specifying the type of legal registration. Used code list: LegalRegistrationCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode</a>
<ul style="list-style-type: none"> <li>Code list version</li> </ul>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<ul style="list-style-type: none"> <li>Financial institution and financial account information</li> </ul>	0..unbounded	SDD-ID: <b>BDTG00000209</b> Definition: The information specifying details of a financial institution and financial account.
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Financial institution name</li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDT00000061</b> Definition: The name of a financial institution expressed as text.
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Financial institution division name</li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDT00000060</b> Definition: The name of a division or branch within a financial institution expressed as text.
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Financial account information</li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDTG00000207</b> Definition: The information specifying details of a financial account.
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Financial account name</li> </ul> </li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDT00000058</b> Definition: The name of a financial account expressed as text. Example: John Doe
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Financial account number</li> </ul> </li> </ul> </li> </ul>	1..1	SDD-ID: <b>BDT00000059</b> Definition: The number of a financial account expressed as text.
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Financial account number type code</li> </ul> </li> </ul> </li> </ul>	1..1	SDD-ID: <b>BDTG00000208</b> Definition: The code specifying the type of a financial account number. Used code list: FinancialAccountNumberTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:FinancialAccountNumberTypeCode</a>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Financial account number type code content</li> </ul> </li> </ul> </li> </ul>	1..1	SDD-ID: <b>BDT00000645</b> Definition: The code specifying the type of a financial account number. Used code list: FinancialAccountNumberTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:FinancialAccountNumberTypeCode</a>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Code list version</li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<ul style="list-style-type: none"> <li>Financial institution routing number information</li> </ul>	0..1	SDD-ID: <b>BDTG00000210</b> Definition: The information specifying details on a routing number of a financial institution.
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Financial routing number</li> </ul> </li> </ul>	1..1	SDD-ID: <b>BDT00000062</b> Definition: The routing number of a financial transaction according to the specified financial routing type. Business rule: This business data term must be used in conjunction with the Financial routing number type code class.
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Financial routing number type code</li> </ul> </li> </ul>	1..1	SDD-ID: <b>BDTG00000211</b> Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode





## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	<b>Financial routing number type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000644</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Additional financial institution description</b>	0..1	SDD-ID: Definition:	<b>BDTG00000522</b> The additional description of a financial institution expressed as text.
	<b>Additional financial institution description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000521</b> The text value describing the additional financial institution.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Address information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	<b>City name</b>	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	<b>City code</b>	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	<b>County code</b>	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	<b>Cross street</b>	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	<b>Party name</b>	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
	<b>Post office box number</b>	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
	<b>Postal code</b>	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.





Business data terms and groups		Usage	Business data terms and groups description	
<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>	Province identity	0..1	Example: Synonyms:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode
	State	0..1	SDD-ID: Definition:	BDT00000117 The identity of a province according to national codes assigned to provinces.
	Street address one	0..1	SDD-ID: Definition: Example:	BDT00000127 The political unit that a country can be divided into. California
	Street address two	0..1	SDD-ID: Definition: Example:	BDT00000128 The first street address line of a structured address. Avenue Louise 326
	Street address three	0..1	SDD-ID: Definition: Example:	BDT00000130 The second street address line of a structured address. Blue Tower
	Country code	0..1	SDD-ID: Definition: Example:	BDT00000129 The third street address line of a structured address. Floor 4
	Country code content	1..1	SDD-ID: Definition:	BDTG00000179 The code specifying a country.
	Code list version	0..1	SDD-ID: Definition:	BDT00000774 The code specifying a country.
	Geographical coordinates information	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Latitude	1..1	SDD-ID: Definition:	BDTG00000214 The information specifying details on a location using geographical coordinates.
<div><div></div><div></div><div></div><div></div><div></div></div>	Longitude	1..1	Example: SDD-ID: Definition:	BDT00000085 The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. 23°26'12.2" S
	Logistics services provider party information	0..1	SDD-ID: Definition: Usage:	BDT00000089 The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. 18°3'59.0616"
	Global location number, GLN	0..1	SDD-ID: Definition:	BDTG00000223 The information specifying details of a party providing logistics services.
	Additional party identification information	0..1	SDD-ID:	BDT00000063 The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
			Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.



Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The information specifying the additional identification details of a party.
			Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
			Definition:	The additional identity of a party.
	Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
			Definition:	The code specifying the additional identification type of the party.
	Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
			Definition:	The code specifying the additional identification type of the party.
			Used code list:	AdditionalPartyIdentificationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California



Business data terms and groups		Usage	Business data terms and groups description	
	Street address one	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
	Street address three	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
	Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
	Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: Definition: Example:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. 23°26'12.2" S
	Longitude	1..1	SDD-ID: Definition: Example:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. 18°3'59.0616"
	Business contact information	0..1	SDD-ID: Definition:	<b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
	Person name	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
	Department name	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
	Job title	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
	Contact type code	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	Contact type code content	1..1	SDD-ID: Definition:	<b>BDT00000571</b> The code specifying the function or role of a contact person.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Business contact responsibility description</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Business contact responsibility description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
	<b>Communication channel code</b>	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Communication channel code content</b>	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Communication channel identification</b>	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	<b>Communication channel name</b>	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	<b>After hours communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000145</b> The information specifying details of communication channels to use after regular business hours.
	<b>Communication channel code</b>	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Communication channel code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000525</b> The code specifying the channel for communication.

## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Example:	TELEPHONE
			Used code list:	CommunicationChannelCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Communication channel identification	1..1	SDD-ID:	<b>BDT00000032</b>
			Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>
			Definition:	The name of a communication channel expressed as text.
	Tax registration information	0..1	SDD-ID:	<b>BDTG00000326</b>
			Definition:	The information specifying details of a party registered for tax.
	Tax authority name	0..1	SDD-ID:	<b>BDT00000369</b>
			Definition:	The name of the authority administering the collection of taxes expressed as text.
	Tax registration identification information	1..1	SDD-ID:	<b>BDTG00000585</b>
			Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
	Tax registration identification content	1..1	SDD-ID:	<b>BDT00000584</b>
			Definition:	The identity assigned to a party registered for tax according to a national tax register.
	Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
			Definition:	The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
			Definition:	The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
			Definition:	The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
			Definition:	The code specifying the type of tax.
	Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
			Definition:	The code specifying the type of tax.
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Tax description</b>	0..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000322</b>
	<b>Tax description content</b>	1..1	Definition:	The description of the tax expressed as text.
			SDD-ID:	<b>BDT00000754</b>
			Definition:	The description of the tax expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Tax registration type code</b>	0..1	SDD-ID:	<b>BDTG00000327</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
	<b>Tax registration type code content</b>	1..1	SDD-ID:	<b>BDT00000588</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Customs duty registration information</b>	0..1	SDD-ID:	<b>BDTG00000375</b>
			Definition:	The information specifying details of a party registered for customs duty.
	<b>Customs authority name</b>	0..1	SDD-ID:	<b>BDT00000370</b>
			Definition:	The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
	<b>Customs registration identification information</b>	1..1	SDD-ID:	<b>BDTG00000621</b>
			Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
	<b>Customs registration identification content</b>	1..1	SDD-ID:	<b>BDT00000622</b>
			Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
	<b>Identification scheme information</b>	0..1	SDD-ID:	<b>BDTG00000587</b>
			Definition:	The information specifying details of the used identification scheme.
	<b>Identification scheme name</b>	0..1	SDD-ID:	<b>BDT00000074</b>
			Definition:	The name of the identification scheme.
	<b>Identification scheme agency name</b>	0..1	SDD-ID:	<b>BDT00000073</b>
			Definition:	The name of the agency responsible for a identification scheme.
	<b>Identification scheme responsible agency</b>	0..1	SDD-ID:	<b>BDTG00000586</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>code</b>		Definition:	The code specifying the agency responsible for the identification scheme.
	<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Tax type code</b>	0..1	SDD-ID:	<b>BDTG00000328</b>
	<b>Tax type code content</b>	1..1	Definition: SDD-ID: Definition: Used code list: Link to code list:	The code specifying the type of tax. <b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Customs duty description</b>	0..1	SDD-ID:	<b>BDTG00000378</b>
	<b>Customs duty description content</b>	1..1	Definition: SDD-ID: Definition:	The description of the customs duty expressed as text. <b>BDT00000563</b> The description of the customs duty expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
	<b>Language code content</b>	1..1	Definition: SDD-ID: Definition: Example: Used code list:	The code specifying the language. <b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Customs registration type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000623</b> The code specifying the type of customs registration number assigned by a national authority.
	<b>Customs registration type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000624</b> The code specifying the type of customs registration number assigned by a national authority. DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Organisation legal information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000262</b> The information specifying details of a legal organisation.

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	— <b>Organisation name</b>	1..1	SDD-ID: Definition:	<b>BDT00000102</b> The official and legal name of the organisation.
	— <b>Language of the party code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000228</b> The code specifying the language of a party.
	— <b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	— <b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	— <b>Currency of party code</b>	0..1	SDD-ID: Definition: Example: Used code list:	<b>BDTG00000184</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax.
	— <b>Currency of party code content</b>	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000710</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax. <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
	— <b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	— <b>Official address</b>	0..1	SDD-ID: Definition:	<b>BDTG00000246</b> The registered legal address of the organisation.
	— <b>County code</b>	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	— <b>City name</b>	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	— <b>City code</b>	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	— <b>Cross street</b>	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	— <b>Post office box number</b>	0..1	SDD-ID: Definition: Synonyms:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location. P.O. box, postal box
	— <b>Postal code</b>	0..1	SDD-ID: Definition: Example: Synonyms:	<b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area. SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode
	— <b>Province identity</b>	0..1	SDD-ID: Definition:	<b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.



## Order

Business data terms and groups			Usage	Business data terms and groups description	
		State	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
		Street address one	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
		Street address two	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
		Street address three	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
		Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
		Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
		Latitude	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Longitude	1..1	SDD-ID: Definition:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Issued capital	0..1	SDD-ID: Definition:	<b>BDTG00000225</b> The monetary amount representing the value of the issued capital of a company.
		Issued capital content	1..1	SDD-ID: Definition:	<b>BDT00000655</b> The monetary amount representing the issued capital of a company.
		Currency code	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
		Currency code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000589</b> The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Legal structure description	0..1	SDD-ID: Definition:	<b>BDTG00000231</b> The description of the legal structure expressed as text.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Legal structure description content	1..1	SDD-ID: Definition:	<b>BDT00000659</b> The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Registered legal information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000288</b> The information specifying the registered data on a legal entity in accordance with national law.
	Legal registration number	1..1	SDD-ID: Definition:	<b>BDT00000087</b> The identification number of an organisation according to a legal register.
	Legal registration additional information	0..1	SDD-ID: Definition:	<b>BDT00000086</b> The additional information related to the legal registration expressed as text.
	Legal registration type code	1..1	SDD-ID: Definition:	<b>BDTG00000230</b> The code specifying the type of legal registration.
	Legal registration type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000658</b> The code specifying the type of legal registration. LegalRegistrationCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Financial institution and financial account information	0..1	SDD-ID: Definition:	<b>BDTG00000209</b> The information specifying details of a financial institution and financial account.
	Financial institution name	0..1	SDD-ID: Definition:	<b>BDT00000061</b> The name of a financial institution expressed as text.
	Financial institution division name	0..1	SDD-ID: Definition:	<b>BDT00000060</b> The name of a division or branch within a financial institution expressed as text.
	Financial account information	0..1	SDD-ID: Definition:	<b>BDTG00000207</b> The information specifying details of a financial account.
	Financial account name	0..1	SDD-ID: Definition: Example:	<b>BDT00000058</b> The name of a financial account expressed as text. John Doe
	Financial account number	1..1	SDD-ID: Definition:	<b>BDT00000059</b> The number of a financial account expressed as text.
	Financial account number type code	1..1	SDD-ID: Definition: Used code list:	<b>BDTG00000208</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode



Business data terms and groups		Usage	Business data terms and groups description	
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Financial account number type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000645</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Financial institution routing number information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000210</b> The information specifying details on a routing number of a financial institution.
	<b>Financial routing number</b>	1..1	SDD-ID: Definition:  Business rule:	<b>BDT00000062</b> The routing number of a financial transaction according to the specified financial routing type. This business data term must be used in conjunction with the Financial routing number type code class.
	<b>Financial routing number type code</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000211</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	<b>Financial routing number type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000644</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Additional financial institution description</b>	0..1	SDD-ID: Definition:	<b>BDTG00000522</b> The additional description of a financial institution expressed as text.
	<b>Additional financial institution description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000521</b> The text value describing the additional financial institution.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Address information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person,



## Order

Business data terms and groups		Usage	Business data terms and groups description	
				a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: <b>BDT00000020</b> Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID: <b>BDT00000019</b> Definition:	The code specifying a city.
	County code	0..1	SDD-ID: <b>BDT00000034</b> Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition:	The street crossing another street.
	Party name	0..1	SDD-ID: <b>BDT00000106</b> Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: P.O. box, postal box SDD-ID: <b>BDT00000114</b> Definition:	The code according to the relevant postal system or service to specify a geographical area.
	Province identity	0..1	Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode SDD-ID: <b>BDT00000117</b> Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: <b>BDT00000127</b> Definition:	The political unit that a country can be divided into.
	Street address one	0..1	Example: California SDD-ID: <b>BDT00000128</b> Definition:	The first street address line of a structured address.
	Street address two	0..1	Example: Avenue Louise 326 SDD-ID: <b>BDT00000130</b> Definition:	The second street address line of a structured address.
	Street address three	0..1	Example: Blue Tower SDD-ID: <b>BDT00000129</b> Definition:	The third street address line of a structured address.
	Country code	0..1	Example: Floor 4 SDD-ID: <b>BDTG00000179</b> Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID: <b>BDT00000774</b> Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: <b>BDTG00000214</b> Definition:	The information specifying details on a location using geographical coordinates.



Business data terms and groups		Usage	Business data terms and groups description	
	Latitude	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
	Longitude	1..1	Example: SDD-ID: Definition:	23°26'12.2" S <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
	Requested delivery date time information	0..1	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000293</b> The information specifying when ordered trade items are requested to be delivered or be available for pick up.
	Requested delivery time period	0..1	SDD-ID: Definition:	<b>BDTG00000295</b> The date (and time) of the period during which ordered trade items are requested to be delivered.
	Begin time period	0..1	SDD-ID: Definition:	<b>BDT00000010</b> The first point in time of a period of time or date period.
	Begin period date	0..1	SDD-ID: Definition:	<b>BDT00000009</b> The first date of a date period.
	End date period	0..1	SDD-ID: Definition:	<b>BDT00000054</b> The last date of a date period.
	End time period	0..1	SDD-ID: Definition:	<b>BDT00000055</b> The end time of a period of time or date time period.
	Requested ship date time period	0..1	SDD-ID: Definition:	<b>BDTG00000298</b> The date (and time) of the period during which ordered trade items are requested to be shipped.
	Begin time period	0..1	SDD-ID: Definition:	<b>BDT00000010</b> The first point in time of a period of time or date period.
	Begin period date	0..1	SDD-ID: Definition:	<b>BDT00000009</b> The first date of a date period.
	End date period	0..1	SDD-ID: Definition:	<b>BDT00000054</b> The last date of a date period.
	End time period	0..1	SDD-ID: Definition:	<b>BDT00000055</b> The end time of a period of time or date time period.
	Requested delivery date time period at ultimate consignee	0..1	SDD-ID: Definition:	<b>BDTG00000294</b> The date (and time) of the period during which ordered trade items are requested to be delivered at ultimate consignee.
	Begin time period	0..1	SDD-ID: Definition:	<b>BDT00000010</b> The first point in time of a period of time or date period.
	Begin period date	0..1	SDD-ID: Definition:	<b>BDT00000009</b> The first date of a date period.
	End date period	0..1	SDD-ID: Definition:	<b>BDT00000054</b> The last date of a date period.
	End time period	0..1	SDD-ID:	<b>BDT00000055</b>

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Requested delivery date time</b>	0..1	Definition:	The end time of a period of time or date time period.
			SDD-ID:	<b>BDTG00000291</b>
			Definition:	The date and optional time when the ordered trade items are requested to be delivered.
	<b>Date</b>	0..1	SDD-ID:	<b>BDT00000040</b>
			Definition:	The day of a year as a calendar date.
			Example:	2020-06-15
	<b>Time</b>	0..1	SDD-ID:	<b>BDT00000133</b>
			Definition:	The indication of a point in time.
			Example:	08:01:15
	<b>Requested ship date time</b>	0..1	SDD-ID:	<b>BDTG00000297</b>
			Definition:	The date (and time) when the ordered trade items are requested to be despatched.
			SDD-ID:	<b>BDT00000040</b>
	<b>Date</b>	0..1	Definition:	The day of a year as a calendar date.
			Example:	2020-06-15
	<b>Time</b>	0..1	SDD-ID:	<b>BDT00000133</b>
			Definition:	The indication of a point in time.
			Example:	08:01:15
	<b>Requested date time for pick up</b>	0..1	SDD-ID:	<b>BDTG00000290</b>
			Definition:	The date (and time) when the ordered trade items are requested to be available for pick up.
			SDD-ID:	<b>BDT00000040</b>
	<b>Date</b>	0..1	Definition:	The day of a year as a calendar date.
			Example:	2020-06-15
	<b>Time</b>	0..1	SDD-ID:	<b>BDT00000133</b>
			Definition:	The indication of a point in time.
			Example:	08:01:15
	<b>Requested delivery date time at ultimate consignee</b>	0..1	SDD-ID:	<b>BDTG00000292</b>
			Definition:	The date (and time) when the ordered trade items are requested to be delivered at ultimate consignee.
			SDD-ID:	<b>BDT00000040</b>
	<b>Date</b>	0..1	Definition:	The day of a year as a calendar date.
			Example:	2020-06-15
	<b>Time</b>	0..1	SDD-ID:	<b>BDT00000133</b>
			Definition:	The indication of a point in time.
			Example:	08:01:15
	<b>Shipment transportation information</b>	0..1	SDD-ID:	<b>BDTG00000312</b>
			Definition:	The information specifying details about the transportation of goods.
	<b>Handling instruction code</b>	0..unbounded	SDD-ID:	<b>BDTG00000218</b>
			Definition:	The code specifying how the ordered trade items are to be handled and loaded.
	<b>Handling instruction code content</b>	1..1	SDD-ID:	<b>BDT00000647</b>
			Definition:	The code specifying how the ordered trade items are to be handled and loaded.
			Used code list:	HandlingInstructionCode



Business data terms and groups	Usage	Business data terms and groups description
		Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:HandlingInstructionCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:HandlingInstructionCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Transport means type code	0..1	SDD-ID: <b>BDTG00000351</b> Definition: The code specifying the means for transporting goods.
Transport means type code content	1..1	SDD-ID: <b>BDT00000687</b> Definition: The code specifying the means for transporting goods. Example: 31 Used code list: TransportMeansTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportMeansTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportMeansTypeCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Transport means identification	0..1	SDD-ID: <b>BDTG00000350</b> Definition: The information specifying the details of the identification number according to a specified identification scheme assigned to a means of transportation such as a vehicle license plate of a truck or an aircraft registration number of a helicopter.
Transport means identification content	0..1	SDD-ID: <b>BDT00000625</b> Definition: The identification number according to a specified identification scheme assigned to a means of transportation such as a vehicle license plate of a truck or an aircraft registration number of a helicopter.
Identification scheme information	0..1	SDD-ID: <b>BDTG00000587</b> Definition: The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: <b>BDT00000074</b> Definition: The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: <b>BDT00000073</b> Definition: The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID: <b>BDTG00000586</b> Definition: The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID: <b>BDT00000583</b> Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Transport mode code	0..1	SDD-ID: <b>BDTG00000352</b> Definition: Code specifying the mode of transport.
Transport mode code content	1..1	SDD-ID: <b>BDT00000688</b> Definition: The code specifying the mode of transport. Example: 3 Used code list: TransportServiceCategoryCode

Business data terms and groups	Usage	Business data terms and groups description	
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportServiceCategoryCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportServiceCategoryCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Transport service level code	0..1	SDD-ID:	<b>BDTG00000354</b>
		Definition:	The code specifying the service level for the transport of a shipment.
Transport service level code content	1..1	SDD-ID:	<b>BDT00000689</b>
		Definition:	The code specifying the service level for the transport of a shipment.
		Used code list:	TransportServiceLevelCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportServiceLevelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportServiceLevelCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Transport route identification	0..1	SDD-ID:	<b>BDTG00000353</b>
		Definition:	The information specifying the details of identification number assigned to a transport route according to a specified identification scheme.
Transport route identification content	1..1	SDD-ID:	<b>BDT00000626</b>
		Definition:	The identification number assigned to a transport route according to a specified identification scheme.
Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Handling instruction description	0..unbounded	SDD-ID:	<b>BDTG00000219</b>
		Definition:	The handling instruction expressed as text.
		Usage rule:	Only used if no coded value for the handling instruction is available using the business data term "BDTG00000218 Handling instruction code".
Handling instruction description content	1..1	SDD-ID:	<b>BDT00000648</b>
		Definition:	The handling instruction expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>





## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Carrier party information	0..1	SDD-ID:	<b>BDTG00000163</b>
			Definition:	The information specifying details of the party transporting shipments.
			Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
	Global location number, GLN	0..1	SDD-ID:	<b>BDT00000063</b>
			Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
			Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	Additional party identification information	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
			Definition:	The information specifying the additional identification details of a party.
			Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
			Definition:	The additional identity of a party.
	Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
			Definition:	The code specifying the additional identification type of the party.
	Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
			Definition:	The code specifying the additional identification type of the party.
			Used code list:	AdditionalPartyIdentificationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Party name</b>	0..1	Definition:	The street crossing another street.
			SDD-ID:	<b>BDT00000106</b>
	<b>Post office box number</b>	0..1	Definition:	The name of the party expressed as text.
			SDD-ID:	<b>BDT00000113</b>
	<b>Postal code</b>	0..1	Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	<b>Province identity</b>	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
	<b>State</b>	0..1	Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	<b>Street address one</b>	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	<b>Street address two</b>	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
	<b>Street address three</b>	0..1	Example:	California
			SDD-ID:	<b>BDT00000128</b>
	<b>Country code</b>	0..1	Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	<b>Country code content</b>	1..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
	<b>Code list version</b>	0..1	Example:	Blue Tower
			SDD-ID:	<b>BDT00000129</b>
	<b>Geographical coordinates information</b>	0..1	Definition:	The third street address line of a structured address.
			Example:	Floor 4
	<b>Latitude</b>	1..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	<b>Longitude</b>	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	<b>Business contact information</b>	0..unbounded	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
			SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
			SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
			SDD-ID:	<b>BDTG00000158</b>
			Definition:	



Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
		Person name	0..1	SDD-ID:	<b>BDT00000112</b>
				Definition:	The name of an individual person expressed as text.
		Department name	0..1	SDD-ID:	<b>BDT00000044</b>
				Definition:	The name of the department.
		Job title	0..1	SDD-ID:	<b>BDT00000083</b>
				Definition:	The title of a position or the role of a person holding the position.
		Contact type code	0..1	SDD-ID:	<b>BDTG00000178</b>
				Definition:	The code specifying the function or role of a contact person.
				Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
		Contact type code content	1..1	SDD-ID:	<b>BDT00000571</b>
				Definition:	The code specifying the function or role of a contact person.
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Business contact responsibility description	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
				Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
		Business contact responsibility description content	1..1	SDD-ID:	<b>BDT00000580</b>
				Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
		Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
				Definition:	The code specifying the language.
		Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
				Definition:	The code specifying the language.
				Example:	en
				Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Communication information	0..unbounded	SDD-ID:	<b>BDTG00000176</b>
				Definition:	The information specifying details of a contact person's communication channel.
		Communication channel code	1..1	SDD-ID:	<b>BDTG00000175</b>
				Definition:	The code specifying the channel for communication.
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		Communication channel code content	1..1	SDD-ID:	<b>BDT00000525</b>
				Definition:	The code specifying the channel for communication.
				Example:	TELEPHONE
				Used code list:	CommunicationChannelCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:</a>

## Order

Business data terms and groups			Usage	Business data terms and groups description	

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
	Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
	Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
	Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
	Tax description	0..1	SDD-ID:	<b>BDTG00000322</b>
	Tax description content	1..1	SDD-ID:	<b>BDT00000754</b>
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
	Tax registration type code	0..1	SDD-ID:	<b>BDTG00000327</b>
	Tax registration type code content	1..1	SDD-ID:	<b>BDT00000588</b>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
	Organisation legal information	0..1	SDD-ID:	<b>BDTG00000262</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Organisation name</b>	1..1	Definition:	The information specifying details of a legal organisation.
			SDD-ID:	<b>BDT00000102</b>
	<b>Language of the party code</b>	0..1	Definition:	The official and legal name of the organisation.
			SDD-ID:	<b>BDTG00000228</b>
	<b>Language code content</b>	1..1	Definition:	The code specifying the language of a party.
			SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Currency of party code</b>	0..1	SDD-ID:	<b>BDTG00000184</b>
			Definition:	The code specifying the currency of a party.
			Example:	EUR
			Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
	<b>Currency of party code content</b>	1..1	SDD-ID:	<b>BDT00000710</b>
			Definition:	The code specifying the currency of a party.
			Example:	EUR
			Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
			Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Official address</b>	0..1	SDD-ID:	<b>BDTG00000246</b>
			Definition:	The registered legal address of the organisation.
	<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	<b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	<b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	<b>Postal code</b>	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	<b>Province identity</b>	0..1	SDD-ID:	<b>BDT00000117</b>



## Order

Business data terms and groups			Usage	Business data terms and groups description	
		<b>State</b>	0..1	Definition: SDD-ID: Definition: Example:	The identity of a province according to national codes assigned to provinces. <b>BDT00000127</b> The political unit that a country can be divided into. California
		<b>Street address one</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
		<b>Street address two</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
		<b>Street address three</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
		<b>Country code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
		<b>Country code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Geographical coordinates information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
		<b>Latitude</b>	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		<b>Longitude</b>	1..1	SDD-ID: Definition: Example:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. 23°26'12.2" S 18°3'59.0616"
		<b>Issued capital</b>	0..1	SDD-ID: Definition:	<b>BDTG00000225</b> The monetary amount representing the value of the issued capital of a company.
		<b>Issued capital content</b>	1..1	SDD-ID: Definition:	<b>BDT00000655</b> The monetary amount representing the issued capital of a company.
		<b>Currency code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
		<b>Currency code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000589</b> The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org.
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Legal structure description</b>	0..1	SDD-ID:	<b>BDTG00000231</b>



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Legal structure description content</b>	1..1	Definition:	The description of the legal structure expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDT00000659</b>
			Definition:	The description of the legal structure expressed as text.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
			SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Registered legal information</b>	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
			Definition:	The information specifying the registered data on a legal entity in accordance with national law.
	<b>Legal registration number</b>	1..1	SDD-ID:	<b>BDT00000087</b>
			Definition:	The identification number of an organisation according to a legal register.
	<b>Legal registration additional information</b>	0..1	SDD-ID:	<b>BDT00000086</b>
			Definition:	The additional information related to the legal registration expressed as text.
	<b>Legal registration type code</b>	1..1	SDD-ID:	<b>BDTG00000230</b>
			Definition:	The code specifying the type of legal registration.
	<b>Legal registration type code content</b>	1..1	SDD-ID:	<b>BDT00000658</b>
			Definition:	The code specifying the type of legal registration.
			Used code list:	LegalRegistrationCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Financial institution and financial account information</b>	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
			Definition:	The information specifying details of a financial institution and financial account.
	<b>Financial institution name</b>	0..1	SDD-ID:	<b>BDT00000061</b>
			Definition:	The name of a financial institution expressed as text.
	<b>Financial institution division name</b>	0..1	SDD-ID:	<b>BDT00000060</b>
			Definition:	The name of a division or branch within a financial institution expressed as text.
	<b>Financial account information</b>	0..1	SDD-ID:	<b>BDTG00000207</b>
			Definition:	The information specifying details of a financial account.
	<b>Financial account name</b>	0..1	SDD-ID:	<b>BDT00000058</b>
			Definition:	The name of a financial account expressed as text.
			Example:	John Doe
	<b>Financial account number</b>	1..1	SDD-ID:	<b>BDT00000059</b>
			Definition:	The number of a financial account expressed as text.
	<b>Financial account number type code</b>	1..1	SDD-ID:	<b>BDTG00000208</b>
			Definition:	The code specifying the type of a financial account number.



## Order

Business data terms and groups			Usage	Business data terms and groups description	
				Used code list:	FinancialAccountNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
		<b>Financial account number type code content</b>	1..1	SDD-ID:	<b>BDT00000645</b>
				Definition:	The code specifying the type of a financial account number.
				Used code list:	FinancialAccountNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Financial institution routing number information</b>	0..1	SDD-ID:	<b>BDTG00000210</b>
				Definition:	The information specifying details on a routing number of a financial institution.
		<b>Financial routing number</b>	1..1	SDD-ID:	<b>BDT00000062</b>
				Definition:	The routing number of a financial transaction according to the specified financial routing type.
				Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
		<b>Financial routing number type code</b>	1..1	SDD-ID:	<b>BDTG00000211</b>
				Definition:	The code specifying the type of a financial routing number.
				Used code list:	FinancialRoutingNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		<b>Financial routing number type code content</b>	1..1	SDD-ID:	<b>BDT00000644</b>
				Definition:	The code specifying the type of a financial routing number.
				Used code list:	FinancialRoutingNumberTypeCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Additional financial institution description</b>	0..1	SDD-ID:	<b>BDTG00000522</b>
				Definition:	The additional description of a financial institution expressed as text.
		<b>Additional financial institution description content</b>	1..1	SDD-ID:	<b>BDT00000521</b>
				Definition:	The text value describing the additional financial institution.
		<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
				Definition:	The code specifying the language.
		<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
				Definition:	The code specifying the language.
				Example:	en
				Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		<b>Address information</b>	0..1	SDD-ID:	<b>BDTG00000144</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
	City code	0..1	Definition:	The name of the city, town or village.
	County code	0..1	SDD-ID:	<b>BDT00000019</b>
	Cross street	0..1	Definition:	The code specifying a city.
	Party name	0..1	SDD-ID:	<b>BDT00000034</b>
	Post office box number	0..1	Definition:	The code indicating a geographical region in a country.
	Postal code	0..1	SDD-ID:	<b>BDT00000035</b>
	Province identity	0..1	Definition:	The street crossing another street.
	State	0..1	SDD-ID:	<b>BDT00000106</b>
	Street address one	0..1	Definition:	The name of the party expressed as text.
	Street address two	0..1	SDD-ID:	<b>BDT00000113</b>
	Street address three	0..1	Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
	Country code	0..1	Synonyms:	P.O. box, postal box
	Country code content	1..1	SDD-ID:	<b>BDT00000114</b>
	Code list version	0..1	Definition:	The code according to the relevant postal system or service to specify a geographical area.
	Geographical coordinates information	0..1	Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
			SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
			SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
			SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
			SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
			SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
			SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
			SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
			SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000214</b>



Business data terms and groups		Usage	Business data terms and groups description	
	Latitude	1..1	Definition:	The information specifying details on a location using geographical coordinates.
			SDD-ID:	<b>BDT00000085</b>
	Longitude	1..1	Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Freight forwarder party information	0..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
			SDD-ID:	<b>BDTG00000213</b>
			Definition:	The information specifying details of the party that arranges carriage of goods including connected services such as preparing and processing customs documentation and performing activities pertaining to international shipments.
			Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
	Global location number GLN	0..1	SDD-ID:	<b>BDT00000063</b>
			Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
			Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	Additional party identification information	0..1	SDD-ID:	<b>BDTG00000577</b>
			Definition:	The information specifying the additional identification details of a party.
			Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
			Definition:	The additional identity of a party.
	Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
			Definition:	The code specifying the additional identification type of the party.
	Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
			Definition:	The code specifying the additional identification type of the party.
			Used code list:	AdditionalPartyIdentificationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Longitude	1..1	SDD-ID: Definition:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Business contact information	0..1	SDD-ID: Definition:	<b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
	Person name	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
	Department name	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
	Job title	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
	Contact type code	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	Contact type code content	1..1	SDD-ID: Definition:	<b>BDT00000571</b> The code specifying the function or role of a contact person.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Business contact responsibility description	0..unbounded	SDD-ID: Definition:	<b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	Business contact responsibility description content	1..1	SDD-ID: Definition:	<b>BDT00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	After hours communication information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000145</b> The information specifying details of communication channels to use after regular business hours.
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	Tax registration information	0..1	SDD-ID: Definition:	<b>BDTG00000326</b> The information specifying details of a party registered for tax.
	Tax authority name	0..1	SDD-ID: Definition:	<b>BDT00000369</b> The name of the authority administering the collection of taxes expressed as text.
	Tax registration identification information	1..1	SDD-ID: Definition:	<b>BDTG00000585</b> The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
	Tax registration identification content	1..1	SDD-ID: Definition:	<b>BDT00000584</b> The identity assigned to a party registered for tax according to a national tax register.
	Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
			Definition:	The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
			Definition:	The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
			Definition:	The code specifying the type of tax.
	Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
			Definition:	The code specifying the type of tax.
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax description	0..1	SDD-ID:	<b>BDTG00000322</b>
			Definition:	The description of the tax expressed as text.
	Tax description content	1..1	SDD-ID:	<b>BDT00000754</b>
			Definition:	The description of the tax expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax registration type code	0..1	SDD-ID:	<b>BDTG00000327</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
	Tax registration type code content	1..1	SDD-ID:	<b>BDT00000588</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode

## Order

Business data terms and groups	Usage	Business data terms and groups description
		Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Organisation legal information	0..1	SDD-ID: <b>BDTG00000262</b> Definition: The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID: <b>BDT00000102</b> Definition: The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID: <b>BDTG00000228</b> Definition: The code specifying the language of a party.
Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Currency of party code	0..1	SDD-ID: <b>BDTG00000184</b> Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID: <b>BDT00000710</b> Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax. Link to code list: <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Official address	0..1	SDD-ID: <b>BDTG00000246</b> Definition: The registered legal address of the organisation.
County code	0..1	SDD-ID: <b>BDT00000034</b> Definition: The code indicating a geographical region in a country.
City name	0..1	SDD-ID: <b>BDT00000020</b> Definition: The name of the city, town or village.
City code	0..1	SDD-ID: <b>BDT00000019</b> Definition: The code specifying a city.
Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition: The street crossing another street.
Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition: The number of a post office box located on the premises of a post office station or other postal service location. Synonyms: P.O. box, postal box
Postal code	0..1	SDD-ID: <b>BDT00000114</b>



Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Issued capital	0..1	SDD-ID:	<b>BDTG00000225</b>
			Definition:	The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID:	<b>BDT00000655</b>
			Definition:	The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
			Definition:	The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR



## Order

Business data terms and groups	Usage	Business data terms and groups description
		Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Legal structure description	0..1	SDD-ID: <b>BDTG00000231</b> Definition: The description of the legal structure expressed as text.
Legal structure description content	1..1	SDD-ID: <b>BDT00000659</b> Definition: The description of the legal structure expressed as text.
Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Registered legal information	0..unbounded	SDD-ID: <b>BDTG00000288</b> Definition: The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID: <b>BDT00000087</b> Definition: The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID: <b>BDT00000086</b> Definition: The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID: <b>BDTG00000230</b> Definition: The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID: <b>BDT00000658</b> Definition: The code specifying the type of legal registration. Used code list: LegalRegistrationCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Financial institution and financial account information	0..1	SDD-ID: <b>BDTG00000209</b> Definition: The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID: <b>BDT00000061</b> Definition: The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID: <b>BDT00000060</b> Definition: The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID: <b>BDTG00000207</b> Definition: The information specifying details of a financial account.
Financial account name	0..1	SDD-ID: <b>BDT00000058</b> Definition: The name of a financial account expressed as text.

Business data terms and groups		Usage	Business data terms and groups description	
			Example:	John Doe
	Financial account number	1..1	SDD-ID:	<b>BDT00000059</b>
			Definition:	The number of a financial account expressed as text.
	Financial account number type code	1..1	SDD-ID:	<b>BDTG00000208</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Financial account number type code content	1..1	SDD-ID:	<b>BDT00000645</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Financial institution routing number information	0..1	SDD-ID:	<b>BDTG00000210</b>
			Definition:	The information specifying details on a routing number of a financial institution.
	Financial routing number	1..1	SDD-ID:	<b>BDT00000062</b>
			Definition:	The routing number of a financial transaction according to the specified financial routing type.
			Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
	Financial routing number type code	1..1	SDD-ID:	<b>BDTG00000211</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Financial routing number type code content	1..1	SDD-ID:	<b>BDT00000644</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Additional financial institution description	0..1	SDD-ID:	<b>BDTG00000522</b>
			Definition:	The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID:	<b>BDT00000521</b>
			Definition:	The text value describing the additional financial institution.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en

## Order

Business data terms and groups	Usage	Business data terms and groups description
		Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Address information	0..1	SDD-ID: <b>BDTG00000144</b> Definition: The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: <b>BDT00000020</b> Definition: The name of the city, town or village.
City code	0..1	SDD-ID: <b>BDT00000019</b> Definition: The code specifying a city.
County code	0..1	SDD-ID: <b>BDT00000034</b> Definition: The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition: The street crossing another street.
Party name	0..1	SDD-ID: <b>BDT00000106</b> Definition: The name of the party expressed as text.
Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition: The number of a post office box located on the premises of a post office station or other postal service location. Synonyms: P.O. box, postal box
Postal code	0..1	SDD-ID: <b>BDT00000114</b> Definition: The code according to the relevant postal system or service to specify a geographical area. Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID: <b>BDT00000117</b> Definition: The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID: <b>BDT00000127</b> Definition: The political unit that a country can be divided into. Example: California
Street address one	0..1	SDD-ID: <b>BDT00000128</b> Definition: The first street address line of a structured address. Example: Avenue Louise 326
Street address two	0..1	SDD-ID: <b>BDT00000130</b> Definition: The second street address line of a structured address. Example: Blue Tower
Street address three	0..1	SDD-ID: <b>BDT00000129</b> Definition: The third street address line of a structured address. Example: Floor 4
Country code	0..1	SDD-ID: <b>BDTG00000179</b> Definition: The code specifying a country.



## Order

Business data terms and groups	Usage	Business data terms and groups description	
Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Payment terms information	0..1	SDD-ID:	<b>BDTG00000271</b>
		Definition:	The information specifying the applied payment terms and conditions.
Payment terms event code	1..1	SDD-ID:	<b>BDTG00000270</b>
		Definition:	The code specifying the event used as the basis to determine payment date.
Payment terms event code content	1..1	SDD-ID:	<b>BDT00000693</b>
		Definition:	The code specifying the event used as the basis to determine payment date.
		Example:	DATE_INVOICE_RECEIVED
		Used code list:	PaymentTermsEventCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PaymentTermsEventCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PaymentTermsEventCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Payment terms type code	1..1	SDD-ID:	<b>BDTG00000272</b>
		Definition:	The code specifying the type of payment term used to determine payment date.
Payment terms type code content	1..1	SDD-ID:	<b>BDT00000694</b>
		Definition:	The code specifying the type of payment term used to determine payment date.
		Example:	3
		Used code list:	PaymentTermsEventCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PaymentTermsTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PaymentTermsTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Cut off day	0..1	SDD-ID:	<b>BDT00000039</b>
		Definition:	The day of the month after which payments becomes due in the following billing cycle.
		Example:	28
Credit transfer information	0..1	SDD-ID:	<b>BDTG00000783</b>
		Definition:	The information specifying credit transfer payments.
Payment account identification	1..1	SDD-ID:	<b>BDT00000780</b>
		Definition:	The unique identifier of the financial payment account to which the payment should be



Business data terms and groups	Usage	Business data terms and groups description	
		made	
—Payment account name	0..1	SDD-ID: <b>BDT00000781</b> Definition:	The name of the payment account to which the payment should be made
—Payment service provider identification	0..1	SDD-ID: <b>BDT00000782</b> Definition:	The identifier of the payment service provider where a payment account is located
—Direct debit information	0..1	SDD-ID: <b>BDTG00000770</b> Definition:	The set of information specifying a direct debit
—Mandate reference identification	0..1	SDD-ID: <b>BDT00000771</b> Definition:	The unique identifier assigned by the Payee for referencing the direct debit mandate
—Bank assigned creditor identification	0..1	SDD-ID: <b>BDT00000772</b> Definition:	The unique banking reference identifier of the Payee or Seller assigned by the Payee or Seller bank
—Debited account identification	0..1	SDD-ID: <b>BDT00000773</b> Definition:	The account to be debited by the direct debit
—Payment terms description	0..1	SDD-ID: <b>BDTG00000769</b> Definition:	The description of the payment terms expressed as text.
—Payment terms description content	1..1	SDD-ID: <b>BDT00000767</b> Definition:	The text value describing the terms of payment
—Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition:	The code specifying the language.
—Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: Example: Used code list:	The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
—Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
—Payment terms discount information	0..unbounded	SDD-ID: <b>BDTG00000269</b> Definition:	The information specifying a discount when payment is made before a specified payment date.
—Payment discount description	0..1	SDD-ID: <b>BDT00000107</b> Definition: Example:	The description of how discount is calculated expressed as text. 2 percent discount if payment is made within 10 days, otherwise, the full balance is due within 30 days
—Payment discount percentage	0..1	SDD-ID: <b>BDT00000108</b> Definition: Example:	The percentage used when calculating a payment including a monetary deduction. 5.5
—Discount monetary amount	0..1	SDD-ID: <b>BDTG00000195</b> Definition:	The deduction represented as a monetary amount.
—Discount monetary amount content	1..1	SDD-ID: <b>BDT00000692</b> Definition:	The deduction represented as a monetary amount.
—Currency code	0..1	SDD-ID: <b>BDTG00000590</b> Definition:	The code specifying the currency of a monetary amount.

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Currency code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000589</b> The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Payment time period	0..1	SDD-ID: Definition:	<b>BDTG00000273</b> The date period applicable for a payment.
	Payment due date	0..1	SDD-ID: Definition: Example:	<b>BDT00000109</b> The date specifying when the payment is due. 2021-04-19
	Day of month payment due	0..1	SDD-ID: Definition:	<b>BDT00000041</b> The day of the month when payment is due.
	Time period due code	0..1	SDD-ID: Definition:	<b>BDTG00000330</b> The code specifying a time period within which payment is to be made.
	Time period due code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000651</b> The code specifying a time period within which payment is to be made. WEE TimeMeasurementUnitCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:TimeMeasurementUnitCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:TimeMeasurementUnitCode</a>
	Time period measurement unit code	0..1	SDD-ID: Definition:	<b>BDTG00000761</b> The code specifying the unit of measure for a time period.
	Time period measurement unit code content	0..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000134</b> The code specifying the unit of measure for a time period. WEE TimeMeasurementUnitCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:TimeMeasurementUnitCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:TimeMeasurementUnitCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Discount description	0..1	SDD-ID: Definition:	<b>BDTG00000194</b> The description of the discount expressed as text.
	Discount description content	1..1	SDD-ID: Definition:	<b>BDT00000640</b> The description of the discount expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Payment method information	0..unbounded	SDD-ID:	<b>BDTG00000268</b>
		Definition:	The information specifying the method for payment.
Payment method identification	0..1	SDD-ID:	<b>BDT00000110</b>
		Definition:	The identity of a means of payment according to a payment method.
		Example:	234123467894
Payment method code	1..1	SDD-ID:	<b>BDTG00000267</b>
		Definition:	The code specifying the type of method used for paying a debt.
Payment method code content	1..1	SDD-ID:	<b>BDT00000691</b>
		Definition:	The code specifying the type of method used for paying a debt.
		Example:	CREDIT_CARD
		Used code list:	PaymentMethodCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PaymentMethodCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PaymentMethodCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Automated clearing house payment format code	0..1	SDD-ID:	<b>BDTG00000156</b>
		Definition:	The code specifying the format for a payment made through an automated clearing house for financial transactions.
Automated clearing house payment format code content	1..1	SDD-ID:	<b>BDT00000565</b>
		Definition:	The code specifying the format for a payment made through an automated clearing house for financial transactions.
		Used code list:	PaymentFormatCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PaymentFormatCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PaymentFormatCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Payment due information	0..1	SDD-ID:	<b>BDTG00000266</b>
		Definition:	The information specifying when payment is due.
Payment due date	0..1	SDD-ID:	<b>BDT00000109</b>
		Definition:	The date specifying when the payment is due.
		Example:	2021-04-19
Day of month payment due	0..1	SDD-ID:	<b>BDT00000041</b>
		Definition:	The day of the month when payment is due.
Time period due code	0..1	SDD-ID:	<b>BDTG00000330</b>
		Definition:	The code specifying a time period within which payment is to be made.
Time period due code content	1..1	SDD-ID:	<b>BDT00000651</b>
		Definition:	The code specifying a time period within which payment is to be made.
		Example:	WEE
		Used code list:	TimeMeasurementUnitCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TimeMeasurementUnitCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TimeMeasurementUnitCode</a>



## Order

Business data terms and groups	Usage	Business data terms and groups description	
Time period measurement unit code	0..1	SDD-ID:	<b>BDTG00000761</b>
		Definition:	The code specifying the unit of measure for a time period.
Time period measurement unit code content	0..1	SDD-ID:	<b>BDT00000134</b>
		Definition:	The code specifying the unit of measure for a time period.
		Example:	WEE
		Used code list:	TimeMeasurementUnitCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TimeMeasurementUnitCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TimeMeasurementUnitCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Installment due information	0..1	SDD-ID:	<b>BDTG00000222</b>
		Definition:	The information specifying details on how a debt can be divided into several installments.
Percent of payment due	1..1	SDD-ID:	<b>BDT00000111</b>
		Definition:	The percentage of a payment due to be paid within a specified payment period.
Payment time period	1..1	SDD-ID:	<b>BDTG00000273</b>
		Definition:	The date period applicable for a payment.
Payment due date	0..1	SDD-ID:	<b>BDT00000109</b>
		Definition:	The date specifying when the payment is due.
		Example:	2021-04-19
Day of month payment due	0..1	SDD-ID:	<b>BDT00000041</b>
		Definition:	The day of the month when payment is due.
Time period due code	0..1	SDD-ID:	<b>BDTG00000330</b>
		Definition:	The code specifying a time period within which payment is to be made.
Time period due code content	1..1	SDD-ID:	<b>BDT00000651</b>
		Definition:	The code specifying a time period within which payment is to be made.
		Example:	WEE
		Used code list:	TimeMeasurementUnitCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TimeMeasurementUnitCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TimeMeasurementUnitCode</a>
Time period measurement unit code	0..1	SDD-ID:	<b>BDTG00000761</b>
		Definition:	The code specifying the unit of measure for a time period.
Time period measurement unit code content	0..1	SDD-ID:	<b>BDT00000134</b>
		Definition:	The code specifying the unit of measure for a time period.
		Example:	WEE
		Used code list:	TimeMeasurementUnitCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TimeMeasurementUnitCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TimeMeasurementUnitCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
SEPA information	0..unbounded	SDD-ID:	<b>BDTG00000306</b>
		Definition:	The information specifying cashless payment in euros according to the legal framework of Single Euro Payments Area.

## Order

Business data terms and groups	Usage	Business data terms and groups description	
Transactional reference identification	1..1	SDD-ID:	<b>BDT00000135</b>
		Definition:	The identity of a referenced business document.
Referenced document date time	0..1	SDD-ID:	<b>BDT00000364</b>
		Definition:	The date and time when a referenced business document was issued.
Transactional reference type code	1..1	SDD-ID:	<b>BDTG00000347</b>
		Definition:	The code specifying the type of referenced business document.
Referenced document type code content	1..1	SDD-ID:	<b>BDT00000699</b>
		Definition:	The code specifying the type of referenced business document.
		Used code list:	TransactionalReferenceTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransactionalReferenceTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransactionalReferenceTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Charge information	0..1	SDD-ID:	<b>BDTG00000167</b>
		Definition:	The information specifying details of a charge.
Settlement charge code	1..1	SDD-ID:	<b>BDTG00000309</b>
		Definition:	The code specifying how the charge is to be settled.
Settlement charge code content	1..1	SDD-ID:	<b>BDT00000617</b>
		Definition:	The code specifying how the charge is to be settled.
		Used code list:	SettlementTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Charge percentage	0..1	SDD-ID:	<b>BDT00000018</b>
		Definition:	The percentage used when calculating the charge.
		Example:	20
Bracket criteria	0..1	SDD-ID:	<b>BDT00000012</b>
		Definition:	The minimum and optionally maximum value of a bracket tier.
		Usage:	Bracket criteria may be expressed in monetary amount or measurement tiers. Pricing for a product or service may be conditional on specified bracket criteria.
		Example:	500-1000 pieces 10-100 EUR
Calculation sequence number	0..1	SDD-ID:	<b>BDT00000014</b>
		Definition:	The sequence number used to indicate the order in which the allowance or charge is to be calculated.
Charge monetary amount per unit	0..1	SDD-ID:	<b>BDTG00000169</b>
		Definition:	The charge per unit as a monetary amount.
Charge monetary amount per unit content	1..1	SDD-ID:	<b>BDT00000620</b>
		Definition:	The charge per unit as a monetary amount.
Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>



Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Charge type code	1..1	SDD-ID:	<b>BDTG00000171</b>
		Definition:	The code specifying the type of charge.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode</a>
Charge type code content	1..1	SDD-ID:	<b>BDT00000618</b>
		Definition:	The code specifying the type of charge.
		Used code list:	AllowanceChargeTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Settlement charge code	0..1	SDD-ID:	<b>BDTG00000309</b>
		Definition:	The code specifying how the charge is to be settled.
Settlement charge code content	1..1	SDD-ID:	<b>BDT00000617</b>
		Definition:	The code specifying how the charge is to be settled.
		Used code list:	SettlementTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Charge monetary amount	0..1	SDD-ID:	<b>BDTG00000168</b>
		Definition:	The monetary amount of the charge.
Charge monetary amount content	0..1	SDD-ID:	<b>BDT00000619</b>
		Definition:	The monetary amount of the charge.
Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Charge basis monetary amount	0..1	SDD-ID:	<b>BDTG00000164</b>
		Definition:	The basis monetary amount on which the charge is calculated.
Charge basis monetary amount content	1..1	SDD-ID:	<b>BDT00000614</b>
		Definition:	The basis monetary amount on which the charge is calculated.



## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Charge quantity basis</b>	0..1	SDD-ID:	<b>BDTG00000170</b>
		Definition:	The basis for charge expressed as a quantity.
<b>Charge quantity basis content</b>	1..1	SDD-ID:	<b>BDT00000753</b>
		Definition:	The basis for charge expressed as a quantity.
<b>Measurement unit code</b>	0..1	SDD-ID:	<b>BDTG00000608</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.
<b>Measurement unit code content</b>	1..1	SDD-ID:	<b>BDT00000607</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.
		Used code list:	MeasurementUnitCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Charge effective date type code</b>	0..1	SDD-ID:	<b>BDTG00000166</b>
		Definition:	The code specifying the type of circumstance for when a charge should apply.
<b>Charge effective date type code content</b>	1..1	SDD-ID:	<b>BDT00000615</b>
		Definition:	The code specifying the type of circumstance for when a charge should apply.
		Used code list:	EffectiveDateTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:EffectiveDateTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:EffectiveDateTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Special service type code</b>	0..1	SDD-ID:	<b>BDTG00000318</b>
		Definition:	The code specifying a special service.
<b>Special service type code content</b>	1..1	SDD-ID:	<b>BDT00000534</b>
		Definition:	The code specifying a special service.
		Used code list:	SpecialServiceDescriptionCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SpecialServiceDescriptionCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SpecialServiceDescriptionCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Charge description</b>	0..1	SDD-ID:	<b>BDTG00000165</b>
		Definition:	The description of the charge expressed as text.
<b>Charge description content</b>	1..1	SDD-ID:	<b>BDT00000573</b>



## Order

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The description of the charge expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Applicable tax information	0..unbounded	SDD-ID:	<b>BDTG00000254</b>
		Definition:	The information specifying the details of the applicable tax.
Tax authority name	0..1	SDD-ID:	<b>BDT00000369</b>
		Definition:	The name of the authority administrating the collection of taxes expressed as text.
Tax category code	0..1	SDD-ID:	<b>BDTG00000321</b>
		Definition:	The code specifying the category of a tax.
Tax category code content	1..1	SDD-ID:	<b>BDT00000537</b>
		Definition:	The code specifying the category of a tax.
		Used code list:	TaxCategoryCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:TaxCategoryCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:TaxCategoryCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax rate	0..1	SDD-ID:	<b>BDT00000371</b>
		Definition:	The rate of the tax expressed in percentages.
		Usage:	The tax rate is used to calculate the tax monetary amount.
Tax point date	0..1	SDD-ID:	<b>BDT00000377</b>
		Definition:	The date on which the tax applicable for the sales transaction is due or calculated.
		Usage rule:	BDT00000766 and BDT00000377 are mutually exclusive
Tax accounting currency code	0..1	SDD-ID:	<b>BDTG00000365</b>
		Definition:	The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices.
Tax accounting currency code content	1..1	SDD-ID:	<b>BDT00000538</b>
		Definition:	The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices.
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Taxable monetary amount	0..1	SDD-ID:	<b>BDTG00000329</b>
		Definition:	The monetary amount used for calculating the tax amount.
		Usage:	The taxable monetary amount is used for calculating the tax amount for a specific tax type, tax category and tax rate.

## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Taxable monetary amount content</b>	1..1	SDD-ID:	<b>BDT00000559</b>
		Definition:	The monetary amount used for calculating the tax amount.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax monetary amount</b>	0..1	SDD-ID:	<b>BDTG00000367</b>
		Definition:	The monetary amount of the tax.
<b>Tax monetary amount content</b>	1..1	SDD-ID:	<b>BDT00000562</b>
		Definition:	The monetary amount of the tax.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax monetary amount in accounting currency</b>	0..1	SDD-ID:	<b>BDTG00000368</b>
		Definition:	The tax monetary amount expressed in the accounting currency.
<b>Tax monetary amount in accounting currency content</b>	1..1	SDD-ID:	<b>BDT00000561</b>
		Definition:	The tax monetary amount expressed in the accounting currency.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Taxable monetary amount in accounting currency</b>	0..1	SDD-ID:	<b>BDTG00000366</b>
		Definition:	The taxable monetary amount expressed in the accounting currency.
		Usage:	The taxable monetary amount in accounting currency is used when the taxable monetary amount is expressed in another currency than the currency used for the accounting system. The taxable monetary amount in accounting currency is normally important only for the issuer of the business transaction.

## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Taxable monetary amount in accounting currency content</b>	1..1	SDD-ID:	<b>BDT00000560</b>
		Definition:	The taxable monetary amount expressed in the accounting currency.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax description</b>	0..1	SDD-ID:	<b>BDTG00000322</b>
		Definition:	The description of the tax expressed as text.
<b>Tax description content</b>	1..1	SDD-ID:	<b>BDT00000754</b>
		Definition:	The description of the tax expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax exemption reason description</b>	0..1	SDD-ID:	<b>BDTG00000324</b>
		Definition:	The description of the reason for exemption of tax expressed as text.
<b>Tax exemption reason description content</b>	1..1	SDD-ID:	<b>BDT00000574</b>
		Definition:	The description of the reason for exemption of tax expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax exemption reason code</b>	0..1	SDD-ID:	<b>BDTG00000323</b>
		Definition:	The code specifying the reason for exemption of tax.
<b>Tax exemption reason code content</b>	1..1	SDD-ID:	<b>BDT00000575</b>
		Definition:	The code specifying the reason for exemption of tax.
		Used code list:	DutyFeeTaxExemptionReasonCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:</a>





Business data terms and groups	Usage	Business data terms and groups description	
<b>Code list version</b>	0..1	SDD-ID: <a href="#">DutyFeeTaxExemptionReasonCode</a> Definition: The version number of the code list.	<b>BDT00000028</b>
<b>Tax type code</b>	0..1	SDD-ID: <a href="#">DutyFeeTaxTypeCode</a> Definition: The code specifying the type of tax.	<b>BDTG00000328</b>
<b>Tax type code content</b>	1..1	SDD-ID: <a href="#">DutyFeeTaxTypeCode</a> Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>	<b>BDT00000576</b>
<b>Code list version</b>	0..1	SDD-ID: <a href="#">DutyFeeTaxTypeCode</a> Definition: The version number of the code list.	<b>BDT00000028</b>
<b>Allowance information</b>	0..1	SDD-ID: <a href="#">DutyFeeTaxTypeCode</a> Definition: The information specifying details of an allowance.	<b>BDTG00000149</b>
<b>Allowance percentage</b>	0..1	SDD-ID: <a href="#">DutyFeeTaxTypeCode</a> Definition: The percentage used when calculating the allowance. Example: 25	<b>BDT00000006</b>
<b>Bracket criteria</b>	0..1	SDD-ID: <a href="#">DutyFeeTaxTypeCode</a> Definition: The minimum and optionally maximum value of a bracket tier. Usage: Bracket criteria may be expressed in monetary amount or measurement tiers. Pricing for a product or service may be conditional on specified bracket criteria. Example: 500-1000 pieces 10-100 EUR	<b>BDT00000012</b>
<b>Calculation sequence number</b>	0..1	SDD-ID: <a href="#">DutyFeeTaxTypeCode</a> Definition: The sequence number used to indicate the order in which the allowance or charge is to be calculated.	<b>BDT00000014</b>
<b>Allowance type code</b>	1..1	SDD-ID: <a href="#">DutyFeeTaxTypeCode</a> Definition: The code specifying the type of allowance. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode</a>	<b>BDTG00000153</b>
<b>Allowance type code content</b>	1..1	SDD-ID: <a href="#">DutyFeeTaxTypeCode</a> Definition: The code specifying the type of allowance. Used code list: AllowanceChargeTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode</a>	<b>BDT00000531</b>
<b>Code list version</b>	0..1	SDD-ID: <a href="#">DutyFeeTaxTypeCode</a> Definition: The version number of the code list.	<b>BDT00000028</b>
<b>Settlement allowance code</b>	1..1	SDD-ID: <a href="#">DutyFeeTaxTypeCode</a> Definition: The code specifying how the allowance is to be settled.	<b>BDTG00000308</b>
<b>Settlement allowance code content</b>	1..1	SDD-ID: <a href="#">DutyFeeTaxTypeCode</a> Definition: The code specifying how the allowance is to be settled. Used code list: SettlementTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode</a>	<b>BDT00000532</b>



## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Code list version</b>	0..1	SDD-ID: <a href="#">SettlementTypeCode</a> Definition: <b>BDT00000028</b>	The version number of the code list.
<b>Allowance monetary amount</b>	0..1	SDD-ID: <b>BDTG00000150</b> Definition: <b>BDT00000528</b>	The monetary amount of the allowance.
<b>Allowance monetary amount content</b>	1..1	SDD-ID: <b>BDTG00000590</b> Definition: <b>BDT00000589</b>	The allowance monetary amount.
<b>Currency code</b>	0..1	SDD-ID: <b>BDTG00000590</b> Definition: <b>BDT00000589</b>	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID: <b>BDTG00000590</b> Definition: <b>BDT00000589</b> Example: EUR Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .	The code specifying the currency of a monetary amount.
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: <b>BDTG00000151</b>	The version number of the code list.
<b>Allowance monetary amount per unit</b>	0..1	SDD-ID: <b>BDTG00000529</b> Definition: <b>BDTG00000590</b>	The allowance per unit as a monetary amount.
<b>Allowance monetary amount per unit content</b>	1..1	SDD-ID: <b>BDTG00000590</b> Definition: <b>BDT00000589</b>	The allowance per unit as a monetary amount.
<b>Currency code</b>	0..1	SDD-ID: <b>BDTG00000590</b> Definition: <b>BDT00000589</b>	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID: <b>BDTG00000590</b> Definition: <b>BDT00000589</b> Example: EUR Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .	The code specifying the currency of a monetary amount.
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: <b>BDTG00000146</b>	The version number of the code list.
<b>Allowance basis monetary amount</b>	0..1	SDD-ID: <b>BDTG00000526</b> Definition: <b>BDTG00000590</b>	The basis monetary amount on which the allowance is calculated.
<b>Allowance basis monetary amount content</b>	1..1	SDD-ID: <b>BDTG00000590</b> Definition: <b>BDT00000589</b>	The basis monetary amount on which the allowance is calculated.
<b>Currency code</b>	0..1	SDD-ID: <b>BDTG00000590</b> Definition: <b>BDT00000589</b>	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID: <b>BDTG00000590</b> Definition: <b>BDT00000589</b> Example: EUR Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .	The code specifying the currency of a monetary amount.
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: <b>BDTG00000152</b>	The version number of the code list.
<b>Allowance quantity basis</b>	0..1	SDD-ID: <b>BDTG00000152</b>	



Business data terms and groups	Usage	Business data terms and groups description	
— Allowance quantity basis content	1..1	Definition:	The basis for allowance expressed as a quantity.
— Measurement unit code	0..1	SDD-ID:	<b>BDT00000533</b>
— Measurement unit code content	1..1	Definition:	The basis for allowance expressed as a quantity.
— Code list version	0..1	SDD-ID:	<b>BDTG00000608</b>
— Allowance effective date type code	0..1	Definition:	The code specifying the unambiguous representation of a unit of measure.
— Allowance effective date type code content	1..1	SDD-ID:	<b>BDT00000607</b>
— Code list version	0..1	Definition:	The code specifying the unambiguous representation of a unit of measure.
— Special service type code	0..1	Used code list:	MeasurementUnitCode
— Special service type code content	1..1	Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
— Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
— Allowance description	0..1	Definition:	The version number of the code list.
— Allowance description content	1..1	SDD-ID:	<b>BDTG00000148</b>
— Language code	0..1	Definition:	The code specifying the type of circumstance for when a discount should apply.
— Language code content	1..1	Used code list:	EffectiveDateTypeCode
— Code list version	0..1	Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:EffectiveDateTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:EffectiveDateTypeCode</a>
— Code list version	0..1	SDD-ID:	<b>BDT00000530</b>
— Code list version	0..1	Definition:	The code for specifying the type of circumstance for when a discount should apply.
— Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
— Code list version	0..1	Definition:	The version number of the code list.
— Code list version	0..1	SDD-ID:	<b>BDTG00000318</b>
— Code list version	0..1	Definition:	The code specifying a special service.
— Code list version	0..1	SDD-ID:	<b>BDT00000534</b>
— Code list version	0..1	Definition:	The code specifying a special service.
— Code list version	0..1	Used code list:	SpecialServiceDescriptionCode
— Code list version	0..1	Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SpecialServiceDescriptionCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SpecialServiceDescriptionCode</a>
— Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
— Code list version	0..1	Definition:	The version number of the code list.
— Code list version	0..1	SDD-ID:	<b>BDTG00000147</b>
— Code list version	0..1	Definition:	The description of the allowance expressed as text.
— Code list version	0..1	SDD-ID:	<b>BDT00000527</b>
— Code list version	0..1	Definition:	The text describing the allowance.
— Code list version	0..1	SDD-ID:	<b>BDTG00000523</b>
— Code list version	0..1	Definition:	The code specifying the language.
— Code list version	0..1	SDD-ID:	<b>BDT00000524</b>
— Code list version	0..1	Definition:	The code specifying the language.
— Code list version	0..1	Example:	en
— Code list version	0..1	Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
— Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
— Code list version	0..1	Definition:	The version number of the code list.



Business data terms and groups	Usage	Business data terms and groups description	
<b>Applicable tax information</b>	0..unbounde	SDD-ID:	<b>BDTG00000254</b>
		Definition:	The information specifying the details of the applicable tax.
<b>Tax authority name</b>	0..1	SDD-ID:	<b>BDT00000369</b>
		Definition:	The name of the authority administrating the collection of taxes expressed as text.
<b>Tax category code</b>	0..1	SDD-ID:	<b>BDTG00000321</b>
		Definition:	The code specifying the category of a tax.
<b>Tax category code content</b>	1..1	SDD-ID:	<b>BDT00000537</b>
		Definition:	The code specifying the category of a tax.
		Used code list:	TaxCategoryCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TaxCategoryCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TaxCategoryCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax rate</b>	0..1	SDD-ID:	<b>BDT00000371</b>
		Definition:	The rate of the tax expressed in percentages.
		Usage:	The tax rate is used to calculate the tax monetary amount.
<b>Tax point date</b>	0..1	SDD-ID:	<b>BDT00000377</b>
		Definition:	The date on which the tax applicable for the sales transaction is due or calculated.
		Usage rule:	BDT00000766 and BDT00000377 are mutually exclusive
<b>Tax accounting currency code</b>	0..1	SDD-ID:	<b>BDTG00000365</b>
		Definition:	The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices.
<b>Tax accounting currency code content</b>	1..1	SDD-ID:	<b>BDT00000538</b>
		Definition:	The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices.
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Taxable monetary amount</b>	0..1	SDD-ID:	<b>BDTG00000329</b>
		Definition:	The monetary amount used for calculating the tax amount.
		Usage:	The taxable monetary amount is used for calculating the tax amount for a specific tax type, tax category and tax rate.
<b>Taxable monetary amount content</b>	1..1	SDD-ID:	<b>BDT00000559</b>
		Definition:	The monetary amount used for calculating the tax amount.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>

## Order

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The version number of the code list.
<b>Tax monetary amount</b>	0..1	SDD-ID:	<b>BDTG00000367</b>
		Definition:	The monetary amount of the tax.
<b>Tax monetary amount content</b>	1..1	SDD-ID:	<b>BDT00000562</b>
		Definition:	The monetary amount of the tax.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax monetary amount in accounting currency</b>	0..1	SDD-ID:	<b>BDTG00000368</b>
		Definition:	The tax monetary amount expressed in the accounting currency.
<b>Tax monetary amount in accounting currency content</b>	1..1	SDD-ID:	<b>BDT00000561</b>
		Definition:	The tax monetary amount expressed in the accounting currency.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Taxable monetary amount in accounting currency</b>	0..1	SDD-ID:	<b>BDTG00000366</b>
		Definition:	The taxable monetary amount expressed in the accounting currency.
		Usage:	The taxable monetary amount in accounting currency is used when the taxable monetary amount is expressed in another currency than the currency used for the accounting system. The taxable monetary amount in accounting currency is normally important only for the issuer of the business transaction.
<b>Taxable monetary amount in accounting currency content</b>	1..1	SDD-ID:	<b>BDT00000560</b>
		Definition:	The taxable monetary amount expressed in the accounting currency.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>

Business data terms and groups	Usage	Business data terms and groups description	
<b>Tax description</b>	0..1	Definition:	The version number of the code list.
<b>Tax description content</b>	1..1	SDD-ID:	<b>BDTG00000322</b>
<b>Language code</b>	0..1	Definition:	The description of the tax expressed as text.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDTG00000754</b>
<b>Code list version</b>	0..1	Definition:	The description of the tax expressed as text.
<b>Tax exemption reason description</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
<b>Tax exemption reason description content</b>	1..1	Definition:	The code specifying the language.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000524</b>
<b>Language code content</b>	1..1	Definition:	The code specifying the language.
<b>Code list version</b>	0..1	Example:	en
<b>Tax exemption reason code</b>	0..1	Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Tax exemption reason code content</b>	1..1	SDD-ID:	<b>BDTG00000028</b>
<b>Code list version</b>	0..1	Definition:	The version number of the code list.
<b>Tax type code</b>	0..1	SDD-ID:	<b>BDTG00000324</b>
<b>Tax type code content</b>	1..1	Definition:	The description of the reason for exemption of tax expressed as text.
		SDD-ID:	<b>BDTG00000574</b>
		Definition:	The description of the reason for exemption of tax expressed as text.
		SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
		SDD-ID:	<b>BDTG00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		SDD-ID:	<b>BDTG00000028</b>
		Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG00000323</b>
		Definition:	The code specifying the reason for exemption of tax.
		SDD-ID:	<b>BDTG00000575</b>
		Definition:	The code specifying the reason for exemption of tax.
		Used code list:	DutyFeeTaxExemptionReasonCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxExemptionReasonCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxExemptionReasonCode</a>
		SDD-ID:	<b>BDTG00000028</b>
		Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG00000328</b>
		Definition:	The code specifying the type of tax.
		SDD-ID:	<b>BDTG00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxTypeCode</a>



Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Referenced related order information	0..1	SDD-ID:	<b>BDTG00000286</b>
		Definition:	The information specifying the details of a reference to a related purchase order.
Entity identification	1..1	SDD-ID:	<b>BDT00000056</b>
		Definition:	The identity of an entity such as a document or an object.
Business document creation date time	0..1	SDD-ID:	<b>BDT00000047</b>
		Definition:	The date and optional time when the business document was issued.
Revision number	0..1	SDD-ID:	<b>BDT00000119</b>
		Definition:	The number assigned to a specific release of a document to keep track of changes and updates between revisions.
Document line number	0..1	SDD-ID:	<b>BDT00000049</b>
		Definition:	The sequence number of a line within the business document.
Referenced document external location	0..1	SDD-ID:	<b>BDT00000118</b>
		Definition:	The external location of the referenced document expressed as an uniform resource locator.
		Usage:	The external location can be an internet address to a document stored in a server on the internet.
Document content owner	0..1	SDD-ID:	<b>BDTG00000196</b>
		Definition:	The information specifying the party that is responsible for the content of a document.
Global location number GLN	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Order relationship code	0..1	SDD-ID:	<b>BDTG00000257</b>



## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Order relationship code content</b>	1..1	Definition:	The code specifying the type of relationship to one or more referenced orders.
		SDD-ID:	<b>BDT00000682</b>
		Definition:	The code specifying the type of relationship to one or more referenced orders.
		Used code list:	OrderRelationshipTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:OrderRelationshipTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:OrderRelationshipTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Business unit information</b>	0..1	SDD-ID:	<b>BDTG00000160</b>
		Definition:	The information specifying details of a business unit of the company.
<b>Global location number GLN</b>	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<b>Business unit name</b>	0..1	SDD-ID:	<b>BDT00000076</b>
		Definition:	The name of the business unit.
<b>Business unit type code</b>	1..1	SDD-ID:	<b>BDTG00000361</b>
		Definition:	The code specifying a business unit type of a company.
<b>Business unit type code content</b>	1..1	SDD-ID:	<b>BDT00000582</b>
		Definition:	The code specifying a business unit type of a company.
		Used code list:	AdministrativeUnitTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdministrativeUnitTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdministrativeUnitTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Structured notation information</b>	0..1	SDD-ID:	<b>BDTG00000192</b>
		Definition:	The information specifying details of a structured note.
<b>Structured notation type code</b>	0..1	SDD-ID:	<b>BDTG00000245</b>
		Definition:	The code specifying the type of a notation defined according to a bilateral agreement.
<b>Structured notation type code content</b>	1..1	SDD-ID:	<b>BDT00000738</b>
		Definition:	The code specifying the type of a notation defined according to a bilateral agreement.
<b>Code description</b>	0..1	SDD-ID:	<b>BDT00000022</b>
		Definition:	The description of a code value expressed as text.
<b>Code list agency code</b>	0..1	SDD-ID:	<b>BDT00000023</b>
		Definition:	The code specifying the agency responsible for a code list.
<b>Code list agency code list version</b>	0..1	SDD-ID:	<b>BDT00000024</b>
		Definition:	The version number of a code list issued by the responsible agency for the code list.
<b>Code list agency name</b>	0..1	SDD-ID:	<b>BDT00000025</b>
		Definition:	The name of the agency responsible for a code list.
<b>Code list name</b>	0..1	SDD-ID:	<b>BDT00000026</b>
		Definition:	The name of the code list expressed as text.





Business data terms and groups	Usage	Business data terms and groups description	
Code list URL	0..1	SDD-ID:	<b>BDT00000027</b>
		Definition:	The character string that identifies the location of the code list in a network.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Notation	1..1	SDD-ID:	<b>BDTG00000244</b>
		Definition:	The descriptive information expressed as text to be read and not to be processed by a receiving IT application.
Notation content	1..1	SDD-ID:	<b>BDT00000670</b>
		Definition:	The descriptive information expressed as text to be read and not to be processed by a receiving IT application.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Structured notation identification information	1..1	SDD-ID:	<b>BDTG00000395</b>
		Definition:	The information specifying the identification details of the structured notation.
Entity identification	1..1	SDD-ID:	<b>BDT00000056</b>
		Definition:	The identity of an entity such as a document or an object.
Document content owner	0..1	SDD-ID:	<b>BDTG00000196</b>
		Definition:	The information specifying the party that is responsible for the content of a document.
Global location number GLN	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode





Business data terms and groups	Usage	Business data terms and groups description	
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Referenced trade agreement information	0..1	SDD-ID:	<b>BDTG00000287</b>
		Definition:	The information specifying the details of a reference to a trade agreement.
Entity identification	1..1	SDD-ID:	<b>BDT00000056</b>
		Definition:	The identity of an entity such as a document or an object.
Business document creation date time	0..1	SDD-ID:	<b>BDT00000047</b>
		Definition:	The date and optional time when the business document was issued.
Revision number	0..1	SDD-ID:	<b>BDT00000119</b>
		Definition:	The number assigned to a specific release of a document to keep track of changes and updates between revisions.
Document line number	0..1	SDD-ID:	<b>BDT00000049</b>
		Definition:	The sequence number of a line within the business document.
Referenced document external location	0..1	SDD-ID:	<b>BDT00000118</b>
		Definition:	The external location of the referenced document expressed as an uniform resource locator.
		Usage:	The external location can be an internet address to a document stored in a server on the internet.
Document content owner	0..1	SDD-ID:	<b>BDTG00000196</b>
		Definition:	The information specifying the party that is responsible for the content of a document.
Global location number GLN	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>



Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The version number of the code list.
<b>Referenced promotional deal information</b>	0..1	SDD-ID:	<b>BDTG00000283</b>
		Definition:	The information specifying the details of a reference to a promotional deal agreement for a trade item.
<b>Entity identification</b>	1..1	SDD-ID:	<b>BDT00000056</b>
		Definition:	The identity of an entity such as a document or an object.
<b>Business document creation date time</b>	0..1	SDD-ID:	<b>BDT00000047</b>
		Definition:	The date and optional time when the business document was issued.
<b>Revision number</b>	0..1	SDD-ID:	<b>BDT00000119</b>
		Definition:	The number assigned to a specific release of a document to keep track of changes and updates between revisions.
<b>Document line number</b>	0..1	SDD-ID:	<b>BDT00000049</b>
		Definition:	The sequence number of a line within the business document.
<b>Referenced document external location</b>	0..1	SDD-ID:	<b>BDT00000118</b>
		Definition:	The external location of the referenced document expressed as an uniform resource locator.
		Usage:	The external location can be an internet address to a document stored in a server on the internet.
<b>Document content owner</b>	0..1	SDD-ID:	<b>BDTG00000196</b>
		Definition:	The information specifying the party that is responsible for the content of a document.
<b>Global location number GLN</b>	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<b>Additional party identification information</b>	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<b>Additional party identification content</b>	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
<b>Additional party identification type code</b>	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
<b>Additional party identification type code content</b>	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Referenced quotation information</b>	0..1	SDD-ID:	<b>BDTG00000285</b>



Business data terms and groups	Usage	Business data terms and groups description	
<b>Entity identification</b>	1..1	Definition:	The information specifying the details of a reference to a quotation.
		SDD-ID:	<b>BDT00000056</b>
<b>Business document creation date time</b>	0..1	Definition:	The identity of an entity such as a document or an object.
		SDD-ID:	<b>BDT00000047</b>
<b>Revision number</b>	0..1	Definition:	The date and optional time when the business document was issued.
		SDD-ID:	<b>BDT00000119</b>
		Definition:	The number assigned to a specific release of a document to keep track of changes and updates between revisions.
<b>Document line number</b>	0..1	SDD-ID:	<b>BDT00000049</b>
		Definition:	The sequence number of a line within the business document.
<b>Referenced document external location</b>	0..1	SDD-ID:	<b>BDT00000118</b>
		Definition:	The external location of the referenced document expressed as an uniform resource locator.
		Usage:	The external location can be an internet address to a document stored in a server on the internet.
<b>Document content owner</b>	0..1	SDD-ID:	<b>BDTG00000196</b>
		Definition:	The information specifying the party that is responsible for the content of a document.
<b>Global location number GLN</b>	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<b>Additional party identification information</b>	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<b>Additional party identification content</b>	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
<b>Additional party identification type code</b>	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
<b>Additional party identification type code content</b>	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Referenced contract information</b>	0..1	SDD-ID:	<b>BDTG00000279</b>
		Definition:	The information specifying the details of a reference to a contract.
<b>Entity identification</b>	1..1	SDD-ID:	<b>BDT00000056</b>
		Definition:	The identity of an entity such as a document or an object.



Business data terms and groups	Usage	Business data terms and groups description	
<b>Business document creation date time</b>	0..1	SDD-ID:	<b>BDT00000047</b>
		Definition:	The date and optional time when the business document was issued.
<b>Revision number</b>	0..1	SDD-ID:	<b>BDT00000119</b>
		Definition:	The number assigned to a specific release of a document to keep track of changes and updates between revisions.
<b>Referenced document external location</b>	0..1	SDD-ID:	<b>BDT00000118</b>
		Definition:	The external location of the referenced document expressed as an uniform resource locator.
		Usage:	The external location can be an internet address to a document stored in a server on the internet.
<b>Document line number</b>	0..1	SDD-ID:	<b>BDT00000049</b>
		Definition:	The sequence number of a line within the business document.
<b>Document content owner</b>	0..1	SDD-ID:	<b>BDTG00000196</b>
		Definition:	The information specifying the party that is responsible for the content of a document.
<b>Global location number GLN</b>	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<b>Additional party identification information</b>	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<b>Additional party identification content</b>	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
<b>Additional party identification type code</b>	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
<b>Additional party identification type code content</b>	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Referenced customer document information</b>	0..1	SDD-ID:	<b>BDTG00000280</b>
		Definition:	The information specifying the details of a reference to a customer document.
		Context:	This BDT group is to be used only if no dedicated business data term is available for referencing an additional document.
<b>Entity identification</b>	1..1	SDD-ID:	<b>BDT00000056</b>
		Definition:	The identity of an entity such as a document or an object.
<b>Business document creation date time</b>	0..1	SDD-ID:	<b>BDT00000047</b>



Business data terms and groups	Usage	Business data terms and groups description	
<b>Revision number</b>	0..1	Definition:	The date and optional time when the business document was issued.
		SDD-ID:	<b>BDT00000119</b>
		Definition:	The number assigned to a specific release of a document to keep track of changes and updates between revisions.
<b>Document line number</b>	0..1	SDD-ID:	<b>BDT00000049</b>
		Definition:	The sequence number of a line within the business document.
<b>Referenced document external location</b>	0..1	SDD-ID:	<b>BDT00000118</b>
		Definition:	The external location of the referenced document expressed as an uniform resource locator.
		Usage:	The external location can be an internet address to a document stored in a server on the internet.
<b>Document content owner</b>	0..1	SDD-ID:	<b>BDTG00000196</b>
		Definition:	The information specifying the party that is responsible for the content of a document.
<b>Global location number GLN</b>	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<b>Additional party identification information</b>	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<b>Additional party identification content</b>	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
<b>Additional party identification type code</b>	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
<b>Additional party identification type code content</b>	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Currency conversion information</b>	0..1	SDD-ID:	<b>BDTG00000183</b>
		Definition:	The information specifying details of converting a monetary amount in one currency to a monetary amount in a different currency.
<b>Currency exchange rate</b>	0..1	SDD-ID:	<b>BDT00000037</b>
		Definition:	The currency exchange rate for converting one unit of a currency to another currency.
<b>Currency exchange rate date</b>	0..1	SDD-ID:	<b>BDT00000038</b>
		Definition:	The date and time for a specified currency exchange rate.
<b>Currency conversion from code</b>	1..1	SDD-ID:	<b>BDTG00000181</b>

Business data terms and groups	Usage	Business data terms and groups description	
<b>Currency conversion from code content</b>	1..1	Definition:	The code specifying the currency from which a monetary amount is converted.
		SDD-ID:	<b>BDT00000708</b>
		Definition:	The code specifying the currency from which a monetary amount is converted.
		Example:	SEK
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Currency conversion to code</b>	1..1	SDD-ID:	<b>BDTG00000182</b>
		Definition:	The code specifying the currency to which a monetary amount is converted.
<b>Currency conversion to code content</b>	1..1	SDD-ID:	<b>BDT00000709</b>
		Definition:	The code specifying the currency to which a monetary amount is converted.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Delivery terms information</b>	0..1	SDD-ID:	<b>BDTG00000189</b>
		Definition:	The information specifying details on terms for proof of delivery, foreign trade and cost for transportation.
<b>Signature required indicator</b>	0..1	SDD-ID:	<b>BDT00000080</b>
		Definition:	The code indicating if a signature on a proof of delivery of the ordered trade items is required.
		Usage:	The signature on the proof of delivery can be used in support of possible later claims issues.
		Example:	YES
		Used code list:	Available codes: "YES" and "NO"
<b>Incoterms code</b>	0..1	SDD-ID:	<b>BDTG00000221</b>
		Definition:	The code specifying an international rule for the interpretation of a commonly used trade terms in foreign trade.
<b>Incoterms code content</b>	1..1	SDD-ID:	<b>BDT000000649</b>
		Definition:	The code specifying an international rule for the interpretation of a commonly used trade terms in foreign trade.
		Used code list:	UN/ECE Recommendation 5
		Link to code list:	<a href="http://tfiq.unece.org/contents/recommendation-5.htm">http://tfiq.unece.org/contents/recommendation-5.htm</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Alternative delivery terms code</b>	0..1	SDD-ID:	<b>BDTG00000154</b>
		Definition:	The code specifying the delivery terms according to an alternative system other than the Incoterms.
<b>Alternative delivery terms code content</b>	1..1	SDD-ID:	<b>BDT00000535</b>
		Definition:	The code specifying the delivery terms according to an alternative system other than the Incoterms.



## Order

Business data terms and groups	Usage	Business data terms and groups description	
Code description	0..1	SDD-ID:	<b>BDT00000022</b>
		Definition:	The description of a code value expressed as text.
Code list agency code	0..1	SDD-ID:	<b>BDT00000023</b>
		Definition:	The code specifying the agency responsible for a code list.
Code list agency code list version	0..1	SDD-ID:	<b>BDT00000024</b>
		Definition:	The version number of a code list issued by the responsible agency for the code list.
Code list agency name	0..1	SDD-ID:	<b>BDT00000025</b>
		Definition:	The name of the agency responsible for a code list.
Code list name	0..1	SDD-ID:	<b>BDT00000026</b>
		Definition:	The name of the code list expressed as text.
Code list URL	0..1	SDD-ID:	<b>BDT00000027</b>
		Definition:	The character string that identifies the location of the code list in a network.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Delivery instructions description	0..1	SDD-ID:	<b>BDTG00000187</b>
		Definition:	The description of the instructions on the final delivery of the goods expressed as text.
Delivery instructions description content	1..1	SDD-ID:	<b>BDT00000641</b>
		Definition:	The description of the instructions on the final delivery of the goods expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Transport cost payment code	0..1	SDD-ID:	<b>BDTG00000349</b>
		Definition:	The code specifying the payer of expenses for transportation.
Transport cost payment code content	1..1	SDD-ID:	<b>BDT00000701</b>
		Definition:	The code specifying the payer of expenses for transportation.
		Example:	WE
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportChargesPaymentMethodCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportChargesPaymentMethodCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Delivery terms for location information	0..1	SDD-ID:	<b>BDTG00000188</b>
		Definition:	The information specifying details of the delivery location associated with the delivery terms.
Global location number GLN	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical





## Order

Business data terms and groups		Usage	Business data terms and groups description	
				locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	Sub location identification	0..1	SDD-ID: Definition: Example:	<b>BDT00000132</b> The identity of a further specification of an exact location. Door 5
	Logistics location name	0..1	SDD-ID: Definition:	<b>BDT00000088</b> The name of a logistics location.
	Universal Time Coordinated UTC offset	0..1	SDD-ID: Definition:	<b>BDT00000137</b> The amount of time subtracted from or added to coordinated universal time, UTC, to get the current local time, whether it is standard time or daylight saving time, DST.
			Example:	+01
	UN location code, UN/LOCODE	0..1	SDD-ID: Definition:	<b>BDTG00000358</b> The code specifying a location according to United Nations Code for Trade and Transport Locations, UN/LOCODE.
			Example:	BE BRU
			Used code list:	UN/LOCODE Code List
	United Nations location code, UN/LOCODE content	1..1	SDD-ID: Definition:	<b>BDT00000690</b> The code specifying a location according to United Nations Code for Trade and Transport Locations, UN/LOCODE.
			Example:	BE BRU
			Link to code list:	<a href="https://www.unece.org/cefact/locode/service/location.html">https://www.unece.org/cefact/locode/service/location.html</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Additional physical location identification	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000274</b> The additional identity of a physical location. The identity is specified by another identification system than the GS1 Global Location Number, GLN. Only used if no GS1 Global Location Number, GLN, is available for the physical location.
	Physical location identification content	1..1	SDD-ID: Definition:	<b>BDT00000627</b> The value of the identity of a physical location.
	Identification scheme information	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>



## Order

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Specific instructions location description	0..1	SDD-ID:	<b>BDTG00000319</b>
		Definition:	The description of the instructions regarding the pick-up or drop-off of goods at a location expressed as text.
Specific instructions location description content	1..1	SDD-ID:	<b>BDT00000744</b>
		Definition:	The description of the instructions regarding the pick-up or drop-off of goods at a location expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Language of the party code	0..1	SDD-ID:	<b>BDTG00000228</b>
		Definition:	The code specifying the language of a party.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Currency of party code	0..1	SDD-ID:	<b>BDTG00000184</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID:	<b>BDT00000710</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.

Business data terms and groups		Usage	Business data terms and groups description	
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S

## Order

Business data terms and groups	Usage	Business data terms and groups description	
Longitude	1..1	SDD-ID: Definition:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business contact information	0..1	SDD-ID: Definition:	<b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
Department name	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
Job title	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
Contact type code content	1..1	SDD-ID: Definition:	<b>BDT00000571</b> The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID: Definition:	<b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID: Definition:	<b>BDT00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Communication information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	After hours communication information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000145</b> The information specifying details of communication channels to use after regular business hours.
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	Regular operating hours information	0..1	SDD-ID: Definition: Usage:	<b>BDTG00000289</b> The information specifying details of the regular operating hours. Information specifying details of communication channels to use after regular business hours.
	Day of the week code	0..1	SDD-ID: Definition:	<b>BDTG00000042</b> The code specifying the day of the week.
	Day of the week code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000745</b> The code specifying the day of the week. TUESDAY DayOfTheWeekEnumeration

Business data terms and groups	Usage	Business data terms and groups description
		Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DayOfTheWeekEnumeration">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DayOfTheWeekEnumeration</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Business operational indicator	0..1	SDD-ID: <b>BDT00000078</b> Definition: The code indicating if a business or facility is operational on a specific day. Usage rule: Available codes: "YES" and "NO" Example: NO
Closing time	0..1	SDD-ID: <b>BDT00000021</b> Definition: The time at which a business or facility close.
Opening time	0..1	SDD-ID: <b>BDT00000098</b> Definition: The time on which the business or facility will open on a specified day.
Special operating hours information	0..1	SDD-ID: <b>BDTG00000317</b> Definition: The information specifying the special operating hours.
Business operational indicator	0..1	SDD-ID: <b>BDT00000078</b> Definition: The code indicating if a business or facility is operational on a specific day. Usage rule: Available codes: "YES" and "NO" Example: NO
Special date	0..1	SDD-ID: <b>BDT00000126</b> Definition: The date for which extraordinary operating hours apply. Example: 2020-12-25
Closing time	0..1	SDD-ID: <b>BDT00000021</b> Definition: The time at which a business or facility close.
Opening time	0..1	SDD-ID: <b>BDT00000098</b> Definition: The time on which the business or facility will open on a specified day.
Name of special day	0..1	SDD-ID: <b>BDTG00000241</b> Definition: The name of a special day expressed as text. Usage: Used for specifying operating hours for a special day such as a religious holiday.
Name of special day content	1..1	SDD-ID: <b>BDT00000669</b> Definition: The name of a special day expressed as text. Example: Christmas eve, Mawlid-al-nabi
Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Invoice processing party information	0..1	SDD-ID: <b>BDTG00000751</b> Definition: The information specifying details of the party or function for processing a received invoice.



Business data terms and groups	Usage	Business data terms and groups description	
		Usage:	Used when the invoice receiving party engages a business function or another legal entity for processing the received invoice. To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
Global location number, GLN	0..1	SDD-ID: Definition: Ref. definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
Additional party identification type code	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Address information	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
Party name	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.

Business data terms and groups	Usage	Business data terms and groups description
Postal code	0..1	Synonyms: P.O. box, postal box SDD-ID: <b>BDT00000114</b> Definition: The code according to the relevant postal system or service to specify a geographical area. Example: SE 190 90
Province identity	0..1	Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode SDD-ID: <b>BDT00000117</b> Definition: The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID: <b>BDT00000127</b> Definition: The political unit that a country can be divided into. Example: California
Street address one	0..1	SDD-ID: <b>BDT00000128</b> Definition: The first street address line of a structured address. Example: Avenue Louise 326
Street address two	0..1	SDD-ID: <b>BDT00000130</b> Definition: The second street address line of a structured address. Example: Blue Tower
Street address three	0..1	SDD-ID: <b>BDT00000129</b> Definition: The third street address line of a structured address. Example: Floor 4
Country code	0..1	SDD-ID: <b>BDTG00000179</b> Definition: The code specifying a country.
Country code content	1..1	SDD-ID: <b>BDT00000774</b> Definition: The code specifying a country.
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Geographical coordinates information	0..1	SDD-ID: <b>BDTG00000214</b> Definition: The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID: <b>BDT00000085</b> Definition: The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. Example: 23°26'12.2" S
Longitude	1..1	SDD-ID: <b>BDT00000089</b> Definition: The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. Example: 18°3'59.0616"
Business contact information	0..unbounded	SDD-ID: <b>BDTG00000158</b> Definition: The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID: <b>BDT00000112</b> Definition: The name of an individual person expressed as text.
Department name	0..1	SDD-ID: <b>BDT00000044</b> Definition: The name of the department.

Business data terms and groups	Usage	Business data terms and groups description	
<b>Job title</b>	0..1	SDD-ID:	<b>BDT00000083</b>
		Definition:	The title of a position or the role of a person holding the position.
<b>Contact type code</b>	0..1	SDD-ID:	<b>BDTG00000178</b>
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
<b>Contact type code content</b>	1..1	SDD-ID:	<b>BDT00000571</b>
		Definition:	The code specifying the function or role of a contact person.
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Business contact responsibility description</b>	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
<b>Business contact responsibility description content</b>	1..1	SDD-ID:	<b>BDT00000580</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Communication information</b>	0..unbounded	SDD-ID:	<b>BDTG00000176</b>
		Definition:	The information specifying details of a contact person's communication channel.
<b>Communication channel code</b>	1..1	SDD-ID:	<b>BDTG00000175</b>
		Definition:	The code specifying the channel for communication.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Communication channel code content</b>	1..1	SDD-ID:	<b>BDT00000525</b>
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Communication channel identification</b>	1..1	SDD-ID:	<b>BDT00000032</b>
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.





Business data terms and groups	Usage	Business data terms and groups description	
Communication channel name	0..1	SDD-ID: <b>BDT00000033</b> Definition:	The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID: <b>BDTG00000145</b> Definition:	The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID: <b>BDTG00000175</b> Definition: Link to code list:	The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Communication channel code content	1..1	SDD-ID: <b>BDT00000525</b> Definition: Example: Used code list: Link to code list:	The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID: <b>BDT00000032</b> Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: <b>BDT00000033</b> Definition:	The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID: <b>BDTG00000326</b> Definition:	The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID: <b>BDT00000369</b> Definition:	The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID: <b>BDTG00000585</b> Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID: <b>BDT00000584</b> Definition:	The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID: <b>BDTG00000587</b> Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: <b>BDT00000074</b> Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: <b>BDT00000073</b> Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID: <b>BDTG00000586</b> Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID: <b>BDT00000583</b> Definition: Used code list: Link to code list:	The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:</a>



## Order

Business data terms and groups	Usage	Business data terms and groups description
Code list version	0..1	SDD-ID: <a href="#">ResponsibleAgencyCode&amp;release=5</a> Definition: <b>BDT00000028</b> The version number of the code list.
Tax type code	0..1	SDD-ID: <b>BDTG00000328</b> Definition: The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: <b>BDT00000576</b> Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Tax description	0..1	SDD-ID: <b>BDTG00000322</b> Definition: The description of the tax expressed as text.
Tax description content	1..1	SDD-ID: <b>BDT00000754</b> Definition: The description of the tax expressed as text.
Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Tax registration type code	0..1	SDD-ID: <b>BDTG00000327</b> Definition: The code specifying the type of tax registration number assigned by a national authority.
Tax registration type code content	1..1	SDD-ID: <b>BDT00000588</b> Definition: The code specifying the type of tax registration number assigned by a national authority. Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Customs duty registration information	0..unbounded	SDD-ID: <b>BDTG00000375</b> Definition: The information specifying details of a party registered for customs duty.
Customs authority name	0..1	SDD-ID: <b>BDT00000370</b> Definition: The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
Customs registration identification information	1..1	SDD-ID: <b>BDTG00000621</b> Definition: The information specifying details of the identity assigned to a party registered for

## Order

Business data terms and groups	Usage	Business data terms and groups description
<ul style="list-style-type: none"> <li>Customs registration identification content</li> </ul>	1..1	<p>SDD-ID: <b>BDT00000622</b></p> <p>Definition: customs duty according to a national customs register.</p>
<ul style="list-style-type: none"> <li>Identification scheme information</li> </ul>	0..1	<p>SDD-ID: <b>BDTG00000587</b></p> <p>Definition: The identity assigned to a party registered for customs duty according to a national customs register.</p>
<ul style="list-style-type: none"> <li>Identification scheme name</li> </ul>	0..1	<p>SDD-ID: <b>BDT00000074</b></p> <p>Definition: The information specifying details of the used identification scheme.</p>
<ul style="list-style-type: none"> <li>Identification scheme agency name</li> </ul>	0..1	<p>SDD-ID: <b>BDT00000073</b></p> <p>Definition: The name of the identification scheme.</p>
<ul style="list-style-type: none"> <li>Identification scheme responsible agency code</li> </ul>	0..1	<p>SDD-ID: <b>BDTG00000586</b></p> <p>Definition: The name of the agency responsible for a identification scheme.</p>
<ul style="list-style-type: none"> <li>Identification scheme responsible agency code content</li> </ul>	1..1	<p>SDD-ID: <b>BDT00000583</b></p> <p>Definition: The code specifying the agency responsible for the identification scheme.</p> <p>Used code list: ResponsibleAgencyCode</p> <p>Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a></p>
<ul style="list-style-type: none"> <li>Code list version</li> </ul>	0..1	<p>SDD-ID: <b>BDT00000028</b></p> <p>Definition: The code specifying the agency responsible for the identification scheme.</p>
<ul style="list-style-type: none"> <li>Tax type code</li> </ul>	0..1	<p>SDD-ID: <b>BDTG00000328</b></p> <p>Definition: The version number of the code list.</p>
<ul style="list-style-type: none"> <li>Tax type code content</li> </ul>	1..1	<p>SDD-ID: <b>BDT00000576</b></p> <p>Definition: The code specifying the type of tax.</p> <p>Used code list: DutyFeeTaxTypeCode</p> <p>Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a></p>
<ul style="list-style-type: none"> <li>Code list version</li> </ul>	0..1	<p>SDD-ID: <b>BDT00000028</b></p> <p>Definition: The code specifying the type of tax.</p>
<ul style="list-style-type: none"> <li>Customs duty description</li> </ul>	0..1	<p>SDD-ID: <b>BDTG00000378</b></p> <p>Definition: The version number of the code list.</p>
<ul style="list-style-type: none"> <li>Customs duty description content</li> </ul>	1..1	<p>SDD-ID: <b>BDT00000563</b></p> <p>Definition: The description of the customs duty expressed as text.</p>
<ul style="list-style-type: none"> <li>Language code</li> </ul>	0..1	<p>SDD-ID: <b>BDTG00000523</b></p> <p>Definition: The description of the customs duty expressed as text.</p>
<ul style="list-style-type: none"> <li>Language code content</li> </ul>	1..1	<p>SDD-ID: <b>BDT00000524</b></p> <p>Definition: The code specifying the language.</p> <p>Example: en</p> <p>Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a>.</p>
<ul style="list-style-type: none"> <li>Code list version</li> </ul>	0..1	<p>SDD-ID: <b>BDT00000028</b></p> <p>Definition: The code specifying the language.</p>
<ul style="list-style-type: none"> <li>Customs registration type code</li> </ul>	0..1	<p>SDD-ID: <b>BDTG00000623</b></p> <p>Definition: The version number of the code list.</p>
		<p>SDD-ID: <b>BDT00000623</b></p> <p>Definition: The code specifying the type of customs registration number assigned by a national</p>

## Order

Business data terms and groups	Usage	Business data terms and groups description
<ul style="list-style-type: none"> <li>Customs registration type code content</li> </ul>	1..1	<p>SDD-ID: <b>BDT00000624</b></p> <p>Definition: The code specifying the type of customs registration number assigned by a national authority.</p> <p>Used code list: DutyFeeTaxRegistrationTypeCode</p> <p>Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a></p>
<ul style="list-style-type: none"> <li>Code list version</li> </ul>	0..1	<p>SDD-ID: <b>BDT00000028</b></p> <p>Definition: The version number of the code list.</p>
<ul style="list-style-type: none"> <li>Organisation legal information</li> </ul>	0..1	<p>SDD-ID: <b>BDTG00000262</b></p> <p>Definition: The information specifying details of a legal organisation.</p>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Organisation name</li> </ul> </li> </ul>	1..1	<p>SDD-ID: <b>BDT00000102</b></p> <p>Definition: The official and legal name of the organisation.</p>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Language of the party code</li> </ul> </li> </ul>	0..1	<p>SDD-ID: <b>BDTG00000228</b></p> <p>Definition: The code specifying the language of a party.</p>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Language code content</li> </ul> </li> </ul> </li> </ul>	1..1	<p>SDD-ID: <b>BDT00000524</b></p> <p>Definition: The code specifying the language.</p> <p>Example: en</p> <p>Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a>.</p>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Code list version</li> </ul> </li> </ul>	0..1	<p>SDD-ID: <b>BDT00000028</b></p> <p>Definition: The version number of the code list.</p>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Currency of party code</li> </ul> </li> </ul>	0..1	<p>SDD-ID: <b>BDTG00000184</b></p> <p>Definition: The code specifying the currency of a party.</p> <p>Example: EUR</p> <p>Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax.</p>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Currency of party code content</li> </ul> </li> </ul> </li> </ul>	1..1	<p>SDD-ID: <b>BDT00000710</b></p> <p>Definition: The code specifying the currency of a party.</p> <p>Example: EUR</p> <p>Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax.</p> <p>Link to code list: <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a></p>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Code list version</li> </ul> </li> </ul>	0..1	<p>SDD-ID: <b>BDT00000028</b></p> <p>Definition: The version number of the code list.</p>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Official address</li> </ul> </li> </ul>	0..1	<p>SDD-ID: <b>BDTG00000246</b></p> <p>Definition: The registered legal address of the organisation.</p>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>County code</li> </ul> </li> </ul> </li> </ul>	0..1	<p>SDD-ID: <b>BDT00000034</b></p> <p>Definition: The code indicating a geographical region in a country.</p>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>City name</li> </ul> </li> </ul> </li> </ul>	0..1	<p>SDD-ID: <b>BDT00000020</b></p> <p>Definition: The name of the city, town or village.</p>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>City code</li> </ul> </li> </ul> </li> </ul>	0..1	<p>SDD-ID: <b>BDT00000019</b></p> <p>Definition: The code specifying a city.</p>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Cross street</li> </ul> </li> </ul>	0..1	<p>SDD-ID: <b>BDT00000035</b></p> <p>Definition: The street crossing another street.</p>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID: Definition:	<b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID: Definition:	<b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: Definition:	<b>BDT00000127</b> The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID: Definition:	<b>BDT00000128</b> The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition:	<b>BDT00000130</b> The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID: Definition:	<b>BDT00000129</b> The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
	Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID: Definition:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Issued capital	0..1	SDD-ID: Definition:	<b>BDTG00000225</b> The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID: Definition:	<b>BDT00000655</b> The monetary amount representing the issued capital of a company.

## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Legal structure description</b>	0..1	SDD-ID:	<b>BDTG00000231</b>
		Definition:	The description of the legal structure expressed as text.
<b>Legal structure description content</b>	1..1	SDD-ID:	<b>BDT00000659</b>
		Definition:	The description of the legal structure expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Registered legal information</b>	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
<b>Legal registration number</b>	1..1	SDD-ID:	<b>BDT00000087</b>
		Definition:	The identification number of an organisation according to a legal register.
<b>Legal registration additional information</b>	0..1	SDD-ID:	<b>BDT00000086</b>
		Definition:	The additional information related to the legal registration expressed as text.
<b>Legal registration type code</b>	1..1	SDD-ID:	<b>BDTG00000230</b>
		Definition:	The code specifying the type of legal registration.
<b>Legal registration type code content</b>	1..1	SDD-ID:	<b>BDT00000658</b>
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Financial institution and financial account information</b>	0..1	SDD-ID:	<b>BDTG00000209</b>
		Definition:	The information specifying details of a financial institution and financial account.
<b>Financial institution name</b>	0..1	SDD-ID:	<b>BDT00000061</b>
		Definition:	The name of a financial institution expressed as text.
<b>Financial institution division name</b>	0..1	SDD-ID:	<b>BDT00000060</b>

Business data terms and groups	Usage	Business data terms and groups description	
<b>Financial account information</b>	0..1	Definition:	The name of a division or branch within a financial institution expressed as text.
		SDD-ID:	<b>BDTG00000207</b>
<b>Financial account name</b>	0..1	Definition:	The information specifying details of a financial account.
		SDD-ID:	<b>BDT00000058</b>
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
<b>Financial account number</b>	1..1	SDD-ID:	<b>BDT00000059</b>
		Definition:	The number of a financial account expressed as text.
<b>Financial account number type code</b>	1..1	SDD-ID:	<b>BDTG00000208</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
<b>Financial account number type code content</b>	1..1	SDD-ID:	<b>BDT00000645</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Financial institution routing number information</b>	0..1	SDD-ID:	<b>BDTG00000210</b>
		Definition:	The information specifying details on a routing number of a financial institution.
<b>Financial routing number</b>	1..1	SDD-ID:	<b>BDT00000062</b>
		Definition:	The routing number of a financial transaction according to the specified financial routing type.
		Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
<b>Financial routing number type code</b>	1..1	SDD-ID:	<b>BDTG00000211</b>
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
<b>Financial routing number type code content</b>	1..1	SDD-ID:	<b>BDT00000644</b>
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Additional financial institution description</b>	0..1	SDD-ID:	<b>BDTG00000522</b>
		Definition:	The additional description of a financial institution expressed as text.
<b>Additional financial institution description content</b>	1..1	SDD-ID:	<b>BDT00000521</b>
		Definition:	The text value describing the additional financial institution.





## Order

Business data terms and groups	Usage	Business data terms and groups description	
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	<b>BDT00000019</b>
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	<b>BDT00000034</b>
		Definition:	The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
		Definition:	The street crossing another street.
Party name	0..1	SDD-ID:	<b>BDT00000106</b>
		Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	<b>BDT00000127</b>
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower



## Order

Business data terms and groups	Usage	Business data terms and groups description	
Street address three	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
Longitude	1..1	Example: SDD-ID: Definition:	23°26'12.2" S <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
Referenced additional information	0..1	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000141</b> The information specifying details of an additional reference not already covered by a dedicated business data term.
Business document creation date time	0..1	SDD-ID: Definition:	<b>BDT00000047</b> The date and optional time when the business document was issued.
Business document reference identification	1..1	SDD-ID: Definition:	<b>BDT00000135</b> The identity of a referenced business document.
Referenced document type code	1..1	SDD-ID: Definition:	<b>BDTG00000347</b> The code specifying the type of referenced business document.
Referenced document type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000699</b> The code specifying the type of referenced business document. TransactionalReferenceTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:TransactionalReferenceTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:TransactionalReferenceTypeCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Delivery date according to schedule	0..1	SDD-ID: Definition:	<b>BDTG00000186</b> The date of delivery corresponds to previously agreed delivery schedule.
Date	0..1	SDD-ID: Definition: Example:	<b>BDT00000040</b> The day of a year as a calendar date. 2020-06-15
Time	0..1	SDD-ID: Definition: Example:	<b>BDT00000133</b> The indication of a point in time. 08:01:15



Business data terms and groups	Usage	Business data terms and groups description	
<b>Latest delivery date</b>	0..1	SDD-ID:	<b>BDTG00000229</b>
		Definition:	The last accepted delivery date.
<b>Date</b>	1..1	SDD-ID:	<b>BDT00000040</b>
		Definition:	The day of a year as a calendar date.
		Example:	2020-06-15
<b>Time</b>	0..1	SDD-ID:	<b>BDT00000133</b>
		Definition:	The indication of a point in time.
		Example:	08:01:15
<b>Order entry type code</b>	0..1	SDD-ID:	<b>BDTG00000260</b>
		Definition:	The code indicating the type of channel for receiving a customer order.
		Usage:	The business data term group is normally to be used internally in an IT business system for processing customers orders which are registered using different order receiving channels such as a call center or on-line.
			The information is used in the IT business system to monitor the usage of the various channels for receiving orders from customers.
			A bilateral agreement is needed if the business data term is to be used in communication with an external party.
<b>Order entry type code content</b>	1..1	SDD-ID:	<b>BDT00000672</b>
		Definition:	The code indicating the type of channel for receiving a customer order.
		Used code list:	OrderEntryTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:OrderEntryTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:OrderEntryTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Total monetary net amount</b>	0..1	SDD-ID:	<b>BDTG00000332</b>
		Definition:	The total monetary amount excluding all taxes.
		Context:	Proposal: The total monetary amount excluding tax such as value added tax or goods and services tax and including excise tax such as tobacco tax and including environmental tax.
			To be included in SDD instead?
<b>Total monetary net amount content</b>	1..1	SDD-ID:	<b>BDT00000705</b>
		Definition:	The total monetary amount excluding all taxes.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Total monetary amount</b>	0..1	SDD-ID:	<b>BDTG00000331</b>
		Definition:	The total monetary amount including taxes.

Business data terms and groups	Usage	Business data terms and groups description	
<b>Total monetary amount content</b>	1..1	Synonyms:	BDTG00000409 Total invoice monetary amount
		SDD-ID:	<b>BDT00000704</b>
		Definition:	The total monetary amount including taxes.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Order line</b>	1..unbounded	Context:	The order line is used to specify information which is specific for an ordered trade item. The order line is repeated for each ordered trade item. The same trade item can be ordered using multiple order lines.
<b>Business document line number</b>	0..1		
<b>Parent line item number</b>	0..1	SDD-ID:	<b>BDT00000105</b>
		Definition:	The line item number of the line item containing information at the higher level pertaining to the current line item.
<b>Order line item priority description</b>	0..1	SDD-ID:	<b>BDT00000100</b>
		Definition:	The statement indicating the prioritisation of an ordered trade line item of a customer order according to an IT business system expressed as a text.
		Example:	This order is to be prioritized.
		Usage:	The business data term is normally to be used internally in an IT business system processing customers orders from different customers. The information is used in the IT business system to determine which ordered trade item of a customer order should be prioritized compared to another customer order line. A bilateral agreement is needed if the business data term is to be used in communication with an external party.
<b>Order instruction code</b>	0..1	SDD-ID:	<b>BDTG00000248</b>
		Definition:	The code indicating instructions for delivery of ordered trade items.
<b>Order instruction code content</b>	1..1	SDD-ID:	<b>BDT00000673</b>
		Definition:	The code indicating instructions for delivery of ordered trade items.
		Example:	PARTIAL_DELIVERY_ALLOWED
		Used code list:	OrderInstructionCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:OrderInstructionCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:OrderInstructionCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Ordered trade item fulfillment source code</b>	0..1	SDD-ID:	<b>BDTG00000227</b>
		Definition:	The code specifying a requirement of the source of the fulfillment of an ordered trade item.

Business data terms and groups	Usage	Business data terms and groups description	
		Usage:	The business data term is normally to be used internally in an IT business system processing customers orders from different customers. The information is used to determine whether the delivery of the ordered trade item must take into account another cross docking order, existing warehouse stock or must be fulfilled by either. A bilateral agreement is needed if the business data term is to be used in communication with an external party.
Ordered trade item fulfillment source code content	1..1	SDD-ID: Definition:	<b>BDT00000686</b> The code specifying a requirement of the source of the fulfillment of an ordered trade item.
		Used code list: Link to code list:	ItemSourceCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ItemSourceCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ItemSourceCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Business document line action code	0..1	SDD-ID: Definition:	<b>BDTG00000250</b> The code specifying how the recipient of the business document should handle the business document line.
		Used code list: Link to code list:	LineActionCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LineActionCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LineActionCode</a>
Business document line action code content	1..1	SDD-ID: Definition:	<b>BDT00000581</b> The code specifying how the recipient of the business document should handle the business document line.
		Used code list: Link to code list:	LineActionCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LineActionCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LineActionCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Order line item instruction code	0..1	SDD-ID: Definition:	<b>BDTG00000253</b> The code indicating instructions for delivery of the ordered trade item.
Order line item instruction code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000676</b> The code indicating instructions for delivery of the ordered trade item. BACK_ORDERS_NOT_ACCEPTED OrderInstructionCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:OrderInstructionCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:OrderInstructionCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Order line item instruction description	0..1	SDD-ID: Definition:	<b>BDTG00000251</b> The instructions for delivery of the ordered trade item expressed at line level as text.

Business data terms and groups	Usage	Business data terms and groups description	
Order line instruction description content	1..1	SDD-ID:	<b>BDT00000675</b>
		Definition:	The instructions for delivery of the ordered trade item expressed at line level as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Total requested quantity	0..1	SDD-ID:	<b>BDTG00000296</b>
		Definition:	The total ordered quantity of a trade item.
Total requested quantity content	1..1	SDD-ID:	<b>BDT00000566</b>
		Definition:	The total ordered quantity of a trade item.
		Example:	100
Measurement unit code	0..1	SDD-ID:	<b>BDTG00000608</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID:	<b>BDT00000607</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.
		Used code list:	MeasurementUnitCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Trade item net price	0..1	SDD-ID:	<b>BDTG00000421</b>
		Definition:	The price for a unit of the trade item including any allowance or charge and excluding any taxes applicable to the sales transaction.
		Context:	Any allowances and charges included in the trade item net price may be specified separately by using "BDTG00000149 Allowance information" and "BDTG00000167 Charge information".
Trade item net price content	1..1	SDD-ID:	<b>BDT00000606</b>
		Definition:	The price for a unit of the trade item including any allowance or charge and excluding any taxes applicable to the sales transaction.
Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.

Business data terms and groups	Usage	Business data terms and groups description	
<b>Trade item list price</b>	0..1	SDD-ID:	<b>BDTG00000232</b>
		Definition:	The basic price for a unit of the trade item determined by the seller.
<b>Trade item list price content</b>	1..1	SDD-ID:	<b>BDT00000605</b>
		Definition:	The basic price for a unit of the trade item determined by the seller.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Line item net monetary amount</b>	0..1	SDD-ID:	<b>BDTG00000242</b>
		Definition:	The line item net monetary amount of the trade item.
<b>Line item net monetary amount content</b>	1..1	SDD-ID:	<b>BDT00000660</b>
		Definition:	The line item net monetary amount of the trade item.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Monetary amount excluding all taxes</b>	0..1	SDD-ID:	<b>BDTG00000239</b>
		Definition:	The monetary amount excluding all taxes.
<b>Monetary amount excluding all taxes content</b>	1..1	SDD-ID:	<b>BDT00000667</b>
		Definition:	The monetary amount excluding all taxes.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Monetary amount including all taxes</b>	0..1	SDD-ID:	<b>BDTG00000240</b>
		Definition:	The total monetary amount including all taxes.
<b>Monetary amount including all taxes content</b>	1..1	SDD-ID:	<b>BDT00000668</b>
		Definition:	The total monetary amount including all taxes.



## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Trade item price base quantity</b>	0..1	SDD-ID:	<b>BDTG00000339</b>
		Definition:	The quantity of a trade item on which the price is based.
<b>Trade item price base quantity content</b>	1..1	SDD-ID:	<b>BDT00000414</b>
		Definition:	The quantity of a trade item on which the price is based.
		Example:	100
<b>Measurement unit code</b>	0..1	SDD-ID:	<b>BDTG00000608</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.
<b>Measurement unit code content</b>	1..1	SDD-ID:	<b>BDT00000607</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.
		Used code list:	MeasurementUnitCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Trade item recommended retail price</b>	0..1	SDD-ID:	<b>BDTG00000278</b>
		Definition:	The retail price recommended for a unit of the trade item.
		Usage rule:	The retail price recommended by the seller, brand owner or manufacturer.
<b>Trade item recommended retail price content</b>	1..1	SDD-ID:	<b>BDT00000720</b>
		Definition:	The retail price recommended for a unit of the trade item.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Free goods quantity</b>	0..1	SDD-ID:	<b>BDTG00000212</b>
		Definition:	The quantity of free goods according to contract.
<b>Free goods quantity content</b>	1..1	SDD-ID:	<b>BDT00000711</b>
		Definition:	The quantity of free goods according to contract.
<b>Measurement unit code</b>	0..1	SDD-ID:	<b>BDTG00000608</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.



Business data terms and groups	Usage	Business data terms and groups description	
Measurement unit code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000607</b> The code specifying the unambiguous representation of a unit of measure. MeasurementUnitCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Notation	0..1	SDD-ID: Definition:	<b>BDTG00000244</b> The descriptive information expressed as text to be read and not to be processed by a receiving IT application.
Notation content	1..1	SDD-ID: Definition:	<b>BDT00000670</b> The descriptive information expressed as text to be read and not to be processed by a receiving IT application.
Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Return of goods reason code	0..1	SDD-ID: Definition: Usage:	<b>BDTG00000299</b> The code specifying the reason why goods have been returned. The business data term is normally to be used internally in an IT business system processing customers orders from different customers and possible returns of delivered goods. A bilateral agreement is needed if the business data term is to be used in communication with an external party.
Return of goods reason code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000739</b> The code specifying the reason why goods have been returned. PhysicalOrLogicalStateDescriptionCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PhysicalOrLogicalStateDescriptionCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PhysicalOrLogicalStateDescriptionCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Requested trade item information	0..1	SDD-ID: Definition:	<b>BDTG00000343</b> The information specifying the requested trade item in a business document transaction.
Global trade item number, GTIN	0..1	SDD-ID: Definition: Ref. definition:	<b>BDT00000066</b> The identity according to the GS1 identification system for unique identification of products and services. GS1 General Specifications: The GS1 identification key used to identify trade items.



Business data terms and groups	Usage	Business data terms and groups description
		The key comprises a GS1 Company Prefix, an item reference and check digit. 07300015200192
Product variant identifier	0..1	Example: SDD-ID: <b>BDT00000115</b> Definition: The product variant expressed as text. Usage: Used when there are multiple variants of one and the same GTIN. Used to distinguishing trade items with the same GTIN from each other. Example: Christmas edition Book cover in blue Book cover in green
Butter fat reference	0..1	SDD-ID: <b>BDT00000013</b> Definition: The reference number assigned by customs authorities to butter based fat products. Usage: Used for customs declarations when importing or exporting goods.
Additional trade item identification	0..unbounded	SDD-ID: <b>BDTG00000142</b> Definition: The information specifying the additional identification details of a trade item.
Additional trade item identification content	1..1	SDD-ID: <b>BDT00000516</b> Definition: The additional identity of a trade item.
Additional trade item identification type code	0..unbounded	SDD-ID: <b>BDTG00000519</b> Definition: The code specifying the type of additional identifier for a shipment.
Additional trade item identification type code content	1..1	SDD-ID: <b>BDT00000518</b> Definition: The code of the additional trade item identification type.
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Trade item quantity	0..1	SDD-ID: <b>BDTG00000341</b> Definition: The quantity of a trade item. Usage rule: To be applied when no other quantity information, such as the requested quantity or the invoiced quantity, is present.
Trade item quantity content	1..1	SDD-ID: <b>BDT00000678</b> Definition: The quantity value of the over allocation.
Measurement unit code	0..1	SDD-ID: <b>BDTG00000608</b> Definition: The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID: <b>BDT00000607</b> Definition: The code specifying the unambiguous representation of a unit of measure. Used code list: MeasurementUnitCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:MeasurementUnitCode&amp;release=1</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Trade item description	0..1	SDD-ID: <b>BDTG00000335</b> Definition: The description of the trade item expressed as text.
Trade item description content	1..1	SDD-ID: <b>BDT00000684</b> Definition: The description of the trade item expressed as text.
Language code	0..1	SDD-ID: <b>BDTG00000523</b>



Business data terms and groups		Usage	Business data terms and groups description	
	Language code content	1..1	Definition: SDD-ID: Definition: Example: Used code list:	The code specifying the language. <b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Item type code	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000226</b> The code specifying the type of the trade item. ItemTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ItemTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ItemTypeCode</a>
	Item type code content	1..1	SDD-ID: Definition:	<b>BDT00000656</b> The code specifying the type of the trade item.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Trade item transactional data owner code	0..1	SDD-ID: Definition:	<b>BDTG00000342</b> The code specifying the responsible party of the transactional data.
	Trade item transactional data owner code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000700</b> The code specifying the responsible party of the transactional data. SELLER TradeItemDataOwnerCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TradeItemDataOwnerCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TradeItemDataOwnerCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Dynamic trade item information	0..unbounded	SDD-ID: Definition: Example:	<b>BDTG00000203</b> The information specifying the details of dynamic characteristics of individual instances of a trade item. Best before date, batch number and serial number are examples of dynamic characteristics of an individual instance of a trade item.
	Available for sale date	0..1	SDD-ID: Definition:	<b>BDT00000007</b> The date when a trade item is available for sale.
	Batch number	0..1	SDD-ID: Definition:	<b>BDT00000008</b> The identification number of the production batch that relates to a date and time for the production of a product.
	Best before date	0..1	SDD-ID: Definition:	<b>BDT00000011</b> The date indicating when the product characteristics and quality are no longer guaranteed by the manufacturer.
	Country of origin	0..1	SDD-ID: Definition:	<b>BDTG00000180</b> The code specifying the country of manufacture, production, or growth where a trade item or product comes from.



Business data terms and groups		Usage	Business data terms and groups description	
	Country of origin code content	1..1	SDD-ID: Definition:	<b>BDT00000572</b> The code specifying the country of manufacture, production, or growth where a trade item or product comes from.
	Code list version	0..1	Used code list: SDD-ID: Definition:	ISO 3166-1 or equivalent representation in specific syntax. <b>BDT00000028</b> The version number of the code list.
	Expiration date	0..1	SDD-ID: Definition:	<b>BDT00000057</b> The date after which the product should not be used or consumed.
	Lot number	0..1	SDD-ID: Definition:	<b>BDT00000090</b> The identification number for a lot consisting of products produced within different production batches.
	Packaging date	0..1	SDD-ID: Definition:	<b>BDT00000104</b> The date on which a product is placed in a container or package.
	Production date	0..1	SDD-ID: Definition:	<b>BDT00000116</b> The date the product was produced.
	Sell by date	0..1	SDD-ID: Definition:	<b>BDT00000120</b> The date after which the product should not be sold.
	Serial number	0..unbounded	SDD-ID: Definition: Usage:	<b>BDT00000121</b> The serial number assigned to an individual instance of a specific identified product or trade item to make an instance of a product or trade item unique. The code need not be strictly numerical and can contain letters and other typographical symbols or may consist entirely of a character string.
	Shelf life	0..1	SDD-ID: Definition: Context: Example:	<b>BDT00000122</b> The length of time a product can be stored and remain suitable for its intended function expressed as text. The buyer can use the business data term to specify for the seller the minimum number of days from the date of arrival of the goods that the delivered trade item should not be considered too old to resell. 1 year
	Item in contact with food product indicator	0..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000082</b> The code indicating if the trade item can be in contact with food products. NO Available codes: "YES" and "NO"
	Logistic unit packaging pattern information	0..1	SDD-ID: Definition:	<b>BDTG00000235</b> The information specifying the packaging of the logistic unit.
	Number of layers	0..1	SDD-ID: Definition: Example:	<b>BDT00000095</b> The number of layers of packages in a package. 3
	Number of units per layer	0..1	SDD-ID: Definition:	<b>BDT00000096</b> The number of packs per layer in a package.
	Number of units per platform	0..1	SDD-ID:	<b>BDT00000097</b>
	Maximum stacking factor	1..1	SDD-ID: Definition:	<b>BDT00000091</b> The maximum number of levels for a specific unit that can exist in a stack without



Business data terms and groups		Usage	Business data terms and groups description	
				impacting the quality of the product.
			Example: 3	
	Packaging terms and conditions code	0..1	SDD-ID: Definition:	<b>BDTG00000265</b> The code specifying the terms and conditions that apply to the packaging of the logistic unit.
	Packaging terms and conditions code content	1..1	SDD-ID: Definition:	<b>BDTG00000663</b> The code specifying the terms and conditions that apply to the packaging of the logistic unit.
			Used code list: Link to code list:	PackagingTermsAndConditionsCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PackagingTermsAndConditionsCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PackagingTermsAndConditionsCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDTG00000028</b> The version number of the code list.
	Package type code	0..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000264</b> The code specifying the type of package used for the trade item. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PackageTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PackageTypeCode</a>
			Version:	20191004 KD: To be semantic I think the version of a code list should be specified in a separate business data term.
	Package type code content	1..1	SDD-ID: Definition:	<b>BDTG00000664</b> The code specifying the type of package used for the trade item.
	Code list version	0..1	SDD-ID: Definition:	<b>BDTG00000028</b> The version number of the code list.
	Returnable package return transport payment code	0..1	SDD-ID: Definition:	<b>BDTG00000301</b> The code specifying who is paying for the return of the empty returnable containers.
	Returnable package return transport payment code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000665</b> The code specifying who is paying for the return of the empty returnable containers. TransportChargesPaymentMethodCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportChargesPaymentMethodCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportChargesPaymentMethodCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDTG00000028</b> The version number of the code list.
	Logistic unit dimensions information	0..1	SDD-ID: Definition:	<b>BDTG00000233</b> The information specifying measurements of a logistic unit.
	Depth measurement	1..1	SDD-ID: Definition:	<b>BDTG00000190</b> The measure of an item from front to back.
	Depth measurement content	1..1	SDD-ID: Definition:	<b>BDTG00000661</b> The measure of an item from front to back.
	Measurement unit code	0..1	SDD-ID: Definition:	<b>BDTG00000608</b> The code specifying the unambiguous representation of a unit of measure.
	Measurement unit code content	1..1	SDD-ID: Definition: Used code list:	<b>BDTG00000607</b> The code specifying the unambiguous representation of a unit of measure. MeasurementUnitCode



## Order

Business data terms and groups	Usage	Business data terms and groups description
		Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Height measurement	1..1	SDD-ID: <b>BDTG00000220</b> Definition: The vertical dimension of an item from the lowest extremity to the highest extremity.
Height measurement content	1..1	SDD-ID: <b>BDT00000650</b> Definition: The vertical dimension of an item from the lowest extremity to the highest extremity.
Measurement unit code	0..1	SDD-ID: <b>BDTG00000608</b> Definition: The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID: <b>BDT00000607</b> Definition: The code specifying the unambiguous representation of a unit of measure. Used code list: MeasurementUnitCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Width measurement	1..1	SDD-ID: <b>BDTG00000360</b> Definition: The horizontal dimension from one side of the item to the other side.
Width measurement content	1..1	SDD-ID: <b>BDT00000662</b> Definition: The horizontal dimension from one side of the item to the other side.
Measurement unit code	0..1	SDD-ID: <b>BDTG00000608</b> Definition: The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID: <b>BDT00000607</b> Definition: The code specifying the unambiguous representation of a unit of measure. Used code list: MeasurementUnitCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Product quality value	0..1	SDD-ID: <b>BDTG00000277</b> Definition: The quality of the product expressed as a quantity value. Usage: The quality can be expressed as a grade, strength or other.
Product quality value content	1..1	SDD-ID: <b>BDT00000695</b> Definition: The quality of the product expressed as a quantity value.
Measurement unit code	0..1	SDD-ID: <b>BDTG00000608</b> Definition: The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID: <b>BDT00000607</b> Definition: The code specifying the unambiguous representation of a unit of measure. Used code list: MeasurementUnitCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b>

Business data terms and groups		Usage	Business data terms and groups description	
	Trade item quantity	0..1	Definition: SDD-ID: Definition: Usage rule:	The version number of the code list. <b>BDTG00000341</b> The quantity of a trade item. To be applied when no other quantity information, such as the requested quantity or the invoiced quantity, is present.
	Trade item quantity content	1..1	SDD-ID: Definition:	<b>BDTG00000678</b> The quantity value of the over allocation.
	Measurement unit code	0..1	SDD-ID: Definition:	<b>BDTG00000608</b> The code specifying the unambiguous representation of a unit of measure.
	Measurement unit code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000607</b> The code specifying the unambiguous representation of a unit of measure. MeasurementUnitCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDTG00000028</b> The version number of the code list.
	Trade item weight information	0..unbounde	SDD-ID: Definition:	<b>BDTG00000346</b> The information specifying the weight of a trade item.
	Trade item weight content	1..1	SDD-ID: Definition:	<b>BDTG00000728</b> The weight of the trade item.
	Measurement unit code	0..1	SDD-ID: Definition:	<b>BDTG00000608</b> The code specifying the unambiguous representation of a unit of measure.
	Measurement unit code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000607</b> The code specifying the unambiguous representation of a unit of measure. MeasurementUnitCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDTG00000028</b> The version number of the code list.
	Measurement type code	1..1	SDD-ID: Definition:  Link to code list:	<b>BDTG00000237</b> The code specifying the way in which a trade item or logistic unit has been measured or calculated.  <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementTypeCode</a>
	Measurement type code content	1..1	SDD-ID: Definition:  Used code list: Link to code list:	<b>BDTG00000666</b> The code specifying the way in which a trade item or logistic unit has been measured or calculated.  MeasurementTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDTG00000028</b> The version number of the code list.
	Trade item volume information	0..unbounde	SDD-ID:	<b>BDTG00000344</b>

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Trade item volume content</b>	1..1	Definition:	The information specifying the volume of a trade item.
			SDD-ID:	<b>BDT00000752</b>
	<b>Measurement unit code</b>	1..1	Definition:	The volume of the trade item.
			SDD-ID:	<b>BDTG00000608</b>
	<b>Measurement unit code content</b>	1..1	Definition:	The code specifying the unambiguous representation of a unit of measure.
			SDD-ID:	<b>BDT00000607</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
			Used code list:	MeasurementUnitCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Measurement type code</b>	1..1	SDD-ID:	<b>BDTG00000237</b>
			Definition:	The code specifying the way in which a trade item or logistic unit has been measured or calculated.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementTypeCode</a>
	<b>Measurement type code content</b>	1..1	SDD-ID:	<b>BDT00000666</b>
			Definition:	The code specifying the way in which a trade item or logistic unit has been measured or calculated.
			Used code list:	MeasurementTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Serial number range</b>	0..unbounded	SDD-ID:	<b>BDTG00000307</b>
			Definition:	The range of serial numbers formed by a start number and an end number.
	<b>Maximum value</b>	0..1	SDD-ID:	<b>BDT00000092</b>
			Definition:	The highest value in a number series.
	<b>Minimum value</b>	0..1	SDD-ID:	<b>BDT00000094</b>
			Definition:	The lowest value in a number series.
	<b>Trade item measurements information</b>	0..unbounded	SDD-ID:	<b>BDTG00000336</b>
			Definition:	The information specifying the measurements of a trade item.
	<b>Depth measurement</b>	1..1	SDD-ID:	<b>BDTG00000190</b>
			Definition:	The measure of an item from front to back.
	<b>Depth measurement content</b>	1..1	SDD-ID:	<b>BDT00000661</b>
			Definition:	The measure of an item from front to back.
	<b>Measurement unit code</b>	0..1	SDD-ID:	<b>BDTG00000608</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
	<b>Measurement unit code content</b>	1..1	SDD-ID:	<b>BDT00000607</b>
			Definition:	The code specifying the unambiguous representation of a unit of measure.
			Used code list:	MeasurementUnitCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:</a>





## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	<a href="#">MeasurementUnitCode&amp;release=1</a>
	Height measurement	1..1	SDD-ID: <b>BDTG00000220</b> Definition: The vertical dimension of an item from the lowest extremity to the highest extremity.	
	Height measurement content	1..1	SDD-ID: <b>BDT00000650</b> Definition: The vertical dimension of an item from the lowest extremity to the highest extremity.	
	Measurement unit code	0..1	SDD-ID: <b>BDTG00000608</b> Definition: The code specifying the unambiguous representation of a unit of measure.	
	Measurement unit code content	1..1	SDD-ID: <b>BDT00000607</b> Definition: The code specifying the unambiguous representation of a unit of measure. Used code list: MeasurementUnitCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Width measurement	1..1	SDD-ID: <b>BDTG00000360</b> Definition: The horizontal dimension from one side of the item to the other side.	
	Width measurement content	1..1	SDD-ID: <b>BDT00000662</b> Definition: The horizontal dimension from one side of the item to the other side.	
	Measurement unit code	0..1	SDD-ID: <b>BDTG00000608</b> Definition: The code specifying the unambiguous representation of a unit of measure.	
	Measurement unit code content	1..1	SDD-ID: <b>BDT00000607</b> Definition: The code specifying the unambiguous representation of a unit of measure. Used code list: MeasurementUnitCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Global trade item number format and type of carrier information	0..1	SDD-ID: <b>BDTG00000216</b> Definition: The information specifying details of the format and type of data carrier for a GS1 global trade item number, GTIN, of a trade item.	
	GS1 global trade item number format code	0..1	SDD-ID: <b>BDTG00000217</b> Definition: The code specifying the format of a GS1 global trade item number.	
	GS1 global trade item number format code content	1..1	SDD-ID: <b>BDT00000646</b> Definition: The code specifying the format of a GS1 global trade item number. Example: GTIN_13 Used code list: GS1TradeItemIdentificationKeyCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:GS1TradeItemIdentificationKeyTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:GS1TradeItemIdentificationKeyTypeCode&amp;release=1</a>	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Data carrier type code	0..1	SDD-ID: <b>BDTG00000185</b>	





## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code specifying a type of data carrier.
			Used code list:	DataCarrierTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DataCarrierTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DataCarrierTypeCode</a>
	<b>Data carrier type code content</b>	1..1	SDD-ID:	<b>BDT00000639</b>
			Definition:	The code specifying a type of data carrier.
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Trade item waste information</b>	0..unbounded	SDD-ID:	<b>BDTG00000345</b>
			Definition:	The information specifying details of the waste generated by the trade item.
	<b>Waste identification</b>	0..1	SDD-ID:	<b>BDT00000138</b>
			Definition:	The identity for a type of waste according to the GS1 identification system for unique identification of products and services.
			Example:	04098765000119
	<b>Waste type code</b>	0..unbounded	SDD-ID:	<b>BDTG00000359</b>
			Definition:	The information specifying the details of the code specifying the type of waste.
	<b>Waste type code content</b>	1..1	SDD-ID:	<b>BDT00000702</b>
			Definition:	The code specifying the type of waste.
	<b>Code description</b>	0..1	SDD-ID:	<b>BDT00000022</b>
			Definition:	The description of a code value expressed as text.
	<b>Code list agency code</b>	0..1	SDD-ID:	<b>BDT00000023</b>
			Definition:	The code specifying the agency responsible for a code list.
	<b>Code list agency code list version</b>	0..1	SDD-ID:	<b>BDT00000024</b>
			Definition:	The version number of a code list issued by the responsible agency for the code list.
	<b>Code list agency name</b>	0..1	SDD-ID:	<b>BDT00000025</b>
			Definition:	The name of the agency responsible for a code list.
	<b>Code list name</b>	0..1	SDD-ID:	<b>BDT00000026</b>
			Definition:	The name of the code list expressed as text.
	<b>Code list URL</b>	0..1	SDD-ID:	<b>BDT00000027</b>
			Definition:	The character string that identifies the location of the code list in a network.
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Trade item organic information</b>	0..1	SDD-ID:	<b>BDTG00000338</b>
			Definition:	The information specifying organic data for a trade item.
	<b>Trade item organic indicator</b>	1..1	SDD-ID:	<b>BDT00000081</b>
			Definition:	The code indicating if the trade item is claimed to be organic.
			Example:	NO
			Used code list:	Available codes: "YES" and "NO"
	<b>Organic certification information</b>	0..1	SDD-ID:	<b>BDTG00000261</b>
			Definition:	The information specifying the certificate for a trade item which claims the product to be organic.
	<b>Certification value</b>	0..1	SDD-ID:	<b>BDT00000017</b>
			Definition:	The certification value.



## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Certification agency name</b>	0..1	Example: SDD-ID: Definition:	need an reliable example <b>BDT00000015</b> The name of the organization issuing a certification as a confirmation that certain requirements have been met.
<b>Certification standard name</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000016</b> The name of the certification standard expressed as text. GlobalGAP
<b>Trade item colour information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000174</b> The information specifying the colour of a trade item.
<b>Colour code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000172</b> The code specifying the colour of an object or a product according to a colour system.
<b>Colour code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000736</b> The code specifying the colour of an object or a product according to a colour system.
<b>Colour code system code</b>	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000029</b> The code specifying the colour coding system. 10 ColourCodeListCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:ColourCodeListCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:ColourCodeListCode</a>
<b>Colour code system description</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000030</b> The description of the colour code system expressed as text. National Retail Federation – Standard Colour & Size Codes
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Colour code system version</b>	0..1	SDD-ID: Definition:	<b>BDT00000031</b> The version number of the colour code system.
<b>Colour description</b>	0..1	SDD-ID: Definition: Usage:	<b>BDTG00000173</b> Colour descriptionThe description of a colour expressed as text. Only used if no coded value for the colour is available using the business data term Colour code.
<b>Colour description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000737</b> The description of a colour expressed as text.
<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Trade item size information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000316</b> The information specifying the size of a trade item.



## Order

Business data terms and groups	Usage	Business data terms and groups description
Size description	0..1	SDD-ID: <b>BDTG00000315</b> Definition: The description of a size expressed as text.
Size description content	1..1	SDD-ID: <b>BDT00000679</b> Definition: The description of a size expressed as text.
Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Size code	0..1	SDD-ID: <b>BDTG00000313</b> Definition: The code specifying the size of an object or a product according to a size system.
Size code content	1..1	SDD-ID: <b>BDT00000680</b> Definition: The code specifying the size of an object or a product according to a size system.
Size code list code	1..1	SDD-ID: <b>BDTG00000314</b> Definition: The code specifying the system of size codes.
Size code list code content	1..1	SDD-ID: <b>BDT00000681</b> Definition: The code specifying the system of size codes. Example: 1 Used code list: SizeCodeListCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SizeCodeListCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SizeCodeListCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Size code list description	0..1	SDD-ID: <b>BDT00000124</b> Definition: The description of the size code system expressed as text. Example: National Retail Federation – Standard Colour & Size Codes
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Size code list version	0..1	SDD-ID: <b>BDT00000125</b> Definition: The version number of the code list of the size code system.
Trade item classification information	0..1	SDD-ID: <b>BDTG00000334</b> Definition: The information specifying the product classification of a trade item.
GS1 global product classification GPC brick code	1..1	SDD-ID: <b>BDT00000070</b> Definition: The code specifying the product category of similar products according to GS1 global product classification standard GPC. Business rule: According to GS1 global product classification standard a GTIN can be assigned to only one brick code. Example: 10000025
GS1 global product classification GPC brick	0..1	SDD-ID: <b>BDT00000071</b>



Business data terms and groups		Usage	Business data terms and groups description	
	<b>name</b>		Definition:	The name of the product category of similar products according to GS1 global product classification standard GPC.
			Business rule:	To be used in conjunction with the business data term "GS1 global product classification brick code". (Is this a Business rule or a Usage rule?)
			Example:	Milk
	<b>Alternative trade item product classification code</b>	0..unbounde	SDD-ID:	<b>BDTG00000155</b>
			Definition:	The information specifying the details of the alternative trade item product classification code.
			Usage:	The product classification system is an alternative to the GS1 Global Product Classification standard.
	<b>Alternative trade item product classification code content</b>	1..1	SDD-ID:	<b>BDT00000536</b>
			Definition:	The code specifying the product classification of a trade item according to an alternative product classification system.
	<b>Additional trade item classification scheme code</b>	0..1	SDD-ID:	<b>BDT00000002</b>
			Definition:	The code specifying the classification scheme used for an additional classification of a trade item.
			Usage:	Meant to be used in addition to GS1 Global Product Classification standard.
			Example:	5
			Used code list:	AdditionalTradeItemClassificationCodeListCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalTradeItemClassificationCodeListCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalTradeItemClassificationCodeListCode</a>
	<b>Additional trade item classification scheme version</b>	0..1	SDD-ID:	<b>BDT00000003</b>
			Definition:	The version number of the classification scheme used for additional trade item classification.
			Example:	9
	<b>Code description</b>	0..1	SDD-ID:	<b>BDT00000022</b>
			Definition:	The description of a code value expressed as text.
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Global Product Classification attributes</b>	0..unbounde	SDD-ID:	<b>BDTG00000215</b>
			Definition:	The information specifying details to identify classification properties and their property values for a trade item according to the GS1 Global Product Classification standard, GPC.
			Usage:	The class is optional to use. The class can be repeated for a trade item if the trade item has different classification properties (attribute types) and these, together with their respective property value (attribute value), are to be specified. (This text is to be inserted in the model of the Order instead.)
	<b>GS1 global product classification GPC attribute type code</b>	1..1	SDD-ID:	<b>BDT00000067</b>
			Definition:	The code specifying the type of attribute according to GS1 global product classification standard GPC.
			Example:	20000123
	<b>GS1 global product classification GPC attribute value code</b>	1..1	SDD-ID:	<b>BDT00000068</b>
			Definition:	The code specifying the attribute value according to GS1 global product classification



Business data terms and groups		Usage	Business data terms and groups description	
			Usage:	standard GPC.
			Example:	Used in conjunction with the attribute type to further characterise the product specified by the brick. 3001082
	<b>Global product classification GPC attribute type name</b>	0..1	SDD-ID:	<b>BDT00000064</b>
			Definition:	The name of the attribute type according to GS1 global product classification standard GPC.
	<b>GS1 global product classification GPC attribute value name</b>	0..1	Example:	Level of Fat Claim
			SDD-ID:	<b>BDT00000069</b>
			Definition:	The name of the attribute value according to GS1 global product classification standard GPC.
			Example:	FULL FAT
	<b>Allowance information</b>	0..unbounded	SDD-ID:	<b>BDTG00000149</b>
			Definition:	The information specifying details of an allowance.
			Context:	Specifies the allowance for the ordered trade item.
	<b>Allowance percentage</b>	0..1	SDD-ID:	<b>BDT00000006</b>
			Definition:	The percentage used when calculating the allowance.
			Example:	25
	<b>Bracket criteria</b>	0..1	SDD-ID:	<b>BDT00000012</b>
			Definition:	The minimum and optionally maximum value of a bracket tier.
			Usage:	Bracket criteria may be expressed in monetary amount or measurement tiers. Pricing for a product or service may be conditional on specified bracket criteria.
			Example:	500-1000 pieces 10-100 EUR
	<b>Calculation sequence number</b>	0..1	SDD-ID:	<b>BDT00000014</b>
			Definition:	The sequence number used to indicate the order in which the allowance or charge is to be calculated.
	<b>Allowance type code</b>	1..1	SDD-ID:	<b>BDTG00000153</b>
			Definition:	The code specifying the type of allowance.
			Example:	64
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode</a>
	<b>Allowance type code content</b>	1..1	SDD-ID:	<b>BDT00000531</b>
			Definition:	The code specifying the type of allowance.
			Used code list:	AllowanceChargeTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Settlement allowance code</b>	1..1	SDD-ID:	<b>BDTG00000308</b>
			Definition:	The code specifying how the allowance is to be settled.
			Example:	2
	<b>Settlement allowance code content</b>	1..1	SDD-ID:	<b>BDT00000532</b>



Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The code specifying how the allowance is to be settled.
		Used code list:	SettlementTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Allowance monetary amount	0..1	SDD-ID:	<b>BDTG00000150</b>
		Definition:	The monetary amount of the allowance.
Allowance monetary amount content	1..1	SDD-ID:	<b>BDT00000528</b>
		Definition:	The allowance monetary amount.
Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Allowance monetary amount per unit	0..1	SDD-ID:	<b>BDTG00000151</b>
		Definition:	The allowance per unit as a monetary amount.
Allowance monetary amount per unit content	1..1	SDD-ID:	<b>BDT00000529</b>
		Definition:	The allowance per unit as a monetary amount.
Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Allowance basis monetary amount	0..1	SDD-ID:	<b>BDTG00000146</b>
		Definition:	The basis monetary amount on which the allowance is calculated.
Allowance basis monetary amount content	1..1	SDD-ID:	<b>BDT00000526</b>
		Definition:	The basis monetary amount on which the allowance is calculated.
Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .

## Order

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Allowance quantity basis	0..1	SDD-ID:	<b>BDTG00000152</b>
		Definition:	The basis for allowance expressed as a quantity.
Allowance quantity basis content	1..1	SDD-ID:	<b>BDT00000533</b>
		Definition:	The basis for allowance expressed as a quantity.
Measurement unit code	0..1	SDD-ID:	<b>BDTG00000608</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID:	<b>BDT00000607</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.
		Used code list:	MeasurementUnitCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Allowance effective date type code	0..1	SDD-ID:	<b>BDTG00000148</b>
		Definition:	The code specifying the type of circumstance for when a discount should apply.
		Used code list:	EffectiveDateTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:EffectiveDateTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:EffectiveDateTypeCode</a>
Allowance effective date type code content	1..1	SDD-ID:	<b>BDT00000530</b>
		Definition:	The code for specifying the type of circumstance for when a discount should apply.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Special service type code	0..1	SDD-ID:	<b>BDTG00000318</b>
		Definition:	The code specifying a special service.
Special service type code content	1..1	SDD-ID:	<b>BDT00000534</b>
		Definition:	The code specifying a special service.
		Used code list:	SpecialServiceDescriptionCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SpecialServiceDescriptionCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SpecialServiceDescriptionCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Allowance description	0..1	SDD-ID:	<b>BDTG00000147</b>
		Definition:	The description of the allowance expressed as text.
Allowance description content	1..1	SDD-ID:	<b>BDT00000527</b>
		Definition:	The text describing the allowance.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code





## Order

Business data terms and groups	Usage	Business data terms and groups description	
		list is available at <a href="http://www.iso.org">www.iso.org</a> .	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
Applicable tax information	0..unbounded	SDD-ID: <b>BDTG00000254</b> Definition:	The information specifying the details of the applicable tax.
Tax authority name	0..1	SDD-ID: <b>BDT00000369</b> Definition:	The name of the authority administering the collection of taxes expressed as text.
Tax category code	0..1	SDD-ID: <b>BDTG00000321</b> Definition:	The code specifying the category of a tax.
Tax category code content	1..1	SDD-ID: <b>BDT00000537</b> Definition: Used code list: Link to code list:	The code specifying the category of a tax. TaxCategoryCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TaxCategoryCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TaxCategoryCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
Tax rate	0..1	SDD-ID: <b>BDT00000371</b> Definition: Usage:	The rate of the tax expressed in percentages. The tax rate is used to calculate the tax monetary amount.
Tax point date	0..1	SDD-ID: <b>BDT00000377</b> Definition: Usage rule:	The date on which the tax applicable for the sales transaction is due or calculated. BDT00000766 and BDT00000377 are mutually exclusive
Tax accounting currency code	0..1	SDD-ID: <b>BDTG00000365</b> Definition:	The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices.
Tax accounting currency code content	1..1	SDD-ID: <b>BDT00000538</b> Definition: Used code list:	The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices. ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
Taxable monetary amount	0..1	SDD-ID: <b>BDTG00000329</b> Definition: Usage:	The monetary amount used for calculating the tax amount. The taxable monetary amount is used for calculating the tax amount for a specific tax type, tax category and tax rate.
Taxable monetary amount content	1..1	SDD-ID: <b>BDT00000559</b> Definition:	The monetary amount used for calculating the tax amount.
Currency code	0..1	SDD-ID: <b>BDTG00000590</b> Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID: <b>BDT00000589</b> Definition: Example:	The code specifying the currency of a monetary amount. EUR



## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDTG00000028</b>
			Definition:	The version number of the code list.
	Tax monetary amount	0..1	SDD-ID:	<b>BDTG00000367</b>
			Definition:	The monetary amount of the tax.
	Tax monetary amount content	1..1	SDD-ID:	<b>BDTG00000562</b>
			Definition:	The monetary amount of the tax.
	Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
			Definition:	The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID:	<b>BDTG00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDTG00000028</b>
			Definition:	The version number of the code list.
	Tax monetary amount in accounting currency	0..1	SDD-ID:	<b>BDTG00000368</b>
			Definition:	The tax monetary amount expressed in the accounting currency.
	Tax monetary amount in accounting currency content	1..1	SDD-ID:	<b>BDTG00000561</b>
			Definition:	The tax monetary amount expressed in the accounting currency.
	Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
			Definition:	The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID:	<b>BDTG00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDTG00000028</b>
			Definition:	The version number of the code list.
	Taxable monetary amount in accounting currency	0..1	SDD-ID:	<b>BDTG00000366</b>
			Definition:	The taxable monetary amount expressed in the accounting currency.
			Usage:	The taxable monetary amount in accounting currency is used when the taxable monetary amount is expressed in another currency than the currency used for the accounting system. The taxable monetary amount in accounting currency is normally important only for the issuer of the business transaction.
	Taxable monetary amount in accounting currency content	1..1	SDD-ID:	<b>BDTG00000560</b>
			Definition:	The taxable monetary amount expressed in the accounting currency.
	Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
			Definition:	The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID:	<b>BDTG00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR

## Order

Business data terms and groups	Usage	Business data terms and groups description
		Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Tax description	0..1	SDD-ID: <b>BDTG00000322</b> Definition: The description of the tax expressed as text.
Tax description content	1..1	SDD-ID: <b>BDT00000754</b> Definition: The description of the tax expressed as text.
Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Tax exemption reason description	0..1	SDD-ID: <b>BDTG00000324</b> Definition: The description of the reason for exemption of tax expressed as text.
Tax exemption reason description content	1..1	SDD-ID: <b>BDT00000574</b> Definition: The description of the reason for exemption of tax expressed as text.
Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Tax exemption reason code	0..1	SDD-ID: <b>BDTG00000323</b> Definition: The code specifying the reason for exemption of tax.
Tax exemption reason code content	1..1	SDD-ID: <b>BDT00000575</b> Definition: The code specifying the reason for exemption of tax. Used code list: DutyFeeTaxExemptionReasonCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxExemptionReasonCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxExemptionReasonCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Tax type code	0..1	SDD-ID: <b>BDTG00000328</b> Definition: The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: <b>BDT00000576</b> Definition: The code specifying the type of tax.



Business data terms and groups	Usage	Business data terms and groups description	
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Charge information	0..unbounded	SDD-ID:	<b>BDTG00000167</b>
		Definition:	The information specifying details of a charge.
Settlement charge code	1..1	SDD-ID:	<b>BDTG00000309</b>
		Definition:	The code specifying how the charge is to be settled.
Settlement charge code content	1..1	SDD-ID:	<b>BDT00000617</b>
		Definition:	The code specifying how the charge is to be settled.
		Used code list:	SettlementTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Charge percentage	0..1	SDD-ID:	<b>BDT00000018</b>
		Definition:	The percentage used when calculating the charge.
		Example:	20
Bracket criteria	0..1	SDD-ID:	<b>BDT00000012</b>
		Definition:	The minimum and optionally maximum value of a bracket tier.
		Usage:	Bracket criteria may be expressed in monetary amount or measurement tiers. Pricing for a product or service may be conditional on specified bracket criteria.
		Example:	500-1000 pieces 10-100 EUR
Calculation sequence number	0..1	SDD-ID:	<b>BDT00000014</b>
		Definition:	The sequence number used to indicate the order in which the allowance or charge is to be calculated.
Charge monetary amount per unit	0..1	SDD-ID:	<b>BDTG00000169</b>
		Definition:	The charge per unit as a monetary amount.
Charge monetary amount per unit content	1..1	SDD-ID:	<b>BDT00000620</b>
		Definition:	The charge per unit as a monetary amount.
Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Charge type code	1..1	SDD-ID:	<b>BDTG00000171</b>
		Definition:	The code specifying the type of charge.

## Order

Business data terms and groups	Usage	Business data terms and groups description
		Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode</a>
Charge type code content	1..1	SDD-ID: <b>BDT00000618</b> Definition: The code specifying the type of charge. Used code list: AllowanceChargeTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Settlement charge code	0..1	SDD-ID: <b>BDTG00000309</b> Definition: The code specifying how the charge is to be settled.
Settlement charge code content	1..1	SDD-ID: <b>BDT00000617</b> Definition: The code specifying how the charge is to be settled. Used code list: SettlementTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Charge monetary amount	0..1	SDD-ID: <b>BDTG00000168</b> Definition: The monetary amount of the charge.
Charge monetary amount content	0..1	SDD-ID: <b>BDT00000619</b> Definition: The monetary amount of the charge.
Currency code	0..1	SDD-ID: <b>BDTG00000590</b> Definition: The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID: <b>BDT00000589</b> Definition: The code specifying the currency of a monetary amount. Example: EUR Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Charge basis monetary amount	0..1	SDD-ID: <b>BDTG00000164</b> Definition: The basis monetary amount on which the charge is calculated.
Charge basis monetary amount content	1..1	SDD-ID: <b>BDT00000614</b> Definition: The basis monetary amount on which the charge is calculated.
Currency code	0..1	SDD-ID: <b>BDTG00000590</b> Definition: The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID: <b>BDT00000589</b> Definition: The code specifying the currency of a monetary amount. Example: EUR Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b>

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The version number of the code list.
Charge quantity basis	0..1	SDD-ID:	<b>BDTG00000170</b>
		Definition:	The basis for charge expressed as a quantity.
Charge quantity basis content	1..1	SDD-ID:	<b>BDT00000753</b>
		Definition:	The basis for charge expressed as a quantity.
Measurement unit code	0..1	SDD-ID:	<b>BDTG00000608</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID:	<b>BDT00000607</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.
		Used code list:	MeasurementUnitCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Charge effective date type code	0..1	SDD-ID:	<b>BDTG00000166</b>
		Definition:	The code specifying the type of circumstance for when a charge should apply.
Charge effective date type code content	1..1	SDD-ID:	<b>BDT00000615</b>
		Definition:	The code specifying the type of circumstance for when a charge should apply.
		Used code list:	EffectiveDateTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:EffectiveDateTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:EffectiveDateTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Special service type code	0..1	SDD-ID:	<b>BDTG00000318</b>
		Definition:	The code specifying a special service.
Special service type code content	1..1	SDD-ID:	<b>BDT00000534</b>
		Definition:	The code specifying a special service.
		Used code list:	SpecialServiceDescriptionCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SpecialServiceDescriptionCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SpecialServiceDescriptionCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Charge description	0..1	SDD-ID:	<b>BDTG00000165</b>
		Definition:	The description of the charge expressed as text.
Charge description content	1..1	SDD-ID:	<b>BDT00000573</b>
		Definition:	The description of the charge expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .



## Order

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Applicable tax information	0..unbounded	SDD-ID:	<b>BDTG00000254</b>
		Definition:	The information specifying the details of the applicable tax.
Tax authority name	0..1	SDD-ID:	<b>BDT00000369</b>
		Definition:	The name of the authority administrating the collection of taxes expressed as text.
Tax category code	0..1	SDD-ID:	<b>BDTG00000321</b>
		Definition:	The code specifying the category of a tax.
Tax category code content	1..1	SDD-ID:	<b>BDT00000537</b>
		Definition:	The code specifying the category of a tax.
		Used code list:	TaxCategoryCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TaxCategoryCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TaxCategoryCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax rate	0..1	SDD-ID:	<b>BDT00000371</b>
		Definition:	The rate of the tax expressed in percentages.
		Usage:	The tax rate is used to calculate the tax monetary amount.
Tax point date	0..1	SDD-ID:	<b>BDT00000377</b>
		Definition:	The date on which the tax applicable for the sales transaction is due or calculated.
		Usage rule:	BDT00000766 and BDT00000377 are mutually exclusive
Tax accounting currency code	0..1	SDD-ID:	<b>BDTG00000365</b>
		Definition:	The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices.
Tax accounting currency code content	1..1	SDD-ID:	<b>BDT00000538</b>
		Definition:	The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices.
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Taxable monetary amount	0..1	SDD-ID:	<b>BDTG00000329</b>
		Definition:	The monetary amount used for calculating the tax amount.
		Usage:	The taxable monetary amount is used for calculating the tax amount for a specific tax type, tax category and tax rate.
Taxable monetary amount content	1..1	SDD-ID:	<b>BDT00000559</b>
		Definition:	The monetary amount used for calculating the tax amount.
Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	www.iso.org.
	<b>Tax monetary amount</b>	0..1	SDD-ID: <b>BDTG00000367</b> Definition: The monetary amount of the tax.	
	<b>Tax monetary amount content</b>	1..1	SDD-ID: <b>BDT00000562</b> Definition: The monetary amount of the tax.	
	<b>Currency code</b>	0..1	SDD-ID: <b>BDTG00000590</b> Definition: The code specifying the currency of a monetary amount.	
	<b>Currency code content</b>	1..1	SDD-ID: <b>BDT00000589</b> Definition: The code specifying the currency of a monetary amount. Example: EUR Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org.	
	<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	<b>Tax monetary amount in accounting currency</b>	0..1	SDD-ID: <b>BDTG00000368</b> Definition: The tax monetary amount expressed in the accounting currency.	
	<b>Tax monetary amount in accounting currency content</b>	1..1	SDD-ID: <b>BDT00000561</b> Definition: The tax monetary amount expressed in the accounting currency.	
	<b>Currency code</b>	0..1	SDD-ID: <b>BDTG00000590</b> Definition: The code specifying the currency of a monetary amount.	
	<b>Currency code content</b>	1..1	SDD-ID: <b>BDT00000589</b> Definition: The code specifying the currency of a monetary amount. Example: EUR Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org.	
	<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	<b>Taxable monetary amount in accounting currency</b>	0..1	SDD-ID: <b>BDTG00000366</b> Definition: The taxable monetary amount expressed in the accounting currency. Usage: The taxable monetary amount in accounting currency is used when the taxable monetary amount is expressed in another currency than the currency used for the accounting system. The taxable monetary amount in accounting currency is normally important only for the issuer of the business transaction.	
	<b>Taxable monetary amount in accounting currency content</b>	1..1	SDD-ID: <b>BDT00000560</b> Definition: The taxable monetary amount expressed in the accounting currency.	
	<b>Currency code</b>	0..1	SDD-ID: <b>BDTG00000590</b> Definition: The code specifying the currency of a monetary amount.	
	<b>Currency code content</b>	1..1	SDD-ID: <b>BDT00000589</b> Definition: The code specifying the currency of a monetary amount. Example: EUR Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at	

## Order

Business data terms and groups	Usage	Business data terms and groups description
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Tax description</b>	0..1	SDD-ID: <b>BDTG00000322</b> Definition: The description of the tax expressed as text.
<b>Tax description content</b>	1..1	SDD-ID: <b>BDT00000754</b> Definition: The description of the tax expressed as text.
<b>Language code</b>	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Tax exemption reason description</b>	0..1	SDD-ID: <b>BDTG00000324</b> Definition: The description of the reason for exemption of tax expressed as text.
<b>Tax exemption reason description content</b>	1..1	SDD-ID: <b>BDT00000574</b> Definition: The description of the reason for exemption of tax expressed as text.
<b>Language code</b>	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Tax exemption reason code</b>	0..1	SDD-ID: <b>BDTG00000323</b> Definition: The code specifying the reason for exemption of tax.
<b>Tax exemption reason code content</b>	1..1	SDD-ID: <b>BDT00000575</b> Definition: The code specifying the reason for exemption of tax. Used code list: DutyFeeTaxExemptionReasonCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxExemptionReasonCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxExemptionReasonCode</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Tax type code</b>	0..1	SDD-ID: <b>BDTG00000328</b> Definition: The code specifying the type of tax.
<b>Tax type code content</b>	1..1	SDD-ID: <b>BDT00000576</b> Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode





Business data terms and groups	Usage	Business data terms and groups description	
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Shipment transportation information	0..1	SDD-ID:	<b>BDTG00000312</b>
		Definition:	The information specifying details about the transportation of goods.
Handling instruction code	0..unbounded	SDD-ID:	<b>BDTG00000218</b>
		Definition:	The code specifying how the ordered trade items are to be handled and loaded.
Handling instruction code content	1..1	SDD-ID:	<b>BDT00000647</b>
		Definition:	The code specifying how the ordered trade items are to be handled and loaded.
		Used code list:	HandlingInstructionCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:HandlingInstructionCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:HandlingInstructionCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Transport means type code	0..1	SDD-ID:	<b>BDTG00000351</b>
		Definition:	The code specifying the means for transporting goods.
Transport means type code content	1..1	SDD-ID:	<b>BDT00000687</b>
		Definition:	The code specifying the means for transporting goods.
		Example:	31
		Used code list:	TransportMeansTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportMeansTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportMeansTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Transport means identification	0..1	SDD-ID:	<b>BDTG00000350</b>
		Definition:	The information specifying the details of the identification number according to a specified identification scheme assigned to a means of transportation such as a vehicle license plate of a truck or an aircraft registration number of a helicopter.
Transport means identification content	0..1	SDD-ID:	<b>BDT00000625</b>
		Definition:	The identification number according to a specified identification scheme assigned to a means of transportation such as a vehicle license plate of a truck or an aircraft registration number of a helicopter.
Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
		Definition:	The code specifying the agency responsible for the identification scheme.

Business data terms and groups	Usage	Business data terms and groups description	
		Used code list:	ResponsibleAgencyCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Transport mode code	0..1	SDD-ID:	<b>BDTG00000352</b>
		Definition:	Code specifying the mode of transport.
Transport mode code content	1..1	SDD-ID:	<b>BDT00000688</b>
		Definition:	The code specifying the mode of transport.
		Example:	3
		Used code list:	TransportServiceCategoryCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportServiceCategoryCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportServiceCategoryCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Transport service level code	0..1	SDD-ID:	<b>BDTG00000354</b>
		Definition:	The code specifying the service level for the transport of a shipment.
Transport service level code content	1..1	SDD-ID:	<b>BDT00000689</b>
		Definition:	The code specifying the service level for the transport of a shipment.
		Used code list:	TransportServiceLevelCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportServiceLevelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportServiceLevelCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Transport route identification	0..1	SDD-ID:	<b>BDTG00000353</b>
		Definition:	The information specifying the details of identification number assigned to a transport route according to a specified identification scheme.
Transport route identification content	1..1	SDD-ID:	<b>BDT00000626</b>
		Definition:	The identification number assigned to a transport route according to a specified identification scheme.
Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>



Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Handling instruction description	0..unbounded	SDD-ID:	<b>BDTG00000219</b>
		Definition:	The handling instruction expressed as text.
		Usage rule:	Only used if no coded value for the handling instruction is available using the business data term "BDTG00000218 Handling instruction code".
Handling instruction description content	1..1	SDD-ID:	<b>BDT00000648</b>
		Definition:	The handling instruction expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Carrier party information	0..1	SDD-ID:	<b>BDTG00000163</b>
		Definition:	The information specifying details of the party transporting shipments.
		Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
Global location number, GLN	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Address information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	— <b>City name</b>	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	— <b>City code</b>	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	— <b>County code</b>	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	— <b>Cross street</b>	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	— <b>Party name</b>	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
	— <b>Post office box number</b>	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
	— <b>Postal code</b>	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
	— <b>Province identity</b>	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
	— <b>State</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
	— <b>Street address one</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
	— <b>Street address two</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
	— <b>Street address three</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
	— <b>Country code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
	— <b>Country code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	— <b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.



Business data terms and groups		Usage	Business data terms and groups description	
	<b>Geographical coordinates information</b>	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	<b>Latitude</b>	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	<b>Longitude</b>	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	<b>Business contact information</b>	0..unbounded	SDD-ID:	<b>BDTG00000158</b>
			Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
	<b>Person name</b>	0..1	SDD-ID:	<b>BDT00000112</b>
			Definition:	The name of an individual person expressed as text.
	<b>Department name</b>	0..1	SDD-ID:	<b>BDT00000044</b>
			Definition:	The name of the department.
	<b>Job title</b>	0..1	SDD-ID:	<b>BDT00000083</b>
			Definition:	The title of a position or the role of a person holding the position.
	<b>Contact type code</b>	0..1	SDD-ID:	<b>BDTG00000178</b>
			Definition:	The code specifying the function or role of a contact person.
			Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	<b>Contact type code content</b>	1..1	SDD-ID:	<b>BDT00000571</b>
			Definition:	The code specifying the function or role of a contact person.
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Business contact responsibility description</b>	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
			Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Business contact responsibility description content</b>	1..1	SDD-ID:	<b>BDT00000580</b>
			Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.

## Order

Business data terms and groups	Usage	Business data terms and groups description
<b>Communication information</b>	0..unbounded	SDD-ID: <b>BDTG00000176</b> Definition: The information specifying details of a contact person's communication channel.
<b>Communication channel code</b>	1..1	SDD-ID: <b>BDTG00000175</b> Definition: The code specifying the channel for communication. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Communication channel code content</b>	1..1	SDD-ID: <b>BDT00000525</b> Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Communication channel identification</b>	1..1	SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
<b>Communication channel name</b>	0..1	SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.
<b>After hours communication information</b>	0..unbounded	SDD-ID: <b>BDTG00000145</b> Definition: The information specifying details of communication channels to use after regular business hours.
<b>Communication channel code</b>	1..1	SDD-ID: <b>BDTG00000175</b> Definition: The code specifying the channel for communication. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Communication channel code content</b>	1..1	SDD-ID: <b>BDT00000525</b> Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Communication channel identification</b>	1..1	SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
<b>Communication channel name</b>	0..1	SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.
<b>Tax registration information</b>	0..unbounded	SDD-ID: <b>BDTG00000326</b> Definition: The information specifying details of a party registered for tax.
<b>Tax authority name</b>	0..1	SDD-ID: <b>BDT00000369</b> Definition: The name of the authority administering the collection of taxes expressed as text.

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Tax registration identification information	1..1	SDD-ID: Definition:	<b>BDTG00000585</b> The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
	Tax registration identification content	1..1	SDD-ID: Definition:	<b>BDT00000584</b> The identity assigned to a party registered for tax according to a national tax register.
	Identification scheme information	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Tax type code	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.
	Tax type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Tax description	0..1	SDD-ID: Definition:	<b>BDTG00000322</b> The description of the tax expressed as text.
	Tax description content	1..1	SDD-ID: Definition:	<b>BDT00000754</b> The description of the tax expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Tax registration type code	0..1	SDD-ID:	<b>BDTG00000327</b>



## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
	<b>Tax registration type code content</b>	1..1	SDD-ID:	<b>BDT00000588</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Organisation legal information</b>	0..1	SDD-ID:	<b>BDTG00000262</b>
			Definition:	The information specifying details of a legal organisation.
	<b>Organisation name</b>	1..1	SDD-ID:	<b>BDT00000102</b>
			Definition:	The official and legal name of the organisation.
	<b>Language of the party code</b>	0..1	SDD-ID:	<b>BDTG00000228</b>
			Definition:	The code specifying the language of a party.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Currency of party code</b>	0..1	SDD-ID:	<b>BDTG00000184</b>
			Definition:	The code specifying the currency of a party.
			Example:	EUR
			Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
	<b>Currency of party code content</b>	1..1	SDD-ID:	<b>BDT00000710</b>
			Definition:	The code specifying the currency of a party.
			Example:	EUR
			Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
			Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Official address</b>	0..1	SDD-ID:	<b>BDTG00000246</b>
			Definition:	The registered legal address of the organisation.
	<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	<b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>



## Order

Business data terms and groups			Usage	Business data terms and groups description	
		<b>Post office box number</b>	0..1	Definition: SDD-ID: Definition:	The street crossing another street. <b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
		<b>Postal code</b>	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
		<b>Province identity</b>	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
		<b>State</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
		<b>Street address one</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
		<b>Street address two</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
		<b>Street address three</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
		<b>Country code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
		<b>Country code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Geographical coordinates information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
		<b>Latitude</b>	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		<b>Longitude</b>	1..1	Example: SDD-ID: Definition:	23°26'12.2" S <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		<b>Issued capital</b>	0..1	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000225</b> The monetary amount representing the value of the issued capital of a company.
		<b>Issued capital content</b>	1..1	SDD-ID:	<b>BDT00000655</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Currency code	0..1	Definition:	The monetary amount representing the issued capital of a company.
			SDD-ID:	<b>BDTG00000590</b>
	Currency code content	1..1	Definition:	The code specifying the currency of a monetary amount.
			SDD-ID:	<b>BDTG00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
	Code list version	0..1	Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			SDD-ID:	<b>BDTG00000028</b>
			Definition:	The version number of the code list.
	Legal structure description	0..1	SDD-ID:	<b>BDTG00000231</b>
			Definition:	The description of the legal structure expressed as text.
	Legal structure description content	1..1	SDD-ID:	<b>BDTG00000659</b>
			Definition:	The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDTG00000524</b>
			Definition:	The code specifying the language.
			Example:	en
	Code list version	0..1	Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			SDD-ID:	<b>BDTG00000028</b>
			Definition:	The version number of the code list.
	Registered legal information	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
			Definition:	The information specifying the registered data on a legal entity in accordance with national law.
	Legal registration number	1..1	SDD-ID:	<b>BDTG00000087</b>
			Definition:	The identification number of an organisation according to a legal register.
	Legal registration additional information	0..1	SDD-ID:	<b>BDTG00000086</b>
			Definition:	The additional information related to the legal registration expressed as text.
	Legal registration type code	1..1	SDD-ID:	<b>BDTG00000230</b>
			Definition:	The code specifying the type of legal registration.
	Legal registration type code content	1..1	SDD-ID:	<b>BDTG00000658</b>
			Definition:	The code specifying the type of legal registration.
			Used code list:	LegalRegistrationCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode</a>
	Code list version	0..1	SDD-ID:	<b>BDTG00000028</b>
			Definition:	The version number of the code list.
	Financial institution and financial account information	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
			Definition:	The information specifying details of a financial institution and financial account.
	Financial institution name	0..1	SDD-ID:	<b>BDTG00000061</b>
			Definition:	The name of a financial institution expressed as text.

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Financial institution division name</b>	0..1	SDD-ID: Definition:	<b>BDT00000060</b> The name of a division or branch within a financial institution expressed as text.
	<b>Financial account information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000207</b> The information specifying details of a financial account.
	<b>Financial account name</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000058</b> The name of a financial account expressed as text. John Doe
	<b>Financial account number</b>	1..1	SDD-ID: Definition:	<b>BDT00000059</b> The number of a financial account expressed as text.
	<b>Financial account number type code</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000208</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Financial account number type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000645</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Financial institution routing number information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000210</b> The information specifying details on a routing number of a financial institution.
	<b>Financial routing number</b>	1..1	SDD-ID: Definition: Business rule:	<b>BDT00000062</b> The routing number of a financial transaction according to the specified financial routing type. This business data term must be used in conjunction with the Financial routing number type code class.
	<b>Financial routing number type code</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000211</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	<b>Financial routing number type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000644</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Additional financial institution description</b>	0..1	SDD-ID: Definition:	<b>BDTG00000522</b> The additional description of a financial institution expressed as text.
	<b>Additional financial institution description</b>	1..1	SDD-ID:	<b>BDT00000521</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>content</b>		Definition:	The text value describing the additional financial institution.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Address information</b>	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	<b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	<b>Party name</b>	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	<b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	<b>Postal code</b>	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	<b>Province identity</b>	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	<b>State</b>	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	<b>Street address one</b>	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	<b>Street address two</b>	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.



Business data terms and groups	Usage	Business data terms and groups description	
Street address three	0..1	Example:	Blue Tower
		SDD-ID:	<b>BDT00000129</b>
		Definition:	The third street address line of a structured address.
Country code	0..1	Example:	Floor 4
		SDD-ID:	<b>BDTG00000179</b>
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
Longitude	1..1	Example:	23°26'12.2" S
		SDD-ID:	<b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
Freight forwarder party information	0..1	Example:	18°3'59.0616"
		SDD-ID:	<b>BDTG00000213</b>
		Definition:	The information specifying details of the party that arranges carriage of goods including connected services such as preparing and processing customs documentation and performing activities pertaining to international shipments.
		Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
Global location number GLN	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..1	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.



Business data terms and groups		Usage	Business data terms and groups description	
			Used code list:	AdditionalPartyIdentificationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Country code content</b>	1..1	Definition:	The code specifying a country.
			SDD-ID:	<b>BDT00000774</b>
	<b>Code list version</b>	0..1	Definition:	The code specifying a country.
			SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Geographical coordinates information</b>	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	<b>Latitude</b>	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	<b>Longitude</b>	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	<b>Business contact information</b>	0..1	SDD-ID:	<b>BDTG00000158</b>
			Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
	<b>Person name</b>	0..1	SDD-ID:	<b>BDT00000112</b>
			Definition:	The name of an individual person expressed as text.
	<b>Department name</b>	0..1	SDD-ID:	<b>BDT00000044</b>
			Definition:	The name of the department.
	<b>Job title</b>	0..1	SDD-ID:	<b>BDT00000083</b>
			Definition:	The title of a position or the role of a person holding the position.
	<b>Contact type code</b>	0..1	SDD-ID:	<b>BDTG00000178</b>
			Definition:	The code specifying the function or role of a contact person.
			Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	<b>Contact type code content</b>	1..1	SDD-ID:	<b>BDT00000571</b>
			Definition:	The code specifying the function or role of a contact person.
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Business contact responsibility description</b>	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
			Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Business contact responsibility description content</b>	1..1	SDD-ID:	<b>BDT00000580</b>
			Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.

Business data terms and groups		Usage	Business data terms and groups description	
			Example: Used code list:	en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	After hours communication information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000145</b> The information specifying details of communication channels to use after regular business hours.
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>



## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The name of a communication channel expressed as text.
	<b>Tax registration information</b>	0..1	SDD-ID:	<b>BDTG00000326</b>
			Definition:	The information specifying details of a party registered for tax.
	<b>Tax authority name</b>	0..1	SDD-ID:	<b>BDTG00000369</b>
			Definition:	The name of the authority administrating the collection of taxes expressed as text.
	<b>Tax registration identification information</b>	1..1	SDD-ID:	<b>BDTG00000585</b>
			Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
	<b>Tax registration identification content</b>	1..1	SDD-ID:	<b>BDTG00000584</b>
			Definition:	The identity assigned to a party registered for tax according to a national tax register.
	<b>Identification scheme information</b>	0..1	SDD-ID:	<b>BDTG00000587</b>
			Definition:	The information specifying details of the used identification scheme.
	<b>Identification scheme name</b>	0..1	SDD-ID:	<b>BDTG00000074</b>
			Definition:	The name of the identification scheme.
	<b>Identification scheme agency name</b>	0..1	SDD-ID:	<b>BDTG00000073</b>
			Definition:	The name of the agency responsible for a identification scheme.
	<b>Identification scheme responsible agency code</b>	0..1	SDD-ID:	<b>BDTG00000586</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
	<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID:	<b>BDTG00000583</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDTG00000028</b>
			Definition:	The version number of the code list.
	<b>Tax type code</b>	0..1	SDD-ID:	<b>BDTG00000328</b>
			Definition:	The code specifying the type of tax.
	<b>Tax type code content</b>	1..1	SDD-ID:	<b>BDTG00000576</b>
			Definition:	The code specifying the type of tax.
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDTG00000028</b>
			Definition:	The version number of the code list.
	<b>Tax description</b>	0..1	SDD-ID:	<b>BDTG00000322</b>
			Definition:	The description of the tax expressed as text.
	<b>Tax description content</b>	1..1	SDD-ID:	<b>BDTG00000754</b>
			Definition:	The description of the tax expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDTG00000524</b>
			Definition:	The code specifying the language.
			Example:	en

## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax registration type code	0..1	SDD-ID:	<b>BDTG00000327</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
	Tax registration type code content	1..1	SDD-ID:	<b>BDT00000588</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Organisation legal information	0..1	SDD-ID:	<b>BDTG00000262</b>
			Definition:	The information specifying details of a legal organisation.
	Organisation name	1..1	SDD-ID:	<b>BDT00000102</b>
			Definition:	The official and legal name of the organisation.
	Language of the party code	0..1	SDD-ID:	<b>BDTG00000228</b>
			Definition:	The code specifying the language of a party.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Currency of party code	0..1	SDD-ID:	<b>BDTG00000184</b>
			Definition:	The code specifying the currency of a party.
			Example:	EUR
			Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
	Currency of party code content	1..1	SDD-ID:	<b>BDT00000710</b>
			Definition:	The code specifying the currency of a party.
			Example:	EUR
			Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
			Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Official address	0..1	SDD-ID:	<b>BDTG00000246</b>
			Definition:	The registered legal address of the organisation.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	City name	0..1	SDD-ID: <b>BDT00000020</b> Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID: <b>BDT00000019</b> Definition:	The code specifying a city.
	Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition:	The street crossing another street.
	Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: P.O. box, postal box SDD-ID: <b>BDT00000114</b> Definition:	The code according to the relevant postal system or service to specify a geographical area.
	Province identity	0..1	Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode SDD-ID: <b>BDT00000117</b> Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: <b>BDT00000127</b> Definition:	The political unit that a country can be divided into.
	Street address one	0..1	Example: California SDD-ID: <b>BDT00000128</b> Definition:	The first street address line of a structured address.
	Street address two	0..1	Example: Avenue Louise 326 SDD-ID: <b>BDT00000130</b> Definition:	The second street address line of a structured address.
	Street address three	0..1	Example: Blue Tower SDD-ID: <b>BDT00000129</b> Definition:	The third street address line of a structured address.
	Country code	0..1	Example: Floor 4 SDD-ID: <b>BDTG00000179</b> Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID: <b>BDT00000774</b> Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: <b>BDTG00000214</b> Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: <b>BDT00000085</b> Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
	Longitude	1..1	Example: 23°26'12.2" S SDD-ID: <b>BDT00000089</b> Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and

## Order

Business data terms and groups		Usage	Business data terms and groups description	
				specifies the east-west position of a point on the Earth's surface.
	Issued capital	0..1	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000225</b> The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID: Definition:	<b>BDT00000655</b> The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000589</b> The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Legal structure description	0..1	SDD-ID: Definition:	<b>BDTG00000231</b> The description of the legal structure expressed as text.
	Legal structure description content	1..1	SDD-ID: Definition:	<b>BDT00000659</b> The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Registered legal information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000288</b> The information specifying the registered data on a legal entity in accordance with national law.
	Legal registration number	1..1	SDD-ID: Definition:	<b>BDT00000087</b> The identification number of an organisation according to a legal register.
	Legal registration additional information	0..1	SDD-ID: Definition:	<b>BDT00000086</b> The additional information related to the legal registration expressed as text.
	Legal registration type code	1..1	SDD-ID: Definition:	<b>BDTG00000230</b> The code specifying the type of legal registration.
	Legal registration type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000658</b> The code specifying the type of legal registration. LegalRegistrationCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>



## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Financial institution and financial account information</b>	0..1	Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG00000209</b>
<b>Financial institution name</b>	0..1	Definition:	The information specifying details of a financial institution and financial account.
		SDD-ID:	<b>BDT00000061</b>
<b>Financial institution division name</b>	0..1	Definition:	The name of a financial institution expressed as text.
		SDD-ID:	<b>BDT00000060</b>
		Definition:	The name of a division or branch within a financial institution expressed as text.
<b>Financial account information</b>	0..1	SDD-ID:	<b>BDTG00000207</b>
		Definition:	The information specifying details of a financial account.
<b>Financial account name</b>	0..1	SDD-ID:	<b>BDT00000058</b>
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
<b>Financial account number</b>	1..1	SDD-ID:	<b>BDT00000059</b>
		Definition:	The number of a financial account expressed as text.
<b>Financial account number type code</b>	1..1	SDD-ID:	<b>BDTG00000208</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
<b>Financial account number type code content</b>	1..1	SDD-ID:	<b>BDT00000645</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Financial institution routing number information</b>	0..1	SDD-ID:	<b>BDTG00000210</b>
		Definition:	The information specifying details on a routing number of a financial institution.
<b>Financial routing number</b>	1..1	SDD-ID:	<b>BDT00000062</b>
		Definition:	The routing number of a financial transaction according to the specified financial routing type.
		Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
<b>Financial routing number type code</b>	1..1	SDD-ID:	<b>BDTG00000211</b>
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
<b>Financial routing number type code content</b>	1..1	SDD-ID:	<b>BDT00000644</b>
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Additional financial institution description	0..1	SDD-ID:	<b>BDTG00000522</b>
			Definition:	The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID:	<b>BDT00000521</b>
			Definition:	The text value describing the additional financial institution.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California



Business data terms and groups		Usage	Business data terms and groups description	
<ul style="list-style-type: none"> <li>Street address one</li> <li>Street address two</li> <li>Street address three</li> <li>Country code</li> <li>Country code content</li> <li>Code list version</li> <li>Geographical coordinates information <ul style="list-style-type: none"> <li>Latitude</li> <li>Longitude</li> </ul> </li> </ul>		0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
		0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
		0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
		0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
		1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
		0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
		1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		1..1	Example: SDD-ID: Definition:	23°26'12.2" S <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		1..1	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000276</b> The information specifying the preferred manufacturer of a product.
Preferred manufacturer party information		0..1	Definition: Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
			Usage rule:	Used for orders placed at third party suppliers that may supply items from various manufacturers.
<ul style="list-style-type: none"> <li>Global location number GLN</li> <li>Additional party identification</li> <li>Additional party identification content</li> </ul>		0..1	SDD-ID: Definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
			Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
		0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
		1..1	SDD-ID:	<b>BDT00000578</b>

Business data terms and groups	Usage	Business data terms and groups description	
<b>Additional party identification type code</b>	1..1	Definition:	The additional identity of a party.
		SDD-ID:	<b>BDTG00000579</b>
<b>Additional party identification type code content</b>	1..1	Definition:	The code specifying the additional identification type of the party.
		SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Address information</b>	0..1	SDD-ID:	<b>BDTG00000144</b>
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.
<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
		Definition:	The code specifying a city.
<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
		Definition:	The code indicating a geographical region in a country.
<b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
		Definition:	The street crossing another street.
<b>Party name</b>	0..1	SDD-ID:	<b>BDT00000106</b>
		Definition:	The name of the party expressed as text.
<b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
<b>Postal code</b>	0..1	SDD-ID:	<b>BDT00000114</b>
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
<b>Province identity</b>	0..1	SDD-ID:	<b>BDT00000117</b>
		Definition:	The identity of a province according to national codes assigned to provinces.
<b>State</b>	0..1	SDD-ID:	<b>BDT00000127</b>
		Definition:	The political unit that a country can be divided into.
		Example:	California
<b>Street address one</b>	0..1	SDD-ID:	<b>BDT00000128</b>
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
<b>Street address two</b>	0..1	SDD-ID:	<b>BDT00000130</b>
		Definition:	The second street address line of a structured address.



## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Street address three</b>	0..1	Example:	Blue Tower
		SDD-ID:	<b>BDT00000129</b>
		Definition:	The third street address line of a structured address.
<b>Country code</b>	0..1	Example:	Floor 4
		SDD-ID:	<b>BDTG00000179</b>
		Definition:	The code specifying a country.
<b>Country code content</b>	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Geographical coordinates information</b>	0..1	SDD-ID:	<b>BDTG00000214</b>
		Definition:	The information specifying details on a location using geographical coordinates.
<b>Latitude</b>	1..1	SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
<b>Longitude</b>	1..1	Example:	23°26'12.2" S
		SDD-ID:	<b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
<b>Business contact information</b>	0..unbounded	Example:	18°3'59.0616"
		SDD-ID:	<b>BDTG00000158</b>
		Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
<b>Person name</b>	0..1	SDD-ID:	<b>BDT00000112</b>
		Definition:	The name of an individual person expressed as text.
<b>Department name</b>	0..1	SDD-ID:	<b>BDT00000044</b>
		Definition:	The name of the department.
<b>Job title</b>	0..1	SDD-ID:	<b>BDT00000083</b>
		Definition:	The title of a position or the role of a person holding the position.
<b>Contact type code</b>	0..1	SDD-ID:	<b>BDTG00000178</b>
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:ContactTypeCode</a>
<b>Contact type code content</b>	1..1	SDD-ID:	<b>BDT00000571</b>
		Definition:	The code specifying the function or role of a contact person.
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Business contact responsibility description</b>	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
<b>Business contact responsibility description content</b>	1..1	SDD-ID:	<b>BDT00000580</b>
		Definition:	The description of the responsibility of a business contact such as a person or a

## Order

Business data terms and groups		Usage	Business data terms and groups description	
				department expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDTG00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDTG00000028</b> The version number of the code list.
	Communication information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDTG00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDTG00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDTG00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDTG00000033</b> The name of a communication channel expressed as text.
	After hours communication information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000145</b> The information specifying details of communication channels to use after regular business hours.
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDTG00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID:	<b>BDTG00000028</b>

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	<b>BDT00000032</b>
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>
		Definition:	The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID:	<b>BDTG00000326</b>
		Definition:	The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID:	<b>BDT00000369</b>
		Definition:	The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID:	<b>BDTG00000585</b>
		Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID:	<b>BDT00000584</b>
		Definition:	The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax description	0..1	SDD-ID:	<b>BDTG00000322</b>
		Definition:	The description of the tax expressed as text.
Tax description content	1..1	SDD-ID:	<b>BDT00000754</b>
		Definition:	The description of the tax expressed as text.

## Order

Business data terms and groups	Usage	Business data terms and groups description	
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax registration type code	0..1	SDD-ID:	<b>BDTG00000327</b>
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
Tax registration type code content	1..1	SDD-ID:	<b>BDT00000588</b>
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Organisation legal information	0..1	SDD-ID:	<b>BDTG00000262</b>
		Definition:	The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID:	<b>BDT00000102</b>
		Definition:	The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID:	<b>BDTG00000228</b>
		Definition:	The code specifying the language of a party.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Currency of party code	0..1	SDD-ID:	<b>BDTG00000184</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID:	<b>BDT00000710</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The version number of the code list.
	Official address	0..1	SDD-ID:	<b>BDTG00000246</b>
			Definition:	The registered legal address of the organisation.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Longitude</b>	1..1	Definition: Example: SDD-ID: Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. 23°26'12.2" S <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
	<b>Issued capital</b>	0..1	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000225</b> The monetary amount representing the value of the issued capital of a company.
	<b>Issued capital content</b>	1..1	SDD-ID: Definition:	<b>BDT00000655</b> The monetary amount representing the issued capital of a company.
	<b>Currency code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
	<b>Currency code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000589</b> The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Legal structure description</b>	0..1	SDD-ID: Definition:	<b>BDTG00000231</b> The description of the legal structure expressed as text.
	<b>Legal structure description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000659</b> The description of the legal structure expressed as text.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Registered legal information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000288</b> The information specifying the registered data on a legal entity in accordance with national law.
	<b>Legal registration number</b>	1..1	SDD-ID: Definition:	<b>BDT00000087</b> The identification number of an organisation according to a legal register.
	<b>Legal registration additional information</b>	0..1	SDD-ID: Definition:	<b>BDT00000086</b> The additional information related to the legal registration expressed as text.
	<b>Legal registration type code</b>	1..1	SDD-ID: Definition:	<b>BDTG00000230</b> The code specifying the type of legal registration.
	<b>Legal registration type code content</b>	1..1	SDD-ID:	<b>BDT00000658</b>

## Order

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
		Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID:	<b>BDT00000061</b>
		Definition:	The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID:	<b>BDT00000060</b>
		Definition:	The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID:	<b>BDTG00000207</b>
		Definition:	The information specifying details of a financial account.
Financial account name	0..1	SDD-ID:	<b>BDT00000058</b>
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
Financial account number	1..1	SDD-ID:	<b>BDT00000059</b>
		Definition:	The number of a financial account expressed as text.
Financial account number type code	1..1	SDD-ID:	<b>BDTG00000208</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
Financial account number type code content	1..1	SDD-ID:	<b>BDT00000645</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Financial institution routing number information	0..1	SDD-ID:	<b>BDTG00000210</b>
		Definition:	The information specifying details on a routing number of a financial institution.
Financial routing number	1..1	SDD-ID:	<b>BDT00000062</b>
		Definition:	The routing number of a financial transaction according to the specified financial routing type.
		Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
Financial routing number type code	1..1	SDD-ID:	<b>BDTG00000211</b>
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Financial routing number type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000644</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Additional financial institution description	0..1	SDD-ID: Definition:	<b>BDTG00000522</b> The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID: Definition:	<b>BDT00000521</b> The text value describing the additional financial institution.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Address information	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	Party name	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
	Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
			Example: Synonyms:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode



## Order

Business data terms and groups	Usage	Business data terms and groups description	
Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	<b>BDT00000127</b>
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Ultimate customer delivery information	0..1	SDD-ID:	<b>BDTG00000356</b>
		Definition:	The information specifying delivery details of the party that is the ultimate customer of ordered products or services.
Delivery method code	0..1	SDD-ID:	<b>BDTG00000762</b>
		Definition:	The code specifying the method of delivery.
Delivery method code content	0..1	SDD-ID:	<b>BDT00000043</b>
		Definition:	The code specifying the method of delivery.
		Used code list:	DeliveryMethodCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DeliveryMethodCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DeliveryMethodCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Ultimate customer party information	0..1	SDD-ID:	<b>BDTG00000357</b>



Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The information specifying the ultimate customer.
			Usage:	to be discussed later: Used if the ultimate receiver of the goods is different from Ultimate consignee.
				To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
	<b>Global location number GLN</b>	0..1	SDD-ID:	<b>BDT00000063</b>
			Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
			Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	<b>Additional party identification information</b>	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
			Definition:	The information specifying the additional identification details of a party.
			Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	<b>Additional party identification content</b>	1..1	SDD-ID:	<b>BDT00000578</b>
			Definition:	The additional identity of a party.
	<b>Additional party identification type code</b>	1..1	SDD-ID:	<b>BDTG00000579</b>
			Definition:	The code specifying the additional identification type of the party.
	<b>Additional party identification type code content</b>	1..1	SDD-ID:	<b>BDT00000570</b>
			Definition:	The code specifying the additional identification type of the party.
			Used code list:	AdditionalPartyIdentificationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Address information</b>	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	<b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	<b>Party name</b>	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	<b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Postal code</b>	0..1	Synonyms: SDD-ID: Definition: Example: Synonyms:	other postal service location. P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area. SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode
	<b>Province identity</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000117</b> The identity of a province according to national codes assigned to provinces. California
	<b>State</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
	<b>Street address one</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
	<b>Street address two</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
	<b>Street address three</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
	<b>Country code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
	<b>Country code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Geographical coordinates information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
	<b>Latitude</b>	1..1	SDD-ID: Definition: Example:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. 23°26'12.2" S
	<b>Longitude</b>	1..1	SDD-ID: Definition: Example:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. 18°3'59.0616"
	<b>Business contact information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
	<b>Person name</b>	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
	<b>Department name</b>	0..1	SDD-ID:	<b>BDT00000044</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Job title</b>	0..1	Definition: SDD-ID:	The name of the department. <b>BDT00000083</b>
	<b>Contact type code</b>	0..1	Definition: SDD-ID:	The title of a position or the role of a person holding the position. <b>BDTG00000178</b>
	<b>Contact type code content</b>	1..1	Definition: Used code list: Link to code list:	The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Business contact responsibility description</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Business contact responsibility description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
	<b>Communication channel code</b>	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Communication channel code content</b>	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Communication channel identification</b>	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Communication channel name</b>	0..1	SDD-ID: Definition:	mail address, expressed as text. <b>BDT00000033</b> The name of a communication channel expressed as text.
	<b>After hours communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000145</b> The information specifying details of communication channels to use after regular business hours.
	<b>Communication channel code</b>	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Communication channel code content</b>	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Communication channel identification</b>	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	<b>Communication channel name</b>	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	<b>Tax registration information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000326</b> The information specifying details of a party registered for tax.
	<b>Tax authority name</b>	0..1	SDD-ID: Definition:	<b>BDT00000369</b> The name of the authority administering the collection of taxes expressed as text.
	<b>Tax registration identification information</b>	1..1	SDD-ID: Definition:	<b>BDTG00000585</b> The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
	<b>Tax registration identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000584</b> The identity assigned to a party registered for tax according to a national tax register.
	<b>Identification scheme information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
	<b>Identification scheme name</b>	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
	<b>Identification scheme agency name</b>	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
	<b>Identification scheme responsible agency code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
	<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: Definition: Used code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode

## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
			Definition:	The code specifying the type of tax.
	Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
			Definition:	The code specifying the type of tax.
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax description	0..1	SDD-ID:	<b>BDTG00000322</b>
			Definition:	The description of the tax expressed as text.
	Tax description content	1..1	SDD-ID:	<b>BDT00000754</b>
			Definition:	The description of the tax expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax registration type code	0..1	SDD-ID:	<b>BDTG00000327</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
	Tax registration type code content	1..1	SDD-ID:	<b>BDT00000588</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Organisation legal information	0..1	SDD-ID:	<b>BDTG00000262</b>
			Definition:	The information specifying details of a legal organisation.
	Organisation name	1..1	SDD-ID:	<b>BDT00000102</b>
			Definition:	The official and legal name of the organisation.
	Language of the party code	0..1	SDD-ID:	<b>BDTG00000228</b>
			Definition:	The code specifying the language of a party.

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Currency of party code	0..1	SDD-ID: Definition: Example: Used code list:	<b>BDTG00000184</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax.
	Currency of party code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000710</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Official address	0..1	SDD-ID: Definition:	<b>BDTG00000246</b> The registered legal address of the organisation.
	County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
	Province identity	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Issued capital	0..1	SDD-ID:	<b>BDTG00000225</b>
			Definition:	The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID:	<b>BDT00000655</b>
			Definition:	The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
			Definition:	The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Legal structure description	0..1	SDD-ID:	<b>BDTG00000231</b>
			Definition:	The description of the legal structure expressed as text.
	Legal structure description content	1..1	SDD-ID:	<b>BDT00000659</b>
			Definition:	The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Registered legal information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000288</b> The information specifying the registered data on a legal entity in accordance with national law.
	Legal registration number	1..1	SDD-ID: Definition:	<b>BDT00000087</b> The identification number of an organisation according to a legal register.
	Legal registration additional information	0..1	SDD-ID: Definition:	<b>BDT00000086</b> The additional information related to the legal registration expressed as text.
	Legal registration type code	1..1	SDD-ID: Definition:	<b>BDTG00000230</b> The code specifying the type of legal registration.
	Legal registration type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000658</b> The code specifying the type of legal registration. LegalRegistrationCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Financial institution and financial account information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000209</b> The information specifying details of a financial institution and financial account.
	Financial institution name	0..1	SDD-ID: Definition:	<b>BDT00000061</b> The name of a financial institution expressed as text.
	Financial institution division name	0..1	SDD-ID: Definition:	<b>BDT00000060</b> The name of a division or branch within a financial institution expressed as text.
	Financial account information	0..1	SDD-ID: Definition:	<b>BDTG00000207</b> The information specifying details of a financial account.
	Financial account name	0..1	SDD-ID: Definition: Example:	<b>BDT00000058</b> The name of a financial account expressed as text. John Doe
	Financial account number	1..1	SDD-ID: Definition:	<b>BDT00000059</b> The number of a financial account expressed as text.
	Financial account number type code	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000208</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Financial account number type code content	1..1	SDD-ID: Definition:	<b>BDT00000645</b> The code specifying the type of a financial account number.

## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Financial institution routing number information	0..1	SDD-ID:	<b>BDTG00000210</b>
			Definition:	The information specifying details on a routing number of a financial institution.
	Financial routing number	1..1	SDD-ID:	<b>BDT00000062</b>
			Definition:	The routing number of a financial transaction according to the specified financial routing type.
			Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
	Financial routing number type code	1..1	SDD-ID:	<b>BDTG00000211</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Financial routing number type code content	1..1	SDD-ID:	<b>BDT00000644</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Additional financial institution description	0..1	SDD-ID:	<b>BDTG00000522</b>
			Definition:	The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID:	<b>BDT00000521</b>
			Definition:	The text value describing the additional financial institution.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S



## Order

Business data terms and groups	Usage	Business data terms and groups description	
└─ <b>Longitude</b>	1..1	SDD-ID: <b>BDT00000089</b> Definition: The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. Example: 18°3'59.0616"	
└─ <b>Delivery date according to schedule</b>	0..1	SDD-ID: <b>BDTG00000186</b> Definition: The date of delivery corresponds to previously agreed delivery schedule.	
└─ <b>Date</b>	0..1	SDD-ID: <b>BDT00000040</b> Definition: The day of a year as a calendar date. Example: 2020-06-15	
└─ <b>Time</b>	0..1	SDD-ID: <b>BDT00000133</b> Definition: The indication of a point in time. Example: 08:01:15	
└─ <b>Latest delivery date</b>	0..1	SDD-ID: <b>BDTG00000229</b> Definition: The last accepted delivery date. Context: Using "BDT00000133 Time" in this BDT group means the last point in time for delivery is stated.	
└─ <b>Date</b>	1..1	SDD-ID: <b>BDT00000040</b> Definition: The day of a year as a calendar date. Example: 2020-06-15	
└─ <b>Time</b>	0..1	SDD-ID: <b>BDT00000133</b> Definition: The indication of a point in time. Example: 08:01:15	
└─ <b>Order packaging instructions information</b>	0..1		
└─ <b>Business unit information</b>	0..unbounded	SDD-ID: <b>BDTG00000160</b> Definition: The information specifying details of a business unit of the company.	
└─ <b>Global location number GLN</b>	0..1	SDD-ID: <b>BDT00000063</b> Definition: The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. Ref. definition: GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.	
└─ <b>Business unit name</b>	0..1	SDD-ID: <b>BDT00000076</b> Definition: The name of the business unit.	
└─ <b>Business unit type code</b>	1..1	SDD-ID: <b>BDTG00000361</b> Definition: The code specifying a business unit type of a company.	
└─ <b>Business unit type code content</b>	1..1	SDD-ID: <b>BDT00000582</b> Definition: The code specifying a business unit type of a company. Used code list: AdministrativeUnitTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdministrativeUnitTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdministrativeUnitTypeCode</a>	
└─ <b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
└─ <b>Accepted over allocation</b>	0..1	SDD-ID: <b>BDTG00000139</b>	

## Order

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The accepted additional quantity or percentage of the originally ordered quantity of a trade item.
Over allocation percentage	0..1	SDD-ID:	<b>BDT00000103</b>
		Definition:	The percentage of the original ordered quantity for the trade item that can be added to the order.
		Example:	7
Over allocation quantity	0..1	SDD-ID:	<b>BDTG00000263</b>
		Definition:	The quantity that can be added to the ordered quantity of a trade item.
Over allocation quantity content	1..1	SDD-ID:	<b>BDT00000415</b>
		Definition:	The quantity of the over allocation.
Measurement unit code	0..1	SDD-ID:	<b>BDTG00000608</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID:	<b>BDT00000607</b>
		Definition:	The code specifying the unambiguous representation of a unit of measure.
		Used code list:	MeasurementUnitCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Returnable asset identification information	0..1	SDD-ID:	<b>BDTG00000302</b>
		Definition:	The information specifying the identity of a returnable asset.
		Context:	To be used if the buyer (issuer of the order) require the ordered trade items to be loaded on a specific type of returnable asset.
		Usage:	To identify a returnable asset, either of "BDT00000065 Global returnable asset identifier, GRAI" or "BDT00000743 Additional returnable asset identification content" is used, or both.
Global returnable asset identifier, GRAI	0..1	SDD-ID:	<b>BDT00000065</b>
		Definition:	The identity according to the GS1 identification system for unique identification of returnable assets and including an optional serial number.
		Example:	GRAI: 07300015200154 GRAI including a serial number: 07300015200154000000000356
Additional returnable asset identification information	0..unbounded	SDD-ID:	<b>BDTG00000304</b>
		Definition:	The information specifying the additional identification details of a returnable asset.
		Usage:	The identity is specified by another identification system than the GS1 Global returnable asset identifier GRAI. If used then one or more secondary identities of the returnable asset can be given in addition to or instead of a GS1 Global returnable asset identifier GRAI.
Additional returnable asset identification content	1..1	SDD-ID:	<b>BDT00000743</b>
		Definition:	The additional identity of a returnable asset.
Additional returnable asset identification type code	0..unbounded	SDD-ID:	<b>BDTG00000363</b>
		Definition:	The code specifying the type of additional identifier for a returnable asset.
		Example:	OWNER_ASSIGNED
		Used code list:	AdditionalReturnableAssetIdentificationTypeCode



Business data terms and groups		Usage	Business data terms and groups description	
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalReturnableAssetIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalReturnableAssetIdentificationTypeCode</a>
	Additional returnable asset identification type code content	1..1	SDD-ID:	<b>BDT00000514</b>
			Definition:	The additional returnable asset identification type.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Sale of tobacco products information	0..1	SDD-ID:	<b>BDTG00000204</b>
			Definition:	Information specifying details on ordered and delivered tobacco and related products.
			Usage:	The business data term group must be used when the EU regulation 2018/574 is to be applied.
	Aggregated level of package unique identity	0..unbounded	SDD-ID:	<b>BDT00000005</b>
			Definition:	The unique identifier of a group of trade items as a serialised GS1 global trade item number, SGTIN, or the unique identifier of a logistic unit as a serial shipping container code, SSCC, in accordance with EU regulation 2018/574.
			Business rule:	Mandatory to use if code "2" or "3" is entered for the business data term group "BDTG00000161 EU unique identifier type code".
			Usage rule:	The serial number of the GS1 serialised global trade item number, SGTIN, is brand owner controlled.
			Example:	Example SGTIN: 073324022659101234567890 (GTIN: 07332402265910 Serial number: 1234567890) Example SGTIN as data string in an EPC RFID chip: 2.73324022.6591.1234567890 Example SSCC: 173324022687654329
	Unit pack unique identifier upUI	0..unbounded	SDD-ID:	<b>BDT00000136</b>
			Definition:	The unique trade item unit identifier as a serialised extension of Global Trade Item Number, GTIN.
			Usage rule:	The serialised extension of the unique trade item unit identifier is to be issued by a third party authorized by a national authority in an EU member state when the EU regulation 2018/574 is to be applied.
	EU unique identifier type code	1..1	SDD-ID:	<b>BDTG00000161</b>
			Definition:	The code specifying which type of EU unique identifier are used in a list of unique identified trade item units.
			Usage:	A list can contain the EU unique identifier for trade item units either as a) unit pack unique identifiers, upUI, or b) aggregated level unique identifiers, aUI. A list can contain also both types of the EU unique identifiers.
			Synonyms:	EU unique identifier type code
	European Union unique identifier type code content	1..1	SDD-ID:	<b>BDT00000643</b>
			Definition:	The code specifying which type of EU unique identifier are used in a list of unique identified trade item units.
			Example:	3
			Used code list:	EuUniqueIDTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:EuUniqueIDTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:EuUniqueIDTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>



Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The version number of the code list.
<b>Referenced promotional deal information</b>	0..1	SDD-ID:	<b>BDTG00000283</b>
		Definition:	The information specifying the details of a reference to a promotional deal agreement for a trade item.
<b>Entity identification</b>	1..1	SDD-ID:	<b>BDT00000056</b>
		Definition:	The identity of an entity such as a document or an object.
<b>Business document creation date time</b>	0..1	SDD-ID:	<b>BDT00000047</b>
		Definition:	The date and optional time when the business document was issued.
<b>Revision number</b>	0..1	SDD-ID:	<b>BDT00000119</b>
		Definition:	The number assigned to a specific release of a document to keep track of changes and updates between revisions.
<b>Document line number</b>	0..1	SDD-ID:	<b>BDT00000049</b>
		Definition:	The sequence number of a line within the business document.
<b>Referenced document external location</b>	0..1	SDD-ID:	<b>BDT00000118</b>
		Definition:	The external location of the referenced document expressed as an uniform resource locator.
		Usage:	The external location can be an internet address to a document stored in a server on the internet.
<b>Document content owner</b>	0..1	SDD-ID:	<b>BDTG00000196</b>
		Definition:	The information specifying the party that is responsible for the content of a document.
<b>Global location number GLN</b>	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<b>Additional party identification information</b>	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<b>Additional party identification content</b>	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
<b>Additional party identification type code</b>	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
<b>Additional party identification type code content</b>	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Referenced purchase conditions information</b>	0..1	SDD-ID:	<b>BDTG00000284</b>





Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The information specifying the details of a reference to an agreement of purchase conditions for a trade item.
— <b>Entity identification</b>	1..1	SDD-ID:	<b>BDT00000056</b>
		Definition:	The identity of an entity such as a document or an object.
— <b>Business document creation date time</b>	0..1	SDD-ID:	<b>BDT00000047</b>
		Definition:	The date and optional time when the business document was issued.
— <b>Revision number</b>	0..1	SDD-ID:	<b>BDT00000119</b>
		Definition:	The number assigned to a specific release of a document to keep track of changes and updates between revisions.
— <b>Document line number</b>	0..1	SDD-ID:	<b>BDT00000049</b>
		Definition:	The sequence number of a line within the business document.
— <b>Referenced document external location</b>	0..1	SDD-ID:	<b>BDT00000118</b>
		Definition:	The external location of the referenced document expressed as an uniform resource locator.
		Usage:	The external location can be an internet address to a document stored in a server on the internet.
— <b>Document content owner</b>	0..1	SDD-ID:	<b>BDTG00000196</b>
		Definition:	The information specifying the party that is responsible for the content of a document.
— <b>Global location number GLN</b>	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
— <b>Additional party identification information</b>	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
— <b>Additional party identification content</b>	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
— <b>Additional party identification type code</b>	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
— <b>Additional party identification type code content</b>	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
— <b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
— <b>Referenced material specification information</b>	0..1	SDD-ID:	<b>BDTG00000282</b>
		Definition:	The information specifying the details of a reference to a material specification.
— <b>Entity identification</b>	1..1	SDD-ID:	<b>BDT00000056</b>





Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The identity of an entity such as a document or an object.
Business document creation date time	0..1	SDD-ID:	<b>BDT00000047</b>
		Definition:	The date and optional time when the business document was issued.
Revision number	0..1	SDD-ID:	<b>BDT00000119</b>
		Definition:	The number assigned to a specific release of a document to keep track of changes and updates between revisions.
Document line number	0..1	SDD-ID:	<b>BDT00000049</b>
		Definition:	The sequence number of a line within the business document.
Referenced document external location	0..1	SDD-ID:	<b>BDT00000118</b>
		Definition:	The external location of the referenced document expressed as an uniform resource locator.
		Usage:	The external location can be an internet address to a document stored in a server on the internet.
Document content owner	0..1	SDD-ID:	<b>BDTG00000196</b>
		Definition:	The information specifying the party that is responsible for the content of a document.
Global location number GLN	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Referenced contract information	0..1	SDD-ID:	<b>BDTG00000279</b>
		Definition:	The information specifying the details of a reference to a contract.
Entity identification	1..1	SDD-ID:	<b>BDT00000056</b>
		Definition:	The identity of an entity such as a document or an object.
Business document creation date time	0..1	SDD-ID:	<b>BDT00000047</b>
		Definition:	The date and optional time when the business document was issued.



Business data terms and groups	Usage	Business data terms and groups description	
Revision number	0..1	SDD-ID: Definition:	<b>BDT00000119</b> The number assigned to a specific release of a document to keep track of changes and updates between revisions.
Referenced document external location	0..1	SDD-ID: Definition: Usage:	<b>BDT00000118</b> The external location of the referenced document expressed as an uniform resource locator. The external location can be an internet address to a document stored in a server on the internet.
Document line number	0..1	SDD-ID: Definition:	<b>BDT00000049</b> The sequence number of a line within the business document.
Document content owner	0..1	SDD-ID: Definition:	<b>BDTG00000196</b> The information specifying the party that is responsible for the content of a document.
Global location number GLN	0..1	SDD-ID: Definition: Ref. definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
Additional party identification type code	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Referenced despatch advice information	0..1	SDD-ID: Definition:	<b>BDTG00000281</b> The information specifying the details of a reference to a despatch advice.
Entity identification	1..1	SDD-ID: Definition:	<b>BDT00000056</b> The identity of an entity such as a document or an object.
Business document creation date time	0..1	SDD-ID: Definition:	<b>BDT00000047</b> The date and optional time when the business document was issued.
Revision number	0..1	SDD-ID: Definition:	<b>BDT00000119</b> The number assigned to a specific release of a document to keep track of changes and updates between revisions.



## Order

Business data terms and groups	Usage	Business data terms and groups description	
Document line number	0..1	SDD-ID: <b>BDT00000049</b>	Definition: The sequence number of a line within the business document.
Referenced document external location	0..1	SDD-ID: <b>BDT00000118</b>	Definition: The external location of the referenced document expressed as an uniform resource locator. Usage: The external location can be an internet address to a document stored in a server on the internet.
Document content owner	0..1	SDD-ID: <b>BDTG00000196</b>	Definition: The information specifying the party that is responsible for the content of a document.
Global location number GLN	0..1	SDD-ID: <b>BDT00000063</b>	Definition: The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. Ref. definition: GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID: <b>BDTG00000577</b>	Definition: The information specifying the additional identification details of a party. Usage: The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID: <b>BDT00000578</b>	Definition: The additional identity of a party.
Additional party identification type code	1..1	SDD-ID: <b>BDTG00000579</b>	Definition: The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID: <b>BDT00000570</b>	Definition: The code specifying the additional identification type of the party. Used code list: AdditionalPartyIdentificationTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b>	Definition: The version number of the code list.
Referenced customer document information	0..1	SDD-ID: <b>BDTG00000280</b>	Definition: The information specifying the details of a reference to a customer document.
Entity identification	1..1	SDD-ID: <b>BDT00000056</b>	Definition: The identity of an entity such as a document or an object.
Business document creation date time	0..1	SDD-ID: <b>BDT00000047</b>	Definition: The date and optional time when the business document was issued.
Revision number	0..1	SDD-ID: <b>BDT00000119</b>	Definition: The number assigned to a specific release of a document to keep track of changes and updates between revisions.
Document line number	0..1	SDD-ID: <b>BDT00000049</b>	Definition: The sequence number of a line within the business document.
Referenced document external location	0..1	SDD-ID: <b>BDT00000118</b>	



Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The external location of the referenced document expressed as an uniform resource locator.
		Usage:	The external location can be an internet address to a document stored in a server on the internet.
<b>Document content owner</b>	0..1	SDD-ID:	<b>BDTG00000196</b>
		Definition:	The information specifying the party that is responsible for the content of a document.
<b>Global location number GLN</b>	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<b>Additional party identification information</b>	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<b>Additional party identification content</b>	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
<b>Additional party identification type code</b>	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
<b>Additional party identification type code content</b>	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Applicable tax information</b>	0..1	SDD-ID:	<b>BDTG00000254</b>
		Definition:	The information specifying the details of the applicable tax.
<b>Tax authority name</b>	0..1	SDD-ID:	<b>BDT00000369</b>
		Definition:	The name of the authority administering the collection of taxes expressed as text.
<b>Tax category code</b>	0..1	SDD-ID:	<b>BDTG00000321</b>
		Definition:	The code specifying the category of a tax.
<b>Tax category code content</b>	1..1	SDD-ID:	<b>BDT00000537</b>
		Definition:	The code specifying the category of a tax.
		Used code list:	TaxCategoryCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:TaxCategoryCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:TaxCategoryCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax rate</b>	0..1	SDD-ID:	<b>BDT00000371</b>
		Definition:	The rate of the tax expressed in percentages.

## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Tax point date</b>	0..1	Usage: SDD-ID: Definition: Usage rule:	The tax rate is used to calculate the tax monetary amount. <b>BDT00000377</b> The date on which the tax applicable for the sales transaction is due or calculated. BDT00000766 and BDT00000377 are mutually exclusive
<b>Tax accounting currency code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000365</b> The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices.
<b>Tax accounting currency code content</b>	1..1	SDD-ID: Definition: Used code list:	<b>BDT00000538</b> The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices. ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Taxable monetary amount</b>	0..1	SDD-ID: Definition: Usage:	<b>BDTG00000329</b> The monetary amount used for calculating the tax amount. The taxable monetary amount is used for calculating the tax amount for a specific tax type, tax category and tax rate.
<b>Taxable monetary amount content</b>	1..1	SDD-ID: Definition:	<b>BDT00000559</b> The monetary amount used for calculating the tax amount.
<b>Currency code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000589</b> The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Tax monetary amount</b>	0..1	SDD-ID: Definition:	<b>BDTG00000367</b> The monetary amount of the tax.
<b>Tax monetary amount content</b>	1..1	SDD-ID: Definition:	<b>BDT00000562</b> The monetary amount of the tax.
<b>Currency code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000590</b> The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000589</b> The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Tax monetary amount in accounting currency</b>	0..1	SDD-ID:	<b>BDTG00000368</b>

## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Tax monetary amount in accounting currency content</b>	1..1	Definition:	The tax monetary amount expressed in the accounting currency.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDT00000561</b>
<b>Currency code content</b>	1..1	Definition:	The tax monetary amount expressed in the accounting currency.
<b>Code list version</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
<b>Taxable monetary amount in accounting currency</b>	0..1	Definition:	The code specifying the currency of a monetary amount.
<b>Taxable monetary amount in accounting currency content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
<b>Currency code</b>	0..1	Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	Example:	EUR
<b>Code list version</b>	0..1	Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Tax description</b>	0..1	SDD-ID:	<b>BDT00000028</b>
<b>Tax description content</b>	1..1	Definition:	The version number of the code list.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000366</b>
<b>Language code content</b>	1..1	Definition:	The taxable monetary amount expressed in the accounting currency.
<b>Code list version</b>	0..1	Usage:	The taxable monetary amount in accounting currency is used when the taxable monetary amount is expressed in another currency than the currency used for the accounting system. The taxable monetary amount in accounting currency is normally important only for the issuer of the business transaction.
<b>Tax exemption reason description</b>	0..1	SDD-ID:	<b>BDT00000560</b>
		Definition:	The taxable monetary amount expressed in the accounting currency.
		SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
		SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG00000322</b>
		Definition:	The description of the tax expressed as text.
		SDD-ID:	<b>BDT00000754</b>
		Definition:	The description of the tax expressed as text.
		SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
		SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG00000324</b>



## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Tax exemption reason description content</b>	1..1	Definition:	The description of the reason for exemption of tax expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDT00000574</b>
<b>Language code content</b>	1..1	Definition:	The description of the reason for exemption of tax expressed as text.
<b>Code list version</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
<b>Tax exemption reason code</b>	0..1	Definition:	The code specifying the language.
<b>Tax exemption reason code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
<b>Code list version</b>	0..1	Definition:	The code specifying the language.
<b>Tax type code</b>	0..1	Example:	en
<b>Tax type code content</b>	1..1	Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
<b>Applicable customs duty information</b>	0..1	Definition:	The version number of the code list.
<b>Duty regime type code</b>	0..1	SDD-ID:	<b>BDTG00000323</b>
<b>Contact type code content</b>	1..1	Definition:	The code specifying the reason for exemption of tax.
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000575</b>
<b>Customs authority name</b>	0..1	Definition:	The code specifying the reason for exemption of tax.
		Used code list:	DutyFeeTaxExemptionReasonCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxExemptionReasonCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxExemptionReasonCode</a>
		SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG00000328</b>
		Definition:	The code specifying the type of tax.
		SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
		SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG00000379</b>
		Definition:	The information specifying the details of the applicable customs duty.
		SDD-ID:	<b>BDTG00000777</b>
		Definition:	Code specifying a type of duty regime.
		Used code list:	EDIFACT 9213 code list
		Link to code list:	<a href="http://apps.gs1.org/GDD/bms/EANCOM/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:9213DutyRegimeTypeCode&amp;release=2">http://apps.gs1.org/GDD/bms/EANCOM/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:9213DutyRegimeTypeCode&amp;release=2</a>
		SDD-ID:	<b>BDT00000571</b>
		Definition:	The code specifying the function or role of a contact person.
		SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
		SDD-ID:	<b>BDT00000370</b>
		Definition:	The name of the authority administrating the collection of duties, taxes and fees at a



Business data terms and groups	Usage	Business data terms and groups description
		country border expressed as text.
<b>Tax category code</b>	0..1	SDD-ID: <b>BDTG00000321</b> Definition: The code specifying the category of a tax.
<b>Tax category code content</b>	1..1	SDD-ID: <b>BDT00000537</b> Definition: The code specifying the category of a tax. Used code list: TaxCategoryCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:TaxCategoryCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:TaxCategoryCode</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Customs duty rate</b>	0..1	SDD-ID: <b>BDT00000374</b> Definition: The rate of the customs duty. Usage: The rate used when calculating the monetary amount of a duty.
<b>Tax point date</b>	0..1	SDD-ID: <b>BDT00000377</b> Definition: The date on which the tax applicable for the sales transaction is due or calculated. Usage rule: BDT00000766 and BDT00000377 are mutually exclusive
<b>Tax accounting currency code</b>	0..1	SDD-ID: <b>BDTG00000365</b> Definition: The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices.
<b>Tax accounting currency code content</b>	1..1	SDD-ID: <b>BDT00000538</b> Definition: The code specifying the currency used for tax accounting and reporting purposes as accepted or required in the country of the receiver of invoices. Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Taxable monetary amount</b>	0..1	SDD-ID: <b>BDTG00000329</b> Definition: The monetary amount used for calculating the tax amount. Usage: The taxable monetary amount is used for calculating the tax amount for a specific tax type, tax category and tax rate.
<b>Taxable monetary amount content</b>	1..1	SDD-ID: <b>BDT00000559</b> Definition: The monetary amount used for calculating the tax amount.
<b>Currency code</b>	0..1	SDD-ID: <b>BDTG00000590</b> Definition: The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID: <b>BDT00000589</b> Definition: The code specifying the currency of a monetary amount. Example: EUR Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Tax monetary amount in accounting currency</b>	0..1	SDD-ID: <b>BDTG00000368</b> Definition: The tax monetary amount expressed in the accounting currency.



## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Tax monetary amount in accounting currency content</b>	1..1	SDD-ID:	<b>BDT00000561</b>
		Definition:	The tax monetary amount expressed in the accounting currency.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Taxable monetary amount in accounting currency</b>	0..1	SDD-ID:	<b>BDTG00000366</b>
		Definition:	The taxable monetary amount expressed in the accounting currency.
		Usage:	The taxable monetary amount in accounting currency is used when the taxable monetary amount is expressed in another currency than the currency used for the accounting system. The taxable monetary amount in accounting currency is normally important only for the issuer of the business transaction.
<b>Taxable monetary amount in accounting currency content</b>	1..1	SDD-ID:	<b>BDT00000560</b>
		Definition:	The taxable monetary amount expressed in the accounting currency.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax monetary amount</b>	0..1	SDD-ID:	<b>BDTG00000367</b>
		Definition:	The monetary amount of the tax.
<b>Tax monetary amount content</b>	1..1	SDD-ID:	<b>BDT00000562</b>
		Definition:	The monetary amount of the tax.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax description</b>	0..1	SDD-ID:	<b>BDTG00000322</b>
		Definition:	The description of the tax expressed as text.

## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Tax description content</b>	1..1	SDD-ID:	<b>BDT00000754</b>
		Definition:	The description of the tax expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Customs duty description</b>	0..1	SDD-ID:	<b>BDTG00000378</b>
		Definition:	The description of the customs duty expressed as text.
<b>Customs duty description content</b>	1..1	SDD-ID:	<b>BDT00000563</b>
		Definition:	The description of the customs duty expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Customs duty and import tax monetary amount</b>	0..1	SDD-ID:	<b>BDTG00000373</b>
		Definition:	The monetary amount for customs duty and import tax.
<b>Customs duty and import tax monetary amount content</b>	1..1	SDD-ID:	<b>BDT00000564</b>
		Definition:	The monetary amount for customs duty and import tax.
<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Country code</b>	0..1	SDD-ID:	<b>BDTG00000179</b>
		Definition:	The code specifying a country.
<b>Country code content</b>	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.

## Order

Business data terms and groups	Usage	Business data terms and groups description	
<b>Tax exemption reason description</b>	0..1	SDD-ID:	<b>BDTG00000324</b>
		Definition:	The description of the reason for exemption of tax expressed as text.
<b>Tax exemption reason description content</b>	1..1	SDD-ID:	<b>BDT00000574</b>
		Definition:	The description of the reason for exemption of tax expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax exemption reason code</b>	0..1	SDD-ID:	<b>BDTG00000323</b>
		Definition:	The code specifying the reason for exemption of tax.
<b>Tax exemption reason code content</b>	1..1	SDD-ID:	<b>BDT00000575</b>
		Definition:	The code specifying the reason for exemption of tax.
		Used code list:	DutyFeeTaxExemptionReasonCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxExemptionReasonCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxExemptionReasonCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax type code</b>	0..1	SDD-ID:	<b>BDTG00000328</b>
		Definition:	The code specifying the type of tax.
<b>Tax type code content</b>	1..1	SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Contact for ordered trade item information</b>	0..1	SDD-ID:	<b>BDTG00000177</b>
		Definition:	The information specifying details of the contact person or department who can provide information regarding an ordered trade item.
<b>Person name</b>	0..1	SDD-ID:	<b>BDT00000112</b>
		Definition:	The name of an individual person expressed as text.
<b>Department name</b>	0..1	SDD-ID:	<b>BDT00000044</b>
		Definition:	The name of the department.
<b>Job title</b>	0..1	SDD-ID:	<b>BDT00000083</b>
		Definition:	The title of a position or the role of a person holding the position.
<b>Contact type code</b>	0..1	SDD-ID:	<b>BDTG00000178</b>
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.



## Order

Business data terms and groups	Usage	Business data terms and groups description
		Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
— <b>Contact type code content</b>	1..1	SDD-ID: <b>BDT00000571</b> Definition: The code specifying the function or role of a contact person.
— <b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
— <b>Business contact responsibility description</b>	0..unbounded	SDD-ID: <b>BDTG00000159</b> Definition: The description of the responsibility of a business contact such as a person or a department expressed as text.
— <b>Business contact responsibility description content</b>	1..1	SDD-ID: <b>BDT00000580</b> Definition: The description of the responsibility of a business contact such as a person or a department expressed as text.
— <b>Language code</b>	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
— <b>Language code content</b>	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
— <b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
— <b>Communication information</b>	0..unbounded	SDD-ID: <b>BDTG00000176</b> Definition: The information specifying details of a contact person's communication channel.
— <b>Communication channel code</b>	1..1	SDD-ID: <b>BDTG00000175</b> Definition: The code specifying the channel for communication. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
— <b>Communication channel code content</b>	1..1	SDD-ID: <b>BDT00000525</b> Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
— <b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
— <b>Communication channel identification</b>	1..1	SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
— <b>Communication channel name</b>	0..1	SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.
— <b>After hours communication information</b>	0..unbounded	SDD-ID: <b>BDTG00000145</b> Definition: The information specifying details of communication channels to use after regular business hours.



Business data terms and groups	Usage	Business data terms and groups description	
Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
Referenced related order information	0..1	SDD-ID: Definition:	<b>BDTG00000286</b> The information specifying the details of a reference to a related purchase order.
Entity identification	1..1	SDD-ID: Definition:	<b>BDT00000056</b> The identity of an entity such as a document or an object.
Business document creation date time	0..1	SDD-ID: Definition:	<b>BDT00000047</b> The date and optional time when the business document was issued.
Revision number	0..1	SDD-ID: Definition:	<b>BDT00000119</b> The number assigned to a specific release of a document to keep track of changes and updates between revisions.
Document line number	0..1	SDD-ID: Definition:	<b>BDT00000049</b> The sequence number of a line within the business document.
Referenced document external location	0..1	SDD-ID: Definition:  Usage:	<b>BDT00000118</b> The external location of the referenced document expressed as an uniform resource locator. The external location can be an internet address to a document stored in a server on the internet.
Document content owner	0..1	SDD-ID: Definition:	<b>BDTG00000196</b> The information specifying the party that is responsible for the content of a document.
Global location number GLN	0..1	SDD-ID: Definition:  Ref. definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000577</b> The information specifying the additional identification details of a party.



Business data terms and groups	Usage	Business data terms and groups description	
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
Additional party identification type code	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Order relationship code	0..1	SDD-ID: Definition:	<b>BDTG00000257</b> The code specifying the type of relationship to one or more referenced orders.
Order relationship code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000682</b> The code specifying the type of relationship to one or more referenced orders. OrderRelationshipTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:OrderRelationshipTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:OrderRelationshipTypeCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Referenced additional information	0..1	SDD-ID: Definition:	<b>BDTG00000141</b> The information specifying details of an additional reference not already covered by a dedicated business data term.
Business document creation date time	0..1	SDD-ID: Definition:	<b>BDT00000047</b> The date and optional time when the business document was issued.
Business document reference identification	1..1	SDD-ID: Definition:	<b>BDT00000135</b> The identity of a referenced business document.
Referenced document type code	1..1	SDD-ID: Definition:	<b>BDTG00000347</b> The code specifying the type of referenced business document.
Referenced document type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000699</b> The code specifying the type of referenced business document. TransactionalReferenceTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransactionalReferenceTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransactionalReferenceTypeCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Order line item shipping details information	0..1	SDD-ID: Definition:	<b>BDTG00000252</b> The information specifying shipping details of the ordered trade item.
Total requested quantity	0..1	SDD-ID: Definition:	<b>BDTG00000296</b> The total ordered quantity of a trade item.

Business data terms and groups	Usage	Business data terms and groups description	
— <b>Total requested quantity content</b>	1..1	SDD-ID: Definition: Example:	<b>BDT00000566</b> The total ordered quantity of a trade item. 100
— <b>Measurement unit code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000608</b> The code specifying the unambiguous representation of a unit of measure.
— <b>Measurement unit code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000607</b> The code specifying the unambiguous representation of a unit of measure. MeasurementUnitCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a>
— <b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
— <b>Ordered trade item logistical information</b>	1..1	SDD-ID: Definition:	<b>BDTG00000259</b> The information specifying various requirements of logistical nature for ordered trade item.
— <b>Logistic label customer information</b>	0..1	SDD-ID: Definition:	<b>BDT00000788</b> The customer defined text to be printed on the logistics label(s) of the logistic unit(s)
— <b>Shipment split method code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000396</b> The code specifying the method by which a shipment of ordered trade items may be split.
— <b>Shipment split method code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000567</b> The code specifying the method by which a shipment of ordered trade items may be split. ShipmentSplitMethodCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ShipmentSplitMethodCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ShipmentSplitMethodCode&amp;release=1</a>
— <b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
— <b>Transport cargo type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000348</b> The code specifying the type of transport cargo.
— <b>Transport cargo type code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000568</b> The code specifying the type of transport cargo.
— <b>Code description</b>	0..1	SDD-ID: Definition:	<b>BDT00000022</b> The description of a code value expressed as text.
— <b>Code list agency code</b>	0..1	SDD-ID: Definition:	<b>BDT00000023</b> The code specifying the agency responsible for a code list.
— <b>Code list agency code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000024</b> The version number of a code list issued by the responsible agency for the code list.
— <b>Code list agency name</b>	0..1	SDD-ID: Definition:	<b>BDT00000025</b> The name of the agency responsible for a code list.
— <b>Code list name</b>	0..1	SDD-ID: Definition:	<b>BDT00000026</b> The name of the code list expressed as text.
— <b>Code list URL</b>	0..1	SDD-ID:	<b>BDT00000027</b>





Business data terms and groups		Usage	Business data terms and groups description	
	<b>Code list version</b>	0..1	Definition: SDD-ID:	The character string that identifies the location of the code list in a network. <b>BDT00000028</b>
	<b>Ship from party information</b>	0..1	Definition: SDD-ID:	The version number of the code list. <b>BDTG00000310</b>
	<b>Global location number GLN</b>	0..1	Definition: Ref. definition:	The information specifying the location from which goods are shipped. To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both. <b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	<b>Additional party identification information</b>	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	<b>Additional party identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
	<b>Additional party identification type code</b>	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
	<b>Additional party identification type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Address information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	<b>City name</b>	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	<b>City code</b>	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	<b>County code</b>	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	<b>Cross street</b>	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	<b>Party name</b>	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID: Definition:	<b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID: Definition:	<b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: Definition:	<b>BDT00000127</b> The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID: Definition:	<b>BDT00000128</b> The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition:	<b>BDT00000130</b> The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID: Definition:	<b>BDT00000129</b> The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
	Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID: Definition:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Business contact information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
	Person name	0..1	SDD-ID:	<b>BDT00000112</b>



## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The name of an individual person expressed as text.
	<b>Department name</b>	0..1	SDD-ID:	<b>BDT00000044</b>
			Definition:	The name of the department.
	<b>Job title</b>	0..1	SDD-ID:	<b>BDT00000083</b>
			Definition:	The title of a position or the role of a person holding the position.
	<b>Contact type code</b>	0..1	SDD-ID:	<b>BDTG00000178</b>
			Definition:	The code specifying the function or role of a contact person.
			Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	<b>Contact type code content</b>	1..1	SDD-ID:	<b>BDT00000571</b>
			Definition:	The code specifying the function or role of a contact person.
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Business contact responsibility description</b>	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
			Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Business contact responsibility description content</b>	1..1	SDD-ID:	<b>BDT00000580</b>
			Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Communication information</b>	0..unbounded	SDD-ID:	<b>BDTG00000176</b>
			Definition:	The information specifying details of a contact person's communication channel.
	<b>Communication channel code</b>	1..1	SDD-ID:	<b>BDTG00000175</b>
			Definition:	The code specifying the channel for communication.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Communication channel code content</b>	1..1	SDD-ID:	<b>BDT00000525</b>
			Definition:	The code specifying the channel for communication.
			Example:	TELEPHONE
			Used code list:	CommunicationChannelCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.

Business data terms and groups		Usage	Business data terms and groups description	
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	After hours communication information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000145</b> The information specifying details of communication channels to use after regular business hours.
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	Tax registration information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000326</b> The information specifying details of a party registered for tax.
	Tax authority name	0..1	SDD-ID: Definition:	<b>BDT00000369</b> The name of the authority administering the collection of taxes expressed as text.
	Tax registration identification information	1..1	SDD-ID: Definition:	<b>BDTG00000585</b> The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
	Tax registration identification content	1..1	SDD-ID: Definition:	<b>BDT00000584</b> The identity assigned to a party registered for tax according to a national tax register.
	Identification scheme information	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible	1..1	SDD-ID:	<b>BDT00000583</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>agency code content</b>		Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Tax type code</b>	0..1	SDD-ID:	<b>BDTG00000328</b>
			Definition:	The code specifying the type of tax.
	<b>Tax type code content</b>	1..1	SDD-ID:	<b>BDT00000576</b>
			Definition:	The code specifying the type of tax.
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Tax description</b>	0..1	SDD-ID:	<b>BDTG00000322</b>
			Definition:	The description of the tax expressed as text.
	<b>Tax description content</b>	1..1	SDD-ID:	<b>BDT00000754</b>
			Definition:	The description of the tax expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Tax registration type code</b>	0..1	SDD-ID:	<b>BDTG00000327</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
	<b>Tax registration type code content</b>	1..1	SDD-ID:	<b>BDT00000588</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Customs duty registration information</b>	0..unbounded	SDD-ID:	<b>BDTG00000375</b>
			Definition:	The information specifying details of a party registered for customs duty.
	<b>Customs authority name</b>	0..1	SDD-ID:	<b>BDT00000370</b>
			Definition:	The name of the authority administering the collection of duties, taxes and fees at a

## Order

Business data terms and groups		Usage	Business data terms and groups description	
				country border expressed as text.
	<b>Customs registration identification information</b>	1..1	SDD-ID: Definition:	<b>BDTG00000621</b> The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
	<b>Customs registration identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000622</b> The identity assigned to a party registered for customs duty according to a national customs register.
	<b>Identification scheme information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
	<b>Identification scheme name</b>	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
	<b>Identification scheme agency name</b>	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
	<b>Identification scheme responsible agency code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
	<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Tax type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.
	<b>Tax type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Customs duty description</b>	0..1	SDD-ID: Definition:	<b>BDTG00000378</b> The description of the customs duty expressed as text.
	<b>Customs duty description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000563</b> The description of the customs duty expressed as text.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>



## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The version number of the code list.
	<b>Customs registration type code</b>	0..1	SDD-ID:	<b>BDTG00000623</b>
			Definition:	The code specifying the type of customs registration number assigned by a national authority.
	<b>Customs registration type code content</b>	1..1	SDD-ID:	<b>BDT00000624</b>
			Definition:	The code specifying the type of customs registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Organisation legal information</b>	0..1	SDD-ID:	<b>BDTG00000262</b>
			Definition:	The information specifying details of a legal organisation.
	<b>Organisation name</b>	1..1	SDD-ID:	<b>BDT00000102</b>
			Definition:	The official and legal name of the organisation.
	<b>Language of the party code</b>	0..1	SDD-ID:	<b>BDTG00000228</b>
			Definition:	The code specifying the language of a party.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Currency of party code</b>	0..1	SDD-ID:	<b>BDTG00000184</b>
			Definition:	The code specifying the currency of a party.
			Example:	EUR
			Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
	<b>Currency of party code content</b>	1..1	SDD-ID:	<b>BDT00000710</b>
			Definition:	The code specifying the currency of a party.
			Example:	EUR
			Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
			Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Official address</b>	0..1	SDD-ID:	<b>BDTG00000246</b>
			Definition:	The registered legal address of the organisation.
	<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>

## Order

Business data terms and groups			Usage	Business data terms and groups description	
		<b>Cross street</b>	0..1	Definition: SDD-ID:	The code specifying a city. <b>BDT00000035</b>
		<b>Post office box number</b>	0..1	Definition: SDD-ID:	The street crossing another street. <b>BDT00000113</b>
		<b>Postal code</b>	0..1	Definition: Synonyms: SDD-ID:	The number of a post office box located on the premises of a post office station or other postal service location. P.O. box, postal box <b>BDT00000114</b>
		<b>Province identity</b>	0..1	Definition: Example: Synonyms:	The code according to the relevant postal system or service to specify a geographical area. SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode
		<b>State</b>	0..1	Definition: SDD-ID:	The identity of a province according to national codes assigned to provinces. <b>BDT00000127</b>
		<b>Street address one</b>	0..1	Definition: Example:	The political unit that a country can be divided into. California <b>BDT00000128</b>
		<b>Street address two</b>	0..1	Definition: Example:	The first street address line of a structured address. Avenue Louise 326 <b>BDT00000130</b>
		<b>Street address three</b>	0..1	Definition: Example:	The second street address line of a structured address. Blue Tower <b>BDT00000129</b>
		<b>Country code</b>	0..1	Definition: SDD-ID:	The third street address line of a structured address. Floor 4 <b>BDTG00000179</b>
		<b>Country code content</b>	1..1	Definition: SDD-ID:	The code specifying a country. <b>BDT00000774</b>
		<b>Code list version</b>	0..1	Definition: SDD-ID:	The code specifying a country. <b>BDT00000028</b>
		<b>Geographical coordinates information</b>	0..1	Definition: SDD-ID:	The version number of the code list. <b>BDTG00000214</b>
		<b>Latitude</b>	1..1	Definition: Example:	The information specifying details on a location using geographical coordinates. <b>BDT00000085</b>
		<b>Longitude</b>	1..1	Definition: Example:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. 23°26'12.2" S <b>BDT00000089</b>
		<b>Issued capital</b>	0..1	Definition: SDD-ID:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. 18°3'59.0616" <b>BDTG00000225</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Issued capital content</b>	1..1	Definition:	The monetary amount representing the value of the issued capital of a company.
			SDD-ID:	<b>BDT00000655</b>
	<b>Currency code</b>	0..1	Definition:	The monetary amount representing the issued capital of a company.
			SDD-ID:	<b>BDTG00000590</b>
	<b>Currency code content</b>	1..1	Definition:	The code specifying the currency of a monetary amount.
			SDD-ID:	<b>BDT00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
	<b>Code list version</b>	0..1	Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Legal structure description</b>	0..1	SDD-ID:	<b>BDTG00000231</b>
	<b>Legal structure description content</b>	1..1	Definition:	The description of the legal structure expressed as text.
			SDD-ID:	<b>BDT00000659</b>
			Definition:	The description of the legal structure expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
	<b>Language code content</b>	1..1	Definition:	The code specifying the language.
			SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
	<b>Code list version</b>	0..1	Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Registered legal information</b>	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
	<b>Legal registration number</b>	1..1	Definition:	The information specifying the registered data on a legal entity in accordance with national law.
			SDD-ID:	<b>BDT00000087</b>
	<b>Legal registration additional information</b>	0..1	Definition:	The identification number of an organisation according to a legal register.
			SDD-ID:	<b>BDT00000086</b>
	<b>Legal registration type code</b>	1..1	Definition:	The additional information related to the legal registration expressed as text.
			SDD-ID:	<b>BDTG00000230</b>
	<b>Legal registration type code content</b>	1..1	Definition:	The code specifying the type of legal registration.
			SDD-ID:	<b>BDT00000658</b>
			Definition:	The code specifying the type of legal registration.
			Used code list:	LegalRegistrationCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:LegalRegistrationCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Financial institution and financial account information</b>	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
			Definition:	The information specifying details of a financial institution and financial account.





## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Financial institution name</b>	0..1	SDD-ID: Definition:	<b>BDT00000061</b> The name of a financial institution expressed as text.
	<b>Financial institution division name</b>	0..1	SDD-ID: Definition:	<b>BDT00000060</b> The name of a division or branch within a financial institution expressed as text.
	<b>Financial account information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000207</b> The information specifying details of a financial account.
	<b>Financial account name</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000058</b> The name of a financial account expressed as text. John Doe
	<b>Financial account number</b>	1..1	SDD-ID: Definition:	<b>BDT00000059</b> The number of a financial account expressed as text.
	<b>Financial account number type code</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000208</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Financial account number type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000645</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Financial institution routing number information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000210</b> The information specifying details on a routing number of a financial institution.
	<b>Financial routing number</b>	1..1	SDD-ID: Definition:  Business rule:	<b>BDT00000062</b> The routing number of a financial transaction according to the specified financial routing type.  This business data term must be used in conjunction with the Financial routing number type code class.
	<b>Financial routing number type code</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000211</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	<b>Financial routing number type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000644</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Additional financial institution description</b>	0..1	SDD-ID:	<b>BDTG00000522</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The additional description of a financial institution expressed as text.
	<b>Additional financial institution description content</b>	1..1	SDD-ID:	<b>BDT00000521</b>
			Definition:	The text value describing the additional financial institution.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Address information</b>	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	<b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	<b>Party name</b>	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	<b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	<b>Postal code</b>	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	<b>Province identity</b>	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	<b>State</b>	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	<b>Street address one</b>	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326



Business data terms and groups		Usage	Business data terms and groups description	
	Street address two	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
	Street address three	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
	Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
	Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
	Longitude	1..1	SDD-ID: Definition:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
	Ship to party information	0..1	SDD-ID: Definition: Usage:	<b>BDTG00000311</b> The information specifying the location to which goods are shipped. To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
	Global location number GLN	0..1	SDD-ID: Definition: Ref. definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	Additional party identification information	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	Additional party identification content	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
	Additional party identification type code	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
	Additional party identification type code content	1..1	SDD-ID: Definition:	<b>BDT00000570</b> The code specifying the additional identification type of the party.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Used code list:	AdditionalPartyIdentificationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>

## Order

Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The code specifying a country.
		Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
				Definition:	The code specifying a country.
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
				Definition:	The information specifying details on a location using geographical coordinates.
		Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
				Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
				Example:	23°26'12.2" S
		Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
				Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
				Example:	18°3'59.0616"
		Business contact information	0..unbounded	SDD-ID:	<b>BDTG00000158</b>
				Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
		Person name	0..1	SDD-ID:	<b>BDT00000112</b>
				Definition:	The name of an individual person expressed as text.
		Department name	0..1	SDD-ID:	<b>BDT00000044</b>
				Definition:	The name of the department.
		Job title	0..1	SDD-ID:	<b>BDT00000083</b>
				Definition:	The title of a position or the role of a person holding the position.
		Contact type code	0..1	SDD-ID:	<b>BDTG00000178</b>
				Definition:	The code specifying the function or role of a contact person.
				Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
		Contact type code content	1..1	SDD-ID:	<b>BDT00000571</b>
				Definition:	The code specifying the function or role of a contact person.
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Business contact responsibility description	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
				Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
		Business contact responsibility description content	1..1	SDD-ID:	<b>BDT00000580</b>
				Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
		Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
				Definition:	The code specifying the language.
		Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
				Definition:	The code specifying the language.



## Order

Business data terms and groups	Usage	Business data terms and groups description	
		Example: Used code list:	en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Communication information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000145</b> The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>



## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The name of a communication channel expressed as text.
	<b>Tax registration information</b>	0..unbounded	SDD-ID:	<b>BDTG00000326</b>
			Definition:	The information specifying details of a party registered for tax.
	<b>Tax authority name</b>	0..1	SDD-ID:	<b>BDTG00000369</b>
			Definition:	The name of the authority administrating the collection of taxes expressed as text.
	<b>Tax registration identification information</b>	1..1	SDD-ID:	<b>BDTG00000585</b>
			Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
	<b>Tax registration identification content</b>	1..1	SDD-ID:	<b>BDTG00000584</b>
			Definition:	The identity assigned to a party registered for tax according to a national tax register.
	<b>Identification scheme information</b>	0..1	SDD-ID:	<b>BDTG00000587</b>
			Definition:	The information specifying details of the used identification scheme.
	<b>Identification scheme name</b>	0..1	SDD-ID:	<b>BDTG00000074</b>
			Definition:	The name of the identification scheme.
	<b>Identification scheme agency name</b>	0..1	SDD-ID:	<b>BDTG00000073</b>
			Definition:	The name of the agency responsible for a identification scheme.
	<b>Identification scheme responsible agency code</b>	0..1	SDD-ID:	<b>BDTG00000586</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
	<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID:	<b>BDTG00000583</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDTG00000028</b>
			Definition:	The version number of the code list.
	<b>Tax type code</b>	0..1	SDD-ID:	<b>BDTG00000328</b>
			Definition:	The code specifying the type of tax.
	<b>Tax type code content</b>	1..1	SDD-ID:	<b>BDTG00000576</b>
			Definition:	The code specifying the type of tax.
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDTG00000028</b>
			Definition:	The version number of the code list.
	<b>Tax description</b>	0..1	SDD-ID:	<b>BDTG00000322</b>
			Definition:	The description of the tax expressed as text.
	<b>Tax description content</b>	1..1	SDD-ID:	<b>BDTG00000754</b>
			Definition:	The description of the tax expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDTG00000524</b>
			Definition:	The code specifying the language.
			Example:	en



## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax registration type code	0..1	SDD-ID:	<b>BDTG00000327</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
	Tax registration type code content	1..1	SDD-ID:	<b>BDT00000588</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Customs duty registration information	0..unbounded	SDD-ID:	<b>BDTG00000375</b>
			Definition:	The information specifying details of a party registered for customs duty.
	Customs authority name	0..1	SDD-ID:	<b>BDT00000370</b>
			Definition:	The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
	Customs registration identification information	1..1	SDD-ID:	<b>BDTG00000621</b>
			Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
	Customs registration identification content	1..1	SDD-ID:	<b>BDT00000622</b>
			Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
	Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
			Definition:	The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
			Definition:	The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
			Definition:	The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
			Definition:	The code specifying the type of tax.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Tax type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Customs duty description	0..1	SDD-ID: Definition:	<b>BDTG00000378</b> The description of the customs duty expressed as text.
	Customs duty description content	1..1	SDD-ID: Definition:	<b>BDT00000563</b> The description of the customs duty expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Customs registration type code	0..1	SDD-ID: Definition:	<b>BDTG00000623</b> The code specifying the type of customs registration number assigned by a national authority.
	Customs registration type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000624</b> The code specifying the type of customs registration number assigned by a national authority. DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Organisation legal information	0..1	SDD-ID: Definition:	<b>BDTG00000262</b> The information specifying details of a legal organisation.
	Organisation name	1..1	SDD-ID: Definition:	<b>BDT00000102</b> The official and legal name of the organisation.
	Language of the party code	0..1	SDD-ID: Definition:	<b>BDTG00000228</b> The code specifying the language of a party.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>

## Order

Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The version number of the code list.
		Currency of party code	0..1	SDD-ID:	<b>BDTG00000184</b>
				Definition:	The code specifying the currency of a party.
				Example:	EUR
				Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Currency of party code content	1..1	SDD-ID:	<b>BDT00000710</b>
				Definition:	The code specifying the currency of a party.
				Example:	EUR
				Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
				Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Official address	0..1	SDD-ID:	<b>BDTG00000246</b>
				Definition:	The registered legal address of the organisation.
		County code	0..1	SDD-ID:	<b>BDT00000034</b>
				Definition:	The code indicating a geographical region in a country.
		City name	0..1	SDD-ID:	<b>BDT00000020</b>
				Definition:	The name of the city, town or village.
		City code	0..1	SDD-ID:	<b>BDT00000019</b>
				Definition:	The code specifying a city.
		Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
				Definition:	The street crossing another street.
		Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
				Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
				Synonyms:	P.O. box, postal box
		Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
				Definition:	The code according to the relevant postal system or service to specify a geographical area.
				Example:	SE 190 90
				Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
				Definition:	The identity of a province according to national codes assigned to provinces.
		State	0..1	SDD-ID:	<b>BDT00000127</b>
				Definition:	The political unit that a country can be divided into.
				Example:	California
		Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
				Definition:	The first street address line of a structured address.
				Example:	Avenue Louise 326
		Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
				Definition:	The second street address line of a structured address.
				Example:	Blue Tower
		Street address three	0..1	SDD-ID:	<b>BDT00000129</b>

## Order

Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The third street address line of a structured address.
				Example:	Floor 4
		Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
				Definition:	The code specifying a country.
		Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
				Definition:	The code specifying a country.
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
				Definition:	The information specifying details on a location using geographical coordinates.
		Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
				Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
				Example:	23°26'12.2" S
		Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
				Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
				Example:	18°3'59.0616"
		Issued capital	0..1	SDD-ID:	<b>BDTG00000225</b>
				Definition:	The monetary amount representing the value of the issued capital of a company.
		Issued capital content	1..1	SDD-ID:	<b>BDT00000655</b>
				Definition:	The monetary amount representing the issued capital of a company.
		Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
				Definition:	The code specifying the currency of a monetary amount.
		Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
				Definition:	The code specifying the currency of a monetary amount.
				Example:	EUR
				Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Legal structure description	0..1	SDD-ID:	<b>BDTG00000231</b>
				Definition:	The description of the legal structure expressed as text.
		Legal structure description content	1..1	SDD-ID:	<b>BDT00000659</b>
				Definition:	The description of the legal structure expressed as text.
		Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
				Definition:	The code specifying the language.
		Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
				Definition:	The code specifying the language.
				Example:	en
				Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
<div> <div>Registered legal information</div> <div>Legal registration number</div> <div>Legal registration additional information</div> <div>Legal registration type code</div> <div>Legal registration type code content</div> <div>Code list version</div> </div>		0..unbounded	Definition: SDD-ID: Definition:	The version number of the code list. <b>BDTG00000288</b> The information specifying the registered data on a legal entity in accordance with national law.
		1..1	SDD-ID: Definition:	<b>BDT00000087</b> The identification number of an organisation according to a legal register.
		0..1	SDD-ID: Definition:	<b>BDT00000086</b> The additional information related to the legal registration expressed as text.
		1..1	SDD-ID: Definition:	<b>BDTG00000230</b> The code specifying the type of legal registration.
		1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000658</b> The code specifying the type of legal registration. LegalRegistrationCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
		0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		0..unbounded	SDD-ID: Definition:	<b>BDTG00000209</b> The information specifying details of a financial institution and financial account.
		0..1	SDD-ID: Definition:	<b>BDT00000061</b> The name of a financial institution expressed as text.
		0..1	SDD-ID: Definition:	<b>BDT00000060</b> The name of a division or branch within a financial institution expressed as text.
		0..1	SDD-ID: Definition:	<b>BDTG00000207</b> The information specifying details of a financial account.
<div> <div>Financial institution and financial account information</div> <div>Financial institution name</div> <div>Financial institution division name</div> <div>Financial account information</div> <div>Financial account name</div> <div>Financial account number</div> <div>Financial account number type code</div> <div>Financial account number type code content</div> <div>Code list version</div> </div>		0..1	SDD-ID: Definition: Example:	<b>BDT00000058</b> The name of a financial account expressed as text. John Doe
		1..1	SDD-ID: Definition:	<b>BDT00000059</b> The number of a financial account expressed as text.
		1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000208</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
		1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000645</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
		0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		0..1	SDD-ID:	<b>BDTG00000210</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>information</b>		Definition:	The information specifying details on a routing number of a financial institution.
	<b>Financial routing number</b>	1..1	SDD-ID: Definition:	<b>BDT00000062</b> The routing number of a financial transaction according to the specified financial routing type.
			Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
	<b>Financial routing number type code</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000211</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	<b>Financial routing number type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT000000644</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Additional financial institution description</b>	0..1	SDD-ID: Definition:	<b>BDTG00000522</b> The additional description of a financial institution expressed as text.
	<b>Additional financial institution description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000521</b> The text value describing the additional financial institution.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Address information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	<b>City name</b>	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	<b>City code</b>	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	<b>County code</b>	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	<b>Cross street</b>	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.



Business data terms and groups		Usage	Business data terms and groups description	
<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	Party name	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Storage location information	0..1	SDD-ID:	<b>BDTG00000224</b>
			Definition:	The information specifying details of a location of an inventory such as a warehouse or



Business data terms and groups		Usage	Business data terms and groups description	
				a store.
	<b>Global location number GLN</b>	0..1	SDD-ID: Definition: Ref. definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	<b>Additional party identification information</b>	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	<b>Additional party identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
	<b>Additional party identification type code</b>	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
	<b>Additional party identification type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Address information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	<b>City name</b>	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	<b>City code</b>	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	<b>County code</b>	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	<b>Cross street</b>	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	<b>Party name</b>	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
	<b>Post office box number</b>	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
	<b>Postal code</b>	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical

## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Example:	area. SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Business contact information	0..unbounded	SDD-ID:	<b>BDTG00000158</b>
			Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
	Person name	0..1	SDD-ID:	<b>BDT00000112</b>
			Definition:	The name of an individual person expressed as text.
	Department name	0..1	SDD-ID:	<b>BDT00000044</b>
			Definition:	The name of the department.
	Job title	0..1	SDD-ID:	<b>BDT00000083</b>
			Definition:	The title of a position or the role of a person holding the position.
	Contact type code	0..1	SDD-ID:	<b>BDTG00000178</b>





## Order

Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The code specifying the function or role of a contact person.
				Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
		— <b>Contact type code content</b>	1..1	SDD-ID:	<b>BDT00000571</b>
				Definition:	The code specifying the function or role of a contact person.
		— <b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		— <b>Business contact responsibility description</b>	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
				Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
		— <b>Business contact responsibility description content</b>	1..1	SDD-ID:	<b>BDT00000580</b>
				Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
		— <b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
				Definition:	The code specifying the language.
		— <b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
				Definition:	The code specifying the language.
				Example:	en
				Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		— <b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		— <b>Communication information</b>	0..unbounded	SDD-ID:	<b>BDTG00000176</b>
				Definition:	The information specifying details of a contact person's communication channel.
		— <b>Communication channel code</b>	1..1	SDD-ID:	<b>BDTG00000175</b>
				Definition:	The code specifying the channel for communication.
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		— <b>Communication channel code content</b>	1..1	SDD-ID:	<b>BDT00000525</b>
				Definition:	The code specifying the channel for communication.
				Example:	TELEPHONE
				Used code list:	CommunicationChannelCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		— <b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		— <b>Communication channel identification</b>	1..1	SDD-ID:	<b>BDT00000032</b>
				Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
		— <b>Communication channel name</b>	0..1	SDD-ID:	<b>BDT00000033</b>
				Definition:	The name of a communication channel expressed as text.
		— <b>After hours communication information</b>	0..unbounded	SDD-ID:	<b>BDTG00000145</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The information specifying details of communication channels to use after regular business hours.
	<b>Communication channel code</b>	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Communication channel code content</b>	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Communication channel identification</b>	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	<b>Communication channel name</b>	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	<b>Tax registration information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000326</b> The information specifying details of a party registered for tax.
	<b>Tax authority name</b>	0..1	SDD-ID: Definition:	<b>BDT00000369</b> The name of the authority administering the collection of taxes expressed as text.
	<b>Tax registration identification information</b>	1..1	SDD-ID: Definition:	<b>BDTG00000585</b> The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
	<b>Tax registration identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000584</b> The identity assigned to a party registered for tax according to a national tax register.
	<b>Identification scheme information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
	<b>Identification scheme name</b>	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
	<b>Identification scheme agency name</b>	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
	<b>Identification scheme responsible agency code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
	<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Tax type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.
	<b>Tax type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Tax description</b>	0..1	SDD-ID: Definition:	<b>BDTG00000322</b> The description of the tax expressed as text.
	<b>Tax description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000754</b> The description of the tax expressed as text.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Tax registration type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000327</b> The code specifying the type of tax registration number assigned by a national authority.
	<b>Tax registration type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000588</b> The code specifying the type of tax registration number assigned by a national authority. DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Customs duty registration information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000375</b> The information specifying details of a party registered for customs duty.
	<b>Customs authority name</b>	0..1	SDD-ID: Definition:	<b>BDT00000370</b> The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
	<b>Customs registration identification information</b>	1..1	SDD-ID: Definition:	<b>BDTG00000621</b> The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
	<b>Customs registration identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000622</b> The identity assigned to a party registered for customs duty according to a national

## Order

Business data terms and groups		Usage	Business data terms and groups description	
				customs register.
	Identification scheme information	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Tax type code	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.
	Tax type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Customs duty description	0..1	SDD-ID: Definition:	<b>BDTG00000378</b> The description of the customs duty expressed as text.
	Customs duty description content	1..1	SDD-ID: Definition:	<b>BDT00000563</b> The description of the customs duty expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Customs registration type code	0..1	SDD-ID: Definition:	<b>BDTG00000623</b> The code specifying the type of customs registration number assigned by a national authority.
	Customs registration type code content	1..1	SDD-ID: Definition:	<b>BDT00000624</b> The code specifying the type of customs registration number assigned by a national



## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Used code list: Link to code list:	authority. DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Organisation legal information	0..1	SDD-ID: Definition:	<b>BDTG00000262</b> The information specifying details of a legal organisation.
	Organisation name	1..1	SDD-ID: Definition:	<b>BDT00000102</b> The official and legal name of the organisation.
	Language of the party code	0..1	SDD-ID: Definition:	<b>BDTG00000228</b> The code specifying the language of a party.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Currency of party code	0..1	SDD-ID: Definition: Example: Used code list:	<b>BDTG00000184</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax.
	Currency of party code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000710</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax. <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Official address	0..1	SDD-ID: Definition:	<b>BDTG00000246</b> The registered legal address of the organisation.
	County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.

## Order

Business data terms and groups				Usage	Business data terms and groups description	
			<b>Postal code</b>	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
					Example:	SE 190 90
			<b>Province identity</b>	0..1	Synonyms: SDD-ID:	postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b>
					Definition:	The identity of a province according to national codes assigned to provinces.
			<b>State</b>	0..1	SDD-ID:	<b>BDT00000127</b>
					Definition:	The political unit that a country can be divided into.
					Example:	California
			<b>Street address one</b>	0..1	SDD-ID:	<b>BDT00000128</b>
					Definition:	The first street address line of a structured address.
					Example:	Avenue Louise 326
			<b>Street address two</b>	0..1	SDD-ID:	<b>BDT00000130</b>
					Definition:	The second street address line of a structured address.
					Example:	Blue Tower
			<b>Street address three</b>	0..1	SDD-ID:	<b>BDT00000129</b>
					Definition:	The third street address line of a structured address.
					Example:	Floor 4
			<b>Country code</b>	0..1	SDD-ID:	<b>BDTG00000179</b>
					Definition:	The code specifying a country.
			<b>Country code content</b>	1..1	SDD-ID:	<b>BDT00000774</b>
					Definition:	The code specifying a country.
			<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
			<b>Geographical coordinates information</b>	0..1	SDD-ID:	<b>BDTG00000214</b>
					Definition:	The information specifying details on a location using geographical coordinates.
			<b>Latitude</b>	1..1	SDD-ID:	<b>BDT00000085</b>
					Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
					Example:	23°26'12.2" S
			<b>Longitude</b>	1..1	SDD-ID:	<b>BDT00000089</b>
					Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
					Example:	18°3'59.0616"
			<b>Issued capital</b>	0..1	SDD-ID:	<b>BDTG00000225</b>
					Definition:	The monetary amount representing the value of the issued capital of a company.
			<b>Issued capital content</b>	1..1	SDD-ID:	<b>BDT00000655</b>
					Definition:	The monetary amount representing the issued capital of a company.
			<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
					Definition:	The code specifying the currency of a monetary amount.
			<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>

Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The code specifying the currency of a monetary amount.
				Example:	EUR
				Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Legal structure description	0..1	SDD-ID:	<b>BDTG00000231</b>
				Definition:	The description of the legal structure expressed as text.
		Legal structure description content	1..1	SDD-ID:	<b>BDT00000659</b>
				Definition:	The description of the legal structure expressed as text.
		Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
				Definition:	The code specifying the language.
		Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
				Definition:	The code specifying the language.
				Example:	en
				Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Registered legal information	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
				Definition:	The information specifying the registered data on a legal entity in accordance with national law.
		Legal registration number	1..1	SDD-ID:	<b>BDT00000087</b>
				Definition:	The identification number of an organisation according to a legal register.
		Legal registration additional information	0..1	SDD-ID:	<b>BDT00000086</b>
				Definition:	The additional information related to the legal registration expressed as text.
		Legal registration type code	1..1	SDD-ID:	<b>BDTG00000230</b>
				Definition:	The code specifying the type of legal registration.
		Legal registration type code content	1..1	SDD-ID:	<b>BDT00000658</b>
				Definition:	The code specifying the type of legal registration.
				Used code list:	LegalRegistrationCode
				Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Financial institution and financial account information	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
				Definition:	The information specifying details of a financial institution and financial account.
		Financial institution name	0..1	SDD-ID:	<b>BDT00000061</b>
				Definition:	The name of a financial institution expressed as text.
		Financial institution division name	0..1	SDD-ID:	<b>BDT00000060</b>
				Definition:	The name of a division or branch within a financial institution expressed as text.
		Financial account information	0..1	SDD-ID:	<b>BDTG00000207</b>
				Definition:	The information specifying details of a financial account.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Financial account name	0..1	SDD-ID: Definition: Example:	<b>BDT00000058</b> The name of a financial account expressed as text. John Doe
	Financial account number	1..1	SDD-ID: Definition:	<b>BDT00000059</b> The number of a financial account expressed as text.
	Financial account number type code	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000208</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Financial account number type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000645</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Financial institution routing number information	0..1	SDD-ID: Definition:	<b>BDTG00000210</b> The information specifying details on a routing number of a financial institution.
	Financial routing number	1..1	SDD-ID: Definition:  Business rule:	<b>BDT00000062</b> The routing number of a financial transaction according to the specified financial routing type.  This business data term must be used in conjunction with the Financial routing number type code class.
	Financial routing number type code	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000211</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Financial routing number type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000644</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Additional financial institution description	0..1	SDD-ID: Definition:	<b>BDTG00000522</b> The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID: Definition:	<b>BDT00000521</b> The text value describing the additional financial institution.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>





Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Ultimate consignee party information	0..1	SDD-ID:	<b>BDTG00000355</b>
			Definition:	The information specifying the ultimate consignee responsible for the receipt of a shipment.
			Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
	Global location number GLN	0..1	SDD-ID:	<b>BDT00000063</b>
			Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
			Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	Additional party identification information	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
			Definition:	The information specifying the additional identification details of a party.
			Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
			Definition:	The additional identity of a party.
	Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
			Definition:	The code specifying the additional identification type of the party.
	Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
			Definition:	The code specifying the additional identification type of the party.
			Used code list:	AdditionalPartyIdentificationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Address information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	<b>City name</b>	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	<b>City code</b>	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	<b>County code</b>	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	<b>Cross street</b>	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	<b>Party name</b>	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
	<b>Post office box number</b>	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
	<b>Postal code</b>	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
	<b>Province identity</b>	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
	<b>State</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
	<b>Street address one</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
	<b>Street address two</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
	<b>Street address three</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
	<b>Country code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
	<b>Country code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Geographical coordinates information</b>	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	<b>Latitude</b>	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	<b>Longitude</b>	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	<b>Business contact information</b>	0..unbounded	SDD-ID:	<b>BDTG00000158</b>
			Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
	<b>Person name</b>	0..1	SDD-ID:	<b>BDT00000112</b>
			Definition:	The name of an individual person expressed as text.
	<b>Department name</b>	0..1	SDD-ID:	<b>BDT00000044</b>
			Definition:	The name of the department.
	<b>Job title</b>	0..1	SDD-ID:	<b>BDT00000083</b>
			Definition:	The title of a position or the role of a person holding the position.
	<b>Contact type code</b>	0..1	SDD-ID:	<b>BDTG00000178</b>
			Definition:	The code specifying the function or role of a contact person.
			Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	<b>Contact type code content</b>	1..1	SDD-ID:	<b>BDT00000571</b>
			Definition:	The code specifying the function or role of a contact person.
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Business contact responsibility description</b>	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
			Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Business contact responsibility description content</b>	1..1	SDD-ID:	<b>BDT00000580</b>
			Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.

## Order

Business data terms and groups	Usage	Business data terms and groups description
<b>Communication information</b>	0..unbounded	SDD-ID: <b>BDTG00000176</b> Definition: The information specifying details of a contact person's communication channel.
<b>Communication channel code</b>	1..1	SDD-ID: <b>BDTG00000175</b> Definition: The code specifying the channel for communication. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Communication channel code content</b>	1..1	SDD-ID: <b>BDT00000525</b> Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Communication channel identification</b>	1..1	SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
<b>Communication channel name</b>	0..1	SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.
<b>After hours communication information</b>	0..unbounded	SDD-ID: <b>BDTG00000145</b> Definition: The information specifying details of communication channels to use after regular business hours.
<b>Communication channel code</b>	1..1	SDD-ID: <b>BDTG00000175</b> Definition: The code specifying the channel for communication. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Communication channel code content</b>	1..1	SDD-ID: <b>BDT00000525</b> Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Communication channel identification</b>	1..1	SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
<b>Communication channel name</b>	0..1	SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.
<b>Tax registration information</b>	0..unbounded	SDD-ID: <b>BDTG00000326</b> Definition: The information specifying details of a party registered for tax.
<b>Tax authority name</b>	0..1	SDD-ID: <b>BDT00000369</b> Definition: The name of the authority administering the collection of taxes expressed as text.

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Tax registration identification information</b>	1..1	SDD-ID: Definition:	<b>BDTG00000585</b> The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
	<b>Tax registration identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000584</b> The identity assigned to a party registered for tax according to a national tax register.
	<b>Identification scheme information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
	<b>Identification scheme name</b>	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
	<b>Identification scheme agency name</b>	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
	<b>Identification scheme responsible agency code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
	<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Tax type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.
	<b>Tax type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Tax description</b>	0..1	SDD-ID: Definition:	<b>BDTG00000322</b> The description of the tax expressed as text.
	<b>Tax description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000754</b> The description of the tax expressed as text.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Tax registration type code</b>	0..1	SDD-ID:	<b>BDTG00000327</b>



## Order

Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The code specifying the type of tax registration number assigned by a national authority.
		<b>Tax registration type code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000588</b> The code specifying the type of tax registration number assigned by a national authority.
				Used code list: Link to code list:	DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Customs duty registration information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000375</b> The information specifying details of a party registered for customs duty.
		<b>Customs authority name</b>	0..1	SDD-ID: Definition:	<b>BDT00000370</b> The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
		<b>Customs registration identification information</b>	1..1	SDD-ID: Definition:	<b>BDTG00000621</b> The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
		<b>Customs registration identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000622</b> The identity assigned to a party registered for customs duty according to a national customs register.
		<b>Identification scheme information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
		<b>Identification scheme name</b>	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
		<b>Identification scheme agency name</b>	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
		<b>Identification scheme responsible agency code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
		<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Tax type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.
		<b>Tax type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Customs duty description	0..1	SDD-ID: <b>BDTG00000378</b> Definition: The description of the customs duty expressed as text.	
	Customs duty description content	1..1	SDD-ID: <b>BDT00000563</b> Definition: The description of the customs duty expressed as text.	
	Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.	
	Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Customs registration type code	0..1	SDD-ID: <b>BDTG00000623</b> Definition: The code specifying the type of customs registration number assigned by a national authority.	
	Customs registration type code content	1..1	SDD-ID: <b>BDT00000624</b> Definition: The code specifying the type of customs registration number assigned by a national authority. Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Organisation legal information	0..1	SDD-ID: <b>BDTG00000262</b> Definition: The information specifying details of a legal organisation.	
	Organisation name	1..1	SDD-ID: <b>BDT00000102</b> Definition: The official and legal name of the organisation.	
	Language of the party code	0..1	SDD-ID: <b>BDTG00000228</b> Definition: The code specifying the language of a party.	
	Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Currency of party code	0..1	SDD-ID: <b>BDTG00000184</b> Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax.	





## Order

Business data terms and groups			Usage	Business data terms and groups description	
		Currency of party code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000710</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax. <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
		Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		Official address	0..1	SDD-ID: Definition:	<b>BDTG00000246</b> The registered legal address of the organisation.
		County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
		City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
		City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
		Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
		Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
		Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
		Province identity	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
		State	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
		Street address one	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
		Street address two	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
		Street address three	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
		Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
		Country code content	1..1	SDD-ID:	<b>BDT00000774</b>

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Code list version</b>	0..1	Definition:	The code specifying a country.
			SDD-ID:	<b>BDT00000028</b>
	<b>Geographical coordinates information</b>	0..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000214</b>
	<b>Latitude</b>	1..1	Definition:	The information specifying details on a location using geographical coordinates.
			SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	<b>Longitude</b>	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	<b>Issued capital</b>	0..1	SDD-ID:	<b>BDTG00000225</b>
			Definition:	The monetary amount representing the value of the issued capital of a company.
	<b>Issued capital content</b>	1..1	SDD-ID:	<b>BDT00000655</b>
			Definition:	The monetary amount representing the issued capital of a company.
	<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>
			Definition:	The code specifying the currency of a monetary amount.
	<b>Currency code content</b>	1..1	SDD-ID:	<b>BDT00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Legal structure description</b>	0..1	SDD-ID:	<b>BDTG00000231</b>
			Definition:	The description of the legal structure expressed as text.
	<b>Legal structure description content</b>	1..1	SDD-ID:	<b>BDT00000659</b>
			Definition:	The description of the legal structure expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Registered legal information</b>	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
			Definition:	The information specifying the registered data on a legal entity in accordance with national law.
	<b>Legal registration number</b>	1..1	SDD-ID:	<b>BDT00000087</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Legal registration additional information</b>	0..1	Definition:	The identification number of an organisation according to a legal register.
			SDD-ID:	<b>BDT00000086</b>
	<b>Legal registration type code</b>	1..1	Definition:	The additional information related to the legal registration expressed as text.
			SDD-ID:	<b>BDTG00000230</b>
	<b>Legal registration type code content</b>	1..1	Definition:	The code specifying the type of legal registration.
			SDD-ID:	<b>BDT00000658</b>
			Definition:	The code specifying the type of legal registration.
			Used code list:	LegalRegistrationCode
	<b>Code list version</b>	0..1	Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
			SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Financial institution and financial account information</b>	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
	<b>Financial institution name</b>	0..1	Definition:	The information specifying details of a financial institution and financial account.
			SDD-ID:	<b>BDT00000061</b>
	<b>Financial institution division name</b>	0..1	Definition:	The name of a financial institution expressed as text.
			SDD-ID:	<b>BDT00000060</b>
	<b>Financial account information</b>	0..1	Definition:	The name of a division or branch within a financial institution expressed as text.
			SDD-ID:	<b>BDTG00000207</b>
	<b>Financial account name</b>	0..1	Definition:	The information specifying details of a financial account.
			SDD-ID:	<b>BDT00000058</b>
	<b>Financial account number</b>	1..1	Definition:	The name of a financial account expressed as text.
			Example:	John Doe
	<b>Financial account number type code</b>	1..1	SDD-ID:	<b>BDT00000059</b>
			Definition:	The number of a financial account expressed as text.
	<b>Financial account number type code content</b>	1..1	SDD-ID:	<b>BDTG00000208</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000645</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Financial institution routing number information</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Financial routing number</b>	1..1	SDD-ID:	<b>BDTG00000210</b>
			Definition:	The information specifying details on a routing number of a financial institution.
			SDD-ID:	<b>BDT00000062</b>
			Definition:	The routing number of a financial transaction according to the specified financial routing type.
			Business rule:	This business data term must be used in conjunction with the Financial routing number

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Financial routing number type code</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	type code class. <b>BDTG00000211</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	<b>Financial routing number type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000644</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Additional financial institution description</b>	0..1	SDD-ID: Definition:	<b>BDTG00000522</b> The additional description of a financial institution expressed as text.
	<b>Additional financial institution description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000521</b> The text value describing the additional financial institution.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Address information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	<b>City name</b>	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	<b>City code</b>	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	<b>County code</b>	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	<b>Cross street</b>	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	<b>Party name</b>	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
	<b>Post office box number</b>	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.

## Order

Business data terms and groups			Usage	Business data terms and groups description	
				Synonyms:	P.O. box, postal box
		Postal code	0..1	SDD-ID: Definition:	<b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
				Example:	SE 190 90
		Province identity	0..1	Synonyms: SDD-ID:	postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b>
				Definition:	The identity of a province according to national codes assigned to provinces.
		State	0..1	SDD-ID:	<b>BDT00000127</b>
				Definition:	The political unit that a country can be divided into.
				Example:	California
		Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
				Definition:	The first street address line of a structured address.
				Example:	Avenue Louise 326
		Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
				Definition:	The second street address line of a structured address.
				Example:	Blue Tower
		Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
				Definition:	The third street address line of a structured address.
				Example:	Floor 4
		Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
				Definition:	The code specifying a country.
		Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
				Definition:	The code specifying a country.
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
				Definition:	The information specifying details on a location using geographical coordinates.
		Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
				Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
				Example:	23°26'12.2" S
		Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
				Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
				Example:	18°3'59.0616"
		Logistics services provider party information	0..1	SDD-ID:	<b>BDTG00000223</b>
				Definition:	The information specifying details of a party providing logistics services.
				Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
		Global location number, GLN	0..1	SDD-ID:	<b>BDT00000063</b>
				Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	Additional party identification information	0..1	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	Additional party identification content	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
	Additional party identification type code	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
	Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Address information	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	Party name	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
	Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
	Province identity	0..1	Example: Synonyms: SDD-ID:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>State</b>	0..1	Definition: SDD-ID: Definition: Example:	The identity of a province according to national codes assigned to provinces. <b>BDT00000127</b> The political unit that a country can be divided into. California
	<b>Street address one</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
	<b>Street address two</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
	<b>Street address three</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
	<b>Country code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
	<b>Country code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Geographical coordinates information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
	<b>Latitude</b>	1..1	SDD-ID: Definition: Example:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. 23°26'12.2" S
	<b>Longitude</b>	1..1	SDD-ID: Definition: Example:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. 18°3'59.0616"
	<b>Business contact information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
	<b>Person name</b>	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
	<b>Department name</b>	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
	<b>Job title</b>	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
	<b>Contact type code</b>	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Contact type code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000571</b> The code specifying the function or role of a contact person.
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Business contact responsibility description</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Business contact responsibility description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
	<b>Communication channel code</b>	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Communication channel code content</b>	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Communication channel identification</b>	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	<b>Communication channel name</b>	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	<b>After hours communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000145</b> The information specifying details of communication channels to use after regular business hours.
	<b>Communication channel code</b>	1..1	SDD-ID: Definition:	<b>BDTG00000175</b> The code specifying the channel for communication.



## Order

Business data terms and groups	Usage	Business data terms and groups description
		Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Communication channel code content	1..1	SDD-ID: <b>BDT00000525</b> Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Communication channel identification	1..1	SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.
Tax registration information	0..1	SDD-ID: <b>BDTG00000326</b> Definition: The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID: <b>BDT00000369</b> Definition: The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID: <b>BDTG00000585</b> Definition: The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID: <b>BDT00000584</b> Definition: The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID: <b>BDTG00000587</b> Definition: The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: <b>BDT00000074</b> Definition: The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: <b>BDT00000073</b> Definition: The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID: <b>BDTG00000586</b> Definition: The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID: <b>BDT00000583</b> Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Tax type code	0..1	SDD-ID: <b>BDTG00000328</b> Definition: The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: <b>BDT00000576</b> Definition: The code specifying the type of tax.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax description	0..1	SDD-ID:	<b>BDTG00000322</b>
			Definition:	The description of the tax expressed as text.
	Tax description content	1..1	SDD-ID:	<b>BDT00000754</b>
			Definition:	The description of the tax expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax registration type code	0..1	SDD-ID:	<b>BDTG00000327</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
	Tax registration type code content	1..1	SDD-ID:	<b>BDT00000588</b>
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Customs duty registration information	0..1	SDD-ID:	<b>BDTG00000375</b>
			Definition:	The information specifying details of a party registered for customs duty.
	Customs authority name	0..1	SDD-ID:	<b>BDT00000370</b>
			Definition:	The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.
	Customs registration identification information	1..1	SDD-ID:	<b>BDTG00000621</b>
			Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
	Customs registration identification content	1..1	SDD-ID:	<b>BDT00000622</b>
			Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
	Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
			Definition:	The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
			Definition:	The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
			Definition:	The code specifying the type of tax.
	Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
			Definition:	The code specifying the type of tax.
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Customs duty description	0..1	SDD-ID:	<b>BDTG00000378</b>
			Definition:	The description of the customs duty expressed as text.
	Customs duty description content	1..1	SDD-ID:	<b>BDT00000563</b>
			Definition:	The description of the customs duty expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Customs registration type code	0..1	SDD-ID:	<b>BDTG00000623</b>
			Definition:	The code specifying the type of customs registration number assigned by a national authority.
	Customs registration type code content	1..1	SDD-ID:	<b>BDT00000624</b>
			Definition:	The code specifying the type of customs registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Organisation legal information	0..1	SDD-ID: <b>BDTG00000262</b> Definition: The information specifying details of a legal organisation.	
	Organisation name	1..1	SDD-ID: <b>BDT00000102</b> Definition: The official and legal name of the organisation.	
	Language of the party code	0..1	SDD-ID: <b>BDTG00000228</b> Definition: The code specifying the language of a party.	
	Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Currency of party code	0..1	SDD-ID: <b>BDTG00000184</b> Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax.	
	Currency of party code content	1..1	SDD-ID: <b>BDT00000710</b> Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax. Link to code list: <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Official address	0..1	SDD-ID: <b>BDTG00000246</b> Definition: The registered legal address of the organisation.	
	County code	0..1	SDD-ID: <b>BDT00000034</b> Definition: The code indicating a geographical region in a country.	
	City name	0..1	SDD-ID: <b>BDT00000020</b> Definition: The name of the city, town or village.	
	City code	0..1	SDD-ID: <b>BDT00000019</b> Definition: The code specifying a city.	
	Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition: The street crossing another street.	
	Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition: The number of a post office box located on the premises of a post office station or other postal service location.	
	Postal code	0..1	Synonyms: P.O. box, postal box SDD-ID: <b>BDT00000114</b> Definition: The code according to the relevant postal system or service to specify a geographical area.	

Business data terms and groups			Usage	Business data terms and groups description	
				Example:	SE 190 90
				Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
				Definition:	The identity of a province according to national codes assigned to provinces.
		State	0..1	SDD-ID:	<b>BDT00000127</b>
				Definition:	The political unit that a country can be divided into.
				Example:	California
		Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
				Definition:	The first street address line of a structured address.
				Example:	Avenue Louise 326
		Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
				Definition:	The second street address line of a structured address.
				Example:	Blue Tower
		Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
				Definition:	The third street address line of a structured address.
				Example:	Floor 4
		Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
				Definition:	The code specifying a country.
		Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
				Definition:	The code specifying a country.
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
				Definition:	The information specifying details on a location using geographical coordinates.
		Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
				Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
				Example:	23°26'12.2" S
		Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
				Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
				Example:	18°3'59.0616"
		Issued capital	0..1	SDD-ID:	<b>BDTG00000225</b>
				Definition:	The monetary amount representing the value of the issued capital of a company.
		Issued capital content	1..1	SDD-ID:	<b>BDT00000655</b>
				Definition:	The monetary amount representing the issued capital of a company.
		Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
				Definition:	The code specifying the currency of a monetary amount.
		Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
				Definition:	The code specifying the currency of a monetary amount.
				Example:	EUR
				Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
	Legal structure description	0..1	SDD-ID: <b>BDTG00000231</b> Definition:	The description of the legal structure expressed as text.
	Legal structure description content	1..1	SDD-ID: <b>BDT00000659</b> Definition:	The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: Example: Used code list:	The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
	Registered legal information	0..unbounded	SDD-ID: <b>BDTG00000288</b> Definition:	The information specifying the registered data on a legal entity in accordance with national law.
	Legal registration number	1..1	SDD-ID: <b>BDT00000087</b> Definition:	The identification number of an organisation according to a legal register.
	Legal registration additional information	0..1	SDD-ID: <b>BDT00000086</b> Definition:	The additional information related to the legal registration expressed as text.
	Legal registration type code	1..1	SDD-ID: <b>BDTG00000230</b> Definition:	The code specifying the type of legal registration.
	Legal registration type code content	1..1	SDD-ID: <b>BDT00000658</b> Definition: Used code list: Link to code list:	The code specifying the type of legal registration. LegalRegistrationCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
	Financial institution and financial account information	0..1	SDD-ID: <b>BDTG00000209</b> Definition:	The information specifying details of a financial institution and financial account.
	Financial institution name	0..1	SDD-ID: <b>BDT00000061</b> Definition:	The name of a financial institution expressed as text.
	Financial institution division name	0..1	SDD-ID: <b>BDT00000060</b> Definition:	The name of a division or branch within a financial institution expressed as text.
	Financial account information	0..1	SDD-ID: <b>BDTG00000207</b> Definition:	The information specifying details of a financial account.
	Financial account name	0..1	SDD-ID: <b>BDT00000058</b> Definition: Example:	The name of a financial account expressed as text. John Doe
	Financial account number	1..1	SDD-ID: <b>BDT00000059</b>	

## Order

Business data terms and groups			Usage	Business data terms and groups description	
		<b>Financial account number type code</b>	1..1	Definition: SDD-ID: Definition: Used code list: Link to code list:	The number of a financial account expressed as text. <b>BDTG00000208</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
		<b>Financial account number type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000645</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Financial institution routing number information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000210</b> The information specifying details on a routing number of a financial institution.
		<b>Financial routing number</b>	1..1	SDD-ID: Definition:  Business rule:	<b>BDT00000062</b> The routing number of a financial transaction according to the specified financial routing type. This business data term must be used in conjunction with the Financial routing number type code class.
		<b>Financial routing number type code</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000211</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		<b>Financial routing number type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000644</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Additional financial institution description</b>	0..1	SDD-ID: Definition:	<b>BDTG00000522</b> The additional description of a financial institution expressed as text.
		<b>Additional financial institution description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000521</b> The text value describing the additional financial institution.
		<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
		<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Address information	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	Party name	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
	Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
	Province identity	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
	Street address one	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
	Street address three	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
	Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
	Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.





Business data terms and groups		Usage	Business data terms and groups description	
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
	Longitude	1..1	Example: SDD-ID: Definition:	23°26'12.2" S <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
	Requested delivery date time information	0..1	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000293</b> The information specifying when ordered trade items are requested to be delivered or be available for pick up.
	Requested delivery time period	0..1	SDD-ID: Definition:	<b>BDTG00000295</b> The date (and time) of the period during which ordered trade items are requested to be delivered.
	Begin time period	0..1	SDD-ID: Definition:	<b>BDT00000010</b> The first point in time of a period of time or date period.
	Begin period date	0..1	SDD-ID: Definition:	<b>BDT00000009</b> The first date of a date period.
	End date period	0..1	SDD-ID: Definition:	<b>BDT00000054</b> The last date of a date period.
	End time period	0..1	SDD-ID: Definition:	<b>BDT00000055</b> The end time of a period of time or date time period.
	Requested ship date time period	0..1	SDD-ID: Definition:	<b>BDTG00000298</b> The date (and time) of the period during which ordered trade items are requested to be shipped.
	Begin time period	0..1	SDD-ID: Definition:	<b>BDT00000010</b> The first point in time of a period of time or date period.
	Begin period date	0..1	SDD-ID: Definition:	<b>BDT00000009</b> The first date of a date period.
	End date period	0..1	SDD-ID: Definition:	<b>BDT00000054</b> The last date of a date period.
	End time period	0..1	SDD-ID: Definition:	<b>BDT00000055</b> The end time of a period of time or date time period.
	Requested delivery date time period at ultimate consignee	0..1	SDD-ID: Definition:	<b>BDTG00000294</b> The date (and time) of the period during which ordered trade items are requested to be delivered at ultimate consignee.
	Begin time period	0..1	SDD-ID: Definition:	<b>BDT00000010</b> The first point in time of a period of time or date period.
	Begin period date	0..1	SDD-ID:	<b>BDT00000009</b>



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	End date period	0..1	Definition:	The first date of a date period.
			SDD-ID:	<b>BDT00000054</b>
	End time period	0..1	Definition:	The last date of a date period.
			SDD-ID:	<b>BDT00000055</b>
	Requested delivery date time	0..1	Definition:	The end time of a period of time or date time period.
			SDD-ID:	<b>BDTG00000291</b>
	Date	0..1	Definition:	The date and optional time when the ordered trade items are requested to be delivered.
			SDD-ID:	<b>BDT00000040</b>
	Time	0..1	Definition:	The day of a year as a calendar date.
			Example:	2020-06-15
	Requested ship date time	0..1	Definition:	The indication of a point in time.
			Example:	08:01:15
	Date	0..1	SDD-ID:	<b>BDTG00000297</b>
			Definition:	The date (and time) when the ordered trade items are requested to be despatched.
	Time	0..1	SDD-ID:	<b>BDT00000040</b>
			Definition:	The day of a year as a calendar date.
	Requested date time for pick up	0..1	Example:	2020-06-15
			SDD-ID:	<b>BDT00000133</b>
	Date	0..1	Definition:	The indication of a point in time.
			Example:	08:01:15
	Time	0..1	SDD-ID:	<b>BDTG00000290</b>
			Definition:	The date (and time) when the ordered trade items are requested to be available for pick up.
	Requested delivery date time at ultimate consignee	0..1	SDD-ID:	<b>BDT00000040</b>
			Definition:	The day of a year as a calendar date.
	Date	0..1	Example:	2020-06-15
			SDD-ID:	<b>BDT00000133</b>
	Time	0..1	Definition:	The indication of a point in time.
			Example:	08:01:15
	Shipment transportation information	0..1	SDD-ID:	<b>BDTG00000292</b>
			Definition:	The date (and time) when the ordered trade items are requested to be delivered at ultimate consignee.
	Handling instruction code	0..unbounded	SDD-ID:	<b>BDT00000040</b>
			Definition:	The day of a year as a calendar date.
			Example:	2020-06-15
			SDD-ID:	<b>BDT00000133</b>
			Definition:	The indication of a point in time.
			Example:	08:01:15
			SDD-ID:	<b>BDTG00000312</b>
			Definition:	The information specifying details about the transportation of goods.
			SDD-ID:	<b>BDTG00000218</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Handling instruction code content	1..1	Definition:	The code specifying how the ordered trade items are to be handled and loaded.
			SDD-ID:	<b>BDT00000647</b>
	Code list version	0..1	Definition:	The code specifying how the ordered trade items are to be handled and loaded.
			Used code list:	HandlingInstructionCode
	Transport means type code	0..1	Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:HandlingInstructionCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:HandlingInstructionCode</a>
			SDD-ID:	<b>BDT00000028</b>
	Transport means type code content	1..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000351</b>
	Code list version	0..1	Definition:	The code specifying the means for transporting goods.
			SDD-ID:	<b>BDT00000687</b>
	Transport means identification	0..1	Definition:	The code specifying the means for transporting goods.
			Example:	31
	Transport means identification content	0..1	Used code list:	TransportMeansTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:TransportMeansTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:TransportMeansTypeCode</a>
	Identification scheme information	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Identification scheme name	0..1	SDD-ID:	<b>BDTG00000350</b>
			Definition:	The information specifying the details of the identification number according to a specified identification scheme assigned to a means of transportation such as a vehicle license plate of a truck or an aircraft registration number of a helicopter.
	Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000625</b>
			Definition:	The identification number according to a specified identification scheme assigned to a means of transportation such as a vehicle license plate of a truck or an aircraft registration number of a helicopter.
	Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000587</b>
			Definition:	The information specifying details of the used identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000074</b>
			Definition:	The name of the identification scheme.
	Code list version	0..1	SDD-ID:	<b>BDT00000073</b>
			Definition:	The name of the agency responsible for a identification scheme.
	Transport mode code	0..1	SDD-ID:	<b>BDTG00000586</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
			SDD-ID:	<b>BDT00000583</b>
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:ResponsibleAgencyCode&amp;release=5</a>
			SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000352</b>
			Definition:	Code specifying the mode of transport.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Transport mode code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000688</b> The code specifying the mode of transport. 3 TransportServiceCategoryCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportServiceCategoryCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportServiceCategoryCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Transport service level code	0..1	SDD-ID: Definition:	<b>BDTG00000354</b> The code specifying the service level for the transport of a shipment.
	Transport service level code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000689</b> The code specifying the service level for the transport of a shipment. TransportServiceLevelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportServiceLevelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransportServiceLevelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Transport route identification	0..1	SDD-ID: Definition:	<b>BDTG00000353</b> The information specifying the details of identification number assigned to a transport route according to a specified identification scheme.
	Transport route identification content	1..1	SDD-ID: Definition:	<b>BDT00000626</b> The identification number assigned to a transport route according to a specified identification scheme.
	Identification scheme information	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Handling instruction description	0..unbounded	SDD-ID: Definition: Usage rule:	<b>BDTG00000219</b> The handling instruction expressed as text. Only used if no coded value for the handling instruction is available using the business data term "BDTG00000218 Handling instruction code".
	Handling instruction description content	1..1	SDD-ID:	<b>BDT00000648</b>



Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The handling instruction expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Carrier party information	0..1	SDD-ID:	<b>BDTG00000163</b>
			Definition:	The information specifying details of the party transporting shipments.
			Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
	Global location number, GLN	0..1	SDD-ID:	<b>BDT00000063</b>
			Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
			Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	Additional party identification information	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
			Definition:	The information specifying the additional identification details of a party.
			Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
			Definition:	The additional identity of a party.
	Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
			Definition:	The code specifying the additional identification type of the party.
	Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
			Definition:	The code specifying the additional identification type of the party.
			Used code list:	AdditionalPartyIdentificationTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>County code</b>	0..1	Definition: SDD-ID:	The code specifying a city. <b>BDT00000034</b>
	<b>Cross street</b>	0..1	Definition: SDD-ID:	The code indicating a geographical region in a country. <b>BDT00000035</b>
	<b>Party name</b>	0..1	Definition: SDD-ID:	The street crossing another street. <b>BDT00000106</b>
	<b>Post office box number</b>	0..1	Definition: SDD-ID:	The name of the party expressed as text. <b>BDT00000113</b>
	<b>Postal code</b>	0..1	Synonyms: SDD-ID: Definition:	The number of a post office box located on the premises of a post office station or other postal service location. <b>BDT00000114</b> P.O. box, postal box The code according to the relevant postal system or service to specify a geographical area.
	<b>Province identity</b>	0..1	Example: Synonyms: SDD-ID:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b>
	<b>State</b>	0..1	Definition: SDD-ID:	The identity of a province according to national codes assigned to provinces. <b>BDT00000127</b>
	<b>Street address one</b>	0..1	Definition: Example:	The political unit that a country can be divided into. California
	<b>Street address two</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
	<b>Street address three</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
	<b>Country code</b>	0..1	SDD-ID: Definition:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
	<b>Country code content</b>	1..1	SDD-ID:	<b>BDTG00000179</b> The code specifying a country.
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country. <b>BDT00000028</b> The version number of the code list.
	<b>Geographical coordinates information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
	<b>Latitude</b>	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
	<b>Longitude</b>	1..1	Example: SDD-ID:	23°26'12.2" S <b>BDT00000089</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	<b>Business contact information</b>	0..unbounde	SDD-ID:	<b>BDTG00000158</b>
			Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
	<b>Person name</b>	0..1	SDD-ID:	<b>BDT00000112</b>
			Definition:	The name of an individual person expressed as text.
	<b>Department name</b>	0..1	SDD-ID:	<b>BDT00000044</b>
			Definition:	The name of the department.
	<b>Job title</b>	0..1	SDD-ID:	<b>BDT00000083</b>
			Definition:	The title of a position or the role of a person holding the position.
	<b>Contact type code</b>	0..1	SDD-ID:	<b>BDTG00000178</b>
			Definition:	The code specifying the function or role of a contact person.
			Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	<b>Contact type code content</b>	1..1	SDD-ID:	<b>BDT00000571</b>
			Definition:	The code specifying the function or role of a contact person.
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Business contact responsibility description</b>	0..unbounde	SDD-ID:	<b>BDTG00000159</b>
			Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Business contact responsibility description content</b>	1..1	SDD-ID:	<b>BDT00000580</b>
			Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Communication information</b>	0..unbounde	SDD-ID:	<b>BDTG00000176</b>
			Definition:	The information specifying details of a contact person's communication channel.
	<b>Communication channel code</b>	1..1	SDD-ID:	<b>BDTG00000175</b>
			Definition:	The code specifying the channel for communication.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Communication channel code content</b>	1..1	SDD-ID:	<b>BDT00000525</b>

## Order

Business data terms and groups				Usage	Business data terms and groups description	
					Definition: Example: Used code list: Link to code list:	The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
			<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
			<b>Communication channel identification</b>	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
			<b>Communication channel name</b>	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
			<b>After hours communication information</b>	0..unbounde	SDD-ID: Definition:	<b>BDTG00000145</b> The information specifying details of communication channels to use after regular business hours.
			<b>Communication channel code</b>	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
			<b>Communication channel code content</b>	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
			<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
			<b>Communication channel identification</b>	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
			<b>Communication channel name</b>	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
			<b>Tax registration information</b>	0..unbounde	SDD-ID: Definition:	<b>BDTG00000326</b> The information specifying details of a party registered for tax.
			<b>Tax authority name</b>	0..1	SDD-ID: Definition:	<b>BDT00000369</b> The name of the authority administrating the collection of taxes expressed as text.
			<b>Tax registration identification information</b>	1..1	SDD-ID: Definition:	<b>BDTG00000585</b> The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
			<b>Tax registration identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000584</b> The identity assigned to a party registered for tax according to a national tax register.
			<b>Identification scheme information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Identification scheme name	0..1	SDD-ID: <b>BDT00000074</b> Definition:	The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID: <b>BDT00000073</b> Definition:	The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID: <b>BDTG00000586</b> Definition:	The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID: <b>BDT00000583</b> Definition:	The code specifying the agency responsible for the identification scheme.
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
	Tax type code	0..1	SDD-ID: <b>BDTG00000328</b> Definition:	The code specifying the type of tax.
	Tax type code content	1..1	SDD-ID: <b>BDT00000576</b> Definition:	The code specifying the type of tax.
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
	Tax description	0..1	SDD-ID: <b>BDTG00000322</b> Definition:	The description of the tax expressed as text.
	Tax description content	1..1	SDD-ID: <b>BDT00000754</b> Definition:	The description of the tax expressed as text.
	Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition:	The code specifying the language.
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
	Tax registration type code	0..1	SDD-ID: <b>BDTG00000327</b> Definition:	The code specifying the type of tax registration number assigned by a national authority.
	Tax registration type code content	1..1	SDD-ID: <b>BDT00000588</b> Definition:	The code specifying the type of tax registration number assigned by a national authority.
			Used code list: <b>DutyFeeTaxRegistrationTypeCode</b> Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode</a>	



## Order

Business data terms and groups		Usage	Business data terms and groups description	
				<a href="#">DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Organisation legal information	0..1	SDD-ID: Definition:	<b>BDTG00000262</b> The information specifying details of a legal organisation.
	Organisation name	1..1	SDD-ID: Definition:	<b>BDT00000102</b> The official and legal name of the organisation.
	Language of the party code	0..1	SDD-ID: Definition:	<b>BDTG00000228</b> The code specifying the language of a party.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Currency of party code	0..1	SDD-ID: Definition: Example: Used code list:	<b>BDTG00000184</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax.
	Currency of party code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000710</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax. <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Official address	0..1	SDD-ID: Definition:	<b>BDTG00000246</b> The registered legal address of the organisation.
	County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical

## Order

Business data terms and groups				Usage	Business data terms and groups description	
					Example:	area.
					Synonyms:	SE 190 90
					SDD-ID:	postcode, post code, PIN Code, ZIP Code, Eircode
				0..1	Definition:	<b>BDT00000117</b>
					Definition:	The identity of a province according to national codes assigned to provinces.
				0..1	SDD-ID:	<b>BDT00000127</b>
					Definition:	The political unit that a country can be divided into.
					Example:	California
				0..1	SDD-ID:	<b>BDT00000128</b>
					Definition:	The first street address line of a structured address.
					Example:	Avenue Louise 326
				0..1	SDD-ID:	<b>BDT00000130</b>
					Definition:	The second street address line of a structured address.
					Example:	Blue Tower
				0..1	SDD-ID:	<b>BDT00000129</b>
					Definition:	The third street address line of a structured address.
					Example:	Floor 4
				0..1	SDD-ID:	<b>BDTG00000179</b>
					Definition:	The code specifying a country.
				1..1	SDD-ID:	<b>BDT00000774</b>
					Definition:	The code specifying a country.
				0..1	SDD-ID:	<b>BDT00000028</b>
					Definition:	The version number of the code list.
				0..1	SDD-ID:	<b>BDTG00000214</b>
					Definition:	The information specifying details on a location using geographical coordinates.
				1..1	SDD-ID:	<b>BDT00000085</b>
					Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
					Example:	23°26'12.2" S
				1..1	SDD-ID:	<b>BDT00000089</b>
					Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
					Example:	18°3'59.0616"
				0..1	SDD-ID:	<b>BDTG00000225</b>
					Definition:	The monetary amount representing the value of the issued capital of a company.
				1..1	SDD-ID:	<b>BDT00000655</b>
					Definition:	The monetary amount representing the issued capital of a company.
				0..1	SDD-ID:	<b>BDTG00000590</b>
					Definition:	The code specifying the currency of a monetary amount.
				1..1	SDD-ID:	<b>BDT00000589</b>
					Definition:	The code specifying the currency of a monetary amount.
					Example:	EUR
					Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at

## Order

Business data terms and groups		Usage	Business data terms and groups description	
				www.iso.org.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Legal structure description	0..1	SDD-ID: Definition:	<b>BDTG00000231</b> The description of the legal structure expressed as text.
	Legal structure description content	1..1	SDD-ID: Definition:	<b>BDT00000659</b> The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Registered legal information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000288</b> The information specifying the registered data on a legal entity in accordance with national law.
	Legal registration number	1..1	SDD-ID: Definition:	<b>BDT00000087</b> The identification number of an organisation according to a legal register.
	Legal registration additional information	0..1	SDD-ID: Definition:	<b>BDT00000086</b> The additional information related to the legal registration expressed as text.
	Legal registration type code	1..1	SDD-ID: Definition:	<b>BDTG00000230</b> The code specifying the type of legal registration.
	Legal registration type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000658</b> The code specifying the type of legal registration. LegalRegistrationCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Financial institution and financial account information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000209</b> The information specifying details of a financial institution and financial account.
	Financial institution name	0..1	SDD-ID: Definition:	<b>BDT00000061</b> The name of a financial institution expressed as text.
	Financial institution division name	0..1	SDD-ID: Definition:	<b>BDT00000060</b> The name of a division or branch within a financial institution expressed as text.
	Financial account information	0..1	SDD-ID: Definition:	<b>BDTG00000207</b> The information specifying details of a financial account.
	Financial account name	0..1	SDD-ID: Definition: Example:	<b>BDT00000058</b> The name of a financial account expressed as text. John Doe

## Order

Business data terms and groups			Usage	Business data terms and groups description	
		<b>Financial account number</b>	1..1	SDD-ID: Definition:	<b>BDT00000059</b> The number of a financial account expressed as text.
		<b>Financial account number type code</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000208</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
		<b>Financial account number type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000645</b> The code specifying the type of a financial account number. FinancialAccountNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Financial institution routing number information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000210</b> The information specifying details on a routing number of a financial institution.
		<b>Financial routing number</b>	1..1	SDD-ID: Definition:  Business rule:	<b>BDT00000062</b> The routing number of a financial transaction according to the specified financial routing type. This business data term must be used in conjunction with the Financial routing number type code class.
		<b>Financial routing number type code</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000211</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		<b>Financial routing number type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000644</b> The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Additional financial institution description</b>	0..1	SDD-ID: Definition:	<b>BDTG00000522</b> The additional description of a financial institution expressed as text.
		<b>Additional financial institution description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000521</b> The text value describing the additional financial institution.
		<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
		<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code



## Order

Business data terms and groups		Usage	Business data terms and groups description	
				list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
	Address information	0..1	SDD-ID: <b>BDTG00000144</b> Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: <b>BDT00000020</b> Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID: <b>BDT00000019</b> Definition:	The code specifying a city.
	County code	0..1	SDD-ID: <b>BDT00000034</b> Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition:	The street crossing another street.
	Party name	0..1	SDD-ID: <b>BDT00000106</b> Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: P.O. box, postal box SDD-ID: <b>BDT00000114</b> Definition:	The code according to the relevant postal system or service to specify a geographical area.
	Province identity	0..1	Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode SDD-ID: <b>BDT00000117</b> Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: <b>BDT00000127</b> Definition:	The political unit that a country can be divided into.
	Street address one	0..1	Example: California SDD-ID: <b>BDT00000128</b> Definition:	The first street address line of a structured address.
	Street address two	0..1	Example: Avenue Louise 326 SDD-ID: <b>BDT00000130</b> Definition:	The second street address line of a structured address.
	Street address three	0..1	Example: Blue Tower SDD-ID: <b>BDT00000129</b> Definition:	The third street address line of a structured address.
	Country code	0..1	Example: Floor 4 SDD-ID: <b>BDTG00000179</b> Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID: <b>BDT00000774</b>	



Business data terms and groups	Usage	Business data terms and groups description	
<b>Code list version</b>	0..1	Definition:	The code specifying a country.
		SDD-ID:	<b>BDT00000028</b>
<b>Geographical coordinates information</b>	0..1	Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG000000214</b>
<b>Latitude</b>	1..1	Definition:	The information specifying details on a location using geographical coordinates.
		SDD-ID:	<b>BDT000000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
<b>Longitude</b>	1..1	SDD-ID:	<b>BDT000000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
<b>Freight forwarder party information</b>	0..1	SDD-ID:	<b>BDTG000000213</b>
		Definition:	The information specifying details of the party that arranges carriage of goods including connected services such as preparing and processing customs documentation and performing activities pertaining to international shipments.
		Usage:	To identify a party or a location, either of "BDT000000063 Global location number, GLN" or "BDT000000578 Additional party identification content" is used, or both.
<b>Global location number GLN</b>	0..1	SDD-ID:	<b>BDT000000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<b>Additional party identification information</b>	0..1	SDD-ID:	<b>BDTG000000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<b>Additional party identification content</b>	1..1	SDD-ID:	<b>BDT000000578</b>
		Definition:	The additional identity of a party.
<b>Additional party identification type code</b>	1..1	SDD-ID:	<b>BDTG000000579</b>
		Definition:	The code specifying the additional identification type of the party.
<b>Additional party identification type code content</b>	1..1	SDD-ID:	<b>BDT000000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:AdditionalPartyIdentificationTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT000000028</b>
		Definition:	The version number of the code list.
<b>Address information</b>	0..1	SDD-ID:	<b>BDTG000000144</b>
		Definition:	The information specifying the name and location of a company or an individual person,

## Order

Business data terms and groups		Usage	Business data terms and groups description	
				a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: <b>BDT00000020</b> Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID: <b>BDT00000019</b> Definition:	The code specifying a city.
	County code	0..1	SDD-ID: <b>BDT00000034</b> Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition:	The street crossing another street.
	Party name	0..1	SDD-ID: <b>BDT00000106</b> Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: P.O. box, postal box SDD-ID: <b>BDT00000114</b> Definition:	The code according to the relevant postal system or service to specify a geographical area.
	Province identity	0..1	Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode SDD-ID: <b>BDT00000117</b> Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: <b>BDT00000127</b> Definition:	The political unit that a country can be divided into.
	Street address one	0..1	Example: California SDD-ID: <b>BDT00000128</b> Definition:	The first street address line of a structured address.
	Street address two	0..1	Example: Avenue Louise 326 SDD-ID: <b>BDT00000130</b> Definition:	The second street address line of a structured address.
	Street address three	0..1	Example: Blue Tower SDD-ID: <b>BDT00000129</b> Definition:	The third street address line of a structured address.
	Country code	0..1	Example: Floor 4 SDD-ID: <b>BDTG00000179</b> Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID: <b>BDT00000774</b> Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: <b>BDTG00000214</b> Definition:	The information specifying details on a location using geographical coordinates.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Latitude</b>	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
	<b>Longitude</b>	1..1	Example: SDD-ID: Definition:	23°26'12.2" S <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
	<b>Business contact information</b>	0..1	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
	<b>Person name</b>	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
	<b>Department name</b>	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
	<b>Job title</b>	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
	<b>Contact type code</b>	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	<b>Contact type code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000571</b> The code specifying the function or role of a contact person.
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Business contact responsibility description</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Business contact responsibility description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	After hours communication information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000145</b> The information specifying details of communication channels to use after regular business hours.
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	Tax registration information	0..1	SDD-ID: Definition:	<b>BDTG00000326</b> The information specifying details of a party registered for tax.
	Tax authority name	0..1	SDD-ID: Definition:	<b>BDT00000369</b> The name of the authority administering the collection of taxes expressed as text.
	Tax registration identification information	1..1	SDD-ID: Definition:	<b>BDTG00000585</b> The information specifying details of the identity assigned to a party registered for tax

## Order

Business data terms and groups		Usage	Business data terms and groups description	
				according to a national tax register.
	<b>Tax registration identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000584</b> The identity assigned to a party registered for tax according to a national tax register.
	<b>Identification scheme information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
	<b>Identification scheme name</b>	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
	<b>Identification scheme agency name</b>	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
	<b>Identification scheme responsible agency code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
	<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Tax type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.
	<b>Tax type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Tax description</b>	0..1	SDD-ID: Definition:	<b>BDTG00000322</b> The description of the tax expressed as text.
	<b>Tax description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000754</b> The description of the tax expressed as text.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Tax registration type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000327</b> The code specifying the type of tax registration number assigned by a national authority.

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Tax registration type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000588</b> The code specifying the type of tax registration number assigned by a national authority. DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Organisation legal information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000262</b> The information specifying details of a legal organisation.
	<b>Organisation name</b>	1..1	SDD-ID: Definition:	<b>BDT00000102</b> The official and legal name of the organisation.
	<b>Language of the party code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000228</b> The code specifying the language of a party.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Currency of party code</b>	0..1	SDD-ID: Definition: Example: Used code list:	<b>BDTG00000184</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax.
	<b>Currency of party code content</b>	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000710</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax. <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Official address</b>	0..1	SDD-ID: Definition:	<b>BDTG00000246</b> The registered legal address of the organisation.
	<b>County code</b>	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	<b>City name</b>	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	<b>City code</b>	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	<b>Cross street</b>	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	<b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>

Business data terms and groups			Usage	Business data terms and groups description	
		<b>Postal code</b>	0..1	Definition: Synonyms: SDD-ID: Definition:	The number of a post office box located on the premises of a post office station or other postal service location. P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
		<b>Province identity</b>	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
		<b>State</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
		<b>Street address one</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
		<b>Street address two</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
		<b>Street address three</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
		<b>Country code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
		<b>Country code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
		<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
		<b>Geographical coordinates information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
		<b>Latitude</b>	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		<b>Longitude</b>	1..1	Example: SDD-ID: Definition:	23°26'12.2" S <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		<b>Issued capital</b>	0..1	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000225</b> The monetary amount representing the value of the issued capital of a company.
		<b>Issued capital content</b>	1..1	SDD-ID: Definition:	<b>BDT00000655</b> The monetary amount representing the issued capital of a company.
		<b>Currency code</b>	0..1	SDD-ID:	<b>BDTG00000590</b>



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	Currency code content	1..1	Definition: SDD-ID: Definition: Example: Used code list:	The code specifying the currency of a monetary amount. <b>BDT00000589</b> The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Legal structure description	0..1	SDD-ID: Definition:	<b>BDTG00000231</b> The description of the legal structure expressed as text.
	Legal structure description content	1..1	SDD-ID: Definition:	<b>BDT00000659</b> The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Registered legal information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000288</b> The information specifying the registered data on a legal entity in accordance with national law.
	Legal registration number	1..1	SDD-ID: Definition:	<b>BDT00000087</b> The identification number of an organisation according to a legal register.
	Legal registration additional information	0..1	SDD-ID: Definition:	<b>BDT00000086</b> The additional information related to the legal registration expressed as text.
	Legal registration type code	1..1	SDD-ID: Definition:	<b>BDTG00000230</b> The code specifying the type of legal registration.
	Legal registration type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000658</b> The code specifying the type of legal registration. LegalRegistrationCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Financial institution and financial account information	0..1	SDD-ID: Definition:	<b>BDTG00000209</b> The information specifying details of a financial institution and financial account.
	Financial institution name	0..1	SDD-ID: Definition:	<b>BDT00000061</b> The name of a financial institution expressed as text.
	Financial institution division name	0..1	SDD-ID: Definition:	<b>BDT00000060</b> The name of a division or branch within a financial institution expressed as text.



## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Financial account information</b>	0..1	SDD-ID:	<b>BDTG00000207</b>
			Definition:	The information specifying details of a financial account.
	<b>Financial account name</b>	0..1	SDD-ID:	<b>BDT00000058</b>
			Definition:	The name of a financial account expressed as text.
			Example:	John Doe
	<b>Financial account number</b>	1..1	SDD-ID:	<b>BDT00000059</b>
			Definition:	The number of a financial account expressed as text.
	<b>Financial account number type code</b>	1..1	SDD-ID:	<b>BDTG00000208</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Financial account number type code content</b>	1..1	SDD-ID:	<b>BDT00000645</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Financial institution routing number information</b>	0..1	SDD-ID:	<b>BDTG00000210</b>
			Definition:	The information specifying details on a routing number of a financial institution.
	<b>Financial routing number</b>	1..1	SDD-ID:	<b>BDT00000062</b>
			Definition:	The routing number of a financial transaction according to the specified financial routing type.
			Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
	<b>Financial routing number type code</b>	1..1	SDD-ID:	<b>BDTG00000211</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	<b>Financial routing number type code content</b>	1..1	SDD-ID:	<b>BDT00000644</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Additional financial institution description</b>	0..1	SDD-ID:	<b>BDTG00000522</b>
			Definition:	The additional description of a financial institution expressed as text.
	<b>Additional financial institution description content</b>	1..1	SDD-ID:	<b>BDT00000521</b>
			Definition:	The text value describing the additional financial institution.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>

## Order

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Language code content</b>	1..1	Definition: SDD-ID: Definition: Example: Used code list:	The code specifying the language. <b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Address information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	<b>City name</b>	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	<b>City code</b>	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	<b>County code</b>	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	<b>Cross street</b>	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	<b>Party name</b>	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
	<b>Post office box number</b>	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
	<b>Postal code</b>	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
	<b>Province identity</b>	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
	<b>State</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
	<b>Street address one</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
	<b>Street address two</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
	<b>Street address three</b>	0..1	SDD-ID:	<b>BDT00000129</b>





## Order

Business data terms and groups		Usage	Business data terms and groups description	
<ul style="list-style-type: none"> <li>Country code</li> <li>Country code content</li> <li>Code list version</li> <li>Geographical coordinates information</li> <li>Latitude</li> <li>Longitude</li> </ul>			Definition:	The third street address line of a structured address.
			Example:	Floor 4
		0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
		1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
		0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
		0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
<ul style="list-style-type: none"> <li>Latitude</li> <li>Longitude</li> </ul>		1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
		1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
		0..1	SDD-ID:	<b>BDTG00000284</b>
			Definition:	The information specifying the details of a reference to an agreement of purchase conditions for a trade item.
		1..1	SDD-ID:	<b>BDT00000056</b>
			Definition:	The identity of an entity such as a document or an object.
<ul style="list-style-type: none"> <li>Business document creation date time</li> <li>Revision number</li> <li>Document line number</li> <li>Referenced document external location</li> <li>Document content owner</li> <li>Global location number GLN</li> </ul>		0..1	SDD-ID:	<b>BDT00000047</b>
			Definition:	The date and optional time when the business document was issued.
		0..1	SDD-ID:	<b>BDT00000119</b>
			Definition:	The number assigned to a specific release of a document to keep track of changes and updates between revisions.
		0..1	SDD-ID:	<b>BDT00000049</b>
			Definition:	The sequence number of a line within the business document.
		0..1	SDD-ID:	<b>BDT00000118</b>
			Definition:	The external location of the referenced document expressed as an uniform resource locator.
			Usage:	The external location can be an internet address to a document stored in a server on the internet.
		0..1	SDD-ID:	<b>BDTG00000196</b>
<ul style="list-style-type: none"> <li>Global location number GLN</li> </ul>			Definition:	The information specifying the party that is responsible for the content of a document.
		0..1	SDD-ID:	<b>BDT00000063</b>
			Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
			Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.



Business data terms and groups	Usage	Business data terms and groups description	
<b>Additional party identification information</b>	0..unbounde	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<b>Additional party identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
<b>Additional party identification type code</b>	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
<b>Additional party identification type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.