



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
001	BDT00000119		0 .. 1	Revision number <i>Path: Order/Revision number</i>		0 .. 1	revisionNumber <i>Path: orderMessage/order/ecomDocument/revisionNumber</i>
002	BDT00000047		1 .. 1	Business document creation date time <i>Path: Order/Business document creation date time</i>		1 .. 1	creationDateTime <i>Path: orderMessage/order/ecomDocument/creationDateTime</i>
003	BDT00000050		0 .. 1	Business document status code <i>Path: Order/Business document status code</i>		1 .. 1	documentStatusCode <i>Path: orderMessage/order/ecomDocument/documentStatusCode</i>
004	BDT00000045		0 .. 1	Business document action code <i>Path: Order/Business document action code</i>		0 .. 1	documentActionCode <i>Path: orderMessage/order/ecomDocument/documentActionCode</i>
005	BDT00000046		0 .. 1	Business document standard version <i>Path: Order/Business document standard version</i>	1 .. 80	0 .. 1	documentStructureVersion <i>Path: orderMessage/order/ecomDocument/documentStructureVersion</i>
006	BDT00000048		0 .. 1	Business document last update date time <i>Path: Order/Business document last update date time</i>		0 .. 1	lastUpdateDateTime <i>Path: orderMessage/order/ecomDocument/lastUpdateDateTime</i>
007	BDT00000040		0 .. 1	Date <i>Path: Order/Document effective date time/ Date</i>		1 .. 1	date <i>Path: orderMessage/order/ecomDocument/documentEffectiveDate/date</i>
008	BDT00000133		0 .. 1	Time <i>Path: Order/Document effective date time/ Time</i>		0 .. 1	time <i>Path: orderMessage/order/ecomDocument/documentEffectiveDate/time</i>
009	BDT00000079		0 .. 1	Order receipt acknowledgement request indicator <i>Path: Order/Order receipt acknowledgement request indicator</i>		0 .. 1	isApplicationReceiptAcknowledgementRequired <i>Path: orderMessage/order/isApplicationReceiptAcknowledgementRequired</i>
010	BDT00000099		0 .. 1	Order free of excise tax indicator		0 .. 1	isOrderFreeOfExciseTaxDuty

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order free of excise tax indicator			<i>Path:</i> orderMessage/order/isOrderFreeOfExciseTaxDuty
011	BDT00000101	.. 35	0 .. 1	Order priority description <i>Path:</i> Order/Order priority description	1 .. 35	0 .. 1	orderPriority <i>Path:</i> orderMessage/order/orderPriority
012	BDT00000056	.. 80	0 .. 1	Entity identification <i>Path:</i> Order/Business document identification information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> orderMessage/order/orderIdentification/entityIdentification
013	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Business document identification information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/orderIdentification/contentOwner/gln
014	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Business document identification information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderIdentification/contentOwner/additionalPartyIdentification
015	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderIdentification/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
016	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code/Code list	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderIdentification/contentOwner/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
017	BDT00000696	.. 80	1 .. 1	Reason for status of business document code content <i>Path:</i> Order/Reason for status of business document code/Reason for status of business document code content	1 .. 80	0 .. 1	orderChangeReasonCode <i>Path:</i> orderMessage/order/orderChangeReasonCode
018	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Reason for status of business document code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderChangeReasonCode/@codeListVersion
019	BDT00000601		1 .. 1	Total tax monetary amount content <i>Path:</i> Order/Total tax monetary amount/Total tax monetary amount content		0 .. 1	totalTaxAmount <i>Path:</i> orderMessage/order/totalTaxAmount
020	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Total tax monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/totalTaxAmount/@currencyCode
021	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Total tax monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/totalTaxAmount/@codeListVersion
022	BDT00000670	.. 70	1 .. 1	Notation content <i>Path:</i> Order/Notation/Notation content	1 .. 500	0 .. 1	note <i>Path:</i> orderMessage/order/note
023	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Notation/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/note/@languageCode
024	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Notation/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/note/@codeListVersion
025	BDT00000673	.. 80	1 .. 1	Order instruction code content <i>Path:</i> Order/Order instruction code/Order	1 .. 80	0 .. unbounded	orderInstructionCode <i>Path:</i> orderMessage/order/orderInstructionCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				instruction code content			
026	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order instruction code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderInstructionCode/@codeListVersion
027	BDT00000674	.. 70	1 .. 1	Order instruction description content <i>Path:</i> Order/Order instruction description/Order instruction description content	1 .. 100	0 .. unbounded	additionalOrderInstruction <i>Path:</i> orderMessage/order/additionalOrderInstruction
028	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order instruction description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/additionalOrderInstruction/@languageCode
029	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order instruction description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/additionalOrderInstruction/@codeListVersion
030	BDT00000685	.. 80	1 .. 1	Order type code content <i>Path:</i> Order/Order type code/Order type code content	1 .. 80	0 .. 1	orderTypeCode <i>Path:</i> orderMessage/order/orderTypeCode
031	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderTypeCode/@codeListVersion
032	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order/Buyer party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/buyer/gln
033	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Buyer party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/buyer/additionalPartyIdentification
034	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Buyer party information/	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/buyer/additionalPartyIdentification/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Additional party identification information/Additional party identification type code/Additional party identification type code content			@additionalPartyIdentificationTypeCode
035	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Buyer party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/buyer/additionalPartyIdentification/@codeListVersion
036	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Buyer party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/buyer/address/city
037	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Buyer party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/buyer/address/cityCode
038	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Buyer party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/buyer/address/countyCode
039	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Buyer party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/buyer/address/crossStreet
040	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Buyer party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/buyer/address/name
041	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Buyer party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/buyer/address/pOBoxNumber
042	BDT00000114	.. 80	0 .. 1	Postal code	1 .. 80	0 .. 1	postalCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Buyer party information/Address information/Postal code			<i>Path:</i> orderMessage/order/buyer/address/postalCode
043	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Buyer party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/buyer/address/provinceCode
044	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Buyer party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/buyer/address/state
045	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Buyer party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/buyer/address/streetAddressOne
046	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Buyer party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/buyer/address/streetAddressTwo
047	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Buyer party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/buyer/address/streetAddressThree
048	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Buyer party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/buyer/address/countryCode
049	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Buyer party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/buyer/address/countryCode/@codeListVersion
050	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Buyer party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/buyer/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
051	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Buyer party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/buyer/address/geographicalCoordinates/longitude
052	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Buyer party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/buyer/contact/personName
053	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Buyer party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/buyer/contact/departmentName
054	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Buyer party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/buyer/contact/jobTitle
055	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Buyer party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/buyer/contact/contactTypeCode
056	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Buyer party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/buyer/contact/contactTypeCode/@codeListVersion
057	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Buyer party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/buyer/contact/responsibility
058	BDT00000524	.. 80	1 .. 1	Language code content	1 .. 80		languageCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Buyer party information/Business contact information/Business contact responsibility description/Language code/Language code content			<i>Path:</i> orderMessage/order/buyer/contact/responsibility/@languageCode
059	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Buyer party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/buyer/contact/responsibility/@codeListVersion
060	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Buyer party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/buyer/contact/communicationChannel/communicationChannelCode
061	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Buyer party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/buyer/contact/communicationChannel/communicationChannelCode/@codeListVersion
062	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Buyer party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/buyer/contact/communicationChannel/communicationValue
063	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Buyer party information/Business contact information/Communication information/Communication channel	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/buyer/contact/communicationChannel/communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
064	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Buyer party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/buyer/contact/afterHoursCommunicationChannel/communicationChannelCode
065	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Buyer party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/buyer/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
066	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Buyer party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/buyer/contact/afterHoursCommunicationChannel/communicationValue
067	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Buyer party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/buyer/contact/afterHoursCommunicationChannel/communicationChannelName
068	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Buyer party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
069	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order/Buyer party information/Tax	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				registration information/Tax registration identification information/Tax registration identification content			dutyFeeTaxRegistrationID
070	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
071	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
072	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
073	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
074	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Buyer party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
075	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Buyer party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
076	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Buyer party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/dutyFeeTaxDescription
077	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Buyer party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
078	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Buyer party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
079	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order/Buyer party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
080	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Buyer party information/Tax registration information/Tax registration	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				type code/Code list version			
081	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Buyer party information/ Organisation legal information/ Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/buyer/organisationDetails/ organisationName
082	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Buyer party information/ Organisation legal information/ Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderMessage/order/buyer/address/ languageOfThePartyCode
083	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Buyer party information/ Organisation legal information/ Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/buyer/address/ languageOfThePartyCode/@codeListVersion
084	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order/Buyer party information/ Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderMessage/order/buyer/address/currencyOfPartyCode
085	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Buyer party information/ Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/buyer/address/ currencyOfPartyCode/@codeListVersion
086	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/countyCode
087	BDT00000020	.. 200	0 .. 1	City name	1 .. 200	0 .. 1	city

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/City name			<i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/city
088	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/cityCode
089	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/crossStreet
090	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/pOBoxNumber
091	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/postalCode
092	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/provinceCode
093	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/state
094	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Buyer party information/	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/buyer/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Street address one			officialAddress/streetAddressOne
095	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/streetAddressTwo
096	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/streetAddressThree
097	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/countryCode
098	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/countryCode/@codeListVersion
099	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/geographicalCoordinates/latitude
100	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Buyer party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/buyer/organisationDetails/ officialAddress/geographicalCoordinates/longitude
	BDT00000655						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
101			1 .. 1	Issued capital content <i>Path:</i> Order/Buyer party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/buyer/organisationDetails/ issuedCapital
102	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Buyer party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/buyer/organisationDetails/ issuedCapital/@currencyCode
103	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Buyer party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/buyer/organisationDetails/ issuedCapital/@codeListVersion
104	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order/Buyer party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/buyer/organisationDetails/ legalStructure
105	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Buyer party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/buyer/organisationDetails/ legalStructure/@languageCode
106	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Buyer party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/buyer/organisationDetails/ legalStructure/@codeListVersion
107	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Buyer party information/	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/buyer/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/ Registered legal information/Legal registration number			legalRegistration/legalRegistrationNumber
108	BDT000000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order/Buyer party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/buyer/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
109	BDT000000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Buyer party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/buyer/organisationDetails/ legalRegistration/legalRegistrationType
110	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Buyer party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/buyer/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
111	BDT000000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/ financialInstitutionName
112	BDT000000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/ financialInstitutionBranchName
113	BDT000000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Buyer party information/Financial	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution and financial account information/Financial account information/Financial account name			financialAccount/financialAccountName
114	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/financialAccount/financialAccountNumber
115	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
116	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
117	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
118	BDT00000644	.. 80	1 .. 1	Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content			financialRoutingNumber/ financialRoutingNumberTypeCode
119	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/ financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
120	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/buyer/ financialInstitutionInformation/ additionalFinancialInformation/description
121	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/buyer/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
122	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/buyer/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
123	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/city
124	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/cityCode
125	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/countyCode
126	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/crossStreet
127	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/name
128	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
129	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/postalCode
130	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/provinceCode
131	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/state
132	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/streetAddressOne
133	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/streetAddressTwo
134	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/streetAddressThree
135	BDT00000085	.. 80	1 .. 1	Latitude	1 .. 80	1 .. 1	latitude

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude			<i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/geographicalCoordinates/latitude
136	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Buyer party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/buyer/financialInstitutionInformation/address/geographicalCoordinates/longitude
137	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order/Seller party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/seller/gln
138	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Seller party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/seller/additionalPartyIdentification
139	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Seller party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/seller/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
140	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Seller party information/Additional party identification information/Additional party	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/seller/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification type code/Code list version			
141	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Seller party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/seller/address/city
142	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Seller party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/seller/address/cityCode
143	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Seller party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/seller/address/countyCode
144	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Seller party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/seller/address/crossStreet
145	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Seller party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/seller/address/name
146	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Seller party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/seller/address/pOBoxNumber
147	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Seller party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/seller/address/postalCode
148	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Seller party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/seller/address/provinceCode
149	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Seller party information/Address	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/seller/address/state

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/State			
150	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Seller party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/seller/address/streetAddressOne
151	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Seller party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/seller/address/streetAddressTwo
152	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Seller party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/seller/address/streetAddressThree
153	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Seller party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/seller/address/countryCode
154	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Seller party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/seller/address/countryCode/@codeListVersion
155	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Seller party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/seller/address/geographicalCoordinates/latitude
156	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Seller party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/seller/address/geographicalCoordinates/longitude
157	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Seller party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/seller/contact/personName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
158	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Seller party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/seller/contact/departmentName
159	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Seller party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/seller/contact/jobTitle
160	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Seller party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/seller/contact/contactTypeCode
161	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Seller party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/seller/contact/contactTypeCode/@codeListVersion
162	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Seller party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/seller/contact/responsibility
163	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Seller party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/seller/contact/responsibility/@languageCode
164	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Seller party information/Business contact information/Business contact responsibility description/Language	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/seller/contact/responsibility/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
165	BDT00000525		1 .. 1	code/Code list version Communication channel code content <i>Path:</i> Order/Seller party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/seller/contact/communicationChannel/communicationChannelCode
166	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Seller party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/seller/contact/communicationChannel/communicationChannelCode/@codeListVersion
167	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Seller party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/seller/contact/communicationChannel/communicationValue
168	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Seller party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/seller/contact/communicationChannel/communicationChannelName
169	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Seller party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/seller/contact/afterHoursCommunicationChannel/communicationChannelCode
170	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Seller party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version			<i>Path:</i> orderMessage/order/seller/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
171	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Seller party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/seller/contact/afterHoursCommunicationChannel/communicationValue
172	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Seller party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/seller/contact/afterHoursCommunicationChannel/communicationChannelName
173	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Seller party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
174	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order/Seller party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
175	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
176	BDT00000073	.. 80	0 .. 1	scheme name Identification scheme agency name <i>Path:</i> Order/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
177	BDT000000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
178	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
179	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Seller party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
180	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Seller party information/Tax registration information/Tax type code/	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Code list version			
181	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Seller party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxDescription
182	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Seller party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
183	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Seller party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
184	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order/Seller party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
185	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Seller party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
186	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Seller party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/seller/organisationDetails/organisationName
187	BDT00000524	.. 80	1 .. 1	Language code content	1 .. 80	0 .. 1	languageOfThePartyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Seller party information/ Organisation legal information/ Language of the party code/Language code content			<i>Path:</i> orderMessage/order/seller/address/ languageOfThePartyCode
188	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Seller party information/ Organisation legal information/ Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/seller/address/ languageOfThePartyCode/@codeListVersion
189	BDT000000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order/Seller party information/ Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderMessage/order/seller/address/currencyOfPartyCode
190	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Seller party information/ Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/seller/address/ currencyOfPartyCode/@codeListVersion
191	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/countyCode
192	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/city
193	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/cityCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
194	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/crossStreet
195	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/pOBoxNumber
196	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/postalCode
197	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/provinceCode
198	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/state
199	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/streetAddressOne
200	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/streetAddressTwo
201	BDT00000129	.. 200	0 .. 1	Street address three	1 .. 200	0 .. 1	streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/Street address three			<i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/streetAddressThree
202	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/countryCode
203	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/countryCode/@codeListVersion
204	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/geographicalCoordinates/latitude
205	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Seller party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/seller/organisationDetails/ officialAddress/geographicalCoordinates/longitude
206	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order/Seller party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/seller/organisationDetails/ issuedCapital
207	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Seller party information/ Organisation legal information/Issued capital/Currency code/Currency code	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/seller/organisationDetails/ issuedCapital/@currencyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
208	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Seller party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/seller/organisationDetails/ issuedCapital/@codeListVersion
209	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order/Seller party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/seller/organisationDetails/ legalStructure
210	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Seller party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/seller/organisationDetails/ legalStructure/@languageCode
211	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Seller party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/seller/organisationDetails/ legalStructure/@codeListVersion
212	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Seller party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/seller/organisationDetails/ legalRegistration/legalRegistrationNumber
213	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order/Seller party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/seller/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
214	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Seller party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/seller/organisationDetails/ legalRegistration/legalRegistrationType
215	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Seller party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/seller/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
216	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/ financialInstitutionName
217	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/ financialInstitutionBranchName
218	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/ financialAccount/financialAccountName
219	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/ financialAccount/financialAccountNumber

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
220	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
221	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
222	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
223	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
224	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Seller party information/Financial	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version			financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
225	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/ additionalFinancialInformation/description
226	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
227	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
228	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/ address/city
229	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Seller party information/Financial	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution and financial account information/Address information/City code			address/cityCode
230	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/countyCode
231	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/crossStreet
232	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/name
233	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/pOBoxNumber
234	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/postalCode
235	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Seller party information/Financial	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution and financial account information/Address information/Province identity			address/provinceCode
236	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/state
237	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/streetAddressOne
238	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/streetAddressTwo
239	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/streetAddressThree
240	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/countryCode
241	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Seller party information/Financial institution and financial account	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/address/countryCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/ Country code/Code list version			
242	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/ address/geographicalCoordinates/latitude
243	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/seller/financialInstitutionInformation/ address/geographicalCoordinates/longitude
244	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order/Consignee party information/ Global location number, GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/consignee/gln
245	BDT00000078	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Consignee party information/ Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/consignee/ additionalPartyIdentification
246	BDT00000070	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Consignee party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/consignee/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
247	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Consignee party information/ Additional party identification information/Additional party identification type code/Code list version			<i>Path:</i> orderMessage/order/consignee/ additionalPartyIdentification/@codeListVersion
248	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Consignee party information/ Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/consignee/address/city
249	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Consignee party information/ Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/consignee/address/cityCode
250	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Consignee party information/ Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/consignee/address/countyCode
251	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Consignee party information/ Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/consignee/address/crossStreet
252	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Consignee party information/ Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/consignee/address/name
253	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Consignee party information/ Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/consignee/address/pOBoxNumber
254	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Consignee party information/ Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/consignee/address/postalCode
255	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Consignee party information/	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/consignee/address/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Address information/Province identity			
256	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Consignee party information/ Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/consignee/address/state
257	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Consignee party information/ Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/consignee/address/ streetAddressOne
258	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Consignee party information/ Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/consignee/address/ streetAddressTwo
259	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Consignee party information/ Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/consignee/address/ streetAddressThree
260	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Consignee party information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/consignee/address/countryCode
261	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Consignee party information/ Address information/Country code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/consignee/address/countryCode/ @codeListVersion
262	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Consignee party information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/consignee/address/ geographicalCoordinates/latitude
263	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Consignee party information/ Address information/Geographical	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/consignee/address/ geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				coordinates information/Longitude			
264	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Consignee party information/ Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/consignee/contact/personName
265	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Consignee party information/ Business contact information/ Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/consignee/contact/departmentName
266	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Consignee party information/ Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/consignee/contact/jobTitle
267	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Consignee party information/ Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/consignee/contact/contactTypeCode
268	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Consignee party information/ Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/consignee/contact/ contactTypeCode/@codeListVersion
269	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Consignee party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/consignee/contact/responsibility
270	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Consignee party information/	1 .. 80		languageCode <i>Path:</i> orderMessage/order/consignee/contact/responsibility/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/Business contact responsibility description/ Language code/Language code content			@languageCode
271	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Consignee party information/ Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/consignee/contact/responsibility/ @codeListVersion
272	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Consignee party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/consignee/contact/ communicationChannel/communicationChannelCode
273	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Consignee party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/consignee/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
274	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Consignee party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/consignee/contact/ communicationChannel/communicationValue
275	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Consignee party information/ Business contact information/ Communication information/	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/consignee/contact/ communicationChannel/communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
276	BDT00000525		1 .. 1	Communication channel name Communication channel code content <i>Path:</i> Order/Consignee party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/consignee/contact/ afterHoursCommunicationChannel/ communicationChannelCode
277	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Consignee party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/consignee/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
278	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Consignee party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/consignee/contact/ afterHoursCommunicationChannel/communicationValue
279	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Consignee party information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/consignee/contact/ afterHoursCommunicationChannel/ communicationChannelName
280	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Consignee party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/ dutyFeeTaxAgencyName
281	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order/Consignee party information/Tax	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				registration information/Tax registration identification information/Tax registration identification content			dutyFeeTaxRegistrationID
282	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
283	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
284	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
285	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
286	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Consignee party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
287	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Consignee party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
288	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Consignee party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/dutyFeeTaxDescription
289	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Consignee party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
290	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Consignee party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
291	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order/Consignee party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
292	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Consignee party information/Tax registration information/Tax registration	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/consignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				type code/Code list version			
293	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Consignee party information/ Organisation legal information/ Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/consignee/organisationDetails/ organisationName
294	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Consignee party information/ Organisation legal information/ Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderMessage/order/consignee/address/ languageOfThePartyCode
295	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Consignee party information/ Organisation legal information/ Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/consignee/address/ languageOfThePartyCode/@codeListVersion
296	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order/Consignee party information/ Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderMessage/order/consignee/address/ currencyOfPartyCode
297	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Consignee party information/ Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/consignee/address/ currencyOfPartyCode/@codeListVersion
298	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/countyCode
299	BDT00000020	.. 200	0 .. 1	City name	1 .. 200	0 .. 1	city

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/City name			<i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/city
300	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/cityCode
301	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/crossStreet
302	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/pOBoxNumber
303	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/postalCode
304	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/provinceCode
305	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/state
306	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Consignee party information/	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/consignee/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Street address one			officialAddress/streetAddressOne
307	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/streetAddressTwo
308	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/streetAddressThree
309	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/countryCode
310	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/countryCode/@codeListVersion
311	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/geographicalCoordinates/latitude
312	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Consignee party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/consignee/organisationDetails/ officialAddress/geographicalCoordinates/longitude
	BDT00000655						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
313			1 .. 1	Issued capital content <i>Path:</i> Order/Consignee party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/consignee/organisationDetails/ issuedCapital
314	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Consignee party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/consignee/organisationDetails/ issuedCapital/@currencyCode
315	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Consignee party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/consignee/organisationDetails/ issuedCapital/@codeListVersion
316	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order/Consignee party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/consignee/organisationDetails/ legalStructure
317	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Consignee party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/consignee/organisationDetails/ legalStructure/@languageCode
318	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Consignee party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/consignee/organisationDetails/ legalStructure/@codeListVersion
319	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Consignee party information/	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/consignee/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/ Registered legal information/Legal registration number			legalRegistration/legalRegistrationNumber
320	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order/Consignee party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/consignee/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
321	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Consignee party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/consignee/organisationDetails/ legalRegistration/legalRegistrationType
322	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Consignee party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/consignee/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
323	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/financialInstitutionName
324	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/ financialInstitutionBranchName
325	BDT00000058	.. 80	0 .. 1	Financial account name	1 .. 80	0 .. 1	financialAccountName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Financial account information/Financial account name			<i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/financialAccount/ financialAccountName
326	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/financialAccount/ financialAccountNumber
327	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
328	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
329	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber
330	BDT00000644	.. 80	1 .. 1	Financial routing number type code	1 .. 80	1 .. 1	financialRoutingNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content			<i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode
331	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
332	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/ additionalFinancialInformation/description
333	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
334	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Additional financial	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/ additionalFinancialInformation/description/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution description/Language code/ Code list version			@codeListVersion
335	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/address/city
336	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/address/cityCode
337	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/address/countyCode
338	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/address/crossStreet
339	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Consignee party information/ Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/address/name
340	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Consignee party information/ Financial institution and financial	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/consignee/ financialInstitutionInformation/address/pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Address information/Post office box number			
341	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Consignee party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/consignee/financialInstitutionInformation/address/postalCode
342	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Consignee party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/consignee/financialInstitutionInformation/address/provinceCode
343	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Consignee party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/consignee/financialInstitutionInformation/address/state
344	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Consignee party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/consignee/financialInstitutionInformation/address/streetAddressOne
345	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Consignee party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/consignee/financialInstitutionInformation/address/streetAddressTwo
346	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Consignee party information/Financial institution and financial	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/consignee/financialInstitutionInformation/address/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Address information/Street address three			streetAddressThree
347	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Consignee party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/consignee/financialInstitutionInformation/address/countryCode
348	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Consignee party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/consignee/financialInstitutionInformation/address/countryCode/@codeListVersion
349	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Consignee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/consignee/financialInstitutionInformation/address/geographicalCoordinates/latitude
350	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Consignee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/consignee/financialInstitutionInformation/address/geographicalCoordinates/longitude
351	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Bill to party information/Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/billTo/gln
352	BDT00000578	.. 80	1 .. 1	Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Bill to party information/Additional party identification/Additional party identification content			<i>Path:</i> orderMessage/order/billTo/additionalPartyIdentification
353	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Bill to party information/Additional party identification/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/billTo/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
354	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Bill to party information/Additional party identification/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/billTo/additionalPartyIdentification/@codeListVersion
355	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Bill to party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/billTo/address/city
356	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Bill to party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/billTo/address/cityCode
357	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Bill to party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/billTo/address/countyCode
358	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Bill to party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/billTo/address/crossStreet
359	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Bill to party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/billTo/address/name

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
360	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Bill to party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/billTo/address/pOBoxNumber
361	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Bill to party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/billTo/address/postalCode
362	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Bill to party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/billTo/address/provinceCode
363	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Bill to party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/billTo/address/state
364	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Bill to party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/billTo/address/streetAddressOne
365	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Bill to party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/billTo/address/streetAddressTwo
366	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Bill to party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/billTo/address/streetAddressThree
367	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Bill to party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/billTo/address/countryCode
368	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Bill to party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/billTo/address/countryCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
369	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Bill to party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/billTo/address/geographicalCoordinates/latitude
370	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Bill to party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/billTo/address/geographicalCoordinates/longitude
371	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Bill to party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/billTo/contact/personName
372	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Bill to party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/billTo/contact/departmentName
373	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Bill to party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/billTo/contact/jobTitle
374	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Bill to party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/billTo/contact/contactTypeCode
375	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Bill to party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/billTo/contact/contactTypeCode/@codeListVersion
376	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Bill to party information/Business contact information/Business contact	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/billTo/contact/responsibility

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				responsibility description/Business contact responsibility description content			
377	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Bill to party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/billTo/contact/responsibility/@languageCode
378	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Bill to party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/billTo/contact/responsibility/@codeListVersion
379	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Bill to party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/billTo/contact/communicationChannel/communicationChannelCode
380	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Bill to party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/billTo/contact/communicationChannel/communicationChannelCode/@codeListVersion
381	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Bill to party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/billTo/contact/communicationChannel/communicationValue

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
382	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Bill to party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/billTo/contact/communicationChannel/communicationChannelName
383	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Bill to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/billTo/contact/afterHoursCommunicationChannel/communicationChannelCode
384	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Bill to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/billTo/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
385	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Bill to party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/billTo/contact/afterHoursCommunicationChannel/communicationValue
386	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Bill to party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/billTo/contact/afterHoursCommunicationChannel/communicationChannelName
387	BDT00000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Order/Bill to party information/Customs	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				duty registration information/Customs authority name			dutyFeeTaxAgencyName
388	BDT00000622	.. 200	1 .. 1	Customs registration identification content <i>Path:</i> Order/Bill to party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
389	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Bill to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
390	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Bill to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
391	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Bill to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
392	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Bill to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version			<i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
393	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Bill to party information/Customs duty registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
394	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Bill to party information/Customs duty registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
395	BDT00000563	.. 70	1 .. 1	Customs duty description content <i>Path:</i> Order/Bill to party information/Customs duty registration information/Customs duty description/Customs duty description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/dutyFeeTaxDescription
396	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Bill to party information/Customs duty registration information/Customs duty description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
397	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Bill to party information/Customs duty registration information/Customs duty description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
398	BDT00000624	.. 80	1 .. 1	Customs registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Bill to party information/Customs duty registration information/Customs registration type code/Customs registration type code content			<i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
399	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Bill to party information/Customs duty registration information/Customs registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
400	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Bill to party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/billTo/organisationDetails/organisationName
401	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Bill to party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderMessage/order/billTo/address/languageOfThePartyCode
402	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Bill to party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/billTo/address/languageOfThePartyCode/@codeListVersion
403	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order/Bill to party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderMessage/order/billTo/address/currencyOfPartyCode
404	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Bill to party information/Organisation legal information/Currency	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/billTo/address/currencyOfPartyCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				of party code/Code list version			
405	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/countyCode
406	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/city
407	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/cityCode
408	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/crossStreet
409	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/pOBoxNumber
410	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/postalCode
411	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
412	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/state
413	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/streetAddressOne
414	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/streetAddressTwo
415	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/streetAddressThree
416	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/countryCode
417	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/countryCode/@codeListVersion
418	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
419	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Bill to party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/billTo/organisationDetails/ officialAddress/geographicalCoordinates/longitude
420	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order/Bill to party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/billTo/organisationDetails/ issuedCapital
421	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Bill to party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/billTo/organisationDetails/ issuedCapital/@currencyCode
422	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Bill to party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/billTo/organisationDetails/ issuedCapital/@codeListVersion
423	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order/Bill to party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/billTo/organisationDetails/ legalStructure
424	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Bill to party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/billTo/organisationDetails/ legalStructure/@languageCode
425	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Bill to party information/	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/billTo/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Legal structure description/Language code/Code list version			legalStructure/@codeListVersion
426	BDT000000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Bill to party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/billTo/organisationDetails/ legalRegistration/legalRegistrationNumber
427	BDT000000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order/Bill to party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/billTo/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
428	BDT000000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Bill to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/billTo/organisationDetails/ legalRegistration/legalRegistrationType
429	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Bill to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/billTo/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
430	BDT000000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/ financialInstitutionName
431	BDT000000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Bill to party information/Financial	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution and financial account information/Financial institution division name			financialInstitutionBranchName
432	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/financialAccount/financialAccountName
433	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/financialAccount/financialAccountNumber
434	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
435	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
436	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order/Bill to party information/Financial institution and financial account	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
437	BDT00000644	.. 80	1 .. 1	information/Financial institution routing number information/Financial routing number Financial routing number type code content <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
438	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
439	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/additionalFinancialInformation/description
440	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
441		.. 35	0 .. 1	Code list version <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
442	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/city
443	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/cityCode
444	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/countyCode
445	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/crossStreet
446	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Party	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/name

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				name			
447	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/pOBoxNumber
448	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/postalCode
449	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/provinceCode
450	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/state
451	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/streetAddressOne
452	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
453	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/streetAddressThree
454	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/countryCode
455	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/countryCode/@codeListVersion
456	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/geographicalCoordinates/latitude
457	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/billTo/financialInstitutionInformation/address/geographicalCoordinates/longitude
458	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Pick up from party information/Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/pickupFrom/gln

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
459	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Pick up from party information/ Additional party identification/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/pickupFrom/ additionalPartyIdentification
460	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Pick up from party information/ Additional party identification/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/pickupFrom/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
461	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Pick up from party information/ Additional party identification/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/pickupFrom/ additionalPartyIdentification/@codeListVersion
462	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Pick up from party information/ Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/pickupFrom/address/city
463	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Pick up from party information/ Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/pickupFrom/address/cityCode
464	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Pick up from party information/ Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/pickupFrom/address/countyCode
465	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Pick up from party information/ Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/pickupFrom/address/crossStreet
466	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Pick up from party information/	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/pickupFrom/address/name

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Address information/Party name			
467	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Pick up from party information/ Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/pickupFrom/address/pOBoxNumber
468	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Pick up from party information/ Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/pickupFrom/address/postalCode
469	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Pick up from party information/ Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/pickupFrom/address/provinceCode
470	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Pick up from party information/ Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/pickupFrom/address/state
471	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Pick up from party information/ Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/pickupFrom/address/ streetAddressOne
472	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Pick up from party information/ Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/pickupFrom/address/ streetAddressTwo
473	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Pick up from party information/ Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/pickupFrom/address/ streetAddressThree
474	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Pick up from party information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/pickupFrom/address/countryCode
475	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Pick up from party information/ Address information/Country code/ Code list version			<i>Path:</i> orderMessage/order/pickupFrom/address/countryCode/ @codeListVersion
476	BDT000000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Pick up from party information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/pickupFrom/address/ geographicalCoordinates/latitude
477	BDT000000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Pick up from party information/ Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/pickupFrom/address/ geographicalCoordinates/longitude
478	BDT000000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Pick up from party information/ Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/pickupFrom/contact/personName
479	BDT000000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Pick up from party information/ Business contact information/ Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/pickupFrom/contact/ departmentName
480	BDT000000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Pick up from party information/ Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/pickupFrom/contact/jobTitle
481	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Pick up from party information/ Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/pickupFrom/contact/ contactTypeCode
482	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Pick up from party information/ Business contact information/Contact	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/pickupFrom/contact/ contactTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				type code/Code list version			
483	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Pick up from party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/pickupFrom/contact/responsibility
484	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Pick up from party information/ Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/pickupFrom/contact/responsibility/ @languageCode
485	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Pick up from party information/ Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/pickupFrom/contact/responsibility/ @codeListVersion
486	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Pick up from party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/pickupFrom/contact/ communicationChannel/communicationChannelCode
487	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Pick up from party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/pickupFrom/contact/ communicationChannel/communicationChannelCode/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
488	BDT00000032	.. 200	1 .. 1	content/Code list version Communication channel identification <i>Path:</i> Order/Pick up from party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/pickupFrom/contact/ communicationChannel/communicationValue
489	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Pick up from party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/pickupFrom/contact/ communicationChannel/communicationChannelName
490	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Pick up from party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/pickupFrom/contact/ afterHoursCommunicationChannel/ communicationChannelCode
491	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Pick up from party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/pickupFrom/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
492	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Pick up from party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/pickupFrom/contact/ afterHoursCommunicationChannel/communicationValue
493	BDT00000033	.. 200	0 .. 1	Communication channel name	1 .. 200	0 .. 1	communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Pick up from party information/ Business contact information/After hours communication information/ Communication channel name			<i>Path:</i> orderMessage/order/pickupFrom/contact/ afterHoursCommunicationChannel/ communicationChannelName
494	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
495	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax registration identification information/ Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
496	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
497	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
498	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax registration identification information/	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Identification scheme information/ Identification scheme responsible agency code/Identification scheme responsible agency code content			
499	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
500	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
501	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
502	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription
503	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
504	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Pick up from party information/	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/pickupFrom/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Tax registration information/Tax description/Language code/Code list version			dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
505	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
506	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Pick up from party information/ Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
507	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Pick up from party information/ Organisation legal information/ Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ organisationName
508	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Pick up from party information/ Organisation legal information/ Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderMessage/order/pickupFrom/address/ languageOfThePartyCode
509	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Pick up from party information/ Organisation legal information/ Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/pickupFrom/address/ languageOfThePartyCode/@codeListVersion
510	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Currency of party code/Currency of party code	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderMessage/order/pickupFrom/address/ currencyOfPartyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
511	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/pickupFrom/address/ currencyOfPartyCode/@codeListVersion
512	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/countyCode
513	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/city
514	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/cityCode
515	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/crossStreet
516	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/pOBoxNumber
517	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/postalCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
518	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/provinceCode
519	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/state
520	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/streetAddressOne
521	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/streetAddressTwo
522	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/streetAddressThree
523	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/countryCode
524	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/countryCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
525	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/geographicalCoordinates/latitude
526	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ officialAddress/geographicalCoordinates/longitude
527	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ issuedCapital
528	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ issuedCapital/@currencyCode
529	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ issuedCapital/@codeListVersion
530	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ legalStructure
531	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Pick up from party information/	1 .. 80		languageCode <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Legal structure description/Language code/Language code content			legalStructure/@languageCode
532	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Pick up from party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ legalStructure/@codeListVersion
533	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Pick up from party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ legalRegistration/legalRegistrationNumber
534	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order/Pick up from party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
535	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Pick up from party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ legalRegistration/legalRegistrationType
536	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Pick up from party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/pickupFrom/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
537	BDT00000061	.. 80	0 .. 1	Financial institution name	1 .. 80	0 .. 1	financialInstitutionName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Financial institution name			<i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/financialInstitutionName
538	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/ financialInstitutionBranchName
539	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/financialAccount/ financialAccountName
540	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/financialAccount/ financialAccountNumber
541	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
542	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Pick up from party information/ Financial institution and financial	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/financialAccount/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Financial account information/Financial account number type code/Code list version			financialAccountNumberTypeCode/@codeListVersion
543	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order/Pick up from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/pickupFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
544	BDT00000064	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order/Pick up from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderMessage/order/pickupFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
545	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Pick up from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/pickupFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
546	BDT000000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Pick up from party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/pickupFrom/financialInstitutionInformation/additionalFinancialInformation/description

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
547	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
548	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
549	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/city
550	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/cityCode
551	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/countyCode
552	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Pick up from party information/ Financial institution and financial	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Address information/Cross street			
553	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/name
554	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/pOBoxNumber
555	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/postalCode
556	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/provinceCode
557	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/state
558	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Pick up from party information/ Financial institution and financial	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Address information/Street address one			
559	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/streetAddressTwo
560	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/ streetAddressThree
561	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/countryCode
562	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/countryCode/ @codeListVersion
563	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/ geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
564	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Pick up from party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/pickupFrom/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
565	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order/Referenced price list information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> orderMessage/order/priceList/entityIdentification
566	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order/Referenced price list information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> orderMessage/order/priceList/creationDateTime
567	BDT00000119		0 .. 1	Revision number <i>Path:</i> Order/Referenced price list information/Revision number		0 .. 1	revisionNumber <i>Path:</i> orderMessage/order/priceList/revisionNumber
568	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Order/Referenced price list information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> orderMessage/order/priceList/referencedDocumentUrl
569	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Referenced price list information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> orderMessage/order/priceList/lineltemNumber
570	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Referenced price list information/Document content owner/ Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/priceList/contentOwner/gln
571	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Referenced price list	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/priceList/contentOwner/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Document content owner/ Additional party identification information/Additional party identification content			additionalPartyIdentification
572	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Referenced price list information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/priceList/contentOwner/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
573	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Referenced price list information/Document content owner/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/priceList/contentOwner/ additionalPartyIdentification/@codeListVersion
574	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order/Customs broker party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/customsBroker/gln
575	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Customs broker party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/customsBroker/ additionalPartyIdentification
576	BDT00000570	.. 80	1 .. 1	Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/customsBroker/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Customs broker party information/Additional party identification information/Additional party identification type code/Additional party identification type code content			additionalPartyIdentification/@additionalPartyIdentificationTypeCode
577	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Customs broker party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/customsBroker/additionalPartyIdentification/@codeListVersion
578	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Customs broker party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/customsBroker/address/city
579	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Customs broker party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/customsBroker/address/cityCode
580	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Customs broker party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/customsBroker/address/countyCode
581	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Customs broker party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/customsBroker/address/crossStreet
582	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Customs broker party information/Address information/Party	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/customsBroker/address/name

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				name			
583	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Customs broker party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/customsBroker/address/pOBoxNumber
584	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Customs broker party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/customsBroker/address/postalCode
585	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Customs broker party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/customsBroker/address/provinceCode
586	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Customs broker party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/customsBroker/address/state
587	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Customs broker party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/customsBroker/address/streetAddressOne
588	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Customs broker party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/customsBroker/address/streetAddressTwo
589	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Customs broker party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/customsBroker/address/streetAddressThree
590	BDT00000774		1 .. 1	Country code content	1 .. 80	0 .. 1	countryCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Customs broker party information/Address information/Country code/Country code content			<i>Path:</i> orderMessage/order/customsBroker/address/countryCode
591	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Customs broker party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/customsBroker/address/countryCode/@codeListVersion
592	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Customs broker party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/customsBroker/address/geographicalCoordinates/latitude
593	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Customs broker party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/customsBroker/address/geographicalCoordinates/longitude
594	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Customs broker party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/customsBroker/contact/personName
595	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Customs broker party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/customsBroker/contact/departmentName
596	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Customs broker party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/customsBroker/contact/jobTitle
	BDT00000571						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
597		.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Customs broker party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/customsBroker/contact/contactTypeCode
598	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Customs broker party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/customsBroker/contact/contactTypeCode/@codeListVersion
599	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Customs broker party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/customsBroker/contact/responsibility
600	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Customs broker party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/customsBroker/contact/responsibility/@languageCode
601	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Customs broker party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/customsBroker/contact/responsibility/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
602	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Customs broker party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/customsBroker/contact/communicationChannel/communicationChannelCode
603	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Customs broker party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/customsBroker/contact/communicationChannel/communicationChannelCode/@codeListVersion
604	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Customs broker party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/customsBroker/contact/communicationChannel/communicationValue
605	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Customs broker party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/customsBroker/contact/communicationChannel/communicationChannelName
606	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Customs broker party information/Business contact information/After hours communication information/Communication channel	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/customsBroker/contact/afterHoursCommunicationChannel/communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
607	BDT00000028	.. 35	0 .. 1	code/Communication channel code content Code list version <i>Path:</i> Order/Customs broker party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/customsBroker/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
608	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Customs broker party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/customsBroker/contact/afterHoursCommunicationChannel/communicationValue
609	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Customs broker party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/customsBroker/contact/afterHoursCommunicationChannel/communicationChannelName
610	BDT000000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/customsBroker/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
611	BDT000000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax registration identification information/Tax	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/customsBroker/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
612	BDT00000074	.. 80	0 .. 1	registration identification content Identification scheme name <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/customsBroker/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
613	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/customsBroker/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
614	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/customsBroker/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
615	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/customsBroker/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme responsible agency code/Code list version			
616	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/customsBroker/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
617	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/customsBroker/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
618	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/customsBroker/dutyFeeTaxRegistration/dutyFeeTaxDescription
619	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/customsBroker/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
620	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/customsBroker/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
621	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order/Customs broker party information/Tax registration	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/customsBroker/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
622	BDT00000028	.. 35	0 .. 1	information/Tax registration type code/ Tax registration type code content Code list version <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax registration type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/customsBroker/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
623	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Customs broker party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/ organisationName
624	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/ officialAddress/countyCode
625	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/ officialAddress/city
626	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/ officialAddress/cityCode
627	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/ officialAddress/crossStreet
	BDT00000113						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
628		.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/officialAddress/pOBoxNumber
629	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/officialAddress/postalCode
630	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/officialAddress/provinceCode
631	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/officialAddress/state
632	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/officialAddress/streetAddressOne
633	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/officialAddress/streetAddressTwo
634	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Customs broker party	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Street address three			officialAddress/streetAddressThree
635	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/ officialAddress/countryCode
636	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/ officialAddress/countryCode/@codeListVersion
637	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/ officialAddress/geographicalCoordinates/latitude
638	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Customs broker party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/ officialAddress/geographicalCoordinates/longitude
639	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order/Customs broker party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/ issuedCapital

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
640	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Customs broker party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/issuedCapital/@currencyCode
641	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Customs broker party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/issuedCapital/@codeListVersion
642	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order/Customs broker party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/legalStructure
643	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Customs broker party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/legalStructure/@languageCode
644	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Customs broker party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/legalStructure/@codeListVersion
645	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Customs broker party	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Registered legal information/Legal registration number			legalRegistration/legalRegistrationNumber
646	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order/Customs broker party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
647	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Customs broker party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/legalRegistration/legalRegistrationType
648	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Customs broker party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/customsBroker/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
649	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/financialInstitutionName
650	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Customs broker party information/Financial institution and	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial institution division name			financialInstitutionBranchName
651	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/financialAccount/financialAccountName
652	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/financialAccount/financialAccountNumber
653	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
654	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
655	BDT000000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order/Customs broker party	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/customsBroker/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Financial institution routing number information/Financial routing number			financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
656	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
657	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
658	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/additionalFinancialInformation/description
659	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Customs broker party information/Financial institution and	1 .. 80		languageCode <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Additional financial institution description/ Language code/ Language code content			additionalFinancialInformation/description/ @languageCode
660	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/customsBroker/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
661	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/customsBroker/ financialInstitutionInformation/address/city
662	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/customsBroker/ financialInstitutionInformation/address/cityCode
663	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/customsBroker/ financialInstitutionInformation/address/countyCode
664	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/customsBroker/ financialInstitutionInformation/address/crossStreet
665	BDT00000106	.. 200	0 .. 1	Party name	1 .. 200	0 .. 1	name

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/Party name			<i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/address/name
666	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/address/pOBoxNumber
667	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/address/postalCode
668	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/address/provinceCode
669	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/address/state
670	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/address/streetAddressOne
671	BDT00000130	.. 200	0 .. 1	Street address two	1 .. 200	0 .. 1	streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/Street address two			<i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/address/streetAddressTwo
672	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/address/streetAddressThree
673	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/address/countryCode
674	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/address/countryCode/@codeListVersion
675	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Customs broker party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/address/geographicalCoordinates/latitude
676	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Customs broker party information/Financial institution and	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/customsBroker/financialInstitutionInformation/address/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/Geographical coordinates information/Longitude			geographicalCoordinates/longitude
677	BDT00000788		0 .. 1	Logistic label customer information <i>Path:</i> Order/Ordered trade item logistical information/Logistic label customer information		0 .. 1	logisticLabelCustomerText <i>Path:</i> orderMessage/order/orderLogisticalInformation/logisticLabelCustomerText
678	BDT00000567	.. 80	1 .. 1	Shipment split method code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment split method code/Shipment split method code content	1 .. 80	0 .. 1	shipmentSplitMethodCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentSplitMethodCode
679	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment split method code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentSplitMethodCode/@codeListVersion
680	BDT00000568	.. 80	1 .. 1	Transport cargo type code content <i>Path:</i> Order/Ordered trade item logistical information/Transport cargo type code/Transport cargo type code content	1 .. 80	0 .. 1	commodityTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/commodityTypeCode
681	BDT00000022	.. 80	0 .. 1	Code description <i>Path:</i> Order/Ordered trade item logistical information/Transport cargo type code/Code description	1 .. 80		codeDescription <i>Path:</i> orderMessage/order/orderLogisticalInformation/commodityTypeCode/@codeDescription
682	BDT00000023	.. 80	0 .. 1	Code list agency code <i>Path:</i> Order/Ordered trade item logistical information/Transport cargo type code/Code list agency code	1 .. 80		codeListAgencyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/commodityTypeCode/@codeListAgencyCode
683	BDT00000024	.. 35	0 .. 1	Code list agency code list version	1 .. 35		codeListAgencyCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Transport cargo type code/Code list agency code list version			<i>Path:</i> orderMessage/order/orderLogisticalInformation/commodityTypeCode/@codeListAgencyCodeListVersion
684	BDT00000025	.. 80	0 .. 1	Code list agency name <i>Path:</i> Order/Ordered trade item logistical information/Transport cargo type code/Code list agency name	1 .. 80		codeListAgencyName <i>Path:</i> orderMessage/order/orderLogisticalInformation/commodityTypeCode/@codeListAgencyName
685	BDT00000026	.. 80	0 .. 1	Code list name <i>Path:</i> Order/Ordered trade item logistical information/Transport cargo type code/Code list name	1 .. 80		codeListName <i>Path:</i> orderMessage/order/orderLogisticalInformation/commodityTypeCode/@codeListName
686	BDT00000027	.. 500	0 .. 1	Code list URL <i>Path:</i> Order/Ordered trade item logistical information/Transport cargo type code/Code list URL			codeListURI <i>Path:</i> orderMessage/order/orderLogisticalInformation/commodityTypeCode/@codeListURI
687	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Transport cargo type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/commodityTypeCode/@codeListVersion
688	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/gln
689	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
690	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
691	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/additionalPartyIdentification/@codeListVersion
692	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/city
693	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/cityCode
694	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/countyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
695	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/crossStreet
696	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/name
697	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/pOBoxNumber
698	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/postalCode
699	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/provinceCode
700	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/state
701	BDT00000128	.. 200	0 .. 1	Street address one	1 .. 200	0 .. 1	streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/Street address one			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/streetAddressOne
702	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/streetAddressTwo
703	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/streetAddressThree
704	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/countryCode
705	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/countryCode/@codeListVersion
706	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
707	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/address/geographicalCoordinates/longitude
708	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/personName
709	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/departmentName
710	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/jobTitle
711	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/contactTypeCode
712	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship from party	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/contactTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
713	BDT00000580	.. 70	1 .. 1	information/Business contact information/Contact type code/Code list version Business contact responsibility description content <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/contact/responsibility
714	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/contact/responsibility/@languageCode
715	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/contact/responsibility/@codeListVersion
716	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/Communication	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/contact/communicationChannel/ communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
717	BDT00000028	.. 35	0 .. 1	information/Communication channel code/Communication channel code content Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/communicationChannel/communicationChannelCode/@codeListVersion
718	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/communicationChannel/communicationValue
719	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/communicationChannel/communicationChannelName
720	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/afterHoursCommunicationChannel/communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
721	BDT00000028	.. 35	0 .. 1	code/Communication channel code content Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
722	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/afterHoursCommunicationChannel/communicationValue
723	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/contact/afterHoursCommunicationChannel/communicationChannelName
724	BDT000000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
725	BDT000000622	.. 200	1 .. 1	Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs registration identification information/Customs registration identification content			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
726	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
727	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
728	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
729	BDT00000028	.. 35	0 .. 1	Identification scheme responsible agency code content Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
730	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
731	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
732	BDT00000563	.. 70	1 .. 1	Customs duty description content <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs duty description/Customs duty description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription
733	BDT00000524	.. 80	1 .. 1	Language code content	1 .. 80		languageCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs duty description/ Language code/Language code content			<i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/dutyFeeTaxRegistration/ dutyFeeTaxDescription/@languageCode
734	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs duty description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/dutyFeeTaxRegistration/ dutyFeeTaxDescription/@codeListVersion
735	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType
736	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Customs duty registration information/Customs registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType/@codeListVersion
737	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/organisationDetails/organisationName
738	BDT00000034	.. 80	0 .. 1	County code	1 .. 80	0 .. 1	countyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/County code			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/countyCode
739	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/city
740	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/cityCode
741	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/crossStreet
742	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/pOBoxNumber
743	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical information/Ship from party	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/postalCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
744	BDT00000117	80 ..	0 .. 1	information/Organisation legal information/Official address/Postal code Province identity <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/organisationDetails/officialAddress/ provinceCode
745	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/organisationDetails/officialAddress/state
746	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/organisationDetails/officialAddress/ streetAddressOne
747	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/organisationDetails/officialAddress/ streetAddressTwo
748	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Street	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/organisationDetails/officialAddress/ streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
749	BDT00000774		1 .. 1	address three Country code content <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/countryCode
750	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/countryCode/@codeListVersion
751	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/geographicalCoordinates/latitude
752	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/geographicalCoordinates/longitude
753	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order/Ordered trade item logistical information/Ship from party		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/issuedCapital

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
754	BDT00000589	.. 80	1 .. 1	information/Organisation legal information/Issued capital/Issued capital content Currency code content <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/organisationDetails/issuedCapital/ @currencyCode
755	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/organisationDetails/issuedCapital/ @codeListVersion
756	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/organisationDetails/legalStructure
757	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipFrom/organisationDetails/legalStructure/ @languageCode
758	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Legal structure description/Language code/Code list version			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/legalStructure/@codeListVersion
759	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/legalRegistration/legalRegistrationNumber
760	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
761	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/legalRegistration/legalRegistrationType
762	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Organisation legal	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Registered legal information/Legal registration type code/Code list version			
763	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialInstitutionName
764	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialInstitutionBranchName
765	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialAccount/financialAccountName
766	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialAccount/financialAccountNumber
767	BDT000000645	.. 80	1 .. 1	Financial account number type code	1 .. 80	1 .. 1	financialAccountNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
768	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
769	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
770	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
771	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution routing number information/ Financial routing number type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
772	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Additional financial institution description/ Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/ financialInstitutionInformation/ additionalFinancialInformation/description
773	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
774	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Additional financial institution description/	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Language code/Code list version			
775	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/city
776	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/cityCode
777	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/countyCode
778	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/crossStreet
779	BDT000000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/name

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
780	BDT00000113	.. 80	0 .. 1	information/Party name Post office box number <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/pOBoxNumber
781	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/postalCode
782	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/provinceCode
783	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/state
784	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
785	BDT00000130	.. 200	0 .. 1	information/Street address one Street address two <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/streetAddressTwo
786	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/streetAddressThree
787	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/countryCode
788	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/countryCode/@codeListVersion
789	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Ordered trade item logistical information/Ship from party	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude			geographicalCoordinates/latitude
790	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/geographicalCoordinates/longitude
791	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/gln
792	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/additionalPartyIdentification
793	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
794	BDT000000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Additional party identification information/Additional party identification type code/Code list version			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/additionalPartyIdentification/@codeListVersion
795	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/address/city
796	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/address/cityCode
797	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/address/countyCode
798	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/address/crossStreet
799	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/address/name
800	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Address information/Post office box	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/address/pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				number			
801	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/address/postalCode
802	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/address/provinceCode
803	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/address/state
804	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/address/streetAddressOne
805	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/address/streetAddressTwo
806	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/address/streetAddressThree
807	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Address information/Country code/ Country code content			
808	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Address information/Country code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ address/countryCode/@codeListVersion
809	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ address/geographicalCoordinates/latitude
810	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ address/geographicalCoordinates/longitude
811	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ contact/personName
812	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Business contact information/ Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ contact/departmentName
813	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ contact/jobTitle

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
814	BDT00000571	.. 80	1 .. 1	Business contact information/Job title Contact type code content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/contact/contactTypeCode
815	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/contact/contactTypeCode/@codeListVersion
816	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/contact/responsibility
817	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/contact/responsibility/@languageCode
818	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Business contact information/Business contact responsibility description/	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/contact/responsibility/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
819	BDT00000525		1 .. 1	Language code/Code list version Communication channel code content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ contact/communicationChannel/ communicationChannelCode
820	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ contact/communicationChannel/ communicationChannelCode/@codeListVersion
821	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ contact/communicationChannel/communicationValue
822	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ contact/communicationChannel/ communicationChannelName
823	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Ordered trade item logistical	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ship to party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content			contact/afterHoursCommunicationChannel/ communicationChannelCode
824	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ contact/afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
825	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ contact/afterHoursCommunicationChannel/ communicationValue
826	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ contact/afterHoursCommunicationChannel/ communicationChannelName
827	BDT000000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
	BDT000000584						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
828		.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
829	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
830	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
831	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
832	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
		.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
833	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
834	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
835	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription
836	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
837	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax description/Language code/Code list version			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
838	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
839	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
840	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/organisationName
841	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/countyCode
842	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/city

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
843	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/cityCode
844	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/crossStreet
845	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/pOBoxNumber
846	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/postalCode
847	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/provinceCode
848	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/state

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
849	BDT00000128	.. 200	0 .. 1	address/State Street address one <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/streetAddressOne
850	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/streetAddressTwo
851	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/streetAddressThree
852	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/countryCode
853	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/countryCode/@codeListVersion
854	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Geographical coordinates information/Latitude			geographicalCoordinates/latitude
855	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
856	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ organisationDetails/issuedCapital
857	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ organisationDetails/issuedCapital/ @currencyCode
858	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ organisationDetails/issuedCapital/ @codeListVersion
859	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Organisation legal information/Legal structure description/Legal structure	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ organisationDetails/legalStructure

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
860	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/legalStructure/@languageCode
861	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/legalStructure/@codeListVersion
862	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/legalRegistration/legalRegistrationNumber
863	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
864	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Organisation legal information/Registered legal information/Legal	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/organisationDetails/legalRegistration/legalRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				registration type code/Legal registration type code content			
865	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ organisationDetails/legalRegistration/ legalRegistrationType/@codeListVersion
866	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ financialInstitutionInformation/financialInstitutionName
867	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ financialInstitutionInformation/ financialInstitutionBranchName
868	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ financialInstitutionInformation/financialAccount/ financialAccountName
869	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Financial institution and financial	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ financialInstitutionInformation/financialAccount/ financialAccountNumber

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
870	BDT00000645	.. 80	1 .. 1	account information/Financial account information/Financial account number Financial account number type code content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
871	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
872	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber
873	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Financial institution and financial account information/Financial institution	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				routing number information/Financial routing number type code/Financial routing number type code content			
874	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
875	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/additionalFinancialInformation/description
876	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
877	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Additional financial	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution description/Language code/ Code list version			
878	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/city
879	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/cityCode
880	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/countyCode
881	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/crossStreet
882	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Financial institution and financial	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/name

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Address information/Party name			
883	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBxNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/pOBxNumber
884	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/postalCode
885	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/provinceCode
886	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/state
887	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Address information/Street address one			
888	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/streetAddressTwo
889	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/streetAddressThree
890	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/countryCode
891	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/countryCode/@codeListVersion
892	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Ordered trade item logistical	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ship to party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude			financialInstitutionInformation/address/ geographicalCoordinates/latitude
893	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Ordered trade item logistical information/Ship to party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
894	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/gln
895	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/additionalPartyIdentification
896	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/additionalPartyIdentification/ @additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
897	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/additionalPartyIdentification/@codeListVersion
898	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/city
899	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/cityCode
900	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/countyCode
901	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/crossStreet
902	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Ordered trade item logistical information/Storage location	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/name

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/Party name			
903	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/pOBoxNumber
904	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/postalCode
905	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/provinceCode
906	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/state
907	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/streetAddressOne
908	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/Street	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
909	BDT00000129	.. 200	0 .. 1	address two Street address three <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/streetAddressThree
910	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/countryCode
911	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/countryCode/@codeListVersion
912	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/geographicalCoordinates/latitude
913	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/address/geographicalCoordinates/longitude
914	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Ordered trade item logistical	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Storage location information/Business contact information/Person name			inventoryLocation/contact/personName
915	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/contact/departmentName
916	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/contact/jobTitle
917	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/contact/contactTypeCode
918	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/contact/contactTypeCode/ @codeListVersion
919	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/contact/responsibility

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact responsibility description/Business contact responsibility description content			
920	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/contact/responsibility/@languageCode
921	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/contact/responsibility/@codeListVersion
922	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/contact/communicationChannel/communicationChannelCode
923	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/Communication	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/contact/communicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
924	BDT00000032	.. 200	1 .. 1	information/Communication channel code/Communication channel code content/Code list version Communication channel identification <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/contact/communicationChannel/communicationValue
925	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/contact/communicationChannel/communicationChannelName
926	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/contact/afterHoursCommunicationChannel/communicationChannelCode
927	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/After hours communication information/Communication channel	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Communication channel code content/Code list version			
928	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/contact/ afterHoursCommunicationChannel/communicationValue
929	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/contact/ afterHoursCommunicationChannel/ communicationChannelName
930	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/dutyFeeTaxRegistration/ dutyFeeTaxAgencyName
931	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID
932	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Ordered trade item logistical	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name			inventoryLocation/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/@identificationSchemeName
933	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
934	BDT000000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
935	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Identification	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme information/Identification scheme responsible agency code/Code list version			
936	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode
937	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode/@codeListVersion
938	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/dutyFeeTaxRegistration/ dutyFeeTaxDescription
939	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/dutyFeeTaxRegistration/ dutyFeeTaxDescription/@languageCode
940	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Storage location	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/dutyFeeTaxRegistration/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax description/Language code/Code list version			dutyFeeTaxDescription/@codeListVersion
941	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType
942	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType/@codeListVersion
943	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/organisationDetails/organisationName
944	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/organisationDetails/officialAddress/ countyCode
945	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/organisationDetails/officialAddress/city

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
946	BDT00000019	.. 80	0 .. 1	information/Official address/City name City code <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/cityCode
947	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/crossStreet
948	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/pOBoxNumber
949	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/postalCode
950	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/provinceCode
951	BDT00000127	.. 80	0 .. 1	State	1 .. 80	0 .. 1	state

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/State			<i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/state
952	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/streetAddressOne
953	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/streetAddressTwo
954	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/streetAddressThree
955	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/countryCode
956	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Storage location information/Organisation legal information/Official address/Country code/Code list version			inventoryLocation/organisationDetails/officialAddress/ countryCode/@codeListVersion
957	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/organisationDetails/officialAddress/ geographicalCoordinates/latitude
958	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/organisationDetails/officialAddress/ geographicalCoordinates/longitude
959	BDT000000655		1 .. 1	Issued capital content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/organisationDetails/issuedCapital
960	BDT000000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ inventoryLocation/organisationDetails/issuedCapital/ @currencyCode
	BDT000000028						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
961		.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/issuedCapital/@codeListVersion
962	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/legalStructure
963	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/legalStructure/@languageCode
964	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/legalStructure/@codeListVersion
965	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/legalRegistration/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Registered legal information/Legal registration number			legalRegistrationNumber
966	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
967	BDT000000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/legalRegistration/legalRegistrationType
968	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
969	BDT000000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialInstitutionName
	BDT000000060						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
970		.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialInstitutionBranchName
971	BDT000000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountName
972	BDT000000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumber
973	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
974	BDT000000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version			<i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
975	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
976	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
977	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
978	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/additionalFinancialInformation/description
979	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
980	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
981	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/city
982	BDT00000019	.. 80	0 .. 1	City code	1 .. 80	0 .. 1	cityCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/City code			<i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/cityCode
983	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/countyCode
984	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/crossStreet
985	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/name
986	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/pOBoxNumber
987	BDT00000114	.. 80	0 .. 1	Postal code	1 .. 80	0 .. 1	postalCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Postal code			<i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/postalCode
988	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/provinceCode
989	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/state
990	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/streetAddressOne
991	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/streetAddressTwo
992	BDT00000129	.. 200	0 .. 1	Street address three	1 .. 200	0 .. 1	streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Street address three			<i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/streetAddressThree
993	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/countryCode
994	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/countryCode/@codeListVersion
995	BDT000000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/geographicalCoordinates/latitude
996	BDT000000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Geographical coordinates information/Longitude			
997	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Global location number GLN	0 .. 1		gln <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/gln
998	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/additionalPartyIdentification
999	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
100	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/additionalPartyIdentification/ @codeListVersion
100	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate consignee party information/Address information/City name			ultimateConsignee/address/city
100	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/cityCode
100	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/countyCode
100	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/crossStreet
100	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/name
100	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/pOBoxNumber
100	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate consignee party information/Address information/Postal code			ultimateConsignee/address/postalCode
100	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/provinceCode
100	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/state
101	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/streetAddressOne
101	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/streetAddressTwo
101	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/streetAddressThree
101	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
101	BDT00000028	.. 35	0 .. 1	information/Address information/ Country code/Country code content Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/ Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/address/countryCode/ @codeListVersion
101	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/address/geographicalCoordinates/ latitude
101	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/address/geographicalCoordinates/ longitude
101	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/contact/personName
101	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/contact/departmentName
101	BDT00000083	.. 70	0 .. 1	Job title	1 .. 70	0 .. 1	jobTitle

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Job title			<i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/contact/jobTitle
102	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/contact/contactTypeCode
102	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/contact/contactTypeCode/@codeListVersion
102	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/contact/responsibility
102	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Business contact responsibility description/Language	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/contact/responsibility/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
102	BDT00000028	.. 35	0 .. 1	code/Language code content Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/contact/responsibility/@codeListVersion
102	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/contact/communicationChannel/communicationChannelCode
102	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/contact/communicationChannel/communicationChannelCode/@codeListVersion
102	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/contact/communicationChannel/communicationValue

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
102	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/contact/communicationChannel/communicationChannelName
102	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationChannelCode
103	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
103	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationValue
103	BDT00000033	.. 200	0 .. 1	Communication channel name	1 .. 200	0 .. 1	communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel name			<i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationChannelName
103	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
103	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
103	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
103	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
103	BDT00000583	.. 80	1 .. 1	identification information/Identification scheme information/Identification scheme agency name Identification scheme responsible agency code content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
103	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
103	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode
104	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate consignee party information/Tax registration information/Tax type code/Code list version			ultimateConsignee/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode/@codeListVersion
104	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/dutyFeeTaxRegistration/ dutyFeeTaxDescription
104	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/dutyFeeTaxRegistration/ dutyFeeTaxDescription/@languageCode
104	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/dutyFeeTaxRegistration/ dutyFeeTaxDescription/@codeListVersion
104	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType
104	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate consignee party information/Tax registration information/Tax registration type code/ Code list version			ultimateConsignee/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType/@codeListVersion
104	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/organisationDetails/organisationName
104	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/organisationDetails/officialAddress/ countyCode
104	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/organisationDetails/officialAddress/city
104	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/organisationDetails/officialAddress/ cityCode
105	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Cross	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/organisationDetails/officialAddress/ crossStreet

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
105	BDT00000113	.. 80	0 .. 1	street Post office box number <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/pOBoxNumber
105	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/postalCode
105	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/provinceCode
105	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/state
105	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/streetAddressOne
105	BDT00000130	.. 200	0 .. 1	Street address two	1 .. 200	0 .. 1	streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Street address two			<i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/streetAddressTwo
105	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/streetAddressThree
105	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/countryCode
105	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/countryCode/@codeListVersion
106	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/geographicalCoordinates/latitude
	BDT00000089						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
106		.. 80	1 .. 1	Longitude <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/geographicalCoordinates/longitude
106	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/issuedCapital
106	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/issuedCapital/@currencyCode
106	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/issuedCapital/@codeListVersion
106	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Legal structure description/Legal structure description	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/legalStructure

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
106	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/legalStructure/@languageCode
106	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/legalStructure/@codeListVersion
106	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationNumber
106	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
107	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Ordered trade item logistical	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content			ultimateConsignee/organisationDetails/legalRegistration/ legalRegistrationType
107	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/organisationDetails/legalRegistration/ legalRegistrationType/@codeListVersion
107	BDT000000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/financialInstitutionInformation/ financialInstitutionName
107	BDT000000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/financialInstitutionInformation/ financialInstitutionBranchName
107	BDT000000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/orderLogisticalInformation/ ultimateConsignee/financialInstitutionInformation/ financialAccount/financialAccountName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				name			
107	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumber
107	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
107	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
107	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
107	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
108	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
108	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description
108	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Additional financial institution description/ Language code/ Language code content			@languageCode
108	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
108	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/city
108	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/cityCode
108	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/countyCode
108	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Ordered trade item logistical	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate consignee party information/Financial institution and financial account information/Address information/Cross street			ultimateConsignee/financialInstitutionInformation/address/crossStreet
108	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/name
108	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/pOBoxNumber
109	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/postalCode
109	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/provinceCode
109	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Ordered trade item logistical	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate consignee party information/Financial institution and financial account information/Address information/State			ultimateConsignee/financialInstitutionInformation/address/state
109	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/streetAddressOne
109	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/streetAddressTwo
109	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/streetAddressThree
109	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/countryCode
109	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Country code/Code list version			<i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/countryCode/@codeListVersion
109	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/geographicalCoordinates/latitude
109	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/geographicalCoordinates/longitude
110	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/gln
110	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
110	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
110	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/additionalPartyIdentification/@codeListVersion
110	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/address/city
110	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/address/cityCode
110	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/address/countyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
110	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/ Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/address/crossStreet
110	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/ Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/address/name
110	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/ Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/address/pOBoxNumber
111	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/ Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/address/postalCode
111	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/ Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/address/provinceCode
111	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/ State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/address/state

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
111	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/address/streetAddressOne
111	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/address/streetAddressTwo
111	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/address/streetAddressThree
111	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/address/countryCode
111	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/address/countryCode/@codeListVersion
111	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/Geographical coordinates information/	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
111	BDT00000089	.. 80	1 .. 1	Latitude Longitude <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/address/geographicalCoordinates/longitude
112	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/personName
112	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/departmentName
112	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/jobTitle
112	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/contactTypeCode
112	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Logistics services provider party information/Business contact information/Contact type code/Code list version			intermediateDeliveryParty/contact/contactTypeCode/@codeListVersion
112	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/responsibility
112	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/responsibility/@languageCode
112	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/responsibility/@codeListVersion
112	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/communicationChannel/communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication information/Communication channel code/Communication channel code content			
112	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
113	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/contact/ communicationChannel/communicationValue
113	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/contact/ communicationChannel/communicationChannelName
113	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/After hours communication	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/contact/ afterHoursCommunicationChannel/ communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication channel code/Communication channel code content			
113	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
113	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/afterHoursCommunicationChannel/communicationValue
113	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/contact/afterHoursCommunicationChannel/communicationChannelName
113	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
	BDT00000584						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
113		.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
113	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
113	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
114	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme responsible agency code/ Identification scheme responsible agency code content			
114	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
114	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode
114	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode/@codeListVersion
114	BDT000000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/dutyFeeTaxRegistration/ dutyFeeTaxDescription
	BDT000000524						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
114		.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
114	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
114	BDT000000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
114	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
114	BDT000000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/organisationName
115	BDT000000034	.. 80	0 .. 1	County code	1 .. 80	0 .. 1	countyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/County code			<i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/countyCode
115	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/city
115	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/cityCode
115	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/crossStreet
115	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/pOBoxNumber
115	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Organisation legal information/Official address/Postal code			officialAddress/postalCode
115	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/provinceCode
115	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/state
115	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/streetAddressOne
115	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/streetAddressTwo
116	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Street	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address three			
116	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/countryCode
116	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/countryCode/@codeListVersion
116	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/geographicalCoordinates/latitude
116	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/geographicalCoordinates/longitude
116	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Organisation legal information/Issued capital/Issued capital content			issuedCapital
116	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/issuedCapital/@currencyCode
116	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/issuedCapital/@codeListVersion
116	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalStructure
116	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalStructure/@languageCode
117	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Legal structure description/Language code/Code list version			<i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalStructure/@codeListVersion
117	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalRegistration/legalRegistrationNumber
117	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
117	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalRegistration/legalRegistrationType
117	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Organisation legal	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Registered legal information/Legal registration type code/Code list version			
117	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialInstitutionName
117	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialInstitutionBranchName
117	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialAccount/financialAccountName
117	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialAccount/financialAccountNumber
117	BDT000000645	.. 80	1 .. 1	Financial account number type code	1 .. 80	1 .. 1	financialAccountNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content			<i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
118	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
118	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
118	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				type code/Financial routing number type code content			
118	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/ Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/financialInstitutionInformation/ financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
118	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/ Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/financialInstitutionInformation/ additionalFinancialInformation/description
118	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/ Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
118	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/financialInstitutionInformation/ additionalFinancialInformation/description/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				and financial account information/ Additional financial institution description/Language code/Code list version			@codeListVersion
118	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/ Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/financialInstitutionInformation/ address/city
118	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/ Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/financialInstitutionInformation/ address/cityCode
118	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/ Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/financialInstitutionInformation/ address/countyCode
119	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/ Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLogisticalInformation/ intermediateDeliveryParty/financialInstitutionInformation/ address/crossStreet
119	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Ordered trade item logistical	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Logistics services provider party information/Financial institution and financial account information/Address information/Party name			intermediateDeliveryParty/financialInstitutionInformation/address/name
119	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/pOBoxNumber
119	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/postalCode
119	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/provinceCode
119	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/state
119	BDT00000128	.. 200	0 .. 1	Street address one	1 .. 200	0 .. 1	streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/ Address information/Street address one			<i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/ address/streetAddressOne
119	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/ Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/ address/streetAddressTwo
119	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/ Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/ address/streetAddressThree
119	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/ address/countryCode
120	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/ Address information/Country code/	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/ address/countryCode/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Code list version			
120	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/geographicalCoordinates/latitude
120	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/geographicalCoordinates/longitude
120	BDT00000010		0 .. 1	Begin time period <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested delivery time period/Begin time period		0 .. 1	beginTime <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRange/beginTime
120	BDT00000009		0 .. 1	Begin period date <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested delivery time period/Begin period date		0 .. 1	beginDate <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRange/beginDate
120	BDT00000054		0 .. 1	End date period <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested delivery time period/End date period		0 .. 1	endDate <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRange/endDate

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
120	BDT00000055		0 .. 1	End time period <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested delivery time period/End time period		0 .. 1	endTime <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRange/endTime
120	BDT00000010		0 .. 1	Begin time period <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time period/Begin time period		0 .. 1	beginTime <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedShipDateRange/beginTime
120	BDT00000009		0 .. 1	Begin period date <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time period/Begin period date		0 .. 1	beginDate <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedShipDateRange/beginDate
120	BDT00000054		0 .. 1	End date period <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time period/End date period		0 .. 1	endDate <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedShipDateRange/endDate
121	BDT00000055		0 .. 1	End time period <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time period/End time period		0 .. 1	endTime <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedShipDateRange/endTime
121	BDT00000010		0 .. 1	Begin time period <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time period at ultimate		0 .. 1	beginTime <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRangeAtUltimateConsignee/beginTime

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
121	BDT00000009		0 .. 1	consignee/Begin time period Begin period date <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time period at ultimate consignee/Begin period date		0 .. 1	beginDate <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRangeAtUltimateConsignee/beginDate
121	BDT00000054		0 .. 1	End date period <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time period at ultimate consignee/End date period		0 .. 1	endDate <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRangeAtUltimateConsignee/endDate
121	BDT00000055		0 .. 1	End time period <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time period at ultimate consignee/End time period		0 .. 1	endTime <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRangeAtUltimateConsignee/endTime
121	BDT00000040		0 .. 1	Date <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time/Date		1 .. 1	date <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateTime/date
121	BDT00000133		0 .. 1	Time <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time/Time		0 .. 1	time <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateTime/time
121	BDT00000040		0 .. 1	Date		1 .. 1	date

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time/Date			<i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedShipDateTime/date
121	BDT00000133		0 .. 1	Time <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time/Time		0 .. 1	time <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedShipDateTime/time
121	BDT00000040		0 .. 1	Date <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested date time for pick up/Date		1 .. 1	date <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedPickUpDateTime/date
122	BDT00000133		0 .. 1	Time <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested date time for pick up/Time		0 .. 1	time <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedPickUpDateTime/time
122	BDT00000040		0 .. 1	Date <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time at ultimate consignee/Date		1 .. 1	date <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateTimeAtUltimateConsignee/date
122	BDT00000133		0 .. 1	Time <i>Path:</i> Order/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time at ultimate consignee/Time		0 .. 1	time <i>Path:</i> orderMessage/order/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateTimeAtUltimateConsignee/time
122	BDT00000647	.. 80	1 .. 1	Handling instruction code content	1 .. 80	0 .. unbounded	handlingInstructionCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Handling instruction code/Handling instruction code content			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/handlingInstructionCode
122	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Handling instruction code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/handlingInstructionCode/@codeListVersion
122	BDT00000687	.. 80	1 .. 1	Transport means type code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport means type code/Transport means type code content	1 .. 80	0 .. 1	transportMeansType <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/transportMeansType
122	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport means type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/transportMeansType/@codeListVersion
122	BDT00000625	.. 80	0 .. 1	Transport means identification content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Transport means identification content	1 .. 80	0 .. 1	transportMeansID <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/transportMeansID
122	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport means	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/transportMeansID/@identificationSchemeName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
122	BDT00000073	.. 80	0 .. 1	identification/Identification scheme information/Identification scheme name Identification scheme agency name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/transportMeansID/@identificationSchemeAgencyName
123	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/transportMeansID/@identificationSchemeAgencyCode
123	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/transportMeansID/@identificationSchemeAgencyCodeCodeListVersion
123	BDT00000688	.. 80	1 .. 1	Transport mode code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport mode code/	1 .. 80	0 .. 1	transportServiceCategoryType <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/transportServiceCategoryType

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
123	BDT00000028	.. 35	0 .. 1	Transport mode code content Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport mode code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/transportServiceCategoryType/@codeListVersion
123	BDT00000689	.. 80	1 .. 1	Transport service level code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport service level code/Transport service level code content	1 .. 80	0 .. 1	transportServiceLevelCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/transportServiceLevelCode
123	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport service level code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/transportServiceLevelCode/@codeListVersion
123	BDT00000626	.. 80	1 .. 1	Transport route identification content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Transport route identification content	1 .. 80	0 .. 1	routeID <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/routeID
123	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/routeID/@identificationSchemeName
123	BDT00000073	.. 80	0 .. 1	Identification scheme agency name	1 .. 80		identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme agency name			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/routeID/@identificationSchemeAgencyName
123	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/routeID/@identificationSchemeAgencyCode
124	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/routeID/@identificationSchemeAgencyCodeCodeListVersion
124	BDT00000648	.. 70	1 .. 1	Handling instruction description content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Handling instruction description/Handling instruction description content	1 .. 100	0 .. unbounded	additionalHandlingInstruction <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/additionalHandlingInstruction
124	BDT00000524	.. 80	1 .. 1	Language code content	1 .. 80		languageCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Handling instruction description/Language code/Language code content			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/additionalHandlingInstruction/@languageCode
124	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Handling instruction description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/additionalHandlingInstruction/@codeListVersion
124	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/gln
124	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/additionalPartyIdentification
124	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification type code/Additional party	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
124	BDT000000028	.. 35	0 .. 1	identification type code content Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/additionalPartyIdentification/@codeListVersion
124	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/city
124	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/cityCode
125	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/countyCode
125	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/crossStreet
125	BDT000000106	.. 200	0 .. 1	Party name	1 .. 200	0 .. 1	name

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Party name			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/name
125	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/pOBoxNumber
125	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/postalCode
125	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/provinceCode
125	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/state
125	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
125	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/streetAddressTwo
125	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/streetAddressThree
126	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/countryCode
126	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/countryCode/@codeListVersion
126	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/geographicalCoordinates/latitude
126	BDT00000089	.. 80	1 .. 1	Longitude	1 .. 80	1 .. 1	longitude

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Geographical coordinates information/Longitude			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/geographicalCoordinates/longitude
126	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/personName
126	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/departmentName
126	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/jobTitle
126	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/contactTypeCode
126	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Shipment transportation information/Carrier party information/Business contact information/Contact type code/Code list version			shipmentTransportationInformation/carrier/contact/contactTypeCode/@codeListVersion
126	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/responsibility
127	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/responsibility/@languageCode
127	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/responsibility/@codeListVersion
127	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/communicationChannel/communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/ Communication information/ Communication channel code/ Communication channel code content			
127	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
127	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationValue
127	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationChannelName
127	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ afterHoursCommunicationChannel/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/After hours communication information/Communication channel code/Communication channel code content			communicationChannelCode
127	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
127	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationValue
127	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationChannelName
128	BDT000000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxAgencyName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Tax registration information/Tax authority name			
128	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
128	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
128	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
128	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				registration identification information/ Identification scheme information/ Identification scheme responsible agency code/Identification scheme responsible agency code content			
128	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
128	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
128	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
128	BDT000000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Tax registration information/Tax	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxDescription

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
128	BDT00000524	.. 80	1 .. 1	description/Tax description content Language code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
129	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
129	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
129	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
129	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Ordered trade item logistical	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Shipment transportation information/Carrier party information/ Organisation legal information/ Organisation name			shipmentTransportationInformation/carrier/ organisationDetails/organisationName
129	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/countyCode
129	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/city
129	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/cityCode
129	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/crossStreet
129	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Ordered trade item logistical	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Post office box number			shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/pOBoxNumber
129	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/postalCode
130	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/provinceCode
130	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/state
130	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/streetAddressOne
130	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Ordered trade item logistical	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Street address two			shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/streetAddressTwo
130	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/streetAddressThree
130	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/countryCode
130	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/countryCode/ @codeListVersion
130	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
	BDT00000089						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
130		.. 80	1 .. 1	Longitude <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/geographicalCoordinates/longitude
130	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/issuedCapital
131	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/issuedCapital/@currencyCode
131	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/issuedCapital/@codeListVersion
131	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Legal	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalStructure

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				structure description/Legal structure description content			
131	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalStructure/@languageCode
131	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalStructure/@codeListVersion
131	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationNumber
131	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
	BDT00000658						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
131		.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationType
131	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
131	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialInstitutionName
132	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialInstitutionBranchName
132	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Ordered trade item logistical	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account name			shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountName
132	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountNumber
132	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
132	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
132	BDT000000062	.. 80	1 .. 1	Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
132	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
132	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
132	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Additional financial institution description/Additional financial institution description content			
132	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
133	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
133	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/city
133	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/cityCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Address information/City code			
133	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/countyCode
133	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/crossStreet
133	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/name
133	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
133	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/postalCode
133	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/provinceCode
133	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/state
134	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/streetAddressOne
134	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Carrier party information/ Financial institution and financial account information/Address information/Street address two			financialInstitutionInformation/address/streetAddressTwo
134	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/ streetAddressThree
134	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/countryCode
134	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/countryCode/ @codeListVersion
134	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Address information/Geographical coordinates information/Latitude			geographicalCoordinates/latitude
134	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/geographicalCoordinates/longitude
134	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/gln
134	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/additionalPartyIdentification
134	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Additional party	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional party identification type code/Additional party identification type code content			
135	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/additionalPartyIdentification/@codeListVersion
135	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/city
135	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/cityCode
135	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/countyCode
135	BDT00000035	.. 200	0 .. 1	Cross street	1 .. 200	0 .. 1	crossStreet

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Cross street			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/crossStreet
135	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/name
135	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/pOBoxNumber
135	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/postalCode
135	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/provinceCode
135	BDT00000127	.. 80	0 .. 1	State	1 .. 80	0 .. 1	state

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/State			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/state
136	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/streetAddressOne
136	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/streetAddressTwo
136	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/streetAddressThree
136	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/countryCode
136	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Shipment transportation information/Freight forwarder party information/Address information/Country code/Code list version			shipmentTransportationInformation/freightForwarder/address/countryCode/@codeListVersion
136	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/geographicalCoordinates/latitude
136	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/geographicalCoordinates/longitude
136	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/personName
136	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/departmentName
	BDT00000083						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
136		.. 70	0 .. 1	Job title <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/jobTitle
137	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/contactTypeCode
137	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/contactTypeCode/@codeListVersion
137	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/responsibility
137	BDT00000524						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
		.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/responsibility/@languageCode
137	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/responsibility/@codeListVersion
137	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationChannelCode
137	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Communication	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
137	BDT00000032	.. 200	1 .. 1	information/Communication channel code/Communication channel code content/Code list version Communication channel identification <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationValue
137	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationChannelName
137	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/afterHoursCommunicationChannel/communicationChannelCode
138	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version			contact/afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
138	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationValue
138	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationChannelName
138	BDT000000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
138	BDT000000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Freight forwarder party information/Tax registration information/Tax registration identification information/Tax registration identification content			dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
138	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
138	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
138	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			
138	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
138	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
139	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
139	BDT000000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Freight forwarder party information/Tax registration information/Tax description/Tax description content			dutyFeeTaxRegistration/dutyFeeTaxDescription
139	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
139	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
139	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
139	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration type code/	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Code list version			
139	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/organisationName
139	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/countyCode
139	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/city
139	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/cityCode
140	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Cross street			
140	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/pOBoxNumber
140	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/postalCode
140	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/provinceCode
140	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/state
140	BDT00000128	.. 200	0 .. 1	Street address one	1 .. 200	0 .. 1	streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Street address one			<i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/streetAddressOne
140	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/streetAddressTwo
140	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/streetAddressThree
140	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/countryCode
140	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/countryCode/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Country code/Code list version			@codeListVersion
141	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
141	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
141	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/issuedCapital
141	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/issuedCapital/ @currencyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
141	BDT00000028	.. 35	0 .. 1	information/Issued capital/Currency code/Currency code content Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/issuedCapital/@codeListVersion
141	BDT000000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/legalStructure
141	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/legalStructure/@languageCode
141	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Legal structure	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/legalStructure/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				description/Language code/Code list version			
141	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationNumber
141	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
142	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationType
142	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
142	BDT00000061	.. 80	0 .. 1	information/Registered legal information/Legal registration type code/Code list version Financial institution name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialInstitutionName
142	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialInstitutionBranchName
142	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountName
142	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumber

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
142	BDT00000645	.. 80	1 .. 1	account information/Financial account number Financial account number type code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
142	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
142	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
142	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order/Ordered trade item logistical	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content			financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
143	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
143	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/additionalFinancialInformation/description
143	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Additional financial institution description/ Language code/ Language code content			additionalFinancialInformation/description/ @languageCode
143	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/ Additional financial institution description/ Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
143	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/ Address information/ City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/city
143	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/ Address information/ City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/cityCode
143	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/countyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/County code			
143	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/crossStreet
143	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/name
143	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/pOBoxNumber
144	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/postalCode
	BDT00000117						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
144		80 ..	0 .. 1	Province identity <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/provinceCode
144	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/state
144	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/streetAddressOne
144	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/streetAddressTwo
144	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Freight forwarder party information/Financial institution and financial account information/Address information/Street address three			financialInstitutionInformation/address/streetAddressThree
144	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/countryCode
144	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/countryCode/@codeListVersion
144	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/geographicalCoordinates/latitude
144	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Ordered trade item logistical information/Shipment transportation	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Freight forwarder party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude			financialInstitutionInformation/address/geographicalCoordinates/longitude
145	BDT00000693		1 .. 1	Payment terms event code content <i>Path:</i> Order/Payment terms information/ Payment terms event code/Payment terms event code content	1 .. 80	1 .. 1	paymentTermsEventCode <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsEventCode
145	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Payment terms information/ Payment terms event code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsEventCode/@codeListVersion
145	BDT00000694	.. 80	1 .. 1	Payment terms type code content <i>Path:</i> Order/Payment terms information/ Payment terms type code/Payment terms type code content	1 .. 80	1 .. 1	paymentTermsTypeCode <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsTypeCode
145	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Payment terms information/ Payment terms type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsTypeCode/@codeListVersion
145	BDT00000039		0 .. 1	Cut off day <i>Path:</i> Order/Payment terms information/Cut off day		0 .. 1	proximoCutOffDay <i>Path:</i> orderMessage/order/paymentTerms/proximoCutOffDay
145	BDT00000107	.. 80	0 .. 1	Payment discount description <i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Payment discount description	1 .. 80	1 .. 1	discountType <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/discountType
145	BDT00000108		0 .. 1	Payment discount percentage		0 .. 1	discountPercent

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Payment discount percentage			<i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/discountPercent
145	BDT00000692		1 .. 1	Discount monetary amount content <i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Discount monetary amount/Discount monetary amount content		0 .. 1	discountAmount <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/discountAmount
145	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Discount monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/discountAmount/ @currencyCode
145	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Discount monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/discountAmount/ @codeListVersion
146	BDT00000109		0 .. 1	Payment due date <i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Payment time period/Payment due date		0 .. 1	dateDue <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/paymentTimePeriod/dateDue
146	BDT00000041		0 .. 1	Day of month payment due <i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Payment time period/Day of month payment due		0 .. 1	dayOfMonthDue <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/paymentTimePeriod/ dayOfMonthDue
146	BDT00000651	.. 80	1 .. 1	Time period due code content <i>Path:</i> Order/Payment terms information/ Payment terms discount information/		0 .. 1	timePeriodDue <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/paymentTimePeriod/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Payment time period/Time period due code/Time period due code content			timePeriodDue
146	BDT00000134		0 .. 1	Time period measurement unit code content <i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Payment time period/Time period due code/Time period measurement unit code/Time period measurement unit code content	1 .. 80		timeMeasurementUnitCode <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/paymentTimePeriod/ timePeriodDue/@timeMeasurementUnitCode
146	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Payment time period/Time period due code/Time period measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/paymentTimePeriod/ timePeriodDue/@codeListVersion
146	BDT00000640	.. 70	1 .. 1	Discount description content <i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Discount description/Discount description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/discountDescription/description
146	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Discount description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/discountDescription/ description/@languageCode
146	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Payment terms information/ Payment terms discount information/ Discount description/Language code/	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/paymentTerms/ paymentTermsDiscount/discountDescription/ description/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Code list version			
146	BDT00000110	.. 35	0 .. 1	Payment method identification <i>Path:</i> Order/Payment terms information/ Payment method information/Payment method identification	1 .. 200	0 .. 1	paymentMethodIdentification <i>Path:</i> orderMessage/order/paymentTerms/paymentMethod/ paymentMethodIdentification
146	BDT00000691	.. 80	1 .. 1	Payment method code content <i>Path:</i> Order/Payment terms information/ Payment method information/Payment method code/Payment method code content	1 .. 80	1 .. 1	paymentMethodCode <i>Path:</i> orderMessage/order/paymentTerms/paymentMethod/ paymentMethodCode
147	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Payment terms information/ Payment method information/Payment method code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/paymentTerms/paymentMethod/ paymentMethodCode/@codeListVersion
147	BDT00000565		1 .. 1	Automated clearing house payment format code content <i>Path:</i> Order/Payment terms information/ Payment method information/ Automated clearing house payment format code/Automated clearing house payment format code content	1 .. 80	0 .. 1	automatedClearingHousePaymentFormat <i>Path:</i> orderMessage/order/paymentTerms/paymentMethod/ automatedClearingHousePaymentFormat
147	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Payment terms information/ Payment method information/ Automated clearing house payment format code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/paymentTerms/paymentMethod/ automatedClearingHousePaymentFormat/ @codeListVersion
147	BDT00000109		0 .. 1	Payment due date <i>Path:</i> Order/Payment terms information/ Payment due information/Payment due date		0 .. 1	dateDue <i>Path:</i> orderMessage/order/paymentTerms/netPaymentDue/ dateDue

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
147	BDT00000041		0 .. 1	Day of month payment due <i>Path:</i> Order/Payment terms information/ Payment due information/Day of month payment due		0 .. 1	dayOfMonthDue <i>Path:</i> orderMessage/order/paymentTerms/netPaymentDue/ dayOfMonthDue
147	BDT000000651	.. 80	1 .. 1	Time period due code content <i>Path:</i> Order/Payment terms information/ Payment due information/Time period due code/Time period due code content		0 .. 1	timePeriodDue <i>Path:</i> orderMessage/order/paymentTerms/netPaymentDue/ timePeriodDue
147	BDT000000134		0 .. 1	Time period measurement unit code content <i>Path:</i> Order/Payment terms information/ Payment due information/Time period due code/Time period measurement unit code/Time period measurement unit code content	1 .. 80		timeMeasurementUnitCode <i>Path:</i> orderMessage/order/paymentTerms/netPaymentDue/ timePeriodDue/@timeMeasurementUnitCode
147	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Payment terms information/ Payment due information/Time period due code/Time period measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/paymentTerms/netPaymentDue/ timePeriodDue/@codeListVersion
147	BDT000000111		1 .. 1	Percent of payment due <i>Path:</i> Order/Payment terms information/ Installment due information/Percent of payment due		1 .. 1	percentOfPaymentDue <i>Path:</i> orderMessage/order/paymentTerms/installmentDue/ percentOfPaymentDue
147	BDT000000109		0 .. 1	Payment due date <i>Path:</i> Order/Payment terms information/ Installment due information/Payment time period/Payment due date		0 .. 1	dateDue <i>Path:</i> orderMessage/order/paymentTerms/installmentDue/ paymentTimePeriod/dateDue
148	BDT000000041		0 .. 1	Day of month payment due <i>Path:</i> Order/Payment terms information/		0 .. 1	dayOfMonthDue <i>Path:</i> orderMessage/order/paymentTerms/installmentDue/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Installment due information/Payment time period/Day of month payment due			paymentTimePeriod/dayOfMonthDue
148	BDT00000651	.. 80	1 .. 1	Time period due code content <i>Path:</i> Order/Payment terms information/Installment due information/Payment time period/Time period due code/Time period due code content		0 .. 1	timePeriodDue <i>Path:</i> orderMessage/order/paymentTerms/installmentDue/paymentTimePeriod/timePeriodDue
148	BDT00000134		0 .. 1	Time period measurement unit code content <i>Path:</i> Order/Payment terms information/Installment due information/Payment time period/Time period due code/Time period measurement unit code/Time period measurement unit code content	1 .. 80		timeMeasurementUnitCode <i>Path:</i> orderMessage/order/paymentTerms/installmentDue/paymentTimePeriod/timePeriodDue/@timeMeasurementUnitCode
148	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Payment terms information/Installment due information/Payment time period/Time period due code/Time period measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/paymentTerms/installmentDue/paymentTimePeriod/timePeriodDue/@codeListVersion
148	BDT00000135	.. 200	1 .. 1	Transactional reference identification <i>Path:</i> Order/Payment terms information/SEPA information/Transactional reference identification	1 .. 200	1 .. 1	transactionalReferenceValue <i>Path:</i> orderMessage/order/paymentTerms/sEPAReference/transactionalReferenceValue
148	BDT00000364		0 .. 1	Referenced document date time <i>Path:</i> Order/Payment terms information/SEPA information/Referenced document date time		0 .. 1	transactionalReferenceDateTime <i>Path:</i> orderMessage/order/paymentTerms/sEPAReference/transactionalReferenceDateTime
148	BDT00000699	.. 80	1 .. 1	Referenced document type code content <i>Path:</i> Order/Payment terms information/	1 .. 80	1 .. 1	transactionalReferenceTypeCode <i>Path:</i> orderMessage/order/paymentTerms/sEPAReference/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				SEPA information/Transactional reference type code/Referenced document type code content			transactionalReferenceTypeCode
148	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Payment terms information/SEPA information/Transactional reference type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/paymentTerms/sEPAResponse/transactionalReferenceTypeCode/@codeListVersion
148	BDT00000617	.. 80	1 .. 1	Settlement charge code content <i>Path:</i> Order/Charge information/Settlement charge code/Settlement charge code content	1 .. 80	1 .. 1	settlementType <i>Path:</i> orderMessage/order/allowanceCharge/settlementType
148	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Charge information/Settlement charge code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/allowanceCharge/settlementType/@codeListVersion
149	BDT00000018		0 .. 1	Charge percentage <i>Path:</i> Order/Charge information/Charge percentage		0 .. 1	allowanceChargePercentage <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargePercentage
149	BDT00000012	.. 80	0 .. 1	Bracket criteria <i>Path:</i> Order/Charge information/Bracket criteria	1 .. 80	0 .. 1	bracketIdentifier <i>Path:</i> orderMessage/order/allowanceCharge/bracketIdentifier
149	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Order/Charge information/Calculation sequence number		0 .. 1	sequenceNumber <i>Path:</i> orderMessage/order/allowanceCharge/sequenceNumber
149	BDT00000620		1 .. 1	Charge monetary amount per unit content <i>Path:</i> Order/Charge information/Charge monetary amount per unit/Charge monetary amount per unit content		0 .. 1	amountPerUnit <i>Path:</i> orderMessage/order/allowanceCharge/amountPerUnit
149	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Charge information/Charge	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/allowanceCharge/amountPerUnit/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				monetary amount per unit/Currency code/Currency code content			@currencyCode
149	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Charge information/Charge monetary amount per unit/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/allowanceCharge/amountPerUnit/@codeListVersion
149	BDT00000618	.. 80	1 .. 1	Charge type code content <i>Path:</i> Order/Charge information/Charge type code/Charge type code content	1 .. 80	1 .. 1	allowanceChargeType <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeType
149	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Charge information/Charge type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeType/@codeListVersion
149	BDT00000619		0 .. 1	Charge monetary amount content <i>Path:</i> Order/Charge information/Charge monetary amount/Charge monetary amount content		0 .. 1	allowanceChargeAmount <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeAmount
149	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Charge information/Charge monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeAmount/@currencyCode
150	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Charge information/Charge monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeAmount/@codeListVersion
150	BDT00000614		1 .. 1	Charge basis monetary amount content <i>Path:</i> Order/Charge information/Charge basis monetary amount/Charge basis monetary amount content		0 .. 1	baseAmount <i>Path:</i> orderMessage/order/allowanceCharge/baseAmount
150	BDT00000589	.. 80	1 .. 1	Currency code content	1 .. 80		currencyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Charge information/Charge basis monetary amount/Currency code/Currency code content			<i>Path:</i> orderMessage/order/allowanceCharge/baseAmount/@currencyCode
150	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Charge information/Charge basis monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/allowanceCharge/baseAmount/@codeListVersion
150	BDT00000753		1 .. 1	Charge quantity basis content <i>Path:</i> Order/Charge information/Charge quantity basis/Charge quantity basis content		0 .. 1	baseNumberOfUnits <i>Path:</i> orderMessage/order/allowanceCharge/baseNumberOfUnits
150	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order/Charge information/Charge quantity basis/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderMessage/order/allowanceCharge/baseNumberOfUnits/@measurementUnitCode
150	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Charge information/Charge quantity basis/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/allowanceCharge/baseNumberOfUnits/@codeListVersion
150	BDT00000615	.. 80	1 .. 1	Charge effective date type code content <i>Path:</i> Order/Charge information/Charge effective date type code/Charge effective date type code content	1 .. 80	0 .. 1	effectiveDateType <i>Path:</i> orderMessage/order/allowanceCharge/effectiveDateType
150	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Charge information/Charge effective date type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/allowanceCharge/effectiveDateType/@codeListVersion
150	BDT00000534	.. 80	1 .. 1	Special service type code content <i>Path:</i> Order/Charge information/Special	1 .. 80	0 .. 1	specialServiceType <i>Path:</i> orderMessage/order/allowanceCharge/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				service type code/Special service type code content			specialServiceType
151	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Charge information/Special service type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/allowanceCharge/specialServiceType/@codeListVersion
151	BDT000000573	.. 70	1 .. 1	Charge description content <i>Path:</i> Order/Charge information/Charge description/Charge description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeDescription/description
151	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Charge information/Charge description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeDescription/description/@languageCode
151	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Charge information/Charge description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeDescription/description/@codeListVersion
151	BDT000000006		0 .. 1	Allowance percentage <i>Path:</i> Order/Allowance information/Allowance percentage		0 .. 1	allowanceChargePercentage <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargePercentage
151	BDT000000012	.. 80	0 .. 1	Bracket criteria <i>Path:</i> Order/Allowance information/Bracket criteria	1 .. 80	0 .. 1	bracketIdentifier <i>Path:</i> orderMessage/order/allowanceCharge/bracketIdentifier
151	BDT000000014		0 .. 1	Calculation sequence number <i>Path:</i> Order/Allowance information/Calculation sequence number		0 .. 1	sequenceNumber <i>Path:</i> orderMessage/order/allowanceCharge/sequenceNumber
151	BDT000000531	.. 80	1 .. 1	Allowance type code content <i>Path:</i> Order/Allowance information/Allowance type code/Allowance type code content	1 .. 80	1 .. 1	allowanceChargeType <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeType
151	BDT000000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path: Order/Allowance information/Allowance type code/Code list version</i>			<i>Path: orderMessage/order/allowanceCharge/allowanceChargeType/@codeListVersion</i>
151	BDT00000532	.. 80	1 .. 1	Settlement allowance code content <i>Path: Order/Allowance information/Settlement allowance code/Settlement allowance code content</i>	1 .. 80	1 .. 1	settlementType <i>Path: orderMessage/order/allowanceCharge/settlementType</i>
152	BDT00000028	.. 35	0 .. 1	Code list version <i>Path: Order/Allowance information/Settlement allowance code/Code list version</i>	1 .. 35		codeListVersion <i>Path: orderMessage/order/allowanceCharge/settlementType/@codeListVersion</i>
152	BDT00000528		1 .. 1	Allowance monetary amount content <i>Path: Order/Allowance information/Allowance monetary amount/Allowance monetary amount content</i>		0 .. 1	allowanceChargeAmount <i>Path: orderMessage/order/allowanceCharge/allowanceChargeAmount</i>
152	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path: Order/Allowance information/Allowance monetary amount/Currency code/Currency code content</i>	1 .. 80		currencyCode <i>Path: orderMessage/order/allowanceCharge/allowanceChargeAmount/@currencyCode</i>
152	BDT00000028	.. 35	0 .. 1	Code list version <i>Path: Order/Allowance information/Allowance monetary amount/Currency code/Code list version</i>	1 .. 35		codeListVersion <i>Path: orderMessage/order/allowanceCharge/allowanceChargeAmount/@codeListVersion</i>
152	BDT00000529		1 .. 1	Allowance monetary amount per unit content <i>Path: Order/Allowance information/Allowance monetary amount per unit/Allowance monetary amount per unit content</i>		0 .. 1	amountPerUnit <i>Path: orderMessage/order/allowanceCharge/amountPerUnit</i>
152	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path: Order/Allowance information/Allowance monetary amount per unit/Currency</i>	1 .. 80		currencyCode <i>Path: orderMessage/order/allowanceCharge/amountPerUnit/@currencyCode</i>

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
152	BDT00000028	.. 35	0 .. 1	code/Currency code content Code list version <i>Path:</i> Order/Allowance information/Allowance monetary amount per unit/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/allowanceCharge/amountPerUnit/@codeListVersion
152	BDT00000526		1 .. 1	Allowance basis monetary amount content <i>Path:</i> Order/Allowance information/Allowance basis monetary amount/Allowance basis monetary amount content		0 .. 1	baseAmount <i>Path:</i> orderMessage/order/allowanceCharge/baseAmount
152	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Allowance information/Allowance basis monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/allowanceCharge/baseAmount/@currencyCode
152	BDT00000028	.. 35	0 .. 1	code/Code list version Code list version <i>Path:</i> Order/Allowance information/Allowance basis monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/allowanceCharge/baseAmount/@codeListVersion
153	BDT00000533		1 .. 1	Allowance quantity basis content <i>Path:</i> Order/Allowance information/Allowance quantity basis/Allowance quantity basis content		0 .. 1	baseNumberOfUnits <i>Path:</i> orderMessage/order/allowanceCharge/baseNumberOfUnits
153	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order/Allowance information/Allowance quantity basis/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderMessage/order/allowanceCharge/baseNumberOfUnits/@measurementUnitCode
153	BDT00000028	.. 35	0 .. 1	code/Code list version Code list version <i>Path:</i> Order/Allowance information/Allowance quantity basis/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/allowanceCharge/baseNumberOfUnits/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
153	BDT00000530	.. 80	1 .. 1	Allowance effective date type code content <i>Path:</i> Order/Allowance information/Allowance effective date type code/Allowance effective date type code content	1 .. 80	0 .. 1	effectiveDateType <i>Path:</i> orderMessage/order/allowanceCharge/effectiveDateType
153	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Allowance information/Allowance effective date type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/allowanceCharge/effectiveDateType/@codeListVersion
153	BDT00000534	.. 80	1 .. 1	Special service type code content <i>Path:</i> Order/Allowance information/Special service type code/Special service type code content	1 .. 80	0 .. 1	specialServiceType <i>Path:</i> orderMessage/order/allowanceCharge/specialServiceType
153	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Allowance information/Special service type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/allowanceCharge/specialServiceType/@codeListVersion
153	BDT00000527	.. 70	1 .. 1	Allowance description content <i>Path:</i> Order/Allowance information/Allowance description/Allowance description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeDescription/description
153	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Allowance information/Allowance description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeDescription/description/@languageCode
153	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Allowance information/Allowance description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/allowanceCharge/allowanceChargeDescription/description/@codeListVersion
154	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order/Referenced related order	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> orderMessage/order/referencedOrder/entityIdentification

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
154	BDT00000047		0 .. 1	information/Entity identification Business document creation date time <i>Path:</i> Order/Referenced related order information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> orderMessage/order/referencedOrder/creationDateTime
154	BDT00000119		0 .. 1	Revision number <i>Path:</i> Order/Referenced related order information/Revision number		0 .. 1	revisionNumber <i>Path:</i> orderMessage/order/referencedOrder/revisionNumber
154	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Referenced related order information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> orderMessage/order/referencedOrder/lineltemNumber
154	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Order/Referenced related order information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> orderMessage/order/referencedOrder/referencedDocumentUrl
154	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Referenced related order information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/referencedOrder/contentOwner/gln
154	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Referenced related order information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/referencedOrder/contentOwner/additionalPartyIdentification
154	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Referenced related order information/Document content owner/	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/referencedOrder/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Additional party identification information/Additional party identification type code/Additional party identification type code content			
154	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Referenced related order information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/referencedOrder/contentOwner/additionalPartyIdentification/@codeListVersion
154	BDT00000682	.. 80	1 .. 1	Order relationship code content <i>Path:</i> Order/Referenced related order information/Order relationship code/Order relationship code content	1 .. 80	1 .. 1	orderRelationship <i>Path:</i> orderMessage/order/referencedOrder/orderRelationship
155	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Referenced related order information/Order relationship code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/referencedOrder/orderRelationship/@codeListVersion
155	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Business unit information/Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/administrativeUnit/gln
155	BDT00000076	.. 80	0 .. 1	Business unit name <i>Path:</i> Order/Business unit information/Business unit name	1 .. 80	0 .. 1	internalAdministrativeUnitIdentification <i>Path:</i> orderMessage/order/administrativeUnit/internalAdministrativeUnitIdentification
155	BDT00000582	.. 80	1 .. 1	Business unit type code content <i>Path:</i> Order/Business unit information/Business unit type code/Business unit type code content	1 .. 80	1 .. 1	administrativeUnitTypeCode <i>Path:</i> orderMessage/order/administrativeUnit/administrativeUnitTypeCode
	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
155		.. 35	0 .. 1	Code list version <i>Path:</i> Order/Business unit information/ Business unit type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/administrativeUnit/ administrativeUnitTypeCode/@codeListVersion
155	BDT00000738	.. 80	1 .. 1	Structured notation type code content <i>Path:</i> Order/Structured notation information/ Structured notation type code/ Structured notation type code content	1 .. 80	0 .. 1	structuredNoteType <i>Path:</i> orderMessage/order/structuredNote/structuredNoteType
155	BDT00000022	.. 80	0 .. 1	Code description <i>Path:</i> Order/Structured notation information/ Structured notation type code/Code description	1 .. 80		codeDescription <i>Path:</i> orderMessage/order/structuredNote/ structuredNoteType/@codeDescription
155	BDT00000023	.. 80	0 .. 1	Code list agency code <i>Path:</i> Order/Structured notation information/ Structured notation type code/Code list agency code	1 .. 80		codeListAgencyCode <i>Path:</i> orderMessage/order/structuredNote/ structuredNoteType/@codeListAgencyCode
155	BDT00000024	.. 35	0 .. 1	Code list agency code list version <i>Path:</i> Order/Structured notation information/ Structured notation type code/Code list agency code list version	1 .. 35		codeListAgencyCodeListVersion <i>Path:</i> orderMessage/order/structuredNote/ structuredNoteType/@codeListAgencyCodeListVersion
155	BDT00000025	.. 80	0 .. 1	Code list agency name <i>Path:</i> Order/Structured notation information/ Structured notation type code/Code list agency name	1 .. 80		codeListAgencyName <i>Path:</i> orderMessage/order/structuredNote/ structuredNoteType/@codeListAgencyName
156	BDT00000026	.. 80	0 .. 1	Code list name <i>Path:</i> Order/Structured notation information/ Structured notation type code/Code list name	1 .. 80		codeListName <i>Path:</i> orderMessage/order/structuredNote/ structuredNoteType/@codeListName
156	BDT00000027	.. 500	0 .. 1	Code list URL			codeListURI

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Structured notation information/ Structured notation type code/Code list URL			<i>Path:</i> orderMessage/order/structuredNote/ structuredNoteType/@codeListURI
156	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Structured notation information/ Structured notation type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/structuredNote/ structuredNoteType/@codeListVersion
156	BDT000000670	.. 70	1 .. 1	Notation content <i>Path:</i> Order/Structured notation information/ Notation/Notation content	1 .. 500	1 .. 1	noteText <i>Path:</i> orderMessage/order/structuredNote/noteText
156	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Structured notation information/ Notation/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/structuredNote/noteText/ @languageCode
156	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Structured notation information/ Notation/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/structuredNote/noteText/ @codeListVersion
156	BDT000000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order/Structured notation information/ Structured notation identification information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> orderMessage/order/structuredNote/ structuredNoteIdentification/entityIdentification
156	BDT000000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Structured notation information/ Structured notation identification information/Document content owner/ Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/structuredNote/ structuredNoteIdentification/contentOwner/gln
156	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Structured notation information/	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/structuredNote/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Structured notation identification information/Document content owner/Additional party identification information/Additional party identification content			structuredNotelIdentification/contentOwner/additionalPartyIdentification
156	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Structured notation identification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/structuredNote/structuredNotelIdentification/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
157	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Structured notation identification information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/structuredNote/structuredNotelIdentification/contentOwner/additionalPartyIdentification/@codeListVersion
157	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order/Referenced trade agreement information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> orderMessage/order/tradeAgreement/entityIdentification
157	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order/Referenced trade agreement information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> orderMessage/order/tradeAgreement/creationDateTime
157	BDT00000119		0 .. 1	Revision number		0 .. 1	revisionNumber

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Referenced trade agreement information/Revision number			<i>Path:</i> orderMessage/order/tradeAgreement/revisionNumber
157	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Referenced trade agreement information/Document line number	0 .. 1		lineltemNumber <i>Path:</i> orderMessage/order/tradeAgreement/lineltemNumber
157	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Order/Referenced trade agreement information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> orderMessage/order/tradeAgreement/referencedDocumentUrl
157	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Referenced trade agreement information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> orderMessage/order/tradeAgreement/contentOwner/gln
157	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/tradeAgreement/contentOwner/additionalPartyIdentification
157	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/tradeAgreement/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
157	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Referenced trade agreement information/Document content owner/	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/tradeAgreement/contentOwner/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Additional party identification information/Additional party identification type code/Code list version			
158	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order/Referenced promotional deal information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> orderMessage/order/promotionalDeal/entityIdentification
158	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order/Referenced promotional deal information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> orderMessage/order/promotionalDeal/creationDateTime
158	BDT00000119		0 .. 1	Revision number <i>Path:</i> Order/Referenced promotional deal information/Revision number		0 .. 1	revisionNumber <i>Path:</i> orderMessage/order/promotionalDeal/revisionNumber
158	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Referenced promotional deal information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> orderMessage/order/promotionalDeal/lineltemNumber
158	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Order/Referenced promotional deal information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> orderMessage/order/promotionalDeal/referencedDocumentUrl
158	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Referenced promotional deal information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/promotionalDeal/contentOwner/gln
158	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Referenced promotional deal information/Document content owner/Additional party identification	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/promotionalDeal/contentOwner/additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional party identification content			
158	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/promotionalDeal/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
158	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/promotionalDeal/contentOwner/additionalPartyIdentification/@codeListVersion
158	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order/Referenced quotation information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> orderMessage/order/quoteNumber/entityIdentification
159	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order/Referenced quotation information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> orderMessage/order/quoteNumber/creationDateTime
159	BDT00000119		0 .. 1	Revision number <i>Path:</i> Order/Referenced quotation information/Revision number		0 .. 1	revisionNumber <i>Path:</i> orderMessage/order/quoteNumber/revisionNumber
159	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Referenced quotation information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> orderMessage/order/quoteNumber/lineItemNumber

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
159	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Order/Referenced quotation information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> orderMessage/order/quoteNumber/referencedDocumentUrl
159	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Referenced quotation information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/quoteNumber/contentOwner/gln
159	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Referenced quotation information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/quoteNumber/contentOwner/additionalPartyIdentification
159	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Referenced quotation information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/quoteNumber/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
159	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Referenced quotation information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/quoteNumber/contentOwner/additionalPartyIdentification/@codeListVersion
159	BDT00000056	.. 80	1 .. 1	Entity identification	1 .. 80	1 .. 1	entityIdentification

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path: Order/Referenced contract information/Entity identification</i>			<i>Path: orderMessage/order/contract/entityIdentification</i>
159	BDT00000047		0 .. 1	Business document creation date time <i>Path: Order/Referenced contract information/Business document creation date time</i>		0 .. 1	creationDateTime <i>Path: orderMessage/order/contract/creationDateTime</i>
160	BDT00000119		0 .. 1	Revision number <i>Path: Order/Referenced contract information/Revision number</i>		0 .. 1	revisionNumber <i>Path: orderMessage/order/contract/revisionNumber</i>
160	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path: Order/Referenced contract information/Referenced document external location</i>	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path: orderMessage/order/contract/referencedDocumentUrl</i>
160	BDT00000049	.. 6	0 .. 1	Document line number <i>Path: Order/Referenced contract information/Document line number</i>		0 .. 1	lineltemNumber <i>Path: orderMessage/order/contract/lineltemNumber</i>
160	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path: Order/Referenced contract information/Document content owner/ Global location number GLN</i>		0 .. 1	gln <i>Path: orderMessage/order/contract/contentOwner/gln</i>
160	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path: Order/Referenced contract information/Document content owner/ Additional party identification information/Additional party identification content</i>	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path: orderMessage/order/contract/contentOwner/ additionalPartyIdentification</i>
160	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path: Order/Referenced contract</i>	1 .. 80		additionalPartyIdentificationTypeCode <i>Path: orderMessage/order/contract/contentOwner/ additionalPartyIdentification/</i>

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content			@additionalPartyIdentificationTypeCode
160	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Referenced contract information/Document content owner/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/contract/contentOwner/ additionalPartyIdentification/@codeListVersion
160	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order/Referenced customer document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> orderMessage/order/customerDocumentReference/ entityIdentification
160	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order/Referenced customer document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> orderMessage/order/customerDocumentReference/ creationDateTime
160	BDT00000119		0 .. 1	Revision number <i>Path:</i> Order/Referenced customer document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> orderMessage/order/customerDocumentReference/ revisionNumber
161	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Referenced customer document information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> orderMessage/order/customerDocumentReference/ lineItemNumber
161	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Order/Referenced customer document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> orderMessage/order/customerDocumentReference/ referencedDocumentUri
	BDT00000063						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
161		13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Referenced customer document information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/customerDocumentReference/contentOwner/gln
161	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Referenced customer document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/customerDocumentReference/contentOwner/additionalPartyIdentification
161	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Referenced customer document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/customerDocumentReference/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
161	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Referenced customer document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/customerDocumentReference/contentOwner/additionalPartyIdentification/@codeListVersion
161	BDT00000037		0 .. 1	Currency exchange rate <i>Path:</i> Order/Currency conversion information/Currency exchange rate		0 .. 1	exchangeRate <i>Path:</i> orderMessage/order/currencyExchangeRateInformation/exchangeRate
161	BDT00000038		0 .. 1	Currency exchange rate date <i>Path:</i> Order/Currency conversion		0 .. 1	exchangeRateDateTime <i>Path:</i> orderMessage/order/currencyExchangeRateInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Currency exchange rate date			exchangeRateDateTime
161	BDT00000708	.. 80	1 .. 1	Currency conversion from code content <i>Path:</i> Order/Currency conversion information/Currency conversion from code/Currency conversion from code content	1 .. 80	1 .. 1	currencyConversionFromCode <i>Path:</i> orderMessage/order/currencyExchangeRateInformation/currencyConversionFromCode
161	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Currency conversion information/Currency conversion from code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/currencyExchangeRateInformation/currencyConversionFromCode/@codeListVersion
162	BDT00000709	.. 80	1 .. 1	Currency conversion to code content <i>Path:</i> Order/Currency conversion information/Currency conversion to code/Currency conversion to code content	1 .. 80	1 .. 1	currencyConversionToCode <i>Path:</i> orderMessage/order/currencyExchangeRateInformation/currencyConversionToCode
162	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Currency conversion information/Currency conversion to code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/currencyExchangeRateInformation/currencyConversionToCode/@codeListVersion
162	BDT00000080		0 .. 1	Signature required indicator <i>Path:</i> Order/Delivery terms information/Signature required indicator		0 .. 1	isSignatureRequired <i>Path:</i> orderMessage/order/deliveryTerms/isSignatureRequired
162	BDT000000649		1 .. 1	Incoterms code content <i>Path:</i> Order/Delivery terms information/Incoterms code/Incoterms code content	1 .. 80	0 .. 1	incotermsCode <i>Path:</i> orderMessage/order/deliveryTerms/incotermsCode
162	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Delivery terms information/Incoterms code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/deliveryTerms/incotermsCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
162	BDT00000535	.. 80	1 .. 1	Alternative delivery terms code content <i>Path:</i> Order/Delivery terms information/ Alternative delivery terms code/ Alternative delivery terms code content	1 .. 80	0 .. 1	alternateDeliveryTermsCode <i>Path:</i> orderMessage/order/deliveryTerms/ alternateDeliveryTermsCode
162	BDT00000022	.. 80	0 .. 1	Code description <i>Path:</i> Order/Delivery terms information/ Alternative delivery terms code/Code description	1 .. 80		codeDescription <i>Path:</i> orderMessage/order/deliveryTerms/ alternateDeliveryTermsCode/@codeDescription
162	BDT00000023	.. 80	0 .. 1	Code list agency code <i>Path:</i> Order/Delivery terms information/ Alternative delivery terms code/Code list agency code	1 .. 80		codeListAgencyCode <i>Path:</i> orderMessage/order/deliveryTerms/ alternateDeliveryTermsCode/@codeListAgencyCode
162	BDT00000024	.. 35	0 .. 1	Code list agency code list version <i>Path:</i> Order/Delivery terms information/ Alternative delivery terms code/Code list agency code list version	1 .. 35		codeListAgencyCodeListVersion <i>Path:</i> orderMessage/order/deliveryTerms/ alternateDeliveryTermsCode/ @codeListAgencyCodeListVersion
162	BDT00000025	.. 80	0 .. 1	Code list agency name <i>Path:</i> Order/Delivery terms information/ Alternative delivery terms code/Code list agency name	1 .. 80		codeListAgencyName <i>Path:</i> orderMessage/order/deliveryTerms/ alternateDeliveryTermsCode/@codeListAgencyName
163	BDT00000026	.. 80	0 .. 1	Code list name <i>Path:</i> Order/Delivery terms information/ Alternative delivery terms code/Code list name	1 .. 80		codeListName <i>Path:</i> orderMessage/order/deliveryTerms/ alternateDeliveryTermsCode/@codeListName
163	BDT00000027	.. 500	0 .. 1	Code list URL <i>Path:</i> Order/Delivery terms information/ Alternative delivery terms code/Code list URL			codeListURI <i>Path:</i> orderMessage/order/deliveryTerms/ alternateDeliveryTermsCode/@codeListURI
163	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Delivery terms information/ Alternative delivery terms code/Code list version			<i>Path:</i> orderMessage/order/deliveryTerms/ alternateDeliveryTermsCode/@codeListVersion
163	BDT00000641	.. 70	1 .. 1	Delivery instructions description content <i>Path:</i> Order/Delivery terms information/ Delivery instructions description/ Delivery instructions description content	1 .. 500	0 .. 1	deliveryInstructions <i>Path:</i> orderMessage/order/deliveryTerms/deliveryInstructions
163	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Delivery terms information/ Delivery instructions description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/deliveryTerms/deliveryInstructions/ @languageCode
163	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Delivery terms information/ Delivery instructions description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/deliveryTerms/deliveryInstructions/ @codeListVersion
163	BDT00000701	.. 80	1 .. 1	Transport cost payment code content <i>Path:</i> Order/Delivery terms information/ Transport cost payment code/Transport cost payment code content	1 .. 80	0 .. 1	deliveryCostPayment <i>Path:</i> orderMessage/order/deliveryTerms/deliveryCostPayment
163	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Delivery terms information/ Transport cost payment code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryCostPayment/@codeListVersion
163	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/gln
163	BDT00000132	.. 80	0 .. 1	Sub location identification	1 .. 80	0 .. 1	sublocationIdentification

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Sub location identification			<i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/sublocationIdentification
164	BDT00000088	.. 80	0 .. 1	Logistics location name <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/ Logistics location name	1 .. 80	0 .. 1	locationName <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/locationName
164	BDT00000137	.. 20	0 .. 1	Universal Time Coordinated UTC offset <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Universal Time Coordinated UTC offset		0 .. 1	utcOffset <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/utcOffset
164	BDT00000690	.. 80	1 .. 1	United Nations location code, UN/LOCODE content <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/UN location code, UN/ LOCODE/United Nations location code, UN/LOCODE content	1 .. 80	0 .. 1	unLocationCode <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/unLocationCode
164	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/UN location code, UN/ LOCODE/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/unLocationCode/ @codeListVersion
164	BDT00000627	.. 80	1 .. 1	Physical location identification content <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Additional physical location identification/Physical location identification content	1 .. 80	0 .. unbounded	additionalLocationIdentification <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/additionalLocationIdentification

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
164	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/additionalLocationIdentification/ @identificationSchemeName
164	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/additionalLocationIdentification/ @identificationSchemeAgencyName
164	BDT000000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/additionalLocationIdentification/ @identificationSchemeAgencyCode
164	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/additionalLocationIdentification/ @identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
164	BDT00000744	.. 70	1 .. 1	Specific instructions location description content <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Specific instructions location description/Specific instructions location description content	1 .. 200	0 .. 1	locationSpecificInstructions <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/locationSpecificInstructions
165	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Specific instructions location description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/locationSpecificInstructions/ @languageCode
165	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Specific instructions location description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/locationSpecificInstructions/ @codeListVersion
165	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/city
165	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/cityCode
165	BDT00000034	.. 80	0 .. 1	County code	1 .. 80	0 .. 1	countyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/County code			<i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/countyCode
165	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/crossStreet
165	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/name
165	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/pOBoxNumber
165	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/postalCode
165	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/ Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/provinceCode
166	BDT00000127	.. 80	0 .. 1	State	1 .. 80	0 .. 1	state

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/State			<i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/state
166	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/streetAddressOne
166	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/streetAddressTwo
166	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/streetAddressThree
166	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/ Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/countryCode
166	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Address information/ Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/address/countryCode/ @codeListVersion
166	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Delivery terms information/	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/deliveryTerms/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Delivery terms for location information/Address information/Geographical coordinates information/Latitude			deliveryTermsLocation/address/geographicalCoordinates/latitude
166	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/deliveryTerms/deliveryTermsLocation/address/geographicalCoordinates/longitude
166	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/deliveryTerms/deliveryTermsLocation/contact/personName
166	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/deliveryTerms/deliveryTermsLocation/contact/departmentName
167	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/deliveryTerms/deliveryTermsLocation/contact/jobTitle
167	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/Business contact information/Contact type code/Contact	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/deliveryTerms/deliveryTermsLocation/contact/contactTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
167	BDT00000028	.. 35	0 .. 1	type code content Code list version <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/contact/contactTypeCode/ @codeListVersion
167	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/contact/responsibility
167	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/contact/responsibility/ @languageCode
167	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/contact/responsibility/ @codeListVersion
	BDT00000525						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
167			1 .. 1	Communication channel code content <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationChannelCode
167	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationChannelCode/@codeListVersion
167	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationValue
167	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationChannelName
168	BDT00000525		1 .. 1	Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content			<i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode
168	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
168	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/communicationValue
168	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/ communicationChannelName
168	BDT00000745	.. 80	1 .. 1	Day of the week code content <i>Path:</i> Order/Delivery terms information/		1 .. 1	dayOfTheWeekCode <i>Path:</i> orderMessage/order/deliveryTerms/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Delivery terms for location information/Regular operating hours information/Day of the week code/Day of the week code content			deliveryTermsLocation/regularOperatingHours/dayOfTheWeekCode
168	BDT00000078		0 .. 1	Business operational indicator <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/Regular operating hours information/Business operational indicator		1 .. 1	isOperational <i>Path:</i> orderMessage/order/deliveryTerms/deliveryTermsLocation/regularOperatingHours/isOperational
168	BDT00000021		0 .. 1	Closing time <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/Regular operating hours information/Closing time		0 .. 1	closingTime <i>Path:</i> orderMessage/order/deliveryTerms/deliveryTermsLocation/regularOperatingHours/closingTime
168	BDT00000098		0 .. 1	Opening time <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/Regular operating hours information/Opening time		0 .. 1	openingTime <i>Path:</i> orderMessage/order/deliveryTerms/deliveryTermsLocation/regularOperatingHours/openingTime
168	BDT00000078		0 .. 1	Business operational indicator <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/Special operating hours information/Business operational indicator		1 .. 1	isOperational <i>Path:</i> orderMessage/order/deliveryTerms/deliveryTermsLocation/specialOperatingHours/isOperational
168	BDT00000126		0 .. 1	Special date <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/Special operating hours		1 .. 1	specialDate <i>Path:</i> orderMessage/order/deliveryTerms/deliveryTermsLocation/specialOperatingHours/specialDate

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
169	BDT00000021		0 .. 1	information/Special date Closing time <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Special operating hours information/Closing time		0 .. 1	closingTime <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ closingTime
169	BDT00000098		0 .. 1	Opening time <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Special operating hours information/Opening time		0 .. 1	openingTime <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ openingTime
169	BDT00000669	.. 80	1 .. 1	Name of special day content <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Special operating hours information/Name of special day/Name of special day content	1 .. 80	0 .. 1	specialDateName <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ specialDateName
169	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Special operating hours information/Name of special day/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ specialDateName/@languageCode
169	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Delivery terms information/ Delivery terms for location information/Special operating hours information/Name of special day/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ specialDateName/@codeListVersion
169	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN		0 .. 1	gln

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Invoice processing party information/Global location number, GLN			<i>Path:</i> orderMessage/order/invoiceProcessingParty/gln
169	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Invoice processing party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/invoiceProcessingParty/additionalPartyIdentification
169	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Invoice processing party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
169	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Invoice processing party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/invoiceProcessingParty/additionalPartyIdentification/@codeListVersion
169	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Invoice processing party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/city
170	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Invoice processing party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/cityCode
170	BDT00000034	.. 80	0 .. 1	County code	1 .. 80	0 .. 1	countyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Invoice processing party information/Address information/County code			<i>Path:</i> orderMessage/order/invoiceProcessingParty/address/countyCode
170	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Invoice processing party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/crossStreet
170	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Invoice processing party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/name
170	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Invoice processing party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoundingBox <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/pOBoundingBox
170	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Invoice processing party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/postalCode
170	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Invoice processing party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/provinceCode
170	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Invoice processing party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/state
170	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Invoice processing party information/Address information/Street	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
170	BDT00000130	.. 200	0 .. 1	address one Street address two <i>Path:</i> Order/Invoice processing party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/streetAddressTwo
171	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Invoice processing party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/streetAddressThree
171	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Invoice processing party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/countryCode
171	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Invoice processing party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/countryCode/@codeListVersion
171	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Invoice processing party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/geographicalCoordinates/latitude
171	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Invoice processing party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/geographicalCoordinates/longitude
171	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Invoice processing party	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Person name			personName
171	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Invoice processing party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/ departmentName
171	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Invoice processing party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/ jobTitle
171	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Invoice processing party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/ contactTypeCode
171	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Invoice processing party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/ contactTypeCode/@codeListVersion
172	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Invoice processing party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/ responsibility
172	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Invoice processing party	1 .. 80		languageCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Business contact responsibility description/Language code/Language code content			responsibility/@languageCode
172	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Invoice processing party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/ responsibility/@codeListVersion
172	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Invoice processing party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/ communicationChannel/communicationChannelCode
172	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Invoice processing party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
172	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Invoice processing party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/ communicationChannel/communicationValue
	BDT00000033						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
172		.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Invoice processing party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/communicationChannel/communicationChannelName
172	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Invoice processing party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/afterHoursCommunicationChannel/communicationChannelCode
172	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Invoice processing party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
172	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Invoice processing party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/afterHoursCommunicationChannel/communicationValue
173	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Invoice processing party information/Business contact information/After hours communication information/Communication channel	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/invoiceProcessingParty/contact/afterHoursCommunicationChannel/communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				name			
173	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
173	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
173	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
173	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
173	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax registration	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content			
173	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
173	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
173	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
173	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxDescription
174	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Invoice processing party	1 .. 80		languageCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax description/Language code/Language code content			dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
174	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/invoiceProcessingParty/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
174	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/invoiceProcessingParty/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
174	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax registration type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/invoiceProcessingParty/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
174	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/invoiceProcessingParty/ organisationDetails/organisationName
174	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/ languageOfThePartyCode
174	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Invoice processing party information/Organisation legal	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/ languageOfThePartyCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Language of the party code/Code list version			
174	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Currency of party code/ Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/ currencyOfPartyCode
174	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Currency of party code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/invoiceProcessingParty/address/ currencyOfPartyCode/ @codeListVersion
174	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/ organisationDetails/officialAddress/countyCode
175	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/invoiceProcessingParty/ organisationDetails/officialAddress/city
175	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/ organisationDetails/officialAddress/cityCode
175	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/invoiceProcessingParty/ organisationDetails/officialAddress/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
175	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/pOBoxNumber
175	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/postalCode
175	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/provinceCode
175	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/state
175	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/streetAddressOne
175	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/streetAddressTwo
175	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Invoice processing party	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/invoiceProcessingParty/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Street address three			organisationDetails/officialAddress/streetAddressThree
176	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/countryCode
176	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/countryCode/@codeListVersion
176	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/geographicalCoordinates/latitude
176	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/officialAddress/geographicalCoordinates/longitude
176	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/issuedCapital

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
176	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/issuedCapital/@currencyCode
176	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/issuedCapital/@codeListVersion
176	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/legalStructure
176	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/legalStructure/@languageCode
176	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/legalStructure/@codeListVersion
177	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Invoice processing party	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/invoiceProcessingParty/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Registered legal information/Legal registration number			organisationDetails/legalRegistration/legalRegistrationNumber
177	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
177	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/legalRegistration/legalRegistrationType
177	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Invoice processing party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/invoiceProcessingParty/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
177	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/financialInstitutionName
177	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Invoice processing party information/Financial institution and	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial institution division name			financialInstitutionBranchName
177	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/financialAccount/financialAccountName
177	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/financialAccount/financialAccountNumber
177	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
177	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
178	BDT000000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order/Invoice processing party	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/invoiceProcessingParty/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Financial institution routing number information/Financial routing number			financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
178	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
178	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
178	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/additionalFinancialInformation/description
178	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Invoice processing party information/Financial institution and	1 .. 80		languageCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Additional financial institution description/ Language code/ Language code content			additionalFinancialInformation/description/ @languageCode
178	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/invoiceProcessingParty/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
178	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/invoiceProcessingParty/ financialInstitutionInformation/address/city
178	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/ financialInstitutionInformation/address/cityCode
178	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/ financialInstitutionInformation/address/countyCode
178	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/invoiceProcessingParty/ financialInstitutionInformation/address/crossStreet
179	BDT000000106	.. 200	0 .. 1	Party name	1 .. 200	0 .. 1	name

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/Party name			<i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/name
179	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/pOBoxNumber
179	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/postalCode
179	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/provinceCode
179	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/state
179	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/streetAddressOne
179	BDT00000130	.. 200	0 .. 1	Street address two	1 .. 200	0 .. 1	streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/Street address two			<i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/streetAddressTwo
179	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/streetAddressThree
179	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/countryCode
179	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/countryCode/@codeListVersion
180	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Invoice processing party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/geographicalCoordinates/latitude
180	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Invoice processing party information/Financial institution and	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/invoiceProcessingParty/financialInstitutionInformation/address/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/Geographical coordinates information/Longitude			geographicalCoordinates/longitude
180	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order/Referenced additional information/Business document creation date time		0 .. 1	transactionalReferenceDateTime <i>Path:</i> orderMessage/order/transactionalGenericReference/transactionalReferenceDateTime
180	BDT00000135	.. 200	1 .. 1	Business document reference identification <i>Path:</i> Order/Referenced additional information/Business document reference identification	1 .. 200	1 .. 1	transactionalReferenceValue <i>Path:</i> orderMessage/order/transactionalGenericReference/transactionalReferenceValue
180	BDT00000699	.. 80	1 .. 1	Referenced document type code content <i>Path:</i> Order/Referenced additional information/Referenced document type code/Referenced document type code content	1 .. 80	1 .. 1	transactionalReferenceTypeCode <i>Path:</i> orderMessage/order/transactionalGenericReference/transactionalReferenceTypeCode
180	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Referenced additional information/Referenced document type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/transactionalGenericReference/transactionalReferenceTypeCode/@codeListVersion
180	BDT00000040		0 .. 1	Date <i>Path:</i> Order/Delivery date according to schedule/Date		1 .. 1	date <i>Path:</i> orderMessage/order/deliveryDateAccordingToSchedule/date
180	BDT00000133		0 .. 1	Time <i>Path:</i> Order/Delivery date according to schedule/Time		0 .. 1	time <i>Path:</i> orderMessage/order/deliveryDateAccordingToSchedule/time
180	BDT00000040		1 .. 1	Date <i>Path:</i> Order/Latest delivery date/Date		1 .. 1	date <i>Path:</i> orderMessage/order/latestDeliveryDate/date

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
180	BDT00000133		0 .. 1	Time <i>Path:</i> Order/Latest delivery date/Time		0 .. 1	time <i>Path:</i> orderMessage/order/latestDeliveryDate/time
181	BDT00000672	.. 80	1 .. 1	Order entry type code content <i>Path:</i> Order/Order entry type code/Order entry type code content	1 .. 80	0 .. 1	orderEntryType <i>Path:</i> orderMessage/order/orderEntryType
181	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order entry type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderEntryType/@codeListVersion
181	BDT00000705		1 .. 1	Total monetary net amount content <i>Path:</i> Order/Total monetary net amount/Total monetary net amount content		0 .. 1	totalMonetaryAmountExcludingTaxes <i>Path:</i> orderMessage/order/totalMonetaryAmountExcludingTaxes
181	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Total monetary net amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/totalMonetaryAmountExcludingTaxes/@currencyCode
181	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Total monetary net amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/totalMonetaryAmountExcludingTaxes/@codeListVersion
181	BDT00000704		1 .. 1	Total monetary amount content <i>Path:</i> Order/Total monetary amount/Total monetary amount content		0 .. 1	totalMonetaryAmountIncludingTaxes <i>Path:</i> orderMessage/order/totalMonetaryAmountIncludingTaxes
181	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Total monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/totalMonetaryAmountIncludingTaxes/@currencyCode
181	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Total monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/totalMonetaryAmountIncludingTaxes/@codeListVersion
181	BDT00000105	.. 6	0 .. 1	Parent line item number <i>Path:</i> Order/Order line/Parent line item		0 .. 1	parentLineItemNumber <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				number			parentLineNumber
181	BDT00000100	.. 35	0 .. 1	Order line item priority description <i>Path:</i> Order/Order line/Order line item priority description	0 .. 1		orderLineItemPriority <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemPriority
182	BDT00000673	.. 80	1 .. 1	Order instruction code content <i>Path:</i> Order/Order line/Order instruction code/Order instruction code content	1 .. 80	0 .. 1	orderInstructionCode <i>Path:</i> orderMessage/order/orderLineItem/orderInstructionCode
182	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order instruction code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderInstructionCode/@codeListVersion
182	BDT00000686	.. 80	1 .. 1	Ordered trade item fulfillment source code content <i>Path:</i> Order/Order line/Ordered trade item fulfillment source code/Ordered trade item fulfillment source code content	1 .. 80	0 .. 1	itemSourceCode <i>Path:</i> orderMessage/order/orderLineItem/itemSourceCode
182	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Ordered trade item fulfillment source code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/itemSourceCode/@codeListVersion
182	BDT00000581	.. 80	1 .. 1	Business document line action code content <i>Path:</i> Order/Order line/Business document line action code/Business document line action code content	1 .. 80	0 .. 1	lineItemActionCode <i>Path:</i> orderMessage/order/orderLineItem/lineItemActionCode
182	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Business document line action code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/lineItemActionCode/@codeListVersion
182	BDT00000676		1 .. 1	Order line item instruction code content <i>Path:</i> Order/Order line/Order line item instruction code/Order line item	1 .. 80	0 .. 1	orderLineItemInstructionCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemInstructionCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				instruction code content			
182	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item instruction code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ orderLineItemInstructionCode/@codeListVersion
182	BDT000000675	.. 80	1 .. 1	Order line instruction description content <i>Path:</i> Order/Order line/Order line item instruction description/Order line instruction description content	1 .. 200	0 .. unbounded	additionalOrderLineInstruction <i>Path:</i> orderMessage/order/orderLineItem/ additionalOrderLineInstruction
182	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item instruction description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/ additionalOrderLineInstruction/@languageCode
183	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item instruction description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ additionalOrderLineInstruction/@codeListVersion
183	BDT000000566		1 .. 1	Total requested quantity content <i>Path:</i> Order/Order line/Total requested quantity/Total requested quantity content		1 .. 1	requestedQuantity <i>Path:</i> orderMessage/order/orderLineItem/requestedQuantity
183	BDT000000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order/Order line/Total requested quantity/Measurement unit code/ Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderMessage/order/orderLineItem/requestedQuantity/ @measurementUnitCode
183	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Total requested quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/requestedQuantity/ @codeListVersion
183	BDT000000606		1 .. 1	Trade item net price content		0 .. 1	netPrice

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path: Order/Order line/Trade item net price/ Trade item net price content</i>			<i>Path: orderMessage/order/orderLineItem/netPrice</i>
183	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path: Order/Order line/Trade item net price/ Currency code/Currency code content</i>	1 .. 80		currencyCode <i>Path: orderMessage/order/orderLineItem/netPrice/ @currencyCode</i>
183	BDT00000028	.. 35	0 .. 1	Code list version <i>Path: Order/Order line/Trade item net price/ Currency code/Code list version</i>	1 .. 35		codeListVersion <i>Path: orderMessage/order/orderLineItem/netPrice/ @codeListVersion</i>
183	BDT00000605		1 .. 1	Trade item list price content <i>Path: Order/Order line/Trade item list price/ Trade item list price content</i>		0 .. 1	listPrice <i>Path: orderMessage/order/orderLineItem/listPrice</i>
183	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path: Order/Order line/Trade item list price/ Currency code/Currency code content</i>	1 .. 80		currencyCode <i>Path: orderMessage/order/orderLineItem/listPrice/ @currencyCode</i>
183	BDT00000028	.. 35	0 .. 1	Code list version <i>Path: Order/Order line/Trade item list price/ Currency code/Code list version</i>	1 .. 35		codeListVersion <i>Path: orderMessage/order/orderLineItem/listPrice/ @codeListVersion</i>
184	BDT00000660		1 .. 1	Line item net monetary amount content <i>Path: Order/Order line/Line item net monetary amount/Line item net monetary amount content</i>		0 .. 1	netAmount <i>Path: orderMessage/order/orderLineItem/netAmount</i>
184	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path: Order/Order line/Line item net monetary amount/Currency code/Currency code content</i>	1 .. 80		currencyCode <i>Path: orderMessage/order/orderLineItem/netAmount/ @currencyCode</i>
184	BDT00000028	.. 35	0 .. 1	Code list version <i>Path: Order/Order line/Line item net monetary amount/Currency code/Code list version</i>	1 .. 35		codeListVersion <i>Path: orderMessage/order/orderLineItem/netAmount/ @codeListVersion</i>

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
184	BDT00000667		1 .. 1	Monetary amount excluding all taxes content <i>Path:</i> Order/Order line/Monetary amount excluding all taxes/Monetary amount excluding all taxes content		0 .. 1	monetaryAmountExcludingTaxes <i>Path:</i> orderMessage/order/orderLineItem/monetaryAmountExcludingTaxes
184	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Monetary amount excluding all taxes/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/monetaryAmountExcludingTaxes/@currencyCode
184	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Monetary amount excluding all taxes/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/monetaryAmountExcludingTaxes/@codeListVersion
184	BDT00000668		1 .. 1	Monetary amount including all taxes content <i>Path:</i> Order/Order line/Monetary amount including all taxes/Monetary amount including all taxes content		0 .. 1	monetaryAmountIncludingTaxes <i>Path:</i> orderMessage/order/orderLineItem/monetaryAmountIncludingTaxes
184	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Monetary amount including all taxes/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/monetaryAmountIncludingTaxes/@currencyCode
184	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Monetary amount including all taxes/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/monetaryAmountIncludingTaxes/@codeListVersion
184	BDT00000414		1 .. 1	Trade item price base quantity content <i>Path:</i> Order/Order line/Trade item price base quantity/Trade item price base quantity		0 .. 1	itemPriceBaseQuantity <i>Path:</i> orderMessage/order/orderLineItem/itemPriceBaseQuantity

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
185	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order/Order line/Trade item price base quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderMessage/order/orderLineItem/itemPriceBaseQuantity/@measurementUnitCode
185	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Trade item price base quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/itemPriceBaseQuantity/@codeListVersion
185	BDT00000720		1 .. 1	Trade item recommended retail price content <i>Path:</i> Order/Order line/Trade item recommended retail price/Trade item recommended retail price content		0 .. 1	recommendedRetailPrice <i>Path:</i> orderMessage/order/orderLineItem/recommendedRetailPrice
185	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Trade item recommended retail price/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/recommendedRetailPrice/@currencyCode
185	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Trade item recommended retail price/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/recommendedRetailPrice/@codeListVersion
185	BDT00000711		1 .. 1	Free goods quantity content <i>Path:</i> Order/Order line/Free goods quantity/Free goods quantity content		0 .. 1	freeGoodsQuantity <i>Path:</i> orderMessage/order/orderLineItem/freeGoodsQuantity
185	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order/Order line/Free goods quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderMessage/order/orderLineItem/freeGoodsQuantity/@measurementUnitCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
185	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Free goods quantity/ Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/freeGoodsQuantity/ @codeListVersion
185	BDT00000670	.. 70	1 .. 1	Notation content <i>Path:</i> Order/Order line/Notation/Notation content	1 .. 500	0 .. 1	note <i>Path:</i> orderMessage/order/orderLineItem/note
185	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Notation/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/note/@languageCode
186	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Notation/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/note/ @codeListVersion
186	BDT00000739	.. 80	1 .. 1	Return of goods reason code content <i>Path:</i> Order/Order line/Return of goods reason code/Return of goods reason code content	1 .. 80	0 .. 1	returnReasonCode <i>Path:</i> orderMessage/order/orderLineItem/returnReasonCode
186	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Return of goods reason code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/returnReasonCode/ @codeListVersion
186	BDT00000066	14 .. 14	0 .. 1	Global trade item number, GTIN <i>Path:</i> Order/Order line/Requested trade item information/Global trade item number, GTIN		0 .. 1	gtin <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/gtin
186	BDT00000115	.. 80	0 .. 1	Product variant identifier <i>Path:</i> Order/Order line/Requested trade item information/Product variant identifier	1 .. 80	0 .. 1	productVariantIdentifier <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/productVariantIdentifier
186	BDT00000013	.. 35	0 .. 1	Butter fat reference <i>Path:</i> Order/Order line/Requested trade item	1 .. 35	0 .. 1	butterFatReference <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
186	BDT00000516	.. 80	1 .. 1	information/Butter fat reference Additional trade item identification content <i>Path:</i> Order/Order line/Requested trade item information/Additional trade item identification/Additional trade item identification content	1 .. 80	0 .. unbounded	transactionalTradelItem/butterFatReference additionalTradelItemIdentification <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradelItem/additionalTradelItemIdentification
186	BDT00000518	.. 80	1 .. 1	Additional trade item identification type code content <i>Path:</i> Order/Order line/Requested trade item information/Additional trade item identification/Additional trade item identification type code/Additional trade item identification type code content	1 .. 80		additionalTradelItemIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradelItem/additionalTradelItemIdentification/@additionalTradelItemIdentificationTypeCode
186	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Additional trade item identification/Additional trade item identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradelItem/additionalTradelItemIdentification/@codeListVersion
186	BDT00000678		1 .. 1	Trade item quantity content <i>Path:</i> Order/Order line/Requested trade item information/Trade item quantity/Trade item quantity content		0 .. 1	tradelItemQuantity <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradelItem/tradelItemQuantity
187	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order/Order line/Requested trade item information/Trade item quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradelItem/tradelItemQuantity/@measurementUnitCode
187	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Trade item quantity/ Measurement unit code/Code list version			transactionalTradelItem/tradelItemQuantity/ @codeListVersion
187	BDT00000684	.. 70	1 .. 1	Trade item description content <i>Path:</i> Order/Order line/Requested trade item information/Trade item description/ Trade item description content	1 .. 200	0 .. 1	tradelItemDescription <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradelItem/tradelItemDescription
187	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Requested trade item information/Trade item description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradelItem/tradelItemDescription/ @languageCode
187	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Trade item description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradelItem/tradelItemDescription/ @codeListVersion
187	BDT00000656	.. 80	1 .. 1	Item type code content <i>Path:</i> Order/Order line/Requested trade item information/Item type code/Item type code content	1 .. 80	0 .. 1	itemTypeCode <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradelItem/itemTypeCode
187	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Item type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradelItem/itemTypeCode/@codeListVersion
187	BDT00000700	.. 80	1 .. 1	Trade item transactional data owner code content <i>Path:</i> Order/Order line/Requested trade item information/Trade item transactional data owner code/Trade item transactional data owner code content	1 .. 80	0 .. 1	tradelItemDataOwner <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradelItem/tradelItemDataOwner
	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
187		.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Trade item transactional data owner code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/tradeItemDataOwner/@codeListVersion
187	BDT000000007		0 .. 1	Available for sale date <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Available for sale date		0 .. 1	availableForSaleDate <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/availableForSaleDate
188	BDT000000008	.. 80	0 .. 1	Batch number <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Batch number	1 .. 80	0 .. 1	batchNumber <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/batchNumber
188	BDT000000011		0 .. 1	Best before date <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Best before date		0 .. 1	bestBeforeDate <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/bestBeforeDate
188	BDT000000572		1 .. 1	Country of origin code content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Country of origin/Country of origin code content	1 .. 80	0 .. 1	countryOfOrigin <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/countryOfOrigin
188	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Country of origin/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/countryOfOrigin/@codeListVersion
188	BDT000000057		0 .. 1	Expiration date <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Expiration date		0 .. 1	itemExpirationDate <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/itemExpirationDate

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
188	BDT00000090	.. 80	0 .. 1	Lot number <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Lot number	1 .. 80	0 .. 1	lotNumber <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/lotNumber
188	BDT00000104		0 .. 1	Packaging date <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Packaging date		0 .. 1	packagingDate <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/packagingDate
188	BDT00000116		0 .. 1	Production date <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Production date		0 .. 1	productionDate <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/productionDate
188	BDT00000120		0 .. 1	Sell by date <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Sell by date		0 .. 1	sellByDate <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/sellByDate
188	BDT00000121	.. 20	0 .. unbounded	Serial number <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Serial number	1 .. 20	0 .. unbounded	serialNumber <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/serialNumber
189	BDT00000122	.. 80	0 .. 1	Shelf life <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Shelf life	1 .. 80	0 .. 1	shelfLife <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/shelfLife
189	BDT00000082		0 .. 1	Item in contact with food product indicator <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Item in contact with food product indicator		0 .. 1	itemInContactWithFoodProduct <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/itemInContactWithFoodProduct

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
189	BDT00000095		0 .. 1	Number of layers <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Number of layers		0 .. 1	numberOfLayers <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/numberOfLayers
189	BDT00000096		0 .. 1	Number of units per layer <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Number of units per layer		0 .. 1	numberOfUnitsPerLayer <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/numberOfUnitsPerLayer
189	BDT00000097		0 .. 1	Number of units per platform <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Number of units per platform		0 .. 1	numberOfUnitsPerPallet <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/numberOfUnitsPerPallet
189	BDT00000091		1 .. 1	Maximum stacking factor <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Maximum stacking factor		1 .. 1	maximumStackingFactor <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/maximumStackingFactor
189	BDT00000663	.. 80	1 .. 1	Packaging terms and conditions code content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Packaging terms and conditions code/Packaging terms	1 .. 80	0 .. 1	packagingTerms <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/packagingTerms

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				and conditions code content			
189	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Packaging terms and conditions code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/packagingTerms/@codeListVersion
189	BDT000000664	.. 80	1 .. 1	Package type code content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Package type code/Package type code content	1 .. 80	0 .. 1	packageTypeCode <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/packageTypeCode
189	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Package type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/packageTypeCode/@codeListVersion
190	BDT000000665	.. 80	1 .. 1	Returnable package return transport payment code content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Returnable package return transport payment code/Returnable package return transport payment code content	1 .. 80	0 .. 1	returnablePackageTransportCostPayment <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/returnablePackageTransportCostPayment
190	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Dynamic trade item information/Logistic unit packaging pattern information/Returnable package return transport payment code/Code list version			transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ returnablePackageTransportCostPayment/ @codeListVersion
190	BDT00000661		1 .. 1	Depth measurement content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Depth measurement/Depth measurement content		1 .. 1	depth <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/depth
190	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Depth measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/depth/@measurementUnitCode
190	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Depth measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/depth/@codeListVersion
190	BDT00000650		1 .. 1	Height measurement content <i>Path:</i> Order/Order line/Requested trade item		1 .. 1	height <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Height measurement/Height measurement content			transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/height
190	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Height measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/height/ @measurementUnitCode
190	BDT00000662		1 .. 1	Width measurement content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Width measurement/Width measurement content		1 .. 1	width <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/width
190	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Width measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/width/@measurementUnitCode
190	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Width measurement/Measurement unit code/Code list version			<i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/width/@codeListVersion
191	BDT00000695		1 .. 1	Product quality value content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Product quality value/Product quality value content		0 .. 1	productQualityIndication <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/productQualityIndication
191	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Product quality value/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/productQualityIndication/@measurementUnitCode
191	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Product quality value/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/productQualityIndication/@codeListVersion
191	BDT00000678		1 .. 1	Trade item quantity content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item quantity/Trade item quantity content		0 .. 1	tradeItemQuantity <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/tradeItemQuantity
191	BDT00000607	.. 80	1 .. 1	Measurement unit code content	1 .. 80		measurementUnitCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item quantity/Measurement unit code/Measurement unit code content			<i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/tradeItemQuantity/@measurementUnitCode
191	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/tradeItemQuantity/@codeListVersion
191	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content		1 .. 1	measurementValue <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementValue
191	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item weight information/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementValue/@measurementUnitCode
191	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item weight information/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementValue/@codeListVersion
191	BDT00000666	.. 80	1 .. 1	Measurement type code content <i>Path:</i> Order/Order line/Requested trade item	1 .. 80	1 .. 1	measurementType <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Dynamic trade item information/Trade item weight information/Measurement type code/ Measurement type code content			transactionalTradeItem/transactionalItemData/ transactionalItemWeight/measurementType
192	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item weight information/Measurement type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemWeight/measurementType/ @codeListVersion
192	BDT00000752		1 .. 1	Trade item volume content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item volume information/Trade item volume content		1 .. 1	measurementValue <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemVolume/measurementValue
192	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item volume information/Measurement unit code/ Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemVolume/measurementValue/ @measurementUnitCode
192	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item volume information/Measurement unit code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemVolume/measurementValue/ @codeListVersion
192	BDT00000666	.. 80	1 .. 1	Measurement type code content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item	1 .. 80	1 .. 1	measurementType <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Trade item volume information/Measurement type code/ Measurement type code content			transactionalItemVolume/measurementType
192	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item volume information/Measurement type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemVolume/measurementType/ @codeListVersion
192	BDT00000092		0 .. 1	Maximum value <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Serial number range/ Maximum value		0 .. 1	maximumValue <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ serialNumberRange/maximumValue
192	BDT00000094		0 .. 1	Minimum value <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Serial number range/ Minimum value		0 .. 1	minimumValue <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ serialNumberRange/minimumValue
192	BDT00000661		1 .. 1	Depth measurement content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item measurements information/Depth measurement/Depth measurement content		1 .. 1	depth <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/depth
192	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item measurements information/Depth measurement/	1 .. 80		measurementUnitCode <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/depth/ @measurementUnitCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Measurement unit code/Measurement unit code content			
193	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item measurements information/Depth measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/depth/@codeListVersion
193	BDT00000650		1 .. 1	Height measurement content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item measurements information/Height measurement/Height measurement content		1 .. 1	height <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/height
193	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item measurements information/Height measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/height/@measurementUnitCode
193	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item measurements information/Height measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/height/@codeListVersion
193	BDT00000662		1 .. 1	Width measurement content		1 .. 1	width

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item measurements information/Width measurement/Width measurement content			<i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/width
193	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/width/@measurementUnitCode
193	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/width/@codeListVersion
193	BDT00000646	.. 80	1 .. 1	GS1 global trade item number format code content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/GS1 global trade item number format code/GS1 global trade item number format code content	1 .. 80	0 .. 1	gs1TransactionalItemIdentificationKey <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDataCarrierAndIdentification/gs1TransactionalItemIdentificationKey
193	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/transactionalItemData/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Global trade item number format and type of carrier information/ GS1 global trade item number format code/Code list version			transactionalItemDataCarrierAndIdentification/ gs1TransactionalItemIdentificationKey/ @codeListVersion
193	BDT00000639	.. 80	1 .. 1	Data carrier type code content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/ Data carrier type code/Data carrier type code content	1 .. 80	0 .. 1	dataCarrier <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDataCarrierAndIdentification/dataCarrier
194	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/ Data carrier type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDataCarrierAndIdentification/ dataCarrier/ @codeListVersion
194	BDT00000138		0 .. 1	Waste identification <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item waste information/Waste identification		0 .. 1	wasteIdentification <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ tradeItemWaste/wasteIdentification
194	BDT00000702	.. 80	1 .. 1	Waste type code content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Waste type code content	1 .. 80	0 .. unbounded	typeOfWaste <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/transactionalItemData/ tradeItemWaste/typeOfWaste
194	BDT00000022	.. 80	0 .. 1	Code description <i>Path:</i> Order/Order line/Requested trade item	1 .. 80		codeDescription <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Dynamic trade item information/Trade item waste information/Waste type code/Code description			transactionalTradelItem/transactionalItemData/ tradelItemWaste/typeOfWaste/@codeDescription
194	BDT00000023	.. 80	0 .. 1	Code list agency code <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list agency code	1 .. 80		codeListAgencyCode <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradelItem/transactionalItemData/ tradelItemWaste/typeOfWaste/@codeListAgencyCode
194	BDT00000024	.. 35	0 .. 1	Code list agency code list version <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list agency code list version	1 .. 35		codeListAgencyCodeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradelItem/transactionalItemData/ tradelItemWaste/typeOfWaste/ @codeListAgencyCodeListVersion
194	BDT00000025	.. 80	0 .. 1	Code list agency name <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list agency name	1 .. 80		codeListAgencyName <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradelItem/transactionalItemData/ tradelItemWaste/typeOfWaste/@codeListAgencyName
194	BDT00000026	.. 80	0 .. 1	Code list name <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list name	1 .. 80		codeListName <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradelItem/transactionalItemData/ tradelItemWaste/typeOfWaste/@codeListName
194	BDT00000027	.. 500	0 .. 1	Code list URL <i>Path:</i> Order/Order line/Requested trade item			codeListURI <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Dynamic trade item information/Trade item waste information/Waste type code/Code list URL			transactionalTradeltem/transactionalItemData/ tradeltemWaste/typeOfWaste/@codeListURI
194	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeltem/transactionalItemData/ tradeltemWaste/typeOfWaste/@codeListVersion
195	BDT00000081		1 .. 1	Trade item organic indicator <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item organic information/Trade item organic indicator		1 .. 1	isTradeltemOrganic <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeltem/transactionalItemData/ transactionalItemOrganicInformation/isTradeltemOrganic
195	BDT00000017	.. 200	0 .. 1	Certification value <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item organic information/Organic certification information/Certification value	1 .. 200	0 .. 1	itemCertificationValue <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeltem/transactionalItemData/ transactionalItemOrganicInformation/organicCertification/ itemCertificationValue
195	BDT00000015	.. 200	0 .. 1	Certification agency name <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item organic information/Organic certification information/Certification agency name	1 .. 200	0 .. 1	itemCertificationAgency <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeltem/transactionalItemData/ transactionalItemOrganicInformation/organicCertification/ itemCertificationAgency
195	BDT00000016	.. 200	0 .. 1	Certification standard name <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item	1 .. 200	0 .. 1	itemCertificationStandard <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeltem/transactionalItemData/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Trade item organic information/Organic certification information/Certification standard name			transactionalItemOrganicInformation/organicCertification/itemCertificationStandard
195	BDT00000736		1 .. 1	Colour code content <i>Path:</i> Order/Order line/Requested trade item information/Trade item colour information/Colour code/Colour code content	1 .. 80	0 .. 1	colourCode <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/colour/colourCode
195	BDT00000029	.. 80	1 .. 1	Colour code system code <i>Path:</i> Order/Order line/Requested trade item information/Trade item colour information/Colour code/Colour code system code	1 .. 80		colourCodeListCode <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/colour/colourCode/@colourCodeListCode
195	BDT00000030	.. 80	0 .. 1	Colour code system description <i>Path:</i> Order/Order line/Requested trade item information/Trade item colour information/Colour code/Colour code system description	1 .. 80		colourCodeListDescription <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/colour/colourCode/@colourCodeListDescription
195	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Trade item colour information/Colour code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/colour/colourCode/@codeListVersion
195	BDT00000031	.. 35	0 .. 1	Colour code system version <i>Path:</i> Order/Order line/Requested trade item information/Trade item colour information/Colour code/Colour code system version	1 .. 35		colourCodeListVersion <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/colour/colourCode/@colourCodeListVersion
195	BDT00000737	.. 70	1 .. 1	Colour description content <i>Path:</i> Order/Order line/Requested trade item	1 .. 80	0 .. unbounded	colourDescription <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Trade item colour information/Colour description/Colour description content			transactionalTradeItem/colour/colourDescription
196	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Requested trade item information/Trade item colour information/Colour description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/colour/colourDescription/ @languageCode
196	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Trade item colour information/Colour description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/colour/colourDescription/ @codeListVersion
196	BDT00000679	.. 70	1 .. 1	Size description content <i>Path:</i> Order/Order line/Requested trade item information/Trade item size information/Size description/Size description content	1 .. 80	0 .. 1	descriptiveSize <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/size/descriptiveSize
196	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Requested trade item information/Trade item size information/Size description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/size/descriptiveSize/ @languageCode
196	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Trade item size information/Size description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/size/descriptiveSize/ @codeListVersion
196	BDT00000680	.. 80	1 .. 1	Size code content <i>Path:</i> Order/Order line/Requested trade item	1 .. 80	0 .. 1	sizeCode <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Trade item size information/Size code/Size code content			transactionalTradeItem/size/sizeCode
196	BDT00000681	.. 80	1 .. 1	Size code list code content <i>Path:</i> Order/Order line/Requested trade item information/Trade item size information/Size code/Size code list code/Size code list code content	1 .. 80		sizeCodeListCode <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/size/sizeCode/ @sizeCodeListCode
196	BDT00000124	.. 80	0 .. 1	Size code list description <i>Path:</i> Order/Order line/Requested trade item information/Trade item size information/Size code/Size code list description	1 .. 80		sizeCodeListDescription <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/size/sizeCode/ @sizeCodeListDescription
196	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Requested trade item information/Trade item size information/Size code/Size code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/size/sizeCode/@codeListVersion
196	BDT00000125	.. 35	0 .. 1	Size code list version <i>Path:</i> Order/Order line/Requested trade item information/Trade item size information/Size code/Size code list version	1 .. 35		sizeCodeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/size/sizeCode/ @sizeCodeListVersion
197	BDT00000070	.. 8	1 .. 1	GS1 global product classification GPC brick code <i>Path:</i> Order/Order line/Requested trade item information/Trade item classification information/GS1 global product classification GPC brick code		1 .. 1	gpcCategoryCode <i>Path:</i> orderMessage/order/orderLineItem/ transactionalTradeItem/tradeItemClassification/ gpcCategoryCode
197	BDT00000071	.. 200	0 .. 1	GS1 global product classification GPC brick name	1 .. 105	0 .. 1	gpcCategoryName <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Requested trade item information/Trade item classification information/GS1 global product classification GPC brick name			transactionalTradeItem/tradeItemClassification/gpcCategoryName
197	BDT00000536	.. 80	1 .. 1	Alternative trade item product classification code content <i>Path:</i> Order/Order line/Requested trade item information/Trade item classification information/Alternative trade item product classification code/Alternative trade item product classification code content	1 .. 80	0 .. unbounded	additionalTradeItemClassificationCode <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/tradeItemClassification/additionalTradeItemClassificationCode
197	BDT000000002	.. 80	0 .. 1	Additional trade item classification scheme code <i>Path:</i> Order/Order line/Requested trade item information/Trade item classification information/Alternative trade item product classification code/Additional trade item classification scheme code	1 .. 80		additionalTradeItemClassificationCodeListCode <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/tradeItemClassification/additionalTradeItemClassificationCode/@additionalTradeItemClassificationCodeListCode
197	BDT000000003	.. 35	0 .. 1	Additional trade item classification scheme version <i>Path:</i> Order/Order line/Requested trade item information/Trade item classification information/Alternative trade item product classification code/Additional trade item classification scheme version	1 .. 35		additionalTradeItemClassificationCodeListVersion <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/tradeItemClassification/additionalTradeItemClassificationCode/@additionalTradeItemClassificationCodeListVersion
197	BDT000000022	.. 80	0 .. 1	Code description <i>Path:</i> Order/Order line/Requested trade item information/Trade item classification information/Alternative trade item	1 .. 80		codeDescription <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/tradeItemClassification/additionalTradeItemClassificationCode/@codeDescription

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
197	BDT00000028	.. 35	0 .. 1	product classification code/Code description Code list version <i>Path:</i> Order/Order line/Requested trade item information/Trade item classification information/Alternative trade item product classification code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/tradeItemClassification/additionalTradeItemClassificationCode/@codeListVersion
197	BDT00000067	.. 8	1 .. 1	GS1 global product classification GPC attribute type code <i>Path:</i> Order/Order line/Requested trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute type code	1 .. 1		gpcAttributeTypeCode <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/tradeItemClassification/gpcAttribute/gpcAttributeTypeCode
197	BDT00000068	.. 8	1 .. 1	GS1 global product classification GPC attribute value code <i>Path:</i> Order/Order line/Requested trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute value code	1 .. 1		gpcAttributeValueCode <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/tradeItemClassification/gpcAttribute/gpcAttributeValueCode
197	BDT00000064	.. 200	0 .. 1	Global product classification GPC attribute type name <i>Path:</i> Order/Order line/Requested trade item information/Trade item classification information/Global Product Classification attributes/Global product classification GPC attribute type name	1 .. 105	0 .. 1	gpcAttributeTypeName <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/tradeItemClassification/gpcAttribute/gpcAttributeTypeName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
198	BDT00000069	.. 200	0 .. 1	GS1 global product classification GPC attribute value name <i>Path:</i> Order/Order line/Requested trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute value name	1 .. 105	0 .. 1	gpcAttributeValueName <i>Path:</i> orderMessage/order/orderLineItem/transactionalTradeItem/tradeItemClassification/gpcAttribute/gpcAttributeValueName
198	BDT00000006		0 .. 1	Allowance percentage <i>Path:</i> Order/Order line/Allowance information/Allowance percentage		0 .. 1	allowanceChargePercentage <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/allowanceChargePercentage
198	BDT00000012	.. 80	0 .. 1	Bracket criteria <i>Path:</i> Order/Order line/Allowance information/Bracket criteria	1 .. 80	0 .. 1	bracketIdentifier <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/bracketIdentifier
198	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Order/Order line/Allowance information/Calculation sequence number		0 .. 1	sequenceNumber <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/sequenceNumber
198	BDT00000531	.. 80	1 .. 1	Allowance type code content <i>Path:</i> Order/Order line/Allowance information/Allowance type code/Allowance type code content	1 .. 80	1 .. 1	allowanceChargeType <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/allowanceChargeType
198	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Allowance information/Allowance type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/allowanceChargeType/@codeListVersion
198	BDT00000532	.. 80	1 .. 1	Settlement allowance code content <i>Path:</i> Order/Order line/Allowance information/Settlement allowance code/Settlement allowance code	1 .. 80	1 .. 1	settlementType <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/settlementType

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
198	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Allowance information/Settlement allowance code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/settlementType/@codeListVersion
198	BDT00000528		1 .. 1	Allowance monetary amount content <i>Path:</i> Order/Order line/Allowance information/Allowance monetary amount/Allowance monetary amount content		0 .. 1	allowanceChargeAmount <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/allowanceChargeAmount
198	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Allowance information/Allowance monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/allowanceChargeAmount/@currencyCode
199	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Allowance information/Allowance monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/allowanceChargeAmount/@codeListVersion
199	BDT00000529		1 .. 1	Allowance monetary amount per unit content <i>Path:</i> Order/Order line/Allowance information/Allowance monetary amount per unit/Allowance monetary amount per unit content		0 .. 1	amountPerUnit <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/amountPerUnit
199	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Allowance information/Allowance monetary amount per unit/Currency code/	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/amountPerUnit/@currencyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Currency code content			
199	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Allowance information/Allowance monetary amount per unit/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/amountPerUnit/@codeListVersion
199	BDT00000526		1 .. 1	Allowance basis monetary amount content <i>Path:</i> Order/Order line/Allowance information/Allowance basis monetary amount/Allowance basis monetary amount content		0 .. 1	baseAmount <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/baseAmount
199	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Allowance information/Allowance basis monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/baseAmount/@currencyCode
199	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Allowance information/Allowance basis monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/baseAmount/@codeListVersion
199	BDT00000533		1 .. 1	Allowance quantity basis content <i>Path:</i> Order/Order line/Allowance information/Allowance quantity basis/Allowance quantity basis content		0 .. 1	baseNumberOfUnits <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/baseNumberOfUnits
199	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order/Order line/Allowance information/Allowance quantity basis/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/baseNumberOfUnits/@measurementUnitCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
199	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Allowance information/Allowance quantity basis/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/baseNumberOfUnits/@codeListVersion
200	BDT00000530	.. 80	1 .. 1	Allowance effective date type code content <i>Path:</i> Order/Order line/Allowance information/Allowance effective date type code/Allowance effective date type code content	1 .. 80	0 .. 1	effectiveDateType <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/effectiveDateType
200	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Allowance information/Allowance effective date type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/effectiveDateType/@codeListVersion
200	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Allowance information/Special service type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/specialServiceType/@codeListVersion
200	BDT00000527	.. 70	1 .. 1	Allowance description content <i>Path:</i> Order/Order line/Allowance information/Allowance description/Allowance description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/allowanceChargeDescription/description
200	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Allowance information/Allowance description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/allowanceChargeDescription/description/@languageCode
200	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Allowance information/Allowance description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/allowanceChargeDescription/description/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
200	BDT00000018		0 .. 1	Charge percentage <i>Path:</i> Order/Order line/Charge information/ Charge percentage		0 .. 1	allowanceChargePercentage <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ allowanceChargePercentage
200	BDT00000012	.. 80	0 .. 1	Bracket criteria <i>Path:</i> Order/Order line/Charge information/ Bracket criteria	1 .. 80	0 .. 1	bracketIdentifier <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ bracketIdentifier
200	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Order/Order line/Charge information/ Calculation sequence number		0 .. 1	sequenceNumber <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ sequenceNumber
200	BDT00000620		1 .. 1	Charge monetary amount per unit content <i>Path:</i> Order/Order line/Charge information/ Charge monetary amount per unit/ Charge monetary amount per unit content		0 .. 1	amountPerUnit <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ amountPerUnit
201	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Charge information/ Charge monetary amount per unit/ Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ amountPerUnit/@currencyCode
201	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Charge information/ Charge monetary amount per unit/ Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ amountPerUnit/@codeListVersion
201	BDT00000618	.. 80	1 .. 1	Charge type code content <i>Path:</i> Order/Order line/Charge information/ Charge type code/Charge type code content	1 .. 80	1 .. 1	allowanceChargeType <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ allowanceChargeType
201	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Charge information/ Charge type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ allowanceChargeType/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
201	BDT00000617	.. 80	1 .. 1	Settlement charge code content <i>Path:</i> Order/Order line/Charge information/ Settlement charge code/Settlement charge code content	1 .. 80	1 .. 1	settlementType <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ settlementType
201	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Charge information/ Settlement charge code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ settlementType/@codeListVersion
201	BDT00000619		0 .. 1	Charge monetary amount content <i>Path:</i> Order/Order line/Charge information/ Charge monetary amount/Charge monetary amount content		0 .. 1	allowanceChargeAmount <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ allowanceChargeAmount
201	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Charge information/ Charge monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ allowanceChargeAmount/@currencyCode
201	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Charge information/ Charge monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ allowanceChargeAmount/@codeListVersion
201	BDT00000614		1 .. 1	Charge basis monetary amount content <i>Path:</i> Order/Order line/Charge information/ Charge basis monetary amount/Charge basis monetary amount content		0 .. 1	baseAmount <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ baseAmount
202	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Charge information/ Charge basis monetary amount/ Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ baseAmount/@currencyCode
202	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Charge information/ Charge basis monetary amount/ Currency code/Code list version			<i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ baseAmount/@codeListVersion
202	BDT00000753		1 .. 1	Charge quantity basis content <i>Path:</i> Order/Order line/Charge information/ Charge quantity basis/Charge quantity basis content		0 .. 1	baseNumberOfUnits <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ baseNumberOfUnits
202	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order/Order line/Charge information/ Charge quantity basis/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ baseNumberOfUnits/@measurementUnitCode
202	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Charge information/ Charge quantity basis/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ baseNumberOfUnits/@codeListVersion
202	BDT00000615	.. 80	1 .. 1	Charge effective date type code content <i>Path:</i> Order/Order line/Charge information/ Charge effective date type code/Charge effective date type code content	1 .. 80	0 .. 1	effectiveDateType <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ effectiveDateType
202	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Charge information/ Charge effective date type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ effectiveDateType/@codeListVersion
202	BDT00000534	.. 80	1 .. 1	Special service type code content <i>Path:</i> Order/Order line/Charge information/ Special service type code/Special service type code content	1 .. 80	0 .. 1	specialServiceType <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ specialServiceType
202	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Charge information/ Special service type code/Code list version			<i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ specialServiceType/@codeListVersion
202	BDT00000573	.. 70	1 .. 1	Charge description content <i>Path:</i> Order/Order line/Charge information/ Charge description/Charge description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ allowanceChargeDescription/description
203	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Charge information/ Charge description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ allowanceChargeDescription/description/@languageCode
203	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Charge information/ Charge description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/allowanceCharge/ allowanceChargeDescription/description/ @codeListVersion
203	BDT00000647	.. 80	1 .. 1	Handling instruction code content <i>Path:</i> Order/Order line/Shipment transportation information/Handling instruction code/Handling instruction code content	1 .. 80	0 .. unbounded	handlingInstructionCode <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/ handlingInstructionCode
203	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Handling instruction code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/ handlingInstructionCode/@codeListVersion
203	BDT00000687	.. 80	1 .. 1	Transport means type code content <i>Path:</i> Order/Order line/Shipment transportation information/Transport means type code/Transport means type code content	1 .. 80	0 .. 1	transportMeansType <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/transportMeansType
	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
203		.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Transport means type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/ transportMeansType/@codeListVersion
203	BDT00000625	.. 80	0 .. 1	Transport means identification content <i>Path:</i> Order/Order line/Shipment transportation information/Transport means identification/Transport means identification content	1 .. 80	0 .. 1	transportMeansID <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/transportMeansID
203	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Order line/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeName
203	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Order line/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeAgencyName
203	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Order line/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
204	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeAgencyCodeCodeListVersion
204	BDT000000688	.. 80	1 .. 1	Transport mode code content <i>Path:</i> Order/Order line/Shipment transportation information/Transport mode code/Transport mode code content	1 .. 80	0 .. 1	transportServiceCategoryType <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/ transportServiceCategoryType
204	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Transport mode code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/ transportServiceCategoryType/@codeListVersion
204	BDT000000689	.. 80	1 .. 1	Transport service level code content <i>Path:</i> Order/Order line/Shipment transportation information/Transport service level code/Transport service level code content	1 .. 80	0 .. 1	transportServiceLevelCode <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/ transportServiceLevelCode
204	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Transport service level code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/ transportServiceLevelCode/@codeListVersion
204	BDT000000626	.. 80	1 .. 1	Transport route identification content <i>Path:</i> Order/Order line/Shipment transportation information/Transport route identification/Transport route identification content	1 .. 80	0 .. 1	routeID <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/routeID

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
204	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Order line/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/routeID/ @identificationSchemeName
204	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Order line/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/routeID/ @identificationSchemeAgencyName
204	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Order line/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/routeID/ @identificationSchemeAgencyCode
204	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/routeID/ @identificationSchemeAgencyCodeCodeListVersion
205	BDT00000648	.. 70	1 .. 1	Handling instruction description content <i>Path:</i> Order/Order line/Shipment	1 .. 100	0 .. unbounded	additionalHandlingInstruction <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Handling instruction description/Handling instruction description content			shipmentTransportationInformation/ additionalHandlingInstruction
205	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Shipment transportation information/Handling instruction description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/ additionalHandlingInstruction/ @languageCode
205	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Handling instruction description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/ additionalHandlingInstruction/ @codeListVersion
205	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/gln
205	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/ additionalPartyIdentification
205	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Additional party identification information/Additional	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
205	BDT00000028	.. 35	0 .. 1	party identification type code/Additional party identification type code content Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/additionalPartyIdentification/@codeListVersion
205	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/city
205	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/cityCode
205	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/countyCode
206	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/crossStreet
206	BDT00000106	.. 200	0 .. 1	Party name	1 .. 200	0 .. 1	name

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Party name			<i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/name
206	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/pOBoxNumber
206	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/postalCode
206	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/provinceCode
206	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/state
206	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/streetAddressOne
206	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Shipment	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Carrier party information/Address information/Street address two			shipmentTransportationInformation/carrier/address/streetAddressTwo
206	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/streetAddressThree
206	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/countryCode
207	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/countryCode/@codeListVersion
207	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/geographicalCoordinates/latitude
207	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
207	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/personName
207	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/departmentName
207	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/jobTitle
207	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/contactTypeCode
207	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/contactTypeCode/@codeListVersion
207	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Order line/Shipment	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Carrier party information/Business contact information/Business contact responsibility description/Business contact responsibility description content			responsibility
207	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/responsibility/@languageCode
208	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/responsibility/@codeListVersion
208	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/communicationChannel/communicationChannelCode
208	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version			communicationChannel/communicationChannelCode/ @codeListVersion
208	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationValue
208	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationChannelName
208	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/contact/ afterHoursCommunicationChannel/ communicationChannelCode
208	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/contact/ afterHoursCommunicationChannel/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/After hours communication information/Communication channel code/Communication channel code content/Code list version			communicationChannelCode/@codeListVersion
208	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationValue
208	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationChannelName
208	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
209	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
	BDT00000074						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
209		.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
209	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
209	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
209	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version			@identificationSchemeAgencyCodeCodeListVersion
209	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
209	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
209	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxDescription
209	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
209	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax description/Language code/Code list version			<i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
210	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
210	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
210	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/organisationName
210	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/languageOfThePartyCode
210	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Carrier party information/Organisation legal information/Language of the party code/Code list version			shipmentTransportationInformation/carrier/address/languageOfThePartyCode/@codeListVersion
210	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/currencyOfPartyCode
210	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/address/currencyOfPartyCode/@codeListVersion
210	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/countyCode
210	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/city
210	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/City code			organisationDetails/officialAddress/cityCode
211	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/crossStreet
211	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/pOBoxNumber
211	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/postalCode
211	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/provinceCode
211	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/state

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
211	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/streetAddressOne
211	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/streetAddressTwo
211	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/streetAddressThree
211	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/countryCode
211	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/countryCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
212	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/geographicalCoordinates/latitude
212	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/geographicalCoordinates/longitude
212	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/issuedCapital
212	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/issuedCapital/@currencyCode
212	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Issued capital/Currency	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/issuedCapital/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
212	BDT00000659	.. 70	1 .. 1	code/Code list version Legal structure description content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/legalStructure
212	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/legalStructure/@languageCode
212	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/legalStructure/@codeListVersion
212	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationNumber
212	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order/Order line/Shipment	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Carrier party information/Organisation legal information/Registered legal information/Legal registration additional information			shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
213	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationType
213	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
213	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialInstitutionName
213	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialInstitutionBranchName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
213	BDT00000058	.. 80	0 .. 1	institution division name Financial account name <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialAccount/ financialAccountName
213	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialAccount/ financialAccountNumber
213	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
213	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
213	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
213	BDT00000064	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
214	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
214	BDT00000051	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Additional	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
214	BDT00000524	.. 80	1 .. 1	financial institution description/ Additional financial institution description content Language code content <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
214	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
214	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/city
214	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/cityCode
214	BDT00000034	.. 80	0 .. 1	County code	1 .. 80	0 .. 1	countyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/County code			<i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/countyCode
214	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/crossStreet
214	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/name
214	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/pOBoxNumber
215	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/postalCode
215	BDT00000117	80 ..	0 .. 1	Province identity	1 .. 80	0 .. 1	provinceCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Province identity			<i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/provinceCode
215	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/state
215	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/streetAddressOne
215	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/streetAddressTwo
215	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/streetAddressThree
215	BDT00000774		1 .. 1	Country code content	1 .. 80	0 .. 1	countryCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Country code/Country code content			<i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/countryCode
215	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/countryCode/@codeListVersion
215	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/geographicalCoordinates/latitude
215	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/geographicalCoordinates/longitude
216	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Global		0 .. 1	gln <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/gln

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				location number GLN			
216	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/additionalPartyIdentification
216	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
216	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/additionalPartyIdentification/@codeListVersion
216	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/city
216	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Shipment	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Freight forwarder party information/Address information/City code			shipmentTransportationInformation/freightForwarder/address/cityCode
216	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/countyCode
216	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/crossStreet
216	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/name
216	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/pOBoxNumber
217	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/postalCode
217	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Shipment	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Freight forwarder party information/Address information/Province identity			shipmentTransportationInformation/freightForwarder/address/provinceCode
217	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/state
217	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/streetAddressOne
217	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/streetAddressTwo
217	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/streetAddressThree
217	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/countryCode
217	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/Country code/Code list version			<i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/countryCode/@codeListVersion
217	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/geographicalCoordinates/latitude
217	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/geographicalCoordinates/longitude
218	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/personName
218	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/departmentName
218	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Order line/Shipment transportation information/Freight	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				forwarder party information/Business contact information/Job title			contact/jobTitle
218	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/contactTypeCode
218	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/contactTypeCode/@codeListVersion
218	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/responsibility
218	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/responsibility/@languageCode
	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
218		.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/responsibility/@codeListVersion
218	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationChannelCode
218	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationChannelCode/@codeListVersion
219	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationValue
219	BDT00000033	.. 200	0 .. 1	Communication channel name	1 .. 200	0 .. 1	communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/Communication channel information/Communication channel name			<i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationChannelName
219	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/afterHoursCommunicationChannel/communicationChannelCode
219	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
219	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/afterHoursCommunicationChannel/communicationValue
219	BDT00000033	.. 200	0 .. 1	Communication channel name	1 .. 200	0 .. 1	communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel name			<i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/contact/afterHoursCommunicationChannel/communicationChannelName
219	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
219	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
219	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
219	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name			@identificationSchemeAgencyName
220	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
220	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
220	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax type code/ Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
220	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax type code/Code list version			<i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
220	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription
220	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
220	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
220	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration type code/Tax registration type code	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
220	BDT00000028	.. 35	0 .. 1	content Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
220	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/organisationName
221	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/languageOfThePartyCode
221	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/address/languageOfThePartyCode/@codeListVersion
221	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order/Order line/Shipment transportation information/Freight	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				forwarder party information/ Organisation legal information/Currency of party code/Currency of party code content			address/currencyOfPartyCode
221	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ address/currencyOfPartyCode/@codeListVersion
221	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/countyCode
221	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/city
221	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/cityCode
221	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Shipment	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Freight forwarder party information/ Organisation legal information/Official address/Cross street			shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/crossStreet
221	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/pOBoxNumber
221	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/postalCode
222	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/provinceCode
222	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/state
222	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Shipment	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Freight forwarder party information/ Organisation legal information/Official address/Street address one			shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/streetAddressOne
222	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/streetAddressTwo
222	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/streetAddressThree
222	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/countryCode
222	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/countryCode/ @codeListVersion
222	BDT00000085	.. 80	1 .. 1	Latitude	1 .. 80	1 .. 1	latitude

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude			<i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/geographicalCoordinates/latitude
222	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/geographicalCoordinates/longitude
222	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/issuedCapital
223	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/issuedCapital/@currencyCode
223	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Issued	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/issuedCapital/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
223	BDT00000659	.. 70	1 .. 1	capital/Currency code/Code list version Legal structure description content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/legalStructure
223	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/legalStructure/@languageCode
223	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/legalStructure/@codeListVersion
223	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationNumber
223	BDT00000086	.. 200	0 .. 1	Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration additional information			<i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalRegistration/ legalRegistrationAdditionalInformation
223	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalRegistration/ legalRegistrationType
223	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalRegistration/ legalRegistrationType/ @codeListVersion
223	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialInstitutionName
224	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/orderLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution and financial account information/Financial institution division name			financialInstitutionBranchName
224	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountName
224	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumber
224	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
224	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution and financial account information/Financial account information/Financial account number type code/Code list version			financialAccountNumberTypeCode/@codeListVersion
224	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
224	BDT00000064	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
224	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialRoutingNumberTypeCode/@codeListVersion
224	BDT00000051	.. 70	1 .. 1	Additional financial institution description	1 .. 70	1 .. unbounded	description

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content			<i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/additionalFinancialInformation/description
224	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
225	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
225	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/city

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
225	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/cityCode
225	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/countyCode
225	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/crossStreet
225	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/name
225	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Shipment transportation information/Freight	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				forwarder party information/Financial institution and financial account information/Address information/Post office box number			financialInstitutionInformation/address/pOBoxNumber
225	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/postalCode
225	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/provinceCode
225	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/state
226	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
226	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/streetAddressTwo
226	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/streetAddressThree
226	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/countryCode
226	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/countryCode/@codeListVersion
226	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Shipment transportation information/Freight	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				forwarder party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude			financialInstitutionInformation/address/geographicalCoordinates/latitude
226	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/geographicalCoordinates/longitude
226	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Order line/Preferred manufacturer party information/Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/gln
226	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Order line/Preferred manufacturer party information/Additional party identification/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/additionalPartyIdentification
226	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Order line/Preferred manufacturer party information/Additional party identification/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
227	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Preferred manufacturer party information/Additional party identification/Additional party identification type code/Code list version			<i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/additionalPartyIdentification/@codeListVersion
227	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/city
227	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/cityCode
227	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/countyCode
227	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/crossStreet
227	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/name
227	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/pOBoxNumber
	BDT00000114						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
227		.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/postalCode
227	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/provinceCode
227	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/state
228	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/streetAddressOne
228	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/streetAddressTwo
228	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/streetAddressThree
228	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
228	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/countryCode/@codeListVersion
228	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/geographicalCoordinates/latitude
228	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Preferred manufacturer party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/geographicalCoordinates/longitude
228	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Order line/Preferred manufacturer party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/contact/personName
228	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Order line/Preferred manufacturer party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/contact/departmentName
228	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Order line/Preferred manufacturer party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/contact/jobTitle
229	BDT00000571	.. 80	1 .. 1	Contact type code content	1 .. 80	0 .. 1	contactTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/Contact type code/Contact type code content			<i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/contactTypeCode
229	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/contactTypeCode/ @codeListVersion
229	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/responsibility
229	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/responsibility/ @languageCode
229	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/responsibility/ @codeListVersion
229	BDT00000525		1 .. 1	Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content			<i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/communicationChannel/ communicationChannelCode
229	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/communicationChannel/ communicationChannelCode/@codeListVersion
229	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/communicationChannel/ communicationValue
229	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/communicationChannel/ communicationChannelName
229	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/After hours communication information/	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/ afterHoursCommunicationChannel/ communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Communication channel code/ Communication channel code content			
230	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
230	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/ afterHoursCommunicationChannel/communicationValue
230	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/contact/ afterHoursCommunicationChannel/ communicationChannelName
230	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/dutyFeeTaxRegistration/ dutyFeeTaxAgencyName
230	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/dutyFeeTaxRegistration/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				registration information/Tax registration identification information/Tax registration identification content			dutyFeeTaxRegistrationID
230	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
230	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
230	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
230	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax registration	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Identification scheme information/Identification scheme responsible agency code/Code list version			@identificationSchemeAgencyCodeCodeListVersion
230	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
231	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
231	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxDescription
231	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
231	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax description/Language code/Code list	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
231	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
231	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Preferred manufacturer party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
231	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Order line/Preferred manufacturer party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/organisationDetails/organisationName
231	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Preferred manufacturer party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/languageOfThePartyCode
231	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Preferred manufacturer party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/address/languageOfThePartyCode/@codeListVersion
231	BDT00000710	.. 80	1 .. 1	Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Currency of party code/Currency of party code content			<i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/address/currencyOfPartyCode
232	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/address/currencyOfPartyCode/ @codeListVersion
232	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/countyCode
232	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/city
232	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/cityCode
232	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
232	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Preferred manufacturer party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/organisationDetails/officialAddress/pOBoxNumber
232	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Preferred manufacturer party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/organisationDetails/officialAddress/postalCode
232	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Preferred manufacturer party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/organisationDetails/officialAddress/provinceCode
232	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Preferred manufacturer party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/organisationDetails/officialAddress/state
232	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Preferred manufacturer party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/organisationDetails/officialAddress/streetAddressOne
233	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Preferred manufacturer party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/organisationDetails/officialAddress/streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
233	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/streetAddressThree
233	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/countryCode
233	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/countryCode/@codeListVersion
233	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/geographicalCoordinates/latitude
233	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ officialAddress/geographicalCoordinates/longitude
233	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order/Order line/Preferred		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				manufacturer party information/ Organisation legal information/Issued capital/Issued capital content			preferredManufacturer/organisationDetails/issuedCapital
233	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ issuedCapital/@currencyCode
233	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ issuedCapital/@codeListVersion
233	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/legalStructure
234	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ legalStructure/@languageCode
234	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/Legal	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ legalStructure/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				structure description/Language code/ Code list version			
234	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ legalRegistration/legalRegistrationNumber
234	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
234	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ legalRegistration/legalRegistrationType
234	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
234	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Order line/Preferred manufacturer party information/	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Financial institution name			financialInstitutionName
234	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/financialInstitutionBranchName
234	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/financialAccount/financialAccountName
234	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/financialAccount/financialAccountNumber
235	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
	BDT000000028						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
235		.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
235	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
235	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
235	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
235	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/additionalFinancialInformation/description
235	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
235	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
235	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Preferred manufacturer party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/preferredManufacturer/financialInstitutionInformation/address/city
235	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Preferred	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				manufacturer party information/ Financial institution and financial account information/Address information/City code			preferredManufacturer/financialInstitutionInformation/ address/cityCode
236	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/financialInstitutionInformation/ address/countyCode
236	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/financialInstitutionInformation/ address/crossStreet
236	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/financialInstitutionInformation/ address/name
236	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/financialInstitutionInformation/ address/pOBoxNumber
236	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Preferred	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				manufacturer party information/ Financial institution and financial account information/Address information/Postal code			preferredManufacturer/financialInstitutionInformation/ address/postalCode
236	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/financialInstitutionInformation/ address/provinceCode
236	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/financialInstitutionInformation/ address/state
236	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/financialInstitutionInformation/ address/streetAddressOne
236	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/financialInstitutionInformation/ address/streetAddressTwo
236	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Preferred	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				manufacturer party information/ Financial institution and financial account information/Address information/Street address three			preferredManufacturer/financialInstitutionInformation/ address/streetAddressThree
237	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/financialInstitutionInformation/ address/countryCode/@codeListVersion
237	BDT000000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/financialInstitutionInformation/ address/geographicalCoordinates/latitude
237	BDT000000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Preferred manufacturer party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/ preferredManufacturer/financialInstitutionInformation/ address/geographicalCoordinates/longitude
237	BDT000000043		0 .. 1	Delivery method code content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Delivery method code/Delivery method code content	1 .. 80	0 .. 1	deliveryMethod <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/deliveryMethod
237	BDT000000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Ultimate customer delivery information/Delivery method code/Code list version			<i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/deliveryMethod/@codeListVersion
237	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Global location number GLN	0 .. 1		gln <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/gln
237	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/additionalPartyIdentification
237	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
237	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/additionalPartyIdentification/@codeListVersion
237	BDT00000020	.. 200	0 .. 1	City name	1 .. 200	0 .. 1	city

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/ City name			<i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/city
238	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/ City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/cityCode
238	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/ County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/countyCode
238	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/ Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/crossStreet
238	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/ Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/name
238	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/ Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/pOBoxNumber
238	BDT00000114	.. 80	0 .. 1	Postal code	1 .. 80	0 .. 1	postalCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/Postal code			<i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/postalCode
238	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/provinceCode
238	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/state
238	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/streetAddressOne
238	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/streetAddressTwo
239	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/streetAddressThree
239	BDT00000774		1 .. 1	Country code content	1 .. 80	0 .. 1	countryCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/Country code/Country code content			<i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/countryCode
239	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/countryCode/@codeListVersion
239	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/geographicalCoordinates/latitude
239	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/geographicalCoordinates/longitude
239	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/contact/personName
239	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/contact/departmentName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Department name			
239	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/contact/jobTitle
239	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/contact/contactTypeCode
239	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/contact/contactTypeCode/@codeListVersion
240	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/contact/responsibility
240	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/contact/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Business contact information/Business contact responsibility description/Language code/Language code content			responsibility/@languageCode
240	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/contact/responsibility/@codeListVersion
240	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/contact/communicationChannel/communicationChannelCode
240	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/contact/communicationChannel/communicationChannelCode/@codeListVersion
240	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/contact/communicationChannel/communicationValue

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
240	BDT00000033	.. 200	0 .. 1	information/Communication information/Communication channel identification Communication channel name <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/contact/ communicationChannel/communicationChannelName
240	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/contact/ afterHoursCommunicationChannel/ communicationChannelCode
240	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
240	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/After hours communication	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/contact/ afterHoursCommunicationChannel/communicationValue

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication channel identification			
241	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/contact/afterHoursCommunicationChannel/communicationChannelName
241	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
241	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
241	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
241	BDT00000073	.. 80	0 .. 1	Identification scheme agency name	1 .. 80		identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name			<i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
241	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
241	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
241	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax type code/Tax type code content			
241	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
241	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxDescription
242	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
242	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
242	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
242	BDT00000028	.. 35	0 .. 1	information/Tax registration type code/ Tax registration type code content Code list version <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
242	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/ organisationDetails/organisationName
242	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/address/ languageOfThePartyCode
242	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/address/ languageOfThePartyCode/@codeListVersion
242	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Currency of party code/	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/address/ currencyOfPartyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
242	BDT000000028	.. 35	0 .. 1	Currency of party code content Code list version <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/address/currencyOfPartyCode/@codeListVersion
242	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/countyCode
243	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/city
243	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/cityCode
243	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/crossStreet
243	BDT000000113	.. 80	0 .. 1	Post office box number	1 .. 80	0 .. 1	pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Post office box number			<i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/poBoxNumber
243	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/postalCode
243	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/provinceCode
243	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/state
243	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/streetAddressOne
243	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Organisation legal information/Official address/Street address two			organisationDetails/officialAddress/streetAddressTwo
243	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/streetAddressThree
244	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/countryCode
244	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/countryCode/@codeListVersion
244	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/geographicalCoordinates/latitude
244	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Ultimate customer	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				delivery information/Ultimate customer party information/Organisation legal information/Official address/Geographical coordinates information/Longitude			endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/geographicalCoordinates/longitude
244	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/issuedCapital
244	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/issuedCapital/@currencyCode
244	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/issuedCapital/@codeListVersion
244	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalStructure
	BDT00000524						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
244		.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalStructure/@languageCode
244	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalStructure/@codeListVersion
245	BDT000000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalRegistration/legalRegistrationNumber
245	BDT000000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
245	BDT000000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalRegistration/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Registered legal information/Legal registration type code/Legal registration type code content			legalRegistrationType
245	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
245	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialInstitutionName
245	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialInstitutionBranchName
245	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialAccount/financialAccountName
	BDT00000059						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
245		.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialAccount/financialAccountNumber
245	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
245	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
246	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
246	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
246	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
246	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/additionalFinancialInformation/description
246	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				and financial account information/ Additional financial institution description/Language code/Language code content			additionalFinancialInformation/description/ @languageCode
246	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/ Additional financial institution description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
246	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/ Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/ financialInstitutionInformation/address/city
246	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/ Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/ financialInstitutionInformation/address/cityCode
246	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/ Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/ financialInstitutionInformation/address/countyCode
	BDT00000035						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
246		.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/crossStreet
247	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/name
247	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/pOBoxNumber
247	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/postalCode
247	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
247	BDT00000127	.. 80	0 .. 1	Address information/Province identity State <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/state
247	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/streetAddressOne
247	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/streetAddressTwo
247	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/streetAddressThree
247	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
247	BDT00000028	.. 35	0 .. 1	and financial account information/ Address information/Country code/ Country code content Code list version <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/ Address information/Country code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/ financialInstitutionInformation/address/countryCode/ @codeListVersion
248	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
248	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/ Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/ endCustomerRelatedDetails/ultimateCustomer/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
248	BDT00000040		0 .. 1	Date <i>Path:</i> Order/Order line/Delivery date according to schedule/Date		1 .. 1	date <i>Path:</i> orderMessage/order/orderLineItem/ deliveryDateAccordingToSchedule/date
248	BDT00000133		0 .. 1	Time <i>Path:</i> Order/Order line/Delivery date according to schedule/Time		0 .. 1	time <i>Path:</i> orderMessage/order/orderLineItem/ deliveryDateAccordingToSchedule/time

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
248	BDT00000040		1 .. 1	Date <i>Path:</i> Order/Order line/Latest delivery date/Date		1 .. 1	date <i>Path:</i> orderMessage/order/orderLineItem/latestDeliveryDate/date
248	BDT00000133		0 .. 1	Time <i>Path:</i> Order/Order line/Latest delivery date/Time		0 .. 1	time <i>Path:</i> orderMessage/order/orderLineItem/latestDeliveryDate/time
248	BDT00000103		0 .. 1	Over allocation percentage <i>Path:</i> Order/Order line/Accepted over allocation/Over allocation percentage		0 .. 1	overAllocationPercentage <i>Path:</i> orderMessage/order/orderLineItem/acceptableOverAllocation/overAllocationPercentage
248	BDT00000415		1 .. 1	Over allocation quantity content <i>Path:</i> Order/Order line/Accepted over allocation/Over allocation quantity/Over allocation quantity content		0 .. 1	overAllocationQuantity <i>Path:</i> orderMessage/order/orderLineItem/acceptableOverAllocation/overAllocationQuantity
248	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order/Order line/Accepted over allocation/Over allocation quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderMessage/order/orderLineItem/acceptableOverAllocation/overAllocationQuantity/@measurementUnitCode
248	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Accepted over allocation/Over allocation quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/acceptableOverAllocation/overAllocationQuantity/@codeListVersion
249	BDT00000065	.. 29	0 .. 1	Global returnable asset identifier, GRAI <i>Path:</i> Order/Order line/Returnable asset identification information/Global returnable asset identifier, GRAI		0 .. 1	grai <i>Path:</i> orderMessage/order/orderLineItem/returnableAssetIdentification/grai
249	BDT00000743	.. 80	1 .. 1	Additional returnable asset identification content	1 .. 80	0 .. unbounded	additionalReturnableAssetIdentification <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification content			returnableAssetIdentification/ additionalReturnableAssetIdentification
249	BDT00000514	.. 80	1 .. 1	Additional returnable asset identification type code content <i>Path:</i> Order/Order line/Returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification type code/Additional returnable asset identification type code content	1 .. 80		additionalReturnableAssetIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLineItem/ returnableAssetIdentification/ additionalReturnableAssetIdentification/ @additionalReturnableAssetIdentificationTypeCode
249	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/ returnableAssetIdentification/ additionalReturnableAssetIdentification/@codeListVersion
249	BDT00000005	.. 500	0 .. unbounded	Aggregated level of package unique identity <i>Path:</i> Order/Order line/Sale of tobacco products information/Aggregated level of package unique identity	1 .. 500	0 .. unbounded	aggregatedLevelUniqueIdentifier <i>Path:</i> orderMessage/order/orderLineItem/euUniqueID/ aggregatedLevelUniqueIdentifier
249	BDT00000136	.. 500	0 .. unbounded	Unit pack unique identifier upUI <i>Path:</i> Order/Order line/Sale of tobacco products information/Unit pack unique identifier upUI	1 .. 500	0 .. unbounded	unitPacketLevelUniqueIdentifier <i>Path:</i> orderMessage/order/orderLineItem/euUniqueID/ unitPacketLevelUniqueIdentifier

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
249	BDT00000643	.. 80	1 .. 1	European Union unique identifier type code content <i>Path:</i> Order/Order line/Sale of tobacco products information/EU unique identifier type code/European Union unique identifier type code content	1 .. 80	1 .. 1	euUniqueIDTypeCode <i>Path:</i> orderMessage/order/orderLineItem/euUniqueID/euUniqueIDTypeCode
249	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Sale of tobacco products information/EU unique identifier type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/euUniqueID/euUniqueIDTypeCode/@codeListVersion
249	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order/Order line/Referenced promotional deal information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> orderMessage/order/orderLineItem/promotionalDeal/entityIdentification
249	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order/Order line/Referenced promotional deal information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> orderMessage/order/orderLineItem/promotionalDeal/creationDateTime
250	BDT00000119		0 .. 1	Revision number <i>Path:</i> Order/Order line/Referenced promotional deal information/Revision number		0 .. 1	revisionNumber <i>Path:</i> orderMessage/order/orderLineItem/promotionalDeal/revisionNumber
250	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Order line/Referenced promotional deal information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> orderMessage/order/orderLineItem/promotionalDeal/lineItemNumber
250	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Order/Order line/Referenced promotional deal information/	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> orderMessage/order/orderLineItem/promotionalDeal/referencedDocumentUrl

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
250	BDT00000063	13 .. 13	0 .. 1	Referenced document external location Global location number GLN <i>Path:</i> Order/Order line/Referenced promotional deal information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> orderMessage/order/orderLineItem/promotionalDeal/contentOwner/gln
250	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Order line/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLineItem/promotionalDeal/contentOwner/additionalPartyIdentification
250	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Order line/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLineItem/promotionalDeal/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
250	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/promotionalDeal/contentOwner/additionalPartyIdentification/@codeListVersion
250	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order/Order line/Referenced purchase conditions information/Entity	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> orderMessage/order/orderLineItem/purchaseConditions/entityIdentification

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification			
250	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order/Order line/Referenced purchase conditions information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> orderMessage/order/orderLineItem/purchaseConditions/creationDateTime
250	BDT00000119		0 .. 1	Revision number <i>Path:</i> Order/Order line/Referenced purchase conditions information/Revision number		0 .. 1	revisionNumber <i>Path:</i> orderMessage/order/orderLineItem/purchaseConditions/revisionNumber
251	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Order line/Referenced purchase conditions information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> orderMessage/order/orderLineItem/purchaseConditions/lineItemNumber
251	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Order/Order line/Referenced purchase conditions information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> orderMessage/order/orderLineItem/purchaseConditions/referencedDocumentUrl
251	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Order line/Referenced purchase conditions information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/orderLineItem/purchaseConditions/contentOwner/gln
251	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Order line/Referenced purchase conditions information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLineItem/purchaseConditions/contentOwner/additionalPartyIdentification
251	BDT00000570	.. 80	1 .. 1	Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLineItem/purchaseConditions/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Referenced purchase conditions information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
251	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Referenced purchase conditions information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/purchaseConditions/contentOwner/additionalPartyIdentification/@codeListVersion
251	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order/Order line/Referenced material specification information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> orderMessage/order/orderLineItem/materialSpecification/entityIdentification
251	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order/Order line/Referenced material specification information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> orderMessage/order/orderLineItem/materialSpecification/creationDateTime
251	BDT00000119		0 .. 1	Revision number <i>Path:</i> Order/Order line/Referenced material specification information/Revision number		0 .. 1	revisionNumber <i>Path:</i> orderMessage/order/orderLineItem/materialSpecification/revisionNumber
251	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Order line/Referenced material specification information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> orderMessage/order/orderLineItem/materialSpecification/lineItemNumber
252	BDT00000118	.. 200	0 .. 1	Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Referenced material specification information/Referenced document external location			<i>Path:</i> orderMessage/order/orderLineItem/materialSpecification/referencedDocumentUrl
252	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Order line/Referenced material specification information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/orderLineItem/materialSpecification/contentOwner/gln
252	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Order line/Referenced material specification information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLineItem/materialSpecification/contentOwner/additionalPartyIdentification
252	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Order line/Referenced material specification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLineItem/materialSpecification/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
252	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Referenced material specification information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/materialSpecification/contentOwner/additionalPartyIdentification/@codeListVersion
252	BDT00000056	.. 80	1 .. 1	Entity identification	1 .. 80	1 .. 1	entityIdentification

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Referenced contract information/Entity identification			<i>Path:</i> orderMessage/order/orderLineItem/contract/entityIdentification
252	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order/Order line/Referenced contract information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> orderMessage/order/orderLineItem/contract/creationDateTime
252	BDT00000119		0 .. 1	Revision number <i>Path:</i> Order/Order line/Referenced contract information/Revision number		0 .. 1	revisionNumber <i>Path:</i> orderMessage/order/orderLineItem/contract/revisionNumber
252	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Order/Order line/Referenced contract information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> orderMessage/order/orderLineItem/contract/referencedDocumentUrl
252	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Order line/Referenced contract information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> orderMessage/order/orderLineItem/contract/lineItemNumber
253	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Order line/Referenced contract information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/orderLineItem/contract/contentOwner/gln
253	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Order line/Referenced contract information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLineItem/contract/contentOwner/additionalPartyIdentification
253	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Order line/Referenced contract	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLineItem/contract/contentOwner/additionalPartyIdentification/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content			@additionalPartyIdentificationTypeCode
253	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Referenced contract information/Document content owner/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/contract/ contentOwner/additionalPartyIdentification/ @codeListVersion
253	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order/Order line/Referenced despatch advice information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> orderMessage/order/orderLineItem/despatchAdvice/ entityIdentification
253	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order/Order line/Referenced despatch advice information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> orderMessage/order/orderLineItem/despatchAdvice/ creationDateTime
253	BDT00000119		0 .. 1	Revision number <i>Path:</i> Order/Order line/Referenced despatch advice information/Revision number		0 .. 1	revisionNumber <i>Path:</i> orderMessage/order/orderLineItem/despatchAdvice/ revisionNumber
253	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Order line/Referenced despatch advice information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> orderMessage/order/orderLineItem/despatchAdvice/ lineItemNumber
253	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Order/Order line/Referenced despatch advice information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> orderMessage/order/orderLineItem/despatchAdvice/ referencedDocumentUrl

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
253	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Order line/Referenced despatch advice information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> orderMessage/order/orderLineItem/despatchAdvice/contentOwner/gln
254	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Order line/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLineItem/despatchAdvice/contentOwner/additionalPartyIdentification
254	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Order line/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLineItem/despatchAdvice/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
254	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/despatchAdvice/contentOwner/additionalPartyIdentification/@codeListVersion
254	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order/Order line/Referenced customer document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> orderMessage/order/orderLineItem/customerDocumentReference/entityIdentification
254	BDT00000047		0 .. 1	Business document creation date time	0 .. 1		creationDateTime

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Referenced customer document information/Business document creation date time			<i>Path:</i> orderMessage/order/orderLineItem/customerDocumentReference/creationDateTime
254	BDT00000119		0 .. 1	Revision number <i>Path:</i> Order/Order line/Referenced customer document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> orderMessage/order/orderLineItem/customerDocumentReference/revisionNumber
254	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Order line/Referenced customer document information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> orderMessage/order/orderLineItem/customerDocumentReference/lineltemNumber
254	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Order/Order line/Referenced customer document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> orderMessage/order/orderLineItem/customerDocumentReference/referencedDocumentUrl
254	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Order line/Referenced customer document information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/orderLineItem/customerDocumentReference/contentOwner/gln
254	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Order line/Referenced customer document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLineItem/customerDocumentReference/contentOwner/additionalPartyIdentification
255	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Order line/Referenced customer document information/Document content owner/Additional party	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLineItem/customerDocumentReference/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional party identification type code/Additional party identification type code content			
255	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Referenced customer document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/customerDocumentReference/contentOwner/additionalPartyIdentification/@codeListVersion
255	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Order line/Applicable tax information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxAgencyName
255	BDT00000537	.. 80	1 .. 1	Tax category code content <i>Path:</i> Order/Order line/Applicable tax information/Tax category code/Tax category code content	1 .. 80	0 .. 1	dutyFeeTaxCategoryCode <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxCategoryCode
255	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Applicable tax information/Tax category code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxCategoryCode/@codeListVersion
255	BDT00000371		0 .. 1	Tax rate <i>Path:</i> Order/Order line/Applicable tax information/Tax rate		0 .. 1	dutyFeeTaxPercentage <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxPercentage
255	BDT00000377		0 .. 1	Tax point date <i>Path:</i> Order/Order line/Applicable tax information/Tax point date		0 .. 1	dutyFeeTaxPointDate <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxPointDate
255	BDT00000538	.. 80	1 .. 1	Tax accounting currency code content <i>Path:</i> Order/Order line/Applicable tax	1 .. 80	0 .. 1	dutyFeeTaxAccountingCurrency <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax accounting currency code/Tax accounting currency code content			dutyFeeTaxAccountingCurrency
255	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Applicable tax information/Tax accounting currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxAccountingCurrency/@codeListVersion
255	BDT000000559		1 .. 1	Taxable monetary amount content <i>Path:</i> Order/Order line/Applicable tax information/Taxable monetary amount/Taxable monetary amount content		0 .. 1	dutyFeeTaxBasisAmount <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxBasisAmount
256	BDT000000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Applicable tax information/Taxable monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxBasisAmount/@currencyCode
256	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Applicable tax information/Taxable monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxBasisAmount/@codeListVersion
256	BDT000000562		1 .. 1	Tax monetary amount content <i>Path:</i> Order/Order line/Applicable tax information/Tax monetary amount/Tax monetary amount content		0 .. 1	dutyFeeTaxAmount <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxAmount
256	BDT000000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Applicable tax information/Tax monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxAmount/@currencyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
256	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Applicable tax information/Tax monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxAmount/@codeListVersion
256	BDT00000561		1 .. 1	Tax monetary amount in accounting currency content <i>Path:</i> Order/Order line/Applicable tax information/Tax monetary amount in accounting currency/Tax monetary amount in accounting currency content		0 .. 1	dutyFeeTaxAmountInAccountingCurrency <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxAmountInAccountingCurrency
256	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Applicable tax information/Tax monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxAmountInAccountingCurrency/@currencyCode
256	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Applicable tax information/Tax monetary amount in accounting currency/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxAmountInAccountingCurrency/@codeListVersion
256	BDT00000560		1 .. 1	Taxable monetary amount in accounting currency content <i>Path:</i> Order/Order line/Applicable tax information/Taxable monetary amount in accounting currency/Taxable monetary amount in accounting currency content		0 .. 1	dutyFeeTaxBasisAmountInAccountingCurrency <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxBasisAmountInAccountingCurrency
256	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Applicable tax information/Taxable monetary amount	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxBasisAmountInAccountingCurrency/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				in accounting currency/Currency code/Currency code content			@currencyCode
257	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxBasisAmountInAccountingCurrency/@codeListVersion
257	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Order line/Applicable tax information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxDescription
257	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Applicable tax information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxDescription/@languageCode
257	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Applicable tax information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxDescription/@codeListVersion
257	BDT00000574	.. 70	1 .. 1	Tax exemption reason description content <i>Path:</i> Order/Order line/Applicable tax information/Tax exemption reason description/Tax exemption reason description content	1 .. 80	0 .. 1	dutyFeeTaxExemptionDescription <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxExemptionDescription
257	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Applicable tax information/Tax exemption reason description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxExemptionDescription/@languageCode
	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
257		.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Applicable tax information/Tax exemption reason description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxExemptionDescription/@codeListVersion
257	BDT00000575	.. 80	1 .. 1	Tax exemption reason code content <i>Path:</i> Order/Order line/Applicable tax information/Tax exemption reason code/Tax exemption reason code content	1 .. 80	0 .. 1	dutyFeeTaxExemptionReason <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxExemptionReason
257	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Applicable tax information/Tax exemption reason code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxExemptionReason/@codeListVersion
257	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Order line/Applicable tax information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxTypeCode
258	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Applicable tax information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/leviedDutyFeeTax/dutyFeeTaxTypeCode/@codeListVersion
258	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Order line/Contact for ordered trade item information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/personName
258	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Order line/Contact for ordered trade item information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/departmentName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
258	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Order line/Contact for ordered trade item information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/jobTitle
258	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Order line/Contact for ordered trade item information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/contactTypeCode
258	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Contact for ordered trade item information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/contactTypeCode/@codeListVersion
258	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Order line/Contact for ordered trade item information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/responsibility
258	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Contact for ordered trade item information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/responsibility/@languageCode
258	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Contact for ordered trade item information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/responsibility/@codeListVersion
258	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Order line/Contact for ordered	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item information/Communication information/Communication channel code/Communication channel code content			orderLineItemContact/communicationChannel/communicationChannelCode
259	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Contact for ordered trade item information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/communicationChannel/communicationChannelCode/@codeListVersion
259	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Order line/Contact for ordered trade item information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/communicationChannel/communicationValue
259	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Order line/Contact for ordered trade item information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/communicationChannel/communicationChannelName
259	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Order line/Contact for ordered trade item information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/afterHoursCommunicationChannel/communicationChannelCode
259	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Contact for ordered trade item information/After hours communication information/	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemContact/afterHoursCommunicationChannel/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Communication channel code/ Communication channel code content/Code list version			communicationChannelCode/@codeListVersion
259	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Order line/Contact for ordered trade item information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLineItem/ orderLineItemContact/ afterHoursCommunicationChannel/communicationValue
259	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Order line/Contact for ordered trade item information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLineItem/ orderLineItemContact/ afterHoursCommunicationChannel/ communicationChannelName
259	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order/Order line/Referenced related order information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> orderMessage/order/orderLineItem/referencedOrder/ entityIdentification
259	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order/Order line/Referenced related order information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> orderMessage/order/orderLineItem/referencedOrder/ creationDateTime
259	BDT00000119		0 .. 1	Revision number <i>Path:</i> Order/Order line/Referenced related order information/Revision number		0 .. 1	revisionNumber <i>Path:</i> orderMessage/order/orderLineItem/referencedOrder/ revisionNumber
260	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Order line/Referenced related order information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> orderMessage/order/orderLineItem/referencedOrder/ lineltemNumber
260	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Order/Order line/Referenced related	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> orderMessage/order/orderLineItem/referencedOrder/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				order information/Referenced document external location			referencedDocumentUrl
260	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Order line/Referenced related order information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/orderLineItem/referencedOrder/contentOwner/gln
260	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Order line/Referenced related order information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLineItem/referencedOrder/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
260	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Referenced related order information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/referencedOrder/contentOwner/additionalPartyIdentification/@codeListVersion
260	BDT00000682	.. 80	1 .. 1	Order relationship code content <i>Path:</i> Order/Order line/Referenced related order information/Order relationship code/Order relationship code content	1 .. 80	1 .. 1	orderRelationship <i>Path:</i> orderMessage/order/orderLineItem/referencedOrder/orderRelationship
260	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Referenced related order information/Order relationship code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/referencedOrder/orderRelationship/@codeListVersion
260	BDT00000047		0 .. 1	Business document creation date time		0 .. 1	transactionalReferenceDateTime

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Referenced additional information/Business document creation date time			<i>Path:</i> orderMessage/order/orderLineItem/transactionalGenericReference/transactionalReferenceDateTime
260	BDT00000135	.. 200	1 .. 1	Business document reference identification <i>Path:</i> Order/Order line/Referenced additional information/Business document reference identification	1 .. 200	1 .. 1	transactionalReferenceValue <i>Path:</i> orderMessage/order/orderLineItem/transactionalGenericReference/transactionalReferenceValue
260	BDT00000699	.. 80	1 .. 1	Referenced document type code content <i>Path:</i> Order/Order line/Referenced additional information/Referenced document type code/Referenced document type code content	1 .. 80	1 .. 1	transactionalReferenceTypeCode <i>Path:</i> orderMessage/order/orderLineItem/transactionalGenericReference/transactionalReferenceTypeCode
261	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Referenced additional information/Referenced document type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/transactionalGenericReference/transactionalReferenceTypeCode/@codeListVersion
261	BDT00000566		1 .. 1	Total requested quantity content <i>Path:</i> Order/Order line/Order line item shipping details information/Total requested quantity/Total requested quantity content		1 .. 1	requestedQuantity <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/requestedQuantity
261	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order/Order line/Order line item shipping details information/Total requested quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/requestedQuantity/@measurementUnitCode
261	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Total	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/requestedQuantity/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				requested quantity/Measurement unit code/Code list version			
261	BDT00000788		0 .. 1	Logistic label customer information <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistic label customer information		0 .. 1	logisticLabelCustomerText <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/logisticLabelCustomerText
261	BDT00000567	.. 80	1 .. 1	Shipment split method code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment split method code/Shipment split method code content	1 .. 80	0 .. 1	shipmentSplitMethodCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipmentSplitMethodCode
261	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment split method code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipmentSplitMethodCode/ @codeListVersion
261	BDT00000568	.. 80	1 .. 1	Transport cargo type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Transport cargo type code/Transport cargo type code content	1 .. 80	0 .. 1	commodityTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/commodityTypeCode
261	BDT00000022	.. 80	0 .. 1	Code description <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Transport cargo type code/Code	1 .. 80		codeDescription <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/commodityTypeCode/ @codeDescription

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				description			
261	BDT000000023	.. 80	0 .. 1	Code list agency code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Transport cargo type code/Code list agency code	1 .. 80		codeListAgencyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/commodityTypeCode/@codeListAgencyCode
262	BDT000000024	.. 35	0 .. 1	Code list agency code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Transport cargo type code/Code list agency code list version	1 .. 35		codeListAgencyCodeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/commodityTypeCode/@codeListAgencyCodeListVersion
262	BDT000000025	.. 80	0 .. 1	Code list agency name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Transport cargo type code/Code list agency name	1 .. 80		codeListAgencyName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/commodityTypeCode/@codeListAgencyName
262	BDT000000026	.. 80	0 .. 1	Code list name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Transport cargo type code/Code list name	1 .. 80		codeListName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/commodityTypeCode/@codeListName
262	BDT000000027	.. 500	0 .. 1	Code list URL <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Transport cargo type code/Code list			codeListURI <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/commodityTypeCode/@codeListURI

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				URL			
262	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Transport cargo type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/commodityTypeCode/@codeListVersion
262	BDT000000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/gln
262	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/additionalPartyIdentification
262	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
262	BDT000000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Additional party identification information/Additional party identification type code/Code list version			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/additionalPartyIdentification/@codeListVersion
262	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/city
263	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/cityCode
263	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/countyCode
263	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
263	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/name
263	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/pOBoxNumber
263	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/postalCode
263	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/provinceCode
263	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/state

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
263	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/streetAddressOne
263	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/streetAddressTwo
264	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/streetAddressThree
264	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/countryCode
264	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Country code/Code list	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/countryCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
264	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/geographicalCoordinates/latitude
264	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/geographicalCoordinates/longitude
264	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/personName
264	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/departmentName
264	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/jobTitle

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
264	BDT00000571	.. 80	1 .. 1	trade item logistical information/Ship from party information/Business contact information/Job title Contact type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/contactTypeCode
264	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/contactTypeCode/@codeListVersion
265	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/responsibility
265	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/responsibility/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				from party information/Business contact information/Business contact responsibility description/Language code/Language code content			
265	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/responsibility/@codeListVersion
265	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/communicationChannel/communicationChannelCode
265	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/communicationChannel/communicationChannelCode/@codeListVersion
265	BDT00000032	.. 200	1 .. 1	Communication channel identification	1 .. 200	1 .. 1	communicationValue

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/Communication channel identification			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/communicationChannel/communicationValue
265	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/communicationChannel/communicationChannelName
265	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/afterHoursCommunicationChannel/communicationChannelCode
265	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Communication channel code content/Code list version			
265	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ afterHoursCommunicationChannel/communicationValue
266	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ afterHoursCommunicationChannel/ communicationChannelName
266	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
266	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration identification information/Tax	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
266	BDT00000074	.. 80	0 .. 1	registration identification content Identification scheme name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
266	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
266	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
266	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
266	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
266	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
266	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
267	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
267	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
267	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
267	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
267	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Ship from party information/Organisation legal information/Organisation name			organisationName
267	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/languageOfThePartyCode
267	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/languageOfThePartyCode/@codeListVersion
267	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/currencyOfPartyCode
267	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/address/currencyOfPartyCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
267	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/countyCode
268	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/city
268	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/cityCode
268	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/crossStreet
268	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Ship from party information/Organisation legal information/Official address/Post office box number			officialAddress/pOBoxNumber
268	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/postalCode
268	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/provinceCode
268	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/state
268	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
268	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/streetAddressTwo
268	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/streetAddressThree
269	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/countryCode
269	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/countryCode/@codeListVersion
269	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Ship from party information/Organisation legal information/Official address/Geographical coordinates information/Latitude			officialAddress/geographicalCoordinates/latitude
269	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/geographicalCoordinates/longitude
269	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/issuedCapital
269	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/issuedCapital/@currencyCode
269	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/issuedCapital/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
269	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/legalStructure
269	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/legalStructure/@languageCode
269	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/legalStructure/@codeListVersion
270	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/legalRegistration/legalRegistrationNumber

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
270	BDT00000086	.. 200	0 .. 1	from party information/Organisation legal information/Registered legal information/Legal registration number Legal registration additional information <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
270	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/legalRegistration/legalRegistrationType
270	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
270	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution name			financialInstitutionInformation/financialInstitutionName
270	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialInstitutionBranchName
270	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialAccount/financialAccountName
270	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialAccount/financialAccountNumber
270	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order/Order line/Order line item	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content			financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
270	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
271	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
271	BDT00000064	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content			
271	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
271	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/additionalFinancialInformation/description
271	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
271	BDT00000028	.. 35	0 .. 1	information/Additional financial institution description/Language code/ Language code content Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
271	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/city
271	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/cityCode
271	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/County code			financialInstitutionInformation/address/countyCode
271	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/crossStreet
272	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/name
272	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/pOBoxNumber
272	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Order line item	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Postal code			orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/postalCode
272	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/provinceCode
272	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/state
272	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/streetAddressOne
272	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Order line item	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Street address two			orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/streetAddressTwo
272	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/streetAddressThree
272	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/countryCode
272	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/countryCode/@codeListVersion
273	BDT00000085	.. 80	1 .. 1	Latitude	1 .. 80	1 .. 1	latitude

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/geographicalCoordinates/latitude
273	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/geographicalCoordinates/longitude
273	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/gln
273	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/additionalPartyIdentification
273	BDT00000570	.. 80	1 .. 1	Additional party identification type code	1 .. 80		additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Additional party identification information/Additional party identification type code/Additional party identification type code content			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
273	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/additionalPartyIdentification/@codeListVersion
273	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/city
273	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/cityCode
273	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/countyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Ship to party information/Address information/County code			
273	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/crossStreet
274	BDT000000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/name
274	BDT000000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/pOBoxNumber
274	BDT000000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/postalCode
274	BDT000000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Ship to party information/Address information/Province identity			
274	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/state
274	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/streetAddressOne
274	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/streetAddressTwo
274	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/streetAddressThree
274	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Ship to party information/Address information/Country code/Country code content			
274	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/countryCode/@codeListVersion
275	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/geographicalCoordinates/latitude
275	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/geographicalCoordinates/longitude
275	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/personName
275	BDT00000044	.. 70	0 .. 1	Department name	1 .. 70	0 .. 1	departmentName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/Department name			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/departmentName
275	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/jobTitle
275	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/contactTypeCode
275	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/contactTypeCode/@codeListVersion
275	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/responsibility

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact responsibility description/Business contact responsibility description content			
275	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/responsibility/@languageCode
275	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/responsibility/@codeListVersion
276	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/communicationChannel/communicationChannelCode
276	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version			orderLogisticalInformation/shipTo/contact/communicationChannel/communicationChannelCode/@codeListVersion
276	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/communicationChannel/communicationValue
276	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/communicationChannel/communicationChannelName
276	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/afterHoursCommunicationChannel/communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
276	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
276	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/afterHoursCommunicationChannel/communicationValue
276	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/contact/afterHoursCommunicationChannel/communicationChannelName
276	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxAgencyName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
276	BDT00000584	.. 200	1 .. 1	information/Tax authority name Tax registration identification content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
277	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
277	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
277	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			@identificationSchemeAgencyCode
277	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
277	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
277	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax type code/Code list	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
277	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription
277	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
277	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
277	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
278	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration type code/Code list version			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/dutyFeeTaxRegistrationType/@codeListVersion
278	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/organisationName
278	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/languageOfThePartyCode
278	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/languageOfThePartyCode/@codeListVersion
278	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/address/currencyOfPartyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Currency of party code/ Currency of party code content			
278	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Currency of party code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipTo/address/ currencyOfPartyCode/@codeListVersion
278	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/countyCode
278	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/city
278	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/cityCode
278	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Order line item	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Cross street			orderLogisticalInformation/shipTo/organisationDetails/officialAddress/crossStreet
279	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/pOBoxNumber
279	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/postalCode
279	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/provinceCode
279	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/state

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
279	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/streetAddressOne
279	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/streetAddressTwo
279	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/streetAddressThree
279	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/countryCode
279	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Ship to party information/Organisation legal information/Official address/Country code/Code list version			officialAddress/countryCode/@codeListVersion
279	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/geographicalCoordinates/latitude
280	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/geographicalCoordinates/longitude
280	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/issuedCapital
280	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/issuedCapital/@currencyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Organisation legal information/Issued capital/Currency code/Currency code content			
280	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/issuedCapital/@codeListVersion
280	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/legalStructure
280	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/legalStructure/@languageCode
280	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/legalStructure/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Legal structure description/Language code/Code list version			
280	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/legalRegistration/legalRegistrationNumber
280	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
280	BDT000000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/legalRegistration/legalRegistrationType
281	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version			
281	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialInstitutionName
281	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialInstitutionBranchName
281	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialAccount/financialAccountName
281	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumber

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
281	BDT00000645	.. 80	1 .. 1	and financial account information/ Financial account information/Financial account number Financial account number type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/ Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
281	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/ Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
281	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/ Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber
281	BDT00000644	.. 80	1 .. 1	Financial routing number type code	1 .. 80	1 .. 1	financialRoutingNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
281	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
282	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/additionalFinancialInformation/description
282	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content			orderLogisticalInformation/shipTo/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
282	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
282	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/city
282	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/cityCode
282	BDT00000034	.. 80	0 .. 1	County code	1 .. 80	0 .. 1	countyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/County code			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/countyCode
282	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/crossStreet
282	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/name
282	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/pOBoxNumber
282	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Postal code			financialInstitutionInformation/address/postalCode
283	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/provinceCode
283	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/state
283	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/streetAddressOne
283	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
283	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/streetAddressThree
283	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/countryCode
283	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/countryCode/@codeListVersion
283	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Address information/Geographical coordinates information/Latitude			
283	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/geographicalCoordinates/longitude
283	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/gln
284	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/additionalPartyIdentification
284	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Additional party identification information/Additional party identification type code/Additional	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
284	BDT000000028	.. 35	0 .. 1	party identification type code content Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/additionalPartyIdentification/@codeListVersion
284	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/city
284	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/cityCode
284	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/countyCode
284	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Storage location information/Address information/Cross street			crossStreet
284	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/name
284	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/pOBoxNumber
284	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/postalCode
285	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/provinceCode
285	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Storage location information/Address information/State			state
285	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/streetAddressOne
285	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/streetAddressTwo
285	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/streetAddressThree
285	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/countryCode
285	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Storage location information/Address information/Country code/Code list version			orderLogisticalInformation/inventoryLocation/address/countryCode/@codeListVersion
285	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/geographicalCoordinates/latitude
285	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/geographicalCoordinates/longitude
285	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/personName
286	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/departmentName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
286	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/jobTitle
286	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/contactTypeCode
286	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/contactTypeCode/@codeListVersion
286	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/responsibility
286	BDT00000524						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
		.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/responsibility/@languageCode
286	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/responsibility/@codeListVersion
286	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/communicationChannel/communicationChannelCode
286	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/Communication	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/communicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
286	BDT00000032	.. 200	1 .. 1	information/Communication channel code/Communication channel code content/Code list version Communication channel identification <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/communicationChannel/communicationValue
287	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/communicationChannel/communicationChannelName
287	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/afterHoursCommunicationChannel/communicationChannelCode
287	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Storage location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version			afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
287	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/afterHoursCommunicationChannel/communicationValue
287	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/afterHoursCommunicationChannel/communicationChannelName
287	BDT000000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
287	BDT000000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Tax registration identification content			dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
287	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
287	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
287	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Identification	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			
288	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
288	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
288	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
288	BDT000000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Storage location information/Tax registration information/Tax description/Tax description content			dutyFeeTaxRegistration/dutyFeeTaxDescription
288	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
288	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
288	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
288	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration type code/	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Code list version			
288	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/organisationName
288	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/languageOfThePartyCode
289	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/languageOfThePartyCode/@codeListVersion
289	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/address/currencyOfPartyCode
289	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Currency of party code/Code list version			orderLogisticalInformation/inventoryLocation/address/currencyOfPartyCode/@codeListVersion
289	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/countyCode
289	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/city
289	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/cityCode
289	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
289	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/pOBoxNumber
289	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/postalCode
289	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/provinceCode
290	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/state
290	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Official address/Street address one			
290	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/streetAddressTwo
290	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/streetAddressThree
290	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/countryCode
290	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/countryCode/@codeListVersion
	BDT00000085						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
290		.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/geographicalCoordinates/latitude
290	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/officialAddress/geographicalCoordinates/longitude
290	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/issuedCapital
290	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/issuedCapital/@currencyCode
291	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Issued capital/Currency code/Code list version			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/issuedCapital/@codeListVersion
291	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/legalStructure
291	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/legalStructure/@languageCode
291	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/legalStructure/@codeListVersion
291	BDT00000087	.. 80	1 .. 1	Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Registered legal information/Legal registration number			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/legalRegistration/legalRegistrationNumber
291	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
291	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/legalRegistration/legalRegistrationType
291	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
291	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialInstitutionName
291	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialInstitutionBranchName
292	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountName
292	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumber
292	BDT00000645	.. 80	1 .. 1	Financial account number type code	1 .. 80	1 .. 1	financialAccountNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
292	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
292	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
292	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				location information/Financial institution and financial account information/ Financial institution routing number information/Financial routing number type code/Financial routing number type code content			
292	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/ Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
292	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/ Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/ additionalFinancialInformation/description
292	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Additional financial institution description/Language code/Language code content			
292	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
293	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/city
293	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/cityCode
293	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/countyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
293	BDT00000035	.. 200	0 .. 1	and financial account information/ Address information/County code Cross street <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/ Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/crossStreet
293	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/ Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/name
293	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/ Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/pOBoxNumber
293	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/ Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/postalCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
293	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/provinceCode
293	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/state
293	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/streetAddressOne
294	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/streetAddressTwo
294	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Street address three			financialInstitutionInformation/address/streetAddressThree
294	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/countryCode
294	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/countryCode/@codeListVersion
294	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/geographicalCoordinates/latitude
294	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Order line item	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude			orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/geographicalCoordinates/longitude
294	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Global location number GLN	0 .. 1		gln <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/gln
294	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/additionalPartyIdentification
294	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
294	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Code list version			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/additionalPartyIdentification/@codeListVersion
295	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/city
295	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/cityCode
295	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/countyCode
295	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
295	BDT00000106	.. 200	0 .. 1	Address information/Cross street Party name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/name
295	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/pOBoxNumber
295	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/postalCode
295	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/provinceCode
295	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/state

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Ultimate consignee party information/ Address information/State			
295	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ streetAddressOne
296	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ streetAddressTwo
296	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ streetAddressThree
296	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ countryCode
296	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Country code/Code list version			orderLogisticalInformation/ultimateConsignee/address/countryCode/@codeListVersion
296	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/geographicalCoordinates/latitude
296	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/geographicalCoordinates/longitude
296	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/personName
296	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/departmentName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/ Department name			
296	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ jobTitle
296	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ contactTypeCode
297	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ contactTypeCode/@codeListVersion
297	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Business contact information/Business contact responsibility description/ Business contact responsibility	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ responsibility

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
297	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/responsibility/@languageCode
297	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/responsibility/@codeListVersion
297	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/communicationChannel/communicationChannelCode
297	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/communicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version			
297	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ communicationChannel/communicationValue
297	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ communicationChannel/communicationChannelName
297	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ afterHoursCommunicationChannel/ communicationChannelCode
297	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
298	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationValue
298	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationChannelName
298	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxAgencyName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
298	BDT00000584	.. 200	1 .. 1	authority name Tax registration identification content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
298	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
298	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
298	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Ultimate consignee party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme responsible agency code/Identification scheme responsible agency code content			@identificationSchemeAgencyCode
298	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
298	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
298	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Tax registration information/Tax type	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Code list version			
299	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription
299	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
299	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
299	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration type code/Tax registration	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				type code content			
299	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
299	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/organisationName
299	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/languageOfThePartyCode
299	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/languageOfThePartyCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
299	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/currencyOfPartyCode
299	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/address/currencyOfPartyCode/@codeListVersion
300	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/countyCode
300	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/city
300	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Order line item	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/City code			orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/cityCode
300	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/crossStreet
300	BDT000000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/pOBoxNumber
300	BDT000000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/postalCode
300	BDT000000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Province identity			
300	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/state
300	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/streetAddressOne
300	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/streetAddressTwo
301	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/streetAddressThree
	BDT00000774						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
301			1 .. 1	Country code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/countryCode
301	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/countryCode/@codeListVersion
301	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/geographicalCoordinates/latitude
301	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
301	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/issuedCapital
301	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/issuedCapital/@currencyCode
301	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/issuedCapital/@codeListVersion
301	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/legalStructure
301	BDT00000524	.. 80	1 .. 1	Language code content	1 .. 80		languageCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Legal structure description/Language code/Language code content			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/legalStructure/@languageCode
302	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/legalStructure/@codeListVersion
302	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationNumber
302	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
302	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationType
302	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
302	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialInstitutionName
302	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialInstitutionBranchName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
302	BDT00000058	.. 80	0 .. 1	account information/Financial institution division name Financial account name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountName
302	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumber
302	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
303	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version			orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
303	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
303	BDT00000064	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
303	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Ultimate consignee party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version			financialRoutingNumberTypeCode/@codeListVersion
303	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/ additionalFinancialInformation/description
303	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
303	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Financial institution and financial	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Additional financial institution description/Language code/Code list version			
303	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/city
303	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/cityCode
303	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/countyCode
304	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Ultimate consignee party information/ Financial institution and financial account information/Address information/Cross street			
304	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/name
304	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/pOBoxNumber
304	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/postalCode
304	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Ultimate consignee party information/ Financial institution and financial account information/Address information/Province identity			financialInstitutionInformation/address/provinceCode
304	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/state
304	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/streetAddressOne
304	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/streetAddressTwo
304	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Order line item	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Street address three			orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/streetAddressThree
304	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/countryCode
305	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/countryCode/@codeListVersion
305	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
305	BDT00000089	.. 80	1 .. 1	information/Geographical coordinates information/Latitude Longitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Ultimate consignee party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
305	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/gln
305	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ additionalPartyIdentification
305	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Logistics services provider party information/Additional party identification information/Additional party identification type code/Additional party identification type code content			
305	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/additionalPartyIdentification/@codeListVersion
305	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/city
305	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/cityCode
305	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Logistics services provider party information/Address information/County code			address/countyCode
306	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/crossStreet
306	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/name
306	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/pOBoxNumber
306	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Address information/Postal	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/postalCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code			
306	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/provinceCode
306	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/state
306	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/streetAddressOne
306	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/streetAddressTwo
306	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Order line item	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Address information/Street address three			orderLogisticalInformation/intermediateDeliveryParty/ address/streetAddressThree
306	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Address information/ Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/countryCode
307	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Address information/ Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/countryCode/@codeListVersion
307	BDT000000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/geographicalCoordinates/latitude
307	BDT000000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Logistics services provider party information/Address information/Geographical coordinates information/Longitude			
307	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/personName
307	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/departmentName
307	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/jobTitle
307	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Business contact	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/contactTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
307	BDT00000028	.. 35	0 .. 1	information/Contact type code/Contact type code content Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/contactTypeCode/@codeListVersion
307	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/responsibility
307	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/responsibility/@languageCode
308	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Business contact responsibility description/Language code/Code list version			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/responsibility/@codeListVersion
308	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/communicationChannel/communicationChannelCode
308	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/communicationChannel/communicationChannelCode/@codeListVersion
308	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Logistics services provider party information/Business contact information/Communication information/Communication channel identification			contact/communicationChannel/communicationValue
308	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ contact/communicationChannel/ communicationChannelName
308	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ contact/afterHoursCommunicationChannel/ communicationChannelCode
308	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Business contact	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ contact/afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/After hours communication information/Communication channel code/Communication channel code content/Code list version			
308	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ contact/afterHoursCommunicationChannel/ communicationValue
308	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ contact/afterHoursCommunicationChannel/ communicationChannelName
308	BDT000000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
309	BDT000000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order/Order line/Order line item	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration identification information/Tax registration identification content			orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
309	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
309	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
309	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Logistics services provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			@identificationSchemeAgencyCode
309	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
309	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
309	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Logistics services provider party information/Tax registration information/Tax type code/Code list version			dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
309	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxDescription
309	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
309	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
310	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order/Order line/Order line item	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration type code/Tax registration type code content			orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
310	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
310	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/organisationName
310	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/languageOfThePartyCode
310	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Organisation legal information/Language of the party code/Code list version			orderLogisticalInformation/intermediateDeliveryParty/ address/languageOfThePartyCode/@codeListVersion
310	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Organisation legal information/Currency of party code/ Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/currencyOfPartyCode
310	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Organisation legal information/Currency of party code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/currencyOfPartyCode/@codeListVersion
310	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/countyCode
310	BDT00000020	.. 200	0 .. 1	City name	1 .. 200	0 .. 1	city

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/City name			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/city
310	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/cityCode
311	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/crossStreet
311	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/pOBoxNumber
311	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Order line item	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Postal code			orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/postalCode
311	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/provinceCode
311	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/state
311	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/officialAddress/streetAddressOne
311	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Logistics services provider party information/Organisation legal information/Official address/Street address two			organisationDetails/officialAddress/streetAddressTwo
311	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/streetAddressThree
311	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/countryCode
311	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/countryCode/ @codeListVersion
312	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Order line item	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude			orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
312	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
312	BDT000000655		1 .. 1	Issued capital content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/issuedCapital
312	BDT000000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Logistics services provider party information/Organisation legal information/Issued capital/Currency	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/issuedCapital/ @currencyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
312	BDT00000028	.. 35	0 .. 1	code/Currency code content Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/issuedCapital/@codeListVersion
312	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalStructure
312	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalStructure/@languageCode
312	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Logistics services provider party information/Organisation legal information/Legal structure description/Language code/Code list version			
312	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalRegistration/legalRegistrationNumber
312	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
313	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalRegistration/legalRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
313	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
313	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialInstitutionName
313	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialInstitutionBranchName
313	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialAccount/financialAccountName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Financial account information/Financial account name			
313	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialAccount/financialAccountNumber
313	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
313	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
313	BDT00000062	.. 80	1 .. 1	account information/Financial account number type code/Code list version Financial routing number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
313	BDT000000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
314	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution routing number information/	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial routing number type code/ Code list version			
314	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/additionalFinancialInformation/description
314	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
314	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
314	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/city
314	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/cityCode
314	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/countyCode
314	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
314	BDT00000106	.. 200	0 .. 1	information/Cross street Party name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/name
314	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/pOBoxNumber
315	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/postalCode
315	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/Province identity			
315	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/state
315	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/streetAddressOne
315	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/streetAddressTwo
315	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
315	BDT00000774		1 .. 1	information/Financial institution and financial account information/Address information/Street address three Country code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/countryCode
315	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/countryCode/@codeListVersion
315	BDT000000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/geographicalCoordinates/latitude
315	BDT000000089	.. 80	1 .. 1	Longitude	1 .. 80	1 .. 1	longitude

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/geographicalCoordinates/longitude
316	BDT00000010		0 .. 1	Begin time period <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery time period/Begin time period		0 .. 1	beginTime <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRange/beginTime
316	BDT00000009		0 .. 1	Begin period date <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery time period/Begin period date		0 .. 1	beginDate <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRange/beginDate
316	BDT00000054		0 .. 1	End date period <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery time period/End date period		0 .. 1	endDate <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRange/endDate
316	BDT00000055		0 .. 1	End time period <i>Path:</i> Order/Order line/Order line item		0 .. 1	endTime <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/ Requested delivery date time information/Requested delivery time period/End time period			orderLogisticalInformation/ orderLogisticalDateInformation/ requestedDeliveryDateRange/endTime
316	BDT00000010		0 .. 1	Begin time period <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Requested delivery date time information/Requested ship date time period/Begin time period		0 .. 1	beginTime <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedShipDateRange/beginTime
316	BDT00000009		0 .. 1	Begin period date <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Requested delivery date time information/Requested ship date time period/Begin period date		0 .. 1	beginDate <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedShipDateRange/beginDate
316	BDT00000054		0 .. 1	End date period <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Requested delivery date time information/Requested ship date time period/End date period		0 .. 1	endDate <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedShipDateRange/endDate
316	BDT00000055		0 .. 1	End time period <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Requested delivery date time		0 .. 1	endTime <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedShipDateRange/endTime

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
316	BDT00000010		0 .. 1	information/Requested ship date time period/End time period Begin time period <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time period at ultimate consignee/Begin time period		0 .. 1	beginTime <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRangeAtUltimateConsignee/beginTime
316	BDT00000009		0 .. 1	Begin period date <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time period at ultimate consignee/Begin period date		0 .. 1	beginDate <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRangeAtUltimateConsignee/beginDate
317	BDT00000054		0 .. 1	End date period <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time period at ultimate consignee/End date period		0 .. 1	endDate <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRangeAtUltimateConsignee/endDate
317	BDT00000055		0 .. 1	End time period <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time		0 .. 1	endTime <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRangeAtUltimateConsignee/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Requested delivery date time period at ultimate consignee/End time period			endTime
317	BDT00000040		0 .. 1	Date <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time/Date		1 .. 1	date <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateTime/date
317	BDT00000133		0 .. 1	Time <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time/Time		0 .. 1	time <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateTime/time
317	BDT00000040		0 .. 1	Date <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time/Date		1 .. 1	date <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedShipDateTime/date
317	BDT00000133		0 .. 1	Time <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time/Time		0 .. 1	time <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedShipDateTime/time

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
317	BDT00000040		0 .. 1	Date <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested date time for pick up/Date		1 .. 1	date <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedPickUpDateTime/date
317	BDT00000133		0 .. 1	Time <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested date time for pick up/Time		0 .. 1	time <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedPickUpDateTime/time
317	BDT00000040		0 .. 1	Date <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time at ultimate consignee/Date		1 .. 1	date <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateTimeAtUltimateConsignee/date
317	BDT00000133		0 .. 1	Time <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time at ultimate consignee/Time		0 .. 1	time <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateTimeAtUltimateConsignee/time
318	BDT00000647	.. 80	1 .. 1	Handling instruction code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80	0 .. unbounded	handlingInstructionCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Shipment transportation information/ Handling instruction code/Handling instruction code content			shipmentTransportationInformation/ handlingInstructionCode
318	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Handling instruction code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ handlingInstructionCode/@codeListVersion
318	BDT00000687	.. 80	1 .. 1	Transport means type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Transport means type code/Transport means type code content	1 .. 80	0 .. 1	transportMeansType <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/transportMeansType
318	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Transport means type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ transportMeansType/@codeListVersion
318	BDT00000625	.. 80	0 .. 1	Transport means identification content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Transport means identification/	1 .. 80	0 .. 1	transportMeansID <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/transportMeansID

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
318	BDT00000074	.. 80	0 .. 1	Transport means identification content Identification scheme name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/transportMeansID/@identificationSchemeName
318	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/transportMeansID/@identificationSchemeAgencyName
318	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/transportMeansID/@identificationSchemeAgencyCode
318	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Shipment transportation information/ Transport means identification/ Identification scheme information/ Identification scheme responsible agency code/Code list version			shipmentTransportationInformation/transportMeansID/ @identificationSchemeAgencyCodeCodeListVersion
318	BDT00000688	.. 80	1 .. 1	Transport mode code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Transport mode code/Transport mode code content	1 .. 80	0 .. 1	transportServiceCategoryType <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ transportServiceCategoryType
319	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Transport mode code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ transportServiceCategoryType/@codeListVersion
319	BDT00000689	.. 80	1 .. 1	Transport service level code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Transport service level code/Transport service level code content	1 .. 80	0 .. 1	transportServiceLevelCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ transportServiceLevelCode
319	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ transportServiceLevelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Transport service level code/Code list version			
319	BDT00000626	.. 80	1 .. 1	Transport route identification content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Transport route identification content	1 .. 80	0 .. 1	routeID <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/routeID
319	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/routeID/@identificationSchemeName
319	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/routeID/@identificationSchemeAgencyName
319	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/routeID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Transport route identification/ Identification scheme information/ Identification scheme responsible agency code/Identification scheme responsible agency code content			
319	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Transport route identification/ Identification scheme information/ Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/routeID/ @identificationSchemeAgencyCodeCodeListVersion
319	BDT00000648	.. 70	1 .. 1	Handling instruction description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Handling instruction description/ Handling instruction description content	1 .. 100	0 .. unbounded	additionalHandlingInstruction <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ additionalHandlingInstruction
319	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Handling instruction description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ additionalHandlingInstruction/@languageCode
320	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Shipment transportation information/ Handling instruction description/ Language code/Code list version			shipmentTransportationInformation/ additionalHandlingInstruction/@codeListVersion
320	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/gln
320	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Additional party identification information/ Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ additionalPartyIdentification
320	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Additional party identification information/ Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
320	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Additional party identification information/ Additional party identification type code/Code list version			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ additionalPartyIdentification/@codeListVersion
320	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/city
320	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ cityCode
320	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ countyCode
320	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Order line item	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Address information/Cross street			orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ crossStreet
320	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/name
321	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ pOBoxNumber
321	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ postalCode
321	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ provinceCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Carrier party information/Address information/Province identity			
321	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/state
321	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/streetAddressOne
321	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/streetAddressTwo
321	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/streetAddressThree
	BDT00000774						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
321			1 .. 1	Country code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/countryCode
321	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/countryCode/@codeListVersion
321	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/geographicalCoordinates/latitude
322	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Address information/Geographical coordinates	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
322	BDT00000112	.. 70	0 .. 1	information/Longitude Person name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/personName
322	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/departmentName
322	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/jobTitle
322	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/contactTypeCode
	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
322		.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/contactTypeCode/@codeListVersion
322	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/responsibility
322	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/responsibility/@languageCode
322	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Shipment transportation information/ Carrier party information/Business contact information/Business contact responsibility description/Language code/Code list version			shipmentTransportationInformation/carrier/contact/ responsibility/@codeListVersion
322	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationChannelCode
323	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
323	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationValue

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Carrier party information/Business contact information/Communication information/Communication channel identification			
323	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/communicationChannel/communicationChannelName
323	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationChannelCode
323	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
323	BDT00000032	.. 200	1 .. 1	Communication channel code/ Communication channel code content/Code list version Communication channel identification <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ afterHoursCommunicationChannel/communicationValue
323	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ afterHoursCommunicationChannel/ communicationChannelName
323	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
323	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order/Order line/Order line item	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration identification information/Tax registration identification content			orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
323	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
324	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
324	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
324	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
324	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Tax registration information/Tax type code/ Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
324	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Shipment transportation information/ Carrier party information/Tax registration information/Tax type code/ Code list version			shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
324	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxDescription
324	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
324	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
324	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
324	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
325	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/organisationName
325	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/countyCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				County code			
325	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/city
325	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/cityCode
325	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/crossStreet
325	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation	1 .. 80	0 .. 1	pOBoundingBox <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/pOBoundingBox

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				legal information/Official address/Post office box number			
325	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/postalCode
325	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/provinceCode
325	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/state
325	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				legal information/Official address/Street address one			
326	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/streetAddressTwo
326	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/streetAddressThree
326	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/countryCode
326	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/countryCode/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Carrier party information/Organisation legal information/Official address/ Country code/Code list version			@codeListVersion
326	BDT000000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
326	BDT000000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
326	BDT000000655		1 .. 1	Issued capital content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/issuedCapital
326	BDT000000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Order line item	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Issued capital/ Currency code/Currency code content			orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/issuedCapital/ @currencyCode
326	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Issued capital/ Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/issuedCapital/ @codeListVersion
326	BDT000000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/legalStructure
327	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Legal structure description/Language code/Language	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/legalStructure/ @languageCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
327	BDT00000028	.. 35	0 .. 1	code content Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalStructure/@codeListVersion
327	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationNumber
327	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
327	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Carrier party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content			organisationDetails/legalRegistration/ legalRegistrationType
327	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/legalRegistration/ legalRegistrationType/@codeListVersion
327	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialInstitutionName
327	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial institution division	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/ financialInstitutionBranchName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
327	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountName
327	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountNumber
328	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
328	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial account number information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
328	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
328	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
328	BDT00000028	.. 35	0 .. 1	number type code content Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
328	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description
328	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Additional financial institution description/Language code/	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
328	BDT00000028	.. 35	0 .. 1	Language code content Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
328	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/city
328	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/cityCode
329	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Order line item	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/County code			orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/countyCode
329	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/crossStreet
329	BDT000000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/name
329	BDT000000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution and financial account information/Address information/Post office box number			
329	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/postalCode
329	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/ Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/provinceCode
329	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/state
329	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Order line item	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Street address one			orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/streetAddressOne
329	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/streetAddressTwo
329	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/ streetAddressThree
330	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Carrier party information/Financial	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution and financial account information/Address information/Country code/Country code content			
330	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/countryCode/@codeListVersion
330	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/geographicalCoordinates/latitude
330	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Geographical coordinates information/	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Longitude			
330	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Global location number GLN	0 .. 1		gln <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/gln
330	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/additionalPartyIdentification
330	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
330	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Additional party identification information/Additional party identification type code/Code list version			shipmentTransportationInformation/freightForwarder/ additionalPartyIdentification/@codeListVersion
330	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/city
330	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/cityCode
331	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/countyCode
331	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/Cross street			shipmentTransportationInformation/freightForwarder/ address/crossStreet
331	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/name
331	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/pOBoxNumber
331	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/postalCode
331	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
331	BDT00000127	.. 80	0 .. 1	Freight forwarder party information/ Address information/Province identity State <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/state
331	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/streetAddressOne
331	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/streetAddressTwo
331	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
332	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/countryCode
332	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/Country code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/countryCode/@codeListVersion
332	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/geographicalCoordinates/latitude
332	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Address information/Geographical	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
332	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/personName
332	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/ Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/departmentName
332	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/jobTitle
332	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Contact	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/contactTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
332	BDT00000028	.. 35	0 .. 1	type code/Contact type code content Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/contactTypeCode/@codeListVersion
332	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/responsibility
333	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/responsibility/@languageCode
333	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Business contact responsibility description/ Language code/Code list version			orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/responsibility/@codeListVersion
333	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/communicationChannel/ communicationChannelCode
333	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/communicationChannel/ communicationChannelCode/@codeListVersion
333	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/ Communication information/ Communication channel identification			shipmentTransportationInformation/freightForwarder/ contact/communicationChannel/communicationValue
333	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/communicationChannel/ communicationChannelName
333	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationChannelCode
333	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version			
333	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/afterHoursCommunicationChannel/communicationValue
333	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/afterHoursCommunicationChannel/communicationChannelName
334	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxAgencyName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
334	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
334	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
334	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
334	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
334	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
334	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax type code/ Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
334	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax type code/ Code list version			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
334	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxDescription
334	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
335	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
335	BDT00000588	.. 80	1 .. 1	description/Language code/Code list version Tax registration type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
335	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
335	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/organisationName
335	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/County code			organisationDetails/officialAddress/countyCode
335	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/city
335	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/cityCode
335	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/crossStreet
335	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Post office box number			shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/pOBoxNumber
335	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/postalCode
336	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/provinceCode
336	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/state
336	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Order line item	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Street address one			orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/streetAddressOne
336	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/streetAddressTwo
336	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/streetAddressThree
336	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/countryCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
336	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/countryCode/@codeListVersion
336	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/geographicalCoordinates/latitude
336	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/geographicalCoordinates/longitude
336	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/		0 .. 1	issuedCapital <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/issuedCapital

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Freight forwarder party information/ Organisation legal information/Issued capital/Issued capital content			
337	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/issuedCapital/@currencyCode
337	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/issuedCapital/@codeListVersion
337	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalStructure
337	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Legal structure description/Language code/ Language code content			orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalStructure/@languageCode
337	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalStructure/@codeListVersion
337	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalRegistration/ legalRegistrationNumber
337	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalRegistration/ legalRegistrationAdditionalInformation

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
337	BDT00000658	.. 80	1 .. 1	Organisation legal information/ Registered legal information/Legal registration additional information Legal registration type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalRegistration/ legalRegistrationType
337	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalRegistration/ legalRegistrationType/@codeListVersion
337	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialInstitutionName

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
338	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialInstitutionBranchName
338	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountName
338	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumber
338	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content			financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
338	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
338	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber
338	BDT00000064	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order/Order line/Order line item	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content			shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode
338	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
338	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/ additionalFinancialInformation/description

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
338	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
339	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
339	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/city
339	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order/Order line/Order line item	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/City code			orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/cityCode
339	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/countyCode
339	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/crossStreet
339	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/	1 .. 200	0 .. 1	name <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/name

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Address information/Party name			
339	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/pOBoxNumber
339	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/postalCode
339	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/provinceCode
339	BDT00000127	.. 80	0 .. 1	State	1 .. 80	0 .. 1	state

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/State			<i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/state
340	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/streetAddressOne
340	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/streetAddressTwo
340	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Freight forwarder party information/ Financial institution and financial account information/Address information/Street address three			streetAddressThree
340	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/countryCode
340	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/countryCode/ @codeListVersion
340	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial	1 .. 80	1 .. 1	latitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/ geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
340	BDT00000089	.. 80	1 .. 1	account information/Address information/Geographical coordinates information/Longitude Longitude <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
340	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order/Order line/Order line item shipping details information/Referenced purchase conditions information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ purchaseConditions/entityIdentification
340	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order/Order line/Order line item shipping details information/Referenced purchase conditions information/ Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ purchaseConditions/creationDateTime
340	BDT00000119		0 .. 1	Revision number <i>Path:</i> Order/Order line/Order line item shipping details information/Referenced purchase conditions information/ Revision number		0 .. 1	revisionNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ purchaseConditions/revisionNumber
341	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Order line/Order line item		0 .. 1	lineItemNumber <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipping details information/Referenced purchase conditions information/Document line number			purchaseConditions/lineltemNumber
341	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Order/Order line/Order line item shipping details information/Referenced purchase conditions information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> orderMessage/order/orderLinItem/orderLinItemDetail/purchaseConditions/referencedDocumentUrl
341	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Order line/Order line item shipping details information/Referenced purchase conditions information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> orderMessage/order/orderLinItem/orderLinItemDetail/purchaseConditions/contentOwner/gln
341	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order/Order line/Order line item shipping details information/Referenced purchase conditions information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderMessage/order/orderLinItem/orderLinItemDetail/purchaseConditions/contentOwner/additionalPartyIdentification
341	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order/Order line/Order line item shipping details information/Referenced purchase conditions information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderMessage/order/orderLinItem/orderLinItemDetail/purchaseConditions/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order model guide; 0.2; Draft
Root Element: **Order**

Schema: Order Guide; GS1 3.5
Root Element: **orderMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
341	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order/Order line/Order line item shipping details information/Referenced purchase conditions information/ Document content owner/Additional party identification information/ Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderMessage/order/orderLineItem/orderLineItemDetail/ purchaseConditions/contentOwner/ additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number