



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
001	BDT00000119		0 .. 1	Revision number <i>Path: Order/Revision number</i>	4	BGM	C106	1060	O	an..6	X
002	BDT00000047		1 .. 1	Business document creation date time <i>Path: Order/Business document creation date time</i>	5	DTM	C507	C507	M		
003	BDT00000050		0 .. 1	Business document status code <i>Path: Order/Business document status code</i>	4	BGM		1225	R	an..3	5
004	BDT00000079		0 .. 1	Order receipt acknowledgement request indicator <i>Path: Order/Order receipt acknowledgement request indicator</i>	4	BGM		4343	D	an..3	AC
005	BDT00000056	.. 80	0 .. 1	Entity identification <i>Path: Order/Business document identification information/Entity identification</i>	4	BGM	C106	1004	R	an..35	1
006	BDT00000601		1 .. 1	Total tax monetary amount content <i>Path: Order/Total tax monetary amount/Total tax monetary amount content</i>	95	MOA	C516	5004	R	n..35	1
007	BDTG00000244		0 .. 1	Notation <i>Path: Order/Notation</i>	8	FTX	C108	4440	M	an..512	A
008	BDT00000524	.. 80	1 .. 1	Language code content <i>Path: Order/Notation/Language code/Language code content</i>	8	FTX		3453	D	an..3	EN
009	BDTG00000248		0 .. 1	Order instruction code <i>Path: Order/Order instruction code</i>	8	FTX	C108	4440	M	an..512	A
010	BDTG00000249		0 .. 1	Order instruction description <i>Path: Order/Order instruction description</i>	8	FTX	C108	4440	M	an..512	A
011	BDT00000685	.. 80	1 .. 1	Order type code content <i>Path: Order/Order type code/Order type code content</i>	4	BGM	C002	1001	R	an..3	220
012	BDT00000671	.. 80	1 .. 1	Order currency code content <i>Path: Order/Order currency code/Order currency code content</i>	20	CUX	C504	6345	R	an..3	GBP
013	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN	11	NAD	C082	3039	M	an..35	4012345500000

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path: Order/Buyer party information/Global location number, GLN</i>							<i>Path: ORDERS.SG2.NAD.C082.3039(0130:020:01)</i>
014	BDTG00000577		0 .. unbounded	Additional party identification information <i>Path: Order/Buyer party information/Additional party identification information</i>	14	RFF		RFF	M		<i>Path: ORDERS.SG2.SG3.RFF(0170)</i>
015	BDT00000020	.. 200	0 .. 1	City name <i>Path: Order/Buyer party information/Address information/City name</i>	11	NAD		3164	D	an..35	A <i>Path: ORDERS.SG2.NAD.3164(0130:060)</i>
016	BDT00000034	.. 80	0 .. 1	County code <i>Path: Order/Buyer party information/Address information/County code</i>	11	NAD	C819	3229	O	an..9	A <i>Path: ORDERS.SG2.NAD.C819.3229(0130:070:01)</i>
017	BDT00000106	.. 200	0 .. 1	Party name <i>Path: Order/Buyer party information/Address information/Party name</i>	11	NAD	C080	3036	M	an..35	A <i>Path: ORDERS.SG2.NAD.C080.3036(0130:040:01)</i>
018	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path: Order/Buyer party information/Address information/Post office box number</i>	11	NAD	C059	3042	M	an..35	A <i>Path: ORDERS.SG2.NAD.C059.3042(0130:050:01)</i>
019	BDT00000114	.. 80	0 .. 1	Postal code <i>Path: Order/Buyer party information/Address information/Postal code</i>	11	NAD		3251	D	an..17	A <i>Path: ORDERS.SG2.NAD.3251(0130:080)</i>
020	BDT00000117	80 ..	0 .. 1	Province identity <i>Path: Order/Buyer party information/Address information/Province identity</i>	11	NAD	C819	3229	O	an..9	A <i>Path: ORDERS.SG2.NAD.C819.3229(0130:070:01)</i>
021	BDT00000127	.. 80	0 .. 1	State <i>Path: Order/Buyer party information/Address information/State</i>	11	NAD	C819	3229	O	an..9	A <i>Path: ORDERS.SG2.NAD.C819.3229(0130:070:01)</i>
022	BDT00000128	.. 200	0 .. 1	Street address one <i>Path: Order/Buyer party information/Address information/Street address one</i>	11	NAD	C059	3042	M	an..35	A <i>Path: ORDERS.SG2.NAD.C059.3042(0130:050:01)</i>
023	BDT00000130	.. 200	0 .. 1	Street address two	11	NAD	C059	3042	O	an..35	A

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order/Buyer party information/Address information/Street address two							<i>Path:</i> ORDERS.SG2.NAD.C059.3042#2(0130:050:02)
024	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Buyer party information/Address information/Street address three	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042#3(0130:050:03)
025	BDTG00000179		0 .. 1	Country code <i>Path:</i> Order/Buyer party information/Address information/Country code	11	NAD		3207	D	an..3	AD <i>Path:</i> ORDERS.SG2.NAD.3207(0130:090)
026	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Buyer party information/Business contact information/Person name	16	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDERS.SG2.SG5.CTA.C056.3412(0230:020:02)
027	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Buyer party information/Business contact information/Department name	16	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDERS.SG2.SG5.CTA.C056.3412(0230:020:02)
028	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order/Buyer party information/Business contact information/Contact type code/Contact type code content	16	CTA		3139	R	an..3	OC <i>Path:</i> ORDERS.SG2.SG5.CTA.3139(0230:010)
029	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Order/Buyer party information/Business contact information/Communication information/Communication channel code	17	COM	C076	3155	M	an..3	TE <i>Path:</i> ORDERS.SG2.SG5.COM.C076.3155(0240:010:02)
030	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Buyer party information/Business contact information/Communication information/Communication channel identification	17	COM	C076	3148	M	an..512	0044715326652 <i>Path:</i> ORDERS.SG2.SG5.COM.C076.3148(0240:010:01)
031	BDTG00000585		1 .. 1	Tax registration identification information <i>Path:</i> Order/Buyer party information/Tax registration information/Tax registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDERS.SG2.SG3.RFF(0170)
032	BDTG00000621		1 .. 1	Customs registration identification information	14	RFF		RFF	M		

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path: Order/Buyer party information/Customs duty registration information/Customs registration identification information</i>							<i>Path: ORDERS.SG2.SG3.RFF(0170)</i>
033	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path: Order/Buyer party information/Financial institution and financial account information/Financial institution name</i>	13	FII	C088	3432	O	an..70	4545 <i>Path: ORDERS.SG2.FII.C088.3432(0150:030:07)</i>
034	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path: Order/Buyer party information/Financial institution and financial account information/Financial institution division name</i>	13	FII	C088	3436	O	an..70	45 <i>Path: ORDERS.SG2.FII.C088.3436(0150:030:08)</i>
035	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path: Order/Buyer party information/Financial institution and financial account information/Financial account information/Financial account name</i>	13	FII	C078	3192	O	an..35	L <i>Path: ORDERS.SG2.FII.C078.3192(0150:020:02)</i>
036	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path: Order/Buyer party information/Financial institution and financial account information/Financial account information/Financial account number</i>	13	FII	C078	3194	R	an..35	L <i>Path: ORDERS.SG2.FII.C078.3194(0150:020:01)</i>
037	BDTG00000179		0 .. 1	Country code <i>Path: Order/Buyer party information/Financial institution and financial account information/Address information/Country code</i>	13	FII		3207	O	an..3	AD <i>Path: ORDERS.SG2.FII.3207(0150:040)</i>
038	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path: Order/Seller party information/Global location number, GLN</i>	11	NAD	C082	3039	M	an..35	4012345500000 <i>Path: ORDERS.SG2.NAD.C082.3039(0130:020:01)</i>
039	BDTG00000577		0 .. unbounded	Additional party identification information <i>Path: Order/Seller party information/Additional party identification information</i>	14	RFF		RFF	M		<i>Path: ORDERS.SG2.SG3.RFF(0170)</i>

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
040	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Seller party information/Address information/City name	11	NAD		3164	D	an..35	A <i>Path:</i> ORDERS.SG2.NAD.3164(0130:060)
041	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Seller party information/Address information/County code	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)
042	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Seller party information/Address information/Party name	11	NAD	C080	3036	M	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C080.3036(0130:040:01)
043	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Seller party information/Address information/Post office box number	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042(0130:050:01)
044	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Seller party information/Address information/Postal code	11	NAD		3251	D	an..17	A <i>Path:</i> ORDERS.SG2.NAD.3251(0130:080)
045	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Seller party information/Address information/Province identity	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)
046	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Seller party information/Address information/State	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)
047	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Seller party information/Address information/Street address one	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042(0130:050:01)
048	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Seller party information/Address information/Street address two	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042#2(0130:050:02)
049	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Seller party information/Address information/Street address three	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042#3(0130:050:03)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
050	BDTG00000179		0 .. 1	Country code <i>Path:</i> Order/Seller party information/Address information/Country code	11	NAD		3207	D	an..3	AD <i>Path:</i> ORDERS.SG2.NAD.3207(0130:090)
051	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Seller party information/Business contact information/Person name	16	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDERS.SG2.SG5.CTA.C056.3412(0230:020:02)
052	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Seller party information/Business contact information/Department name	16	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDERS.SG2.SG5.CTA.C056.3412(0230:020:02)
053	BDTG00000178		0 .. 1	Contact type code <i>Path:</i> Order/Seller party information/Business contact information/Contact type code	16	CTA		3139	R	an..3	OC <i>Path:</i> ORDERS.SG2.SG5.CTA.3139(0230:010)
054	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Order/Seller party information/Business contact information/Communication information/Communication channel code	17	COM	C076	3155	M	an..3	TE <i>Path:</i> ORDERS.SG2.SG5.COM.C076.3155(0240:010:02)
055	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Seller party information/Business contact information/Communication information/Communication channel identification	17	COM	C076	3148	M	an..512	0044715326652 <i>Path:</i> ORDERS.SG2.SG5.COM.C076.3148(0240:010:01)
056	BDTG00000585		1 .. 1	Tax registration identification information <i>Path:</i> Order/Seller party information/Tax registration information/Tax registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDERS.SG2.SG3.RFF(0170)
057	BDTG00000621		1 .. 1	Customs registration identification information <i>Path:</i> Order/Seller party information/Customs duty registration information/Customs registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDERS.SG2.SG3.RFF(0170)
058	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Seller party information/Financial institution and financial account information/	13	FII	C088	3432	O	an..70	4545 <i>Path:</i> ORDERS.SG2.FII.C088.3432(0150:030:07)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
059	BDT00000060	.. 80	0 .. 1	Financial institution name Financial institution division name <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Financial institution division name	13	FII	C088	3436	O	an..70	45
060	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Financial account information/Financial account name	13	FII	C078	3192	O	an..35	L
061	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Financial account information/Financial account number	13	FII	C078	3194	R	an..35	L
062	BDTG00000179		0 .. 1	Country code <i>Path:</i> Order/Seller party information/Financial institution and financial account information/Address information/Country code	13	FII		3207	O	an..3	AD
063	BDTG00000714		0 .. 1	Consignee party information <i>Path:</i> Order/Consignee party information	11	NAD		NAD	M		
064	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order/Consignee party information/Global location number, GLN	11	NAD	C082	3039	M	an..35	4012345500000
065	BDTG00000577		0 .. unbounded	Additional party identification information <i>Path:</i> Order/Consignee party information/Additional party identification information	14	RFF		RFF	M		
066	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Consignee party information/Address information/City name	11	NAD		3164	D	an..35	A
067	BDT00000034	.. 80	0 .. 1	County code	11	NAD	C819	3229	O	an..9	A

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path: Order/Consignee party information/Address information/County code</i>							<i>Path: ORDERS.SG2.NAD.C819.3229(0130:070:01)</i>
068	BDT00000106	.. 200	0 .. 1	Party name <i>Path: Order/Consignee party information/Address information/Party name</i>	11	NAD	C080	3036	M	an..35	A <i>Path: ORDERS.SG2.NAD.C080.3036(0130:040:01)</i>
069	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path: Order/Consignee party information/Address information/Post office box number</i>	11	NAD	C059	3042	M	an..35	A <i>Path: ORDERS.SG2.NAD.C059.3042(0130:050:01)</i>
070	BDT00000114	.. 80	0 .. 1	Postal code <i>Path: Order/Consignee party information/Address information/Postal code</i>	11	NAD		3251	D	an..17	A <i>Path: ORDERS.SG2.NAD.3251(0130:080)</i>
071	BDT00000117	80 ..	0 .. 1	Province identity <i>Path: Order/Consignee party information/Address information/Province identity</i>	11	NAD	C819	3229	O	an..9	A <i>Path: ORDERS.SG2.NAD.C819.3229(0130:070:01)</i>
072	BDT00000127	.. 80	0 .. 1	State <i>Path: Order/Consignee party information/Address information/State</i>	11	NAD	C819	3229	O	an..9	A <i>Path: ORDERS.SG2.NAD.C819.3229(0130:070:01)</i>
073	BDT00000128	.. 200	0 .. 1	Street address one <i>Path: Order/Consignee party information/Address information/Street address one</i>	11	NAD	C059	3042	M	an..35	A <i>Path: ORDERS.SG2.NAD.C059.3042(0130:050:01)</i>
074	BDT00000130	.. 200	0 .. 1	Street address two <i>Path: Order/Consignee party information/Address information/Street address two</i>	11	NAD	C059	3042	O	an..35	A <i>Path: ORDERS.SG2.NAD.C059.3042#2(0130:050:02)</i>
075	BDT00000129	.. 200	0 .. 1	Street address three <i>Path: Order/Consignee party information/Address information/Street address three</i>	11	NAD	C059	3042	O	an..35	A <i>Path: ORDERS.SG2.NAD.C059.3042#3(0130:050:03)</i>
076	BDTG00000179		0 .. 1	Country code <i>Path: Order/Consignee party information/Address information/Country code</i>	11	NAD		3207	D	an..3	AD <i>Path: ORDERS.SG2.NAD.3207(0130:090)</i>
077	BDT00000112	.. 70	0 .. 1	Person name	16	CTA	C056	3412	O	an..35	P FORGET

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order/Consignee party information/Business contact information/Person name							<i>Path:</i> ORDERS.SG2.SG5.CTA.C056.3412(0230:020:02)
078	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Consignee party information/Business contact information/Department name	16	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDERS.SG2.SG5.CTA.C056.3412(0230:020:02)
079	BDTG00000178		0 .. 1	Contact type code <i>Path:</i> Order/Consignee party information/Business contact information/Contact type code	16	CTA		3139	R	an..3	OC <i>Path:</i> ORDERS.SG2.SG5.CTA.3139(0230:010)
080	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Order/Consignee party information/Business contact information/Communication information/Communication channel code	17	COM	C076	3155	M	an..3	TE <i>Path:</i> ORDERS.SG2.SG5.COM.C076.3155(0240:010:02)
081	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Consignee party information/Business contact information/Communication information/Communication channel identification	17	COM	C076	3148	M	an..512	0044715326652 <i>Path:</i> ORDERS.SG2.SG5.COM.C076.3148(0240:010:01)
082	BDTG00000585		1 .. 1	Tax registration identification information <i>Path:</i> Order/Consignee party information/Tax registration information/Tax registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDERS.SG2.SG3.RFF(0170)
083	BDTG00000621		1 .. 1	Customs registration identification information <i>Path:</i> Order/Consignee party information/Customs duty registration information/Customs registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDERS.SG2.SG3.RFF(0170)
084	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Consignee party information/Financial institution and financial account information/Financial institution name	13	FII	C088	3432	O	an..70	4545 <i>Path:</i> ORDERS.SG2.FII.C088.3432(0150:030:07)
085	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Consignee party information/Financial institution and financial account information/	13	FII	C088	3436	O	an..70	45 <i>Path:</i> ORDERS.SG2.FII.C088.3436(0150:030:08)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
086	BDT00000058	.. 80	0 .. 1	Financial institution division name Financial account name <i>Path:</i> Order/Consignee party information/Financial institution and financial account information/Financial account information/Financial account name	13	FII	C078	3192	O	an..35	L
										<i>Path:</i> ORDERS.SG2.FII.C078.3192(0150:020:02)	
087	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Consignee party information/Financial institution and financial account information/Financial account information/Financial account number	13	FII	C078	3194	R	an..35	L
										<i>Path:</i> ORDERS.SG2.FII.C078.3194(0150:020:01)	
088	BDTG00000157		0 .. 1	Bill to party information <i>Path:</i> Order/Bill to party information	11	NAD		NAD	M	<i>Path:</i> ORDERS.SG2.NAD(0130)	
089	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Bill to party information/Global location number GLN	11	NAD	C082	3039	M	an..35	4012345500000
										<i>Path:</i> ORDERS.SG2.NAD.C082.3039(0130:020:01)	
090	BDTG00000577		0 .. unbounded	Additional party identification <i>Path:</i> Order/Bill to party information/Additional party identification	14	RFF		RFF	M	<i>Path:</i> ORDERS.SG2.SG3.RFF(0170)	
091	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Bill to party information/Address information/City name	11	NAD		3164	D	an..35	A
										<i>Path:</i> ORDERS.SG2.NAD.3164(0130:060)	
092	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Bill to party information/Address information/County code	11	NAD	C819	3229	O	an..9	A
										<i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)	
093	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Bill to party information/Address information/Party name	11	NAD	C080	3036	M	an..35	A
										<i>Path:</i> ORDERS.SG2.NAD.C080.3036(0130:040:01)	
094	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Bill to party information/Address information/Post office box number	11	NAD	C059	3042	M	an..35	A
										<i>Path:</i> ORDERS.SG2.NAD.C059.3042(0130:050:01)	

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
095	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Bill to party information/Address information/Postal code	11	NAD		3251	D	an..17	A <i>Path:</i> ORDERS.SG2.NAD.3251(0130:080)
096	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Bill to party information/Address information/Province identity	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)
097	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Bill to party information/Address information/State	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)
098	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Bill to party information/Address information/Street address one	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042(0130:050:01)
099	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Bill to party information/Address information/Street address two	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042#2(0130:050:02)
100	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Bill to party information/Address information/Street address three	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042#3(0130:050:03)
101	BDTG00000179		0 .. 1	Country code <i>Path:</i> Order/Bill to party information/Address information/Country code	11	NAD		3207	D	an..3	AD <i>Path:</i> ORDERS.SG2.NAD.3207(0130:090)
102	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Bill to party information/Business contact information/Person name	16	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDERS.SG2.SG5.CTA.C056.3412(0230:020:02)
103	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Bill to party information/Business contact information/Department name	16	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDERS.SG2.SG5.CTA.C056.3412(0230:020:02)
104	BDTG00000178		0 .. 1	Contact type code <i>Path:</i> Order/Bill to party information/Business contact information/Contact type code	16	CTA		3139	R	an..3	OC <i>Path:</i> ORDERS.SG2.SG5.CTA.3139(0230:010)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
105	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Order/Bill to party information/Business contact information/Communication information/Communication channel code	17	COM	C076	3155	M	an..3	TE <i>Path:</i> ORDERS.SG2.SG5.COM.C076.3155(0240:010:02)
106	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Bill to party information/Business contact information/Communication information/Communication channel identification	17	COM	C076	3148	M	an..512	0044715326652 <i>Path:</i> ORDERS.SG2.SG5.COM.C076.3148(0240:010:01)
107	BDTG00000585		1 .. 1	Tax registration identification information <i>Path:</i> Order/Bill to party information/Tax registration information/Tax registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDERS.SG2.SG3.RFF(0170)
108	BDTG00000621		1 .. 1	Customs registration identification information <i>Path:</i> Order/Bill to party information/Customs duty registration information/Customs registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDERS.SG2.SG3.RFF(0170)
109	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Financial institution name	13	FII	C088	3432	O	an..70	4545 <i>Path:</i> ORDERS.SG2.FII.C088.3432(0150:030:07)
110	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Financial institution division name	13	FII	C088	3436	O	an..70	45 <i>Path:</i> ORDERS.SG2.FII.C088.3436(0150:030:08)
111	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Financial account information/Financial account name	13	FII	C078	3192	O	an..35	L <i>Path:</i> ORDERS.SG2.FII.C078.3192(0150:020:02)
112	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Financial	13	FII	C078	3194	R	an..35	L <i>Path:</i> ORDERS.SG2.FII.C078.3194(0150:020:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
113	BDTG00000179		0 .. 1	account information/Financial account number Country code <i>Path:</i> Order/Bill to party information/Financial institution and financial account information/Address information/Country code	13	FII		3207	O	an..3	AD
114	BDTG00000275		0 .. 1	Pick up from party information <i>Path:</i> Order/Pick up from party information	11	NAD		NAD	M		
115	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Pick up from party information/Global location number GLN	11	NAD	C082	3039	M	an..35	4012345500000
116	BDTG00000577		0 .. unbounded	Additional party identification <i>Path:</i> Order/Pick up from party information/Additional party identification	14	RFF		RFF	M		
117	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Pick up from party information/Address information/City name	11	NAD		3164	D	an..35	A
118	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Pick up from party information/Address information/County code	11	NAD	C819	3229	O	an..9	A
119	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Pick up from party information/Address information/Party name	11	NAD	C080	3036	M	an..35	A
120	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Pick up from party information/Address information/Post office box number	11	NAD	C059	3042	M	an..35	A
121	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Pick up from party information/Address information/Postal code	11	NAD		3251	D	an..17	A
122	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Pick up from party information/Address	11	NAD	C819	3229	O	an..9	A

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
123	BDT00000127	.. 80	0 .. 1	information/Province identity State <i>Path:</i> Order/Pick up from party information/Address information/State	11	NAD	C819	3229	O	an..9	A
124	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Pick up from party information/Address information/Street address one	11	NAD	C059	3042	M	an..35	A
125	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Pick up from party information/Address information/Street address two	11	NAD	C059	3042	O	an..35	A
126	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Pick up from party information/Address information/Street address three	11	NAD	C059	3042	O	an..35	A
127	BDTG00000179		0 .. 1	Country code <i>Path:</i> Order/Pick up from party information/Address information/Country code	11	NAD		3207	D	an..3	AD
128	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Pick up from party information/Business contact information/Person name	16	CTA	C056	3412	O	an..35	P FORGET
129	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Pick up from party information/Business contact information/Department name	16	CTA	C056	3412	O	an..35	P FORGET
130	BDTG00000178		0 .. 1	Contact type code <i>Path:</i> Order/Pick up from party information/Business contact information/Contact type code	16	CTA		3139	R	an..3	OC
131	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Order/Pick up from party information/Business contact information/Communication channel code	17	COM	C076	3155	M	an..3	TE
132	BDT00000032	.. 200	1 .. 1	Communication channel identification	17	COM	C076	3148	M	an..512	0044715326652

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order/Pick up from party information/Business contact information/Communication channel identification							<i>Path:</i> ORDERS.SG2.SG5.COM.C076.3148(0240:010:01)
133	BDTG00000585		1 .. 1	Tax registration identification information <i>Path:</i> Order/Pick up from party information/Tax registration information/Tax registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDERS.SG2.SG3.RFF(0170)
134	BDTG00000621		1 .. 1	Customs registration identification information <i>Path:</i> Order/Pick up from party information/Customs duty registration information/Customs registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDERS.SG2.SG3.RFF(0170)
135	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Pick up from party information/Financial institution and financial account information/Financial institution name	13	FII	C088	3432	O	an..70	4545 <i>Path:</i> ORDERS.SG2.FII.C088.3432(0150:030:07)
136	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Pick up from party information/Financial institution and financial account information/Financial institution division name	13	FII	C088	3436	O	an..70	45 <i>Path:</i> ORDERS.SG2.FII.C088.3436(0150:030:08)
137	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Pick up from party information/Financial institution and financial account information/Financial account information/Financial account name	13	FII	C078	3192	O	an..35	L <i>Path:</i> ORDERS.SG2.FII.C078.3192(0150:020:02)
138	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Pick up from party information/Financial institution and financial account information/Financial account information/Financial account number	13	FII	C078	3194	R	an..35	L <i>Path:</i> ORDERS.SG2.FII.C078.3194(0150:020:01)
139	BDTG00000446		0 .. 1	Referenced price list information <i>Path:</i> Order/Referenced price list information	9	RFF	C506	1154	R	an..70	12 <i>Path:</i> ORDERS.SG1.RFF.C506.1154(0100:010:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
140	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order/Customs broker party information/Global location number, GLN	11	NAD	C082	3039	M	an..35	4012345500000 <i>Path:</i> ORDERS.SG2.NAD.C082.3039(0130:020:01)
141	BDTG00000577		0 .. unbounded	Additional party identification information <i>Path:</i> Order/Customs broker party information/Additional party identification information	14	RFF		RFF	M		<i>Path:</i> ORDERS.SG2.SG3.RFF(0170)
142	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Customs broker party information/Address information/City name	11	NAD		3164	D	an..35	A <i>Path:</i> ORDERS.SG2.NAD.3164(0130:060)
143	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Customs broker party information/Address information/County code	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)
144	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Customs broker party information/Address information/Party name	11	NAD	C080	3036	M	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C080.3036(0130:040:01)
145	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Customs broker party information/Address information/Post office box number	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042(0130:050:01)
146	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Customs broker party information/Address information/Postal code	11	NAD		3251	D	an..17	A <i>Path:</i> ORDERS.SG2.NAD.3251(0130:080)
147	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Customs broker party information/Address information/Province identity	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)
148	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Customs broker party information/Address information/State	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)
149	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Customs broker party information/Address information/Street address one	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042(0130:050:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
150	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Customs broker party information/Address information/Street address two	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042#2(0130:050:02)
151	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Customs broker party information/Address information/Street address three	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042#3(0130:050:03)
152	BDTG00000179		0 .. 1	Country code <i>Path:</i> Order/Customs broker party information/Address information/Country code	11	NAD		3207	D	an..3	AD <i>Path:</i> ORDERS.SG2.NAD.3207(0130:090)
153	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Customs broker party information/ Business contact information/Person name	16	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDERS.SG2.SG5.CTA.C056.3412(0230:020:02)
154	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Customs broker party information/ Business contact information/Department name	16	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDERS.SG2.SG5.CTA.C056.3412(0230:020:02)
155	BDTG00000178		0 .. 1	Contact type code <i>Path:</i> Order/Customs broker party information/ Business contact information/Contact type code	16	CTA		3139	R	an..3	OC <i>Path:</i> ORDERS.SG2.SG5.CTA.3139(0230:010)
156	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Order/Customs broker party information/ Business contact information/Communication information/Communication channel code	17	COM	C076	3155	M	an..3	TE <i>Path:</i> ORDERS.SG2.SG5.COM.C076.3155(0240:010:02)
157	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Customs broker party information/ Business contact information/Communication information/Communication channel identification	17	COM	C076	3148	M	an..512	0044715326652 <i>Path:</i> ORDERS.SG2.SG5.COM.C076.3148(0240:010:01)
158	BDTG00000585		1 .. 1	Tax registration identification information <i>Path:</i> Order/Customs broker party information/Tax registration information/Tax registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDERS.SG2.SG3.RFF(0170)
159	BDTG00000621		1 .. 1	Customs registration identification information	14	RFF		RFF	M		

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path: Order/Customs broker party information/Customs duty registration information/Customs registration identification information</i>							<i>Path: ORDERS.SG2.SG3.RFF(0170)</i>
160	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path: Order/Customs broker party information/Financial institution and financial account information/Financial institution name</i>	13	FII	C088	3432	O	an..70	4545 <i>Path: ORDERS.SG2.FII.C088.3432(0150:030:07)</i>
161	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path: Order/Customs broker party information/Financial institution and financial account information/Financial institution division name</i>	13	FII	C088	3436	O	an..70	45 <i>Path: ORDERS.SG2.FII.C088.3436(0150:030:08)</i>
162	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path: Order/Customs broker party information/Financial institution and financial account information/Financial account information/Financial account name</i>	13	FII	C078	3192	O	an..35	L <i>Path: ORDERS.SG2.FII.C078.3192(0150:020:02)</i>
163	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path: Order/Customs broker party information/Financial institution and financial account information/Financial account information/Financial account number</i>	13	FII	C078	3194	R	an..35	L <i>Path: ORDERS.SG2.FII.C078.3194(0150:020:01)</i>
164	BDTG00000179		0 .. 1	Country code <i>Path: Order/Customs broker party information/Financial institution and financial account information/Address information/Country code</i>	13	FII		3207	O	an..3	AD <i>Path: ORDERS.SG2.FII.3207(0150:040)</i>
165	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path: Order/Ordered trade item logistical information/Ship from party information/Global location number GLN</i>	11	NAD	C082	3039	M	an..35	4012345500000 <i>Path: ORDERS.SG2.NAD.C082.3039(0130:020:01)</i>
166	BDTG00000577		0 .. unbounded	Additional party identification information <i>Path: Order/Ordered trade item logistical information/</i>	14	RFF		RFF	M		<i>Path: ORDERS.SG2.SG3.RFF(0170)</i>

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
167	BDT00000020	.. 200	0 .. 1	Ship from party information/Additional party identification information City name <i>Path:</i> Order/Ordered trade item logistical information/ Ship from party information/Address information/City name	11	NAD	3164	D	an..35	A	<i>Path:</i> ORDERS.SG2.NAD.3164(0130:060)
168	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Ordered trade item logistical information/ Ship from party information/Address information/County code	11	NAD	C819 3229	O	an..9	A	<i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)
169	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Ordered trade item logistical information/ Ship from party information/Address information/Party name	11	NAD	C080 3036	M	an..35	A	<i>Path:</i> ORDERS.SG2.NAD.C080.3036(0130:040:01)
170	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Ordered trade item logistical information/ Ship from party information/Address information/Post office box number	11	NAD	C059 3042	M	an..35	A	<i>Path:</i> ORDERS.SG2.NAD.C059.3042(0130:050:01)
171	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical information/ Ship from party information/Address information/Postal code	11	NAD	3251	D	an..17	A	<i>Path:</i> ORDERS.SG2.NAD.3251(0130:080)
172	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Ordered trade item logistical information/ Ship from party information/Address information/Province identity	11	NAD	C819 3229	O	an..9	A	<i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)
173	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Ordered trade item logistical information/ Ship from party information/Address information/State	11	NAD	C819 3229	O	an..9	A	<i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)
174	BDT00000128	.. 200	0 .. 1	Street address one	11	NAD	C059 3042	M	an..35	A	

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path: Order/Ordered trade item logistical information/ Ship from party information/Address information/Street address one</i>							<i>Path: ORDERS.SG2.NAD.C059.3042(0130:050:01)</i>
175	BDT00000130	.. 200	0 .. 1	Street address two <i>Path: Order/Ordered trade item logistical information/ Ship from party information/Address information/Street address two</i>	11	NAD	C059	3042	O	an..35	A <i>Path: ORDERS.SG2.NAD.C059.3042#2(0130:050:02)</i>
176	BDT00000129	.. 200	0 .. 1	Street address three <i>Path: Order/Ordered trade item logistical information/ Ship from party information/Address information/Street address three</i>	11	NAD	C059	3042	O	an..35	A <i>Path: ORDERS.SG2.NAD.C059.3042#3(0130:050:03)</i>
177	BDTG00000179		0 .. 1	Country code <i>Path: Order/Ordered trade item logistical information/ Ship from party information/Address information/Country code</i>	11	NAD		3207	D	an..3	AD <i>Path: ORDERS.SG2.NAD.3207(0130:090)</i>
178	BDT00000112	.. 70	0 .. 1	Person name <i>Path: Order/Ordered trade item logistical information/ Ship from party information/Business contact information/Person name</i>	16	CTA	C056	3412	O	an..35	P FORGET <i>Path: ORDERS.SG2.SG5.CTA.C056.3412(0230:020:02)</i>
179	BDT00000044	.. 70	0 .. 1	Department name <i>Path: Order/Ordered trade item logistical information/ Ship from party information/Business contact information/Department name</i>	16	CTA	C056	3412	O	an..35	P FORGET <i>Path: ORDERS.SG2.SG5.CTA.C056.3412(0230:020:02)</i>
180	BDTG00000178		0 .. 1	Contact type code <i>Path: Order/Ordered trade item logistical information/ Ship from party information/Business contact information/Contact type code</i>	16	CTA		3139	R	an..3	OC <i>Path: ORDERS.SG2.SG5.CTA.3139(0230:010)</i>
181	BDTG00000175		1 .. 1	Communication channel code <i>Path: Order/Ordered trade item logistical information/ Ship from party information/Business contact information/Communication information/</i>	17	COM	C076	3155	M	an..3	TE <i>Path: ORDERS.SG2.SG5.COM.C076.3155(0240:010:02)</i>

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
182	BDT00000032	.. 200	1 .. 1	Communication channel code Communication channel identification <i>Path:</i> Order/Ordered trade item logistical information/ Ship from party information/Business contact information/Communication information/ Communication channel identification	17	COM	C076	3148	M	an..512	0044715326652
183	BDTG00000585		1 .. 1	Tax registration identification information <i>Path:</i> Order/Ordered trade item logistical information/ Ship from party information/Tax registration information/Tax registration identification information	14	RFF		RFF	M		Path: ORDERS.SG2.SG3.RFF(0170)
184	BDTG00000621		1 .. 1	Customs registration identification information <i>Path:</i> Order/Ordered trade item logistical information/ Ship from party information/Customs duty registration information/Customs registration identification information	14	RFF		RFF	M		Path: ORDERS.SG2.SG3.RFF(0170)
185	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Ordered trade item logistical information/ Ship from party information/Financial institution and financial account information/Financial institution name	13	FII	C088	3432	O	an..70	4545
186	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Ordered trade item logistical information/ Ship from party information/Financial institution and financial account information/Financial institution division name	13	FII	C088	3436	O	an..70	45
187	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Ordered trade item logistical information/ Ship from party information/Financial institution and financial account information/Financial account information/Financial account name	13	FII	C078	3192	O	an..35	L

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
188	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Ordered trade item logistical information/ Ship from party information/Financial institution and financial account information/Financial account information/Financial account number	13	FII	C078	3194	R	an..35	L <i>Path:</i> ORDERS.SG2.FII.C078.3194(0150:020:01)
189	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Ordered trade item logistical information/ Ship to party information/Global location number GLN	11	NAD	C082	3039	M	an..35	4012345500000 <i>Path:</i> ORDERS.SG2.NAD.C082.3039(0130:020:01)
190	BDTG00000577		0 .. unbounded	Additional party identification information <i>Path:</i> Order/Ordered trade item logistical information/ Ship to party information/Additional party identification information	14	RFF		RFF	M		<i>Path:</i> ORDERS.SG2.SG3.RFF(0170)
191	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical information/ Ship to party information/Address information/ City name	11	NAD		3164	D	an..35	A <i>Path:</i> ORDERS.SG2.NAD.3164(0130:060)
192	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Ordered trade item logistical information/ Ship to party information/Address information/ County code	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)
193	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Ordered trade item logistical information/ Ship to party information/Address information/ Party name	11	NAD	C080	3036	M	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C080.3036(0130:040:01)
194	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Ordered trade item logistical information/ Ship to party information/Address information/ Post office box number	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042(0130:050:01)
195	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical information/	11	NAD		3251	D	an..17	A <i>Path:</i> ORDERS.SG2.NAD.3251(0130:080)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
196	BDT00000117	80 ..	0 .. 1	Ship to party information/Address information/ Postal code Province identity <i>Path:</i> Order/Ordered trade item logistical information/ Ship to party information/Address information/ Province identity	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)
197	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Ordered trade item logistical information/ Ship to party information/Address information/ State	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)
198	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Ordered trade item logistical information/ Ship to party information/Address information/ Street address one	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042(0130:050:01)
199	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Ordered trade item logistical information/ Ship to party information/Address information/ Street address two	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042#2(0130:050:02)
200	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Ordered trade item logistical information/ Ship to party information/Address information/ Street address three	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042#3(0130:050:03)
201	BDTG00000179		0 .. 1	Country code <i>Path:</i> Order/Ordered trade item logistical information/ Ship to party information/Address information/ Country code	11	NAD		3207	D	an..3	AD <i>Path:</i> ORDERS.SG2.NAD.3207(0130:090)
202	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Ordered trade item logistical information/ Ship to party information/Business contact information/Person name	16	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDERS.SG2.SG5.CTA.C056.3412(0230:020:02)
203	BDT00000044	.. 70	0 .. 1	Department name	16	CTA	C056	3412	O	an..35	P FORGET

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path: Order/Ordered trade item logistical information/ Ship to party information/Business contact information/Department name</i>							<i>Path: ORDERS.SG2.SG5.CTA.C056.3412(0230:020:02)</i>
204	BDTG00000178		0 .. 1	Contact type code <i>Path: Order/Ordered trade item logistical information/ Ship to party information/Business contact information/Contact type code</i>	16	CTA		3139	R	an..3	OC <i>Path: ORDERS.SG2.SG5.CTA.3139(0230:010)</i>
205	BDTG00000175		1 .. 1	Communication channel code <i>Path: Order/Ordered trade item logistical information/ Ship to party information/Business contact information/Communication information/ Communication channel code</i>	17	COM	C076	3155	M	an..3	TE <i>Path: ORDERS.SG2.SG5.COM.C076.3155(0240:010:02)</i>
206	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path: Order/Ordered trade item logistical information/ Ship to party information/Business contact information/Communication information/ Communication channel identification</i>	17	COM	C076	3148	M	an..512	0044715326652 <i>Path: ORDERS.SG2.SG5.COM.C076.3148(0240:010:01)</i>
207	BDTG00000585		1 .. 1	Tax registration identification information <i>Path: Order/Ordered trade item logistical information/ Ship to party information/Tax registration information/Tax registration identification information</i>	14	RFF		RFF	M		<i>Path: ORDERS.SG2.SG3.RFF(0170)</i>
208	BDTG00000375		0 .. unbounded	Customs duty registration information <i>Path: Order/Ordered trade item logistical information/ Ship to party information/Customs duty registration information</i>	14	RFF		RFF	M		<i>Path: ORDERS.SG2.SG3.RFF(0170)</i>
209	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path: Order/Ordered trade item logistical information/ Ship to party information/Financial institution and financial account information/Financial institution name</i>	13	FII	C088	3432	O	an..70	4545 <i>Path: ORDERS.SG2.FII.C088.3432(0150:030:07)</i>

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
210	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Ordered trade item logistical information/ Ship to party information/Financial institution and financial account information/Financial institution division name	13	FII	C088	3436	O	an..70	45 <i>Path:</i> ORDERS.SG2.FII.C088.3436(0150:030:08)
211	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Ordered trade item logistical information/ Ship to party information/Financial institution and financial account information/Financial account information/Financial account name	13	FII	C078	3192	O	an..35	L <i>Path:</i> ORDERS.SG2.FII.C078.3192(0150:020:02)
212	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Ordered trade item logistical information/ Ship to party information/Financial institution and financial account information/Financial account information/Financial account number	13	FII	C078	3194	R	an..35	L <i>Path:</i> ORDERS.SG2.FII.C078.3194(0150:020:01)
213	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Global location number GLN	11	NAD	C082	3039	M	an..35	4012345500000 <i>Path:</i> ORDERS.SG2.NAD.C082.3039(0130:020:01)
214	BDTG00000577		0 .. unbounded	Additional party identification information <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Additional party identification information	14	RFF		RFF	M		<i>Path:</i> ORDERS.SG2.SG3.RFF(0170)
215	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Address information/City name	11	NAD		3164	D	an..35	A <i>Path:</i> ORDERS.SG2.NAD.3164(0130:060)
216	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Address information/County code	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
217	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Address information/Party name	11	NAD	C080	3036	M	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C080.3036(0130:040:01)
218	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Address information/Post office box number	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042(0130:050:01)
219	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Address information/Postal code	11	NAD		3251	D	an..17	A <i>Path:</i> ORDERS.SG2.NAD.3251(0130:080)
220	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Address information/Province identity	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)
221	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Address information/State	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)
222	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Address information/Street address one	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042(0130:050:01)
223	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Address information/Street address two	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042#2(0130:050:02)
224	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Address	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042#3(0130:050:03)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
225	BDTG00000179		0 .. 1	information/Street address three Country code <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Address information/Country code	11	NAD		3207	D	an..3	AD <i>Path:</i> ORDERS.SG2.NAD.3207(0130:090)
226	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Business contact information/Person name	16	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDERS.SG2.SG5.CTA.C056.3412(0230:020:02)
227	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Business contact information/Department name	16	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDERS.SG2.SG5.CTA.C056.3412(0230:020:02)
228	BDTG00000178		0 .. 1	Contact type code <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Business contact information/Contact type code	16	CTA		3139	R	an..3	OC <i>Path:</i> ORDERS.SG2.SG5.CTA.3139(0230:010)
229	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Business contact information/Communication information/Communication channel code	17	COM	C076	3155	M	an..3	TE <i>Path:</i> ORDERS.SG2.SG5.COM.C076.3155(0240:010:02)
230	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Business contact information/Communication information/Communication channel identification	17	COM	C076	3148	M	an..512	0044715326652 <i>Path:</i> ORDERS.SG2.SG5.COM.C076.3148(0240:010:01)
231	BDTG00000585		1 .. 1	Tax registration identification information <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Tax registration information/Tax registration	14	RFF		RFF	M		<i>Path:</i> ORDERS.SG2.SG3.RFF(0170)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
232	BDTG00000621		1 .. 1	identification information Customs registration identification information <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Customs duty registration information/Customs registration identification information	14	RFF		RFF	M		
										<i>Path:</i> ORDERS.SG2.SG3.RFF(0170)	
233	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Financial institution and financial account information/ Financial institution name	13	FII	C088	3432	O	an..70	4545
										<i>Path:</i> ORDERS.SG2.FII.C088.3432(0150:030:07)	
234	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Financial institution and financial account information/ Financial institution division name	13	FII	C088	3436	O	an..70	45
										<i>Path:</i> ORDERS.SG2.FII.C088.3436(0150:030:08)	
235	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Financial institution and financial account information/ Financial account information/Financial account name	13	FII	C078	3192	O	an..35	L
										<i>Path:</i> ORDERS.SG2.FII.C078.3192(0150:020:02)	
236	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Ordered trade item logistical information/ Ultimate consignee party information/Financial institution and financial account information/ Financial account information/Financial account number	13	FII	C078	3194	R	an..35	L
										<i>Path:</i> ORDERS.SG2.FII.C078.3194(0150:020:01)	
237	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order/Ordered trade item logistical information/ Logistics services provider party information/	11	NAD	C082	3039	M	an..35	4012345500000
										<i>Path:</i> ORDERS.SG2.NAD.C082.3039(0130:020:01)	

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
238	BDTG00000577		0 .. 1	Global location number, GLN Additional party identification information <i>Path:</i> Order/Ordered trade item logistical information/ Logistics services provider party information/ Additional party identification information	14	RFF		RFF	M		<i>Path:</i> ORDERS.SG2.SG3.RFF(0170)
239	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Ordered trade item logistical information/ Logistics services provider party information/ Address information/City name	11	NAD		3164	D	an..35	A <i>Path:</i> ORDERS.SG2.NAD.3164(0130:060)
240	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Ordered trade item logistical information/ Logistics services provider party information/ Address information/County code	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)
241	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Ordered trade item logistical information/ Logistics services provider party information/ Address information/Party name	11	NAD	C080	3036	M	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C080.3036(0130:040:01)
242	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Ordered trade item logistical information/ Logistics services provider party information/ Address information/Post office box number	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042(0130:050:01)
243	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Ordered trade item logistical information/ Logistics services provider party information/ Address information/Postal code	11	NAD		3251	D	an..17	A <i>Path:</i> ORDERS.SG2.NAD.3251(0130:080)
244	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Ordered trade item logistical information/ Logistics services provider party information/ Address information/Province identity	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)
245	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Ordered trade item logistical information/	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				Logistics services provider party information/ Address information/State							
246	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Ordered trade item logistical information/ Logistics services provider party information/ Address information/Street address one	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042(0130:050:01)
247	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Ordered trade item logistical information/ Logistics services provider party information/ Address information/Street address two	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042#2(0130:050:02)
248	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Ordered trade item logistical information/ Logistics services provider party information/ Address information/Street address three	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042#3(0130:050:03)
249	BDTG00000179		0 .. 1	Country code <i>Path:</i> Order/Ordered trade item logistical information/ Logistics services provider party information/ Address information/Country code	11	NAD		3207	D	an..3	AD <i>Path:</i> ORDERS.SG2.NAD.3207(0130:090)
250	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Ordered trade item logistical information/ Logistics services provider party information/ Business contact information/Person name	16	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDERS.SG2.SG5.CTA.C056.3412(0230:020:02)
251	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Ordered trade item logistical information/ Logistics services provider party information/ Business contact information/Department name	16	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDERS.SG2.SG5.CTA.C056.3412(0230:020:02)
252	BDTG00000178		0 .. 1	Contact type code <i>Path:</i> Order/Ordered trade item logistical information/ Logistics services provider party information/ Business contact information/Contact type code	16	CTA		3139	R	an..3	OC <i>Path:</i> ORDERS.SG2.SG5.CTA.3139(0230:010)
253	BDTG00000175		1 .. 1	Communication channel code	17	COM	C076	3155	M	an..3	TE

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order/Ordered trade item logistical information/ Logistics services provider party information/ Business contact information/Communication information/Communication channel code							<i>Path:</i> ORDERS.SG2.SG5.COM.C076.3155(0240:010:02)
254	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Ordered trade item logistical information/ Logistics services provider party information/ Business contact information/Communication information/Communication channel identification	17	COM	C076	3148	M	an..512	0044715326652 <i>Path:</i> ORDERS.SG2.SG5.COM.C076.3148(0240:010:01)
255	BDTG00000585		1 .. 1	Tax registration identification information <i>Path:</i> Order/Ordered trade item logistical information/ Logistics services provider party information/Tax registration information/Tax registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDERS.SG2.SG3.RFF(0170)
256	BDTG00000621		1 .. 1	Customs registration identification information <i>Path:</i> Order/Ordered trade item logistical information/ Logistics services provider party information/ Customs duty registration information/Customs registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDERS.SG2.SG3.RFF(0170)
257	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Ordered trade item logistical information/ Logistics services provider party information/ Financial institution and financial account information/Financial institution name	13	FII	C088	3432	O	an..70	4545 <i>Path:</i> ORDERS.SG2.FII.C088.3432(0150:030:07)
258	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Ordered trade item logistical information/ Logistics services provider party information/ Financial institution and financial account information/Financial institution division name	13	FII	C088	3436	O	an..70	45 <i>Path:</i> ORDERS.SG2.FII.C088.3436(0150:030:08)
259	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Ordered trade item logistical information/	13	FII	C078	3192	O	an..35	L <i>Path:</i> ORDERS.SG2.FII.C078.3192(0150:020:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
260	BDT00000059	.. 80	1 .. 1	Logistics services provider party information/ Financial institution and financial account information/Financial account information/ Financial account name Financial account number <i>Path:</i> Order/Ordered trade item logistical information/ Logistics services provider party information/ Financial institution and financial account information/Financial account information/ Financial account number	13	FII	C078	3194	R	an..35	L <i>Path:</i> ORDERS.SG2.FII.C078.3194(0150:020:01)
261	BDTG00000291		0 .. 1	Requested delivery date time <i>Path:</i> Order/Ordered trade item logistical information/ Requested delivery date time information/ Requested delivery date time	5	DTM	C507	2380	R	an..35	19930830 <i>Path:</i> ORDERS.DTM.C507.2380(0030:010:02)
262	BDTG00000297		0 .. 1	Requested ship date time <i>Path:</i> Order/Ordered trade item logistical information/ Requested delivery date time information/ Requested ship date time	5	DTM	C507	2380	R	an..35	19930830 <i>Path:</i> ORDERS.DTM.C507.2380(0030:010:02)
263	BDTG00000290		0 .. 1	Requested date time for pick up <i>Path:</i> Order/Ordered trade item logistical information/ Requested delivery date time information/ Requested date time for pick up	5	DTM	C507	2380	R	an..35	19930830 <i>Path:</i> ORDERS.DTM.C507.2380(0030:010:02)
264	BDTG00000218		0 .. unbounded	Handling instruction code <i>Path:</i> Order/Ordered trade item logistical information/ Shipment transportation information/Handling instruction code	60	FTX	C107	4441	M	an..17	1E <i>Path:</i> ORDERS.SG28.FTX.C107.4441(1200:030:01)
265	BDTG00000351		0 .. 1	Transport means type code <i>Path:</i> Order/Ordered trade item logistical information/ Shipment transportation information/Transport means type code	26	TDT	C228	8179	D	an..8	23 <i>Path:</i> ORDERS.SG10.TDT.C228.8179(0420:040:01)
266	BDTG00000350		0 .. 1	Transport means identification	26	TDT	C222	8213	O	an..9	1

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order/Ordered trade item logistical information/ Shipment transportation information/Transport means identification							<i>Path:</i> ORDERS.SG10.TDT.C222.8213(0420:080:01)
267	BDTG00000352		0 .. 1	Transport mode code <i>Path:</i> Order/Ordered trade item logistical information/ Shipment transportation information/Transport mode code	26	TDT	C220	8067	R	an..3	100 <i>Path:</i> ORDERS.SG10.TDT.C220.8067(0420:030:01)
268	BDTG00000353		0 .. 1	Transport route identification <i>Path:</i> Order/Ordered trade item logistical information/ Shipment transportation information/Transport route identification	26	TDT		8028	O	an..17	1 <i>Path:</i> ORDERS.SG10.TDT.8028(0420:020)
269	BDT00000648	.. 70	1 .. 1	Handling instruction description content <i>Path:</i> Order/Ordered trade item logistical information/ Shipment transportation information/Handling instruction description/Handling instruction description content	60	FTX	C108	4440	M	an..512	1 <i>Path:</i> ORDERS.SG28.FTX.C108.4440(1200:040:01)
270	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order/Ordered trade item logistical information/ Shipment transportation information/Carrier party information/Global location number, GLN	26	TDT	C040	3127	A	an..17	1 <i>Path:</i> ORDERS.SG10.TDT.C040.3127(0420:050:01)
271	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Ordered trade item logistical information/ Shipment transportation information/Carrier party information/Address information/Party name	26	TDT	C040	3128	O	an..35	A <i>Path:</i> ORDERS.SG10.TDT.C040.3128(0420:050:04)
272	BDTG00000270		1 .. 1	Payment terms event code <i>Path:</i> Order/Payment terms information/Payment terms event code	22	PAT	C112	2475	M	an..3	1 <i>Path:</i> ORDERS.SG8.PAT.C112.2475(0340:030:01)
273	BDTG00000272		1 .. 1	Payment terms type code <i>Path:</i> Order/Payment terms information/Payment terms type code	22	PAT		4279	M	an..3	1 <i>Path:</i> ORDERS.SG8.PAT.4279(0340:010)
274	BDT00000767	.. 70	1 .. 1	Payment terms description content	22	PAT	C110	4276	O	an..35	1

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order/Payment terms information/Payment terms description/Payment terms description content							<i>Path:</i> ORDERS.SG8.PAT.C110.4276(0340:020:04)
275	BDT00000109		0 .. 1	Payment due date <i>Path:</i> Order/Payment terms information/Payment due information/Payment due date	23	DTM	C507	2380	R	an..35	19920101 <i>Path:</i> ORDERS.SG8.DTM.C507.2380(0350:010:02)
276	BDT00000651	.. 80	1 .. 1	Time period due code content <i>Path:</i> Order/Payment terms information/Payment due information/Time period due code/Time period due code content	22	PAT	C112	2152	O	n..3	1 <i>Path:</i> ORDERS.SG8.PAT.C112.2152(0340:030:04)
277	BDT00000651	.. 80	1 .. 1	Time period due code content <i>Path:</i> Order/Payment terms information/Payment due information/Time period due code/Time period due code content	23	DTM	C507	2380	R	an..35	19920101 <i>Path:</i> ORDERS.SG8.DTM.C507.2380(0350:010:02)
278	BDTG00000761		0 .. 1	Time period measurement unit code <i>Path:</i> Order/Payment terms information/Payment due information/Time period due code/Time period measurement unit code	22	PAT	C112	2151	O	an..3	D <i>Path:</i> ORDERS.SG8.PAT.C112.2151(0340:030:03)
279	BDT00000111		1 .. 1	Percent of payment due <i>Path:</i> Order/Payment terms information/Installment due information/Percent of payment due	24	PCD	C501	5482	R	n..10	1 <i>Path:</i> ORDERS.SG8.PCD.C501.5482(0360:010:02)
280	BDT00000109		0 .. 1	Payment due date <i>Path:</i> Order/Payment terms information/Installment due information/Payment time period/Payment due date	23	DTM	C507	2380	R	an..35	19920101 <i>Path:</i> ORDERS.SG8.DTM.C507.2380(0350:010:02)
281	BDTG00000330		0 .. 1	Time period due code <i>Path:</i> Order/Payment terms information/Installment due information/Payment time period/Time period due code	23	DTM	C507	2380	R	an..35	19920101 <i>Path:</i> ORDERS.SG8.DTM.C507.2380(0350:010:02)
282	BDT00000617	.. 80	1 .. 1	Settlement charge code content <i>Path:</i> Order/Charge information/Settlement charge code/Settlement charge code content	37	ALC		4471	O	an..3	1 <i>Path:</i> ORDERS.SG19.ALC.4471(0740:030)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
283	BDT00000018		0 .. 1	Charge percentage <i>Path:</i> Order/Charge information/Charge percentage	42	PCD	C501	5482	R	n..10	1 <i>Path:</i> ORDERS.SG19.SG21.PCD.C501.5482(0810:010:02)
284	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Order/Charge information/Calculation sequence number	37	ALC		1227	D	an..3	1 <i>Path:</i> ORDERS.SG19.ALC.1227(0740:040)
285	BDT00000620		1 .. 1	Charge monetary amount per unit content <i>Path:</i> Order/Charge information/Charge monetary amount per unit/Charge monetary amount per unit content	46	RTE	C128	5420	M	n..15	1 <i>Path:</i> ORDERS.SG19.SG23.RTE.C128.5420(0870:010:02)
286	BDT00000618	.. 80	1 .. 1	Charge type code content <i>Path:</i> Order/Charge information/Charge type code/Charge type code content	37	ALC	C552	5189	O	an..3	1 <i>Path:</i> ORDERS.SG19.ALC.C552.5189(0740:020:02)
287	BDTG00000168		0 .. 1	Charge monetary amount <i>Path:</i> Order/Charge information/Charge monetary amount	44	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDERS.SG19.SG22.MOA.C516.5004(0840:010:02)
288	BDTG00000164		0 .. 1	Charge basis monetary amount <i>Path:</i> Order/Charge information/Charge basis monetary amount	44	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDERS.SG19.SG22.MOA.C516.5004(0840:010:02)
289	BDT00000534	.. 80	1 .. 1	Special service type code content <i>Path:</i> Order/Charge information/Special service type code/Special service type code content	37	ALC	C214	7161	R	an..3	DDA <i>Path:</i> ORDERS.SG19.ALC.C214.7161(0740:050:01)
290	BDT00000537	.. 80	1 .. 1	Tax category code content <i>Path:</i> Order/Charge information/Applicable tax information/Tax category code/Tax category code content	48	TAX		5305	D	an..3	A <i>Path:</i> ORDERS.SG19.SG24.TAX.5305(0900:060)
291	BDT00000371		0 .. 1	Tax rate <i>Path:</i> Order/Charge information/Applicable tax information/Tax rate	48	TAX	C243	5278	O	an..17	1 <i>Path:</i> ORDERS.SG19.SG24.TAX.C243.5278(0900:050:04)
292	BDT00000377		0 .. 1	Tax point date <i>Path:</i> Order/Charge information/Applicable tax information/Tax point date	39	DTM	C507	2380	R	an..35	1 <i>Path:</i> ORDERS.SG19.DTM.C507.2380(0760:010:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
293	BDTG00000329		0 .. 1	Taxable monetary amount <i>Path:</i> Order/Charge information/Applicable tax information/Taxable monetary amount	49	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDERS.SG19.SG24.MOA.C516.5004(0910:010:02)
294	BDTG00000367		0 .. 1	Tax monetary amount <i>Path:</i> Order/Charge information/Applicable tax information/Tax monetary amount	49	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDERS.SG19.SG24.MOA.C516.5004(0910:010:02)
295	BDTG00000322		0 .. 1	Tax description <i>Path:</i> Order/Charge information/Applicable tax information/Tax description	48	TAX	C241	5152	O	an..35	1 <i>Path:</i> ORDERS.SG19.SG24.TAX.C241.5152(0900:020:04)
296	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Charge information/Applicable tax information/Tax type code/Tax type code content	48	TAX	C241	5153	O	an..3	GST <i>Path:</i> ORDERS.SG19.SG24.TAX.C241.5153(0900:020:01)
297	BDT00000006		0 .. 1	Allowance percentage <i>Path:</i> Order/Allowance information/Allowance percentage	42	PCD	C501	5482	R	n..10	1 <i>Path:</i> ORDERS.SG19.SG21.PCD.C501.5482(0810:010:02)
298	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Order/Allowance information/Calculation sequence number	37	ALC		1227	D	an..3	1 <i>Path:</i> ORDERS.SG19.ALC.1227(0740:040)
299	BDT00000531	.. 80	1 .. 1	Allowance type code content <i>Path:</i> Order/Allowance information/Allowance type code/Allowance type code content	37	ALC	C552	5189	O	an..3	1 <i>Path:</i> ORDERS.SG19.ALC.C552.5189(0740:020:02)
300	BDT00000532	.. 80	1 .. 1	Settlement allowance code content <i>Path:</i> Order/Allowance information/Settlement allowance code/Settlement allowance code content	37	ALC		4471	O	an..3	1 <i>Path:</i> ORDERS.SG19.ALC.4471(0740:030)
301	BDTG00000150		0 .. 1	Allowance monetary amount <i>Path:</i> Order/Allowance information/Allowance monetary amount	44	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDERS.SG19.SG22.MOA.C516.5004(0840:010:02)
302	BDT00000529		1 .. 1	Allowance monetary amount per unit content <i>Path:</i> Order/Allowance information/Allowance monetary amount per unit/Allowance monetary amount per	46	RTE	C128	5420	M	n..15	1 <i>Path:</i> ORDERS.SG19.SG23.RTE.C128.5420(0870:010:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
303	BDTG00000146		0 .. 1	unit content Allowance basis monetary amount <i>Path:</i> Order/Allowance information/Allowance basis monetary amount	44	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDERS.SG19.SG22.MOA.C516.5004(0840:010:02)
304	BDT00000534	.. 80	1 .. 1	Special service type code content <i>Path:</i> Order/Allowance information/Special service type code/Special service type code content	37	ALC	C214	7161	R	an..3	DDA <i>Path:</i> ORDERS.SG19.ALC.C214.7161(0740:050:01)
305	BDT00000537	.. 80	1 .. 1	Tax category code content <i>Path:</i> Order/Allowance information/Applicable tax information/Tax category code/Tax category code content	48	TAX		5305	D	an..3	A <i>Path:</i> ORDERS.SG19.SG24.TAX.5305(0900:060)
306	BDT00000371		0 .. 1	Tax rate <i>Path:</i> Order/Allowance information/Applicable tax information/Tax rate	48	TAX	C243	5278	O	an..17	1 <i>Path:</i> ORDERS.SG19.SG24.TAX.C243.5278(0900:050:04)
307	BDT00000377		0 .. 1	Tax point date <i>Path:</i> Order/Allowance information/Applicable tax information/Tax point date	39	DTM	C507	2380	R	an..35	1 <i>Path:</i> ORDERS.SG19.DTM.C507.2380(0760:010:02)
308	BDTG00000329		0 .. 1	Taxable monetary amount <i>Path:</i> Order/Allowance information/Applicable tax information/Taxable monetary amount	49	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDERS.SG19.SG24.MOA.C516.5004(0910:010:02)
309	BDTG00000367		0 .. 1	Tax monetary amount <i>Path:</i> Order/Allowance information/Applicable tax information/Tax monetary amount	49	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDERS.SG19.SG24.MOA.C516.5004(0910:010:02)
310	BDTG00000322		0 .. 1	Tax description <i>Path:</i> Order/Allowance information/Applicable tax information/Tax description	48	TAX	C241	5152	O	an..35	1 <i>Path:</i> ORDERS.SG19.SG24.TAX.C241.5152(0900:020:04)
311	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order/Allowance information/Applicable tax information/Tax type code/Tax type code content	48	TAX	C241	5153	O	an..3	GST <i>Path:</i> ORDERS.SG19.SG24.TAX.C241.5153(0900:020:01)
312	BDT00000056	.. 80	1 .. 1	Entity identification	9	RFF	C506	1154	R	an..70	12

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path: Order/Referenced related order information/ Entity identification</i>							<i>Path: ORDERS.SG1.RFF.C506.1154(0100:010:02)</i>
313	BDT00000047		0 .. 1	Business document creation date time <i>Path: Order/Referenced related order information/ Business document creation date time</i>	10	DTM	C507	2380	R	an..35	19930825 <i>Path: ORDERS.SG1.DTM.C507.2380(0110:010:02)</i>
314	BDT00000049	.. 6	0 .. 1	Document line number <i>Path: Order/Referenced related order information/ Document line number</i>	9	RFF	C506	1156	O	an..6	1 <i>Path: ORDERS.SG1.RFF.C506.1156(0100:010:03)</i>
315	BDTG00000244		1 .. 1	Notation <i>Path: Order/Structured notation information/Notation</i>	8	FTX	C108	4440	M	an..512	A <i>Path: ORDERS.FTX.C108.4440(0070:040:01)</i>
316	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path: Order/Referenced promotional deal information/ Entity identification</i>	9	RFF	C506	1154	R	an..70	12 <i>Path: ORDERS.SG1.RFF.C506.1154(0100:010:02)</i>
317	BDT00000047		0 .. 1	Business document creation date time <i>Path: Order/Referenced promotional deal information/ Business document creation date time</i>	10	DTM	C507	2380	R	an..35	19930825 <i>Path: ORDERS.SG1.DTM.C507.2380(0110:010:02)</i>
318	BDT00000049	.. 6	0 .. 1	Document line number <i>Path: Order/Referenced promotional deal information/ Document line number</i>	9	RFF	C506	1156	O	an..6	1 <i>Path: ORDERS.SG1.RFF.C506.1156(0100:010:03)</i>
319	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path: Order/Referenced quotation information/Entity identification</i>	9	RFF	C506	1154	R	an..70	12 <i>Path: ORDERS.SG1.RFF.C506.1154(0100:010:02)</i>
320	BDT00000047		0 .. 1	Business document creation date time <i>Path: Order/Referenced quotation information/ Business document creation date time</i>	10	DTM	C507	2380	R	an..35	19930825 <i>Path: ORDERS.SG1.DTM.C507.2380(0110:010:02)</i>
321	BDT00000049	.. 6	0 .. 1	Document line number <i>Path: Order/Referenced quotation information/ Document line number</i>	9	RFF	C506	1156	O	an..6	1 <i>Path: ORDERS.SG1.RFF.C506.1156(0100:010:03)</i>
322	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path: Order/Referenced contract information/Entity</i>	9	RFF	C506	1154	R	an..70	12 <i>Path: ORDERS.SG1.RFF.C506.1154(0100:010:02)</i>

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
323	BDT00000047		0 .. 1	identification Business document creation date time <i>Path:</i> Order/Referenced contract information/Business document creation date time	10	DTM	C507	2380	R	an..35	19930825
324	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Referenced contract information/Document line number	9	RFF	C506	1156	O	an..6	1
325	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order/Referenced customer document information/Entity identification	9	RFF	C506	1154	R	an..70	12
326	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order/Referenced customer document information/Business document creation date time	10	DTM	C507	2380	R	an..35	19930825
327	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Referenced customer document information/Document line number	9	RFF	C506	1156	O	an..6	1
328	BDT000000649		1 .. 1	Incoterms code content <i>Path:</i> Order/Delivery terms information/Incoterms code/Incoterms code content	29	TOD	C100	4053	R	an..3	CFR
329	BDT00000535	.. 80	1 .. 1	Alternative delivery terms code content <i>Path:</i> Order/Delivery terms information/Alternative delivery terms code/Alternative delivery terms code content	29	TOD	C100	4053	R	an..3	CFR
330	BDTG00000187		0 .. 1	Delivery instructions description <i>Path:</i> Order/Delivery terms information/Delivery instructions description	29	TOD	C100	4052	O	an..70	A
331	BDT00000701	.. 80	1 .. 1	Transport cost payment code content <i>Path:</i> Order/Delivery terms information/Transport cost payment code/Transport cost payment code content	29	TOD		4215	O	an..3	CC

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
332	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/Global location number GLN	30	LOC	C517	3225	A	an..25	ANTWERP <i>Path:</i> ORDERS.SG12.LOC.C517.3225(0480:020:01)
333	BDT00000088	.. 80	0 .. 1	Logistics location name <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/Logistics location name	30	LOC	C517	3224	O	an..256	A <i>Path:</i> ORDERS.SG12.LOC.C517.3224(0480:020:04)
334	BDTG00000358		0 .. 1	UN location code, UN/LOCODE <i>Path:</i> Order/Delivery terms information/Delivery terms for location information/UN location code, UN/LOCODE	30	LOC	C517	3225	A	an..25	ANTWERP <i>Path:</i> ORDERS.SG12.LOC.C517.3225(0480:020:01)
335	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order/Invoice processing party information/Global location number, GLN	11	NAD	C082	3039	M	an..35	4012345500000 <i>Path:</i> ORDERS.SG2.NAD.C082.3039(0130:020:01)
336	BDTG00000577		0 .. unbounded	Additional party identification information <i>Path:</i> Order/Invoice processing party information/Additional party identification information	14	RFF		RFF	M		<i>Path:</i> ORDERS.SG2.SG3.RFF(0170)
337	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Invoice processing party information/Address information/City name	11	NAD		3164	D	an..35	A <i>Path:</i> ORDERS.SG2.NAD.3164(0130:060)
338	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Invoice processing party information/Address information/County code	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)
339	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Invoice processing party information/Address information/Party name	11	NAD	C080	3036	M	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C080.3036(0130:040:01)
340	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Invoice processing party information/Address information/Post office box number	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDERS.SG2.NAD.C059.3042(0130:050:01)
341	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Invoice processing party information/	11	NAD		3251	D	an..17	A <i>Path:</i> ORDERS.SG2.NAD.3251(0130:080)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
342	BDT00000117	80 ..	0 .. 1	Address information/Postal code Province identity <i>Path:</i> Order/Invoice processing party information/ Address information/Province identity	11	NAD	C819	3229	O	an..9	A
											<i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)
343	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Invoice processing party information/ Address information/State	11	NAD	C819	3229	O	an..9	A
											<i>Path:</i> ORDERS.SG2.NAD.C819.3229(0130:070:01)
344	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Invoice processing party information/ Address information/Street address one	11	NAD	C059	3042	M	an..35	A
											<i>Path:</i> ORDERS.SG2.NAD.C059.3042(0130:050:01)
345	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order/Invoice processing party information/ Address information/Street address two	11	NAD	C059	3042	O	an..35	A
											<i>Path:</i> ORDERS.SG2.NAD.C059.3042#2(0130:050:02)
346	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order/Invoice processing party information/ Address information/Street address three	11	NAD	C059	3042	O	an..35	A
											<i>Path:</i> ORDERS.SG2.NAD.C059.3042#3(0130:050:03)
347	BDTG00000179		0 .. 1	Country code <i>Path:</i> Order/Invoice processing party information/ Address information/Country code	11	NAD		3207	D	an..3	AD
											<i>Path:</i> ORDERS.SG2.NAD.3207(0130:090)
348	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Invoice processing party information/ Business contact information/Person name	16	CTA	C056	3412	O	an..35	P FORGET
											<i>Path:</i> ORDERS.SG2.SG5.CTA.C056.3412(0230:020:02)
349	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Invoice processing party information/ Business contact information/Department name	16	CTA	C056	3412	O	an..35	P FORGET
											<i>Path:</i> ORDERS.SG2.SG5.CTA.C056.3412(0230:020:02)
350	BDTG00000178		0 .. 1	Contact type code <i>Path:</i> Order/Invoice processing party information/ Business contact information/Contact type code	16	CTA		3139	R	an..3	OC
											<i>Path:</i> ORDERS.SG2.SG5.CTA.3139(0230:010)
351	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Order/Invoice processing party information/	17	COM	C076	3155	M	an..3	TE
											<i>Path:</i> ORDERS.SG2.SG5.COM.C076.3155(0240:010:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
352	BDT00000032	.. 200	1 .. 1	Business contact information/Communication information/Communication channel code Communication channel identification <i>Path:</i> Order/Invoice processing party information/ Business contact information/Communication information/Communication channel identification	17	COM	C076	3148	M	an..512	0044715326652 <i>Path:</i> ORDERS.SG2.SG5.COM.C076.3148(0240:010:01)
353	BDTG00000585		1 .. 1	Tax registration identification information <i>Path:</i> Order/Invoice processing party information/Tax registration information/Tax registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDERS.SG2.SG3.RFF(0170)
354	BDTG00000621		1 .. 1	Customs registration identification information <i>Path:</i> Order/Invoice processing party information/ Customs duty registration information/Customs registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDERS.SG2.SG3.RFF(0170)
355	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order/Invoice processing party information/ Financial institution and financial account information/Financial institution name	13	FII	C088	3432	O	an..70	4545 <i>Path:</i> ORDERS.SG2.FII.C088.3432(0150:030:07)
356	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order/Invoice processing party information/ Financial institution and financial account information/Financial institution division name	13	FII	C088	3436	O	an..70	45 <i>Path:</i> ORDERS.SG2.FII.C088.3436(0150:030:08)
357	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order/Invoice processing party information/ Financial institution and financial account information/Financial account information/ Financial account name	13	FII	C078	3192	O	an..35	L <i>Path:</i> ORDERS.SG2.FII.C078.3192(0150:020:02)
358	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order/Invoice processing party information/ Financial institution and financial account information/Financial account information/	13	FII	C078	3194	R	an..35	L <i>Path:</i> ORDERS.SG2.FII.C078.3194(0150:020:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
359	BDT00000047		0 .. 1	Financial account number Business document creation date time <i>Path:</i> Order/Referenced additional information/ Business document creation date time	10	DTM	C507	2380	R	an..35	19930825 <i>Path:</i> ORDERS.SG1.DTM.C507.2380(0110:010:02)
360	BDT00000135	.. 200	1 .. 1	Business document reference identification <i>Path:</i> Order/Referenced additional information/ Business document reference identification	9	RFF	C506	1154	R	an..70	12 <i>Path:</i> ORDERS.SG1.RFF.C506.1154(0100:010:02)
361	BDTG00000186		0 .. 1	Delivery date according to schedule <i>Path:</i> Order/Delivery date according to schedule	5	DTM	C507	2380	R	an..35	19930830 <i>Path:</i> ORDERS.DTM.C507.2380(0030:010:02)
362	BDTG00000229		0 .. 1	Latest delivery date <i>Path:</i> Order/Latest delivery date	5	DTM	C507	2380	R	an..35	19930830 <i>Path:</i> ORDERS.DTM.C507.2380(0030:010:02)
363	BDTG00000332		0 .. 1	Total monetary net amount <i>Path:</i> Order/Total monetary net amount	95	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDERS.MOA.C516.5004(2340:010:02)
364	BDTG00000331		0 .. 1	Total monetary amount <i>Path:</i> Order/Total monetary amount	95	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDERS.MOA.C516.5004(2340:010:02)
365			0 .. 1	Business document line number <i>Path:</i> Order/Order line/Business document line number	50	LIN		1082	R	an..6	1 <i>Path:</i> ORDERS.SG28.LIN.1082(1040:010)
366	BDT00000105	.. 6	0 .. 1	Parent line item number <i>Path:</i> Order/Order line/Parent line item number	50	LIN	C829	1082	R	an..6	1 <i>Path:</i> ORDERS.SG28.LIN.C829.1082(1040:040:02)
367	BDT00000100	.. 35	0 .. 1	Order line item priority description <i>Path:</i> Order/Order line/Order line item priority description	60	FTX	C108	4440	M	an..512	1 <i>Path:</i> ORDERS.SG28.FTX.C108.4440(1200:040:01)
368	BDTG00000248		0 .. 1	Order instruction code <i>Path:</i> Order/Order line/Order instruction code	60	FTX	C108	4440	M	an..512	1 <i>Path:</i> ORDERS.SG28.FTX.C108.4440(1200:040:01)
369	BDTG00000253		0 .. 1	Order line item instruction code <i>Path:</i> Order/Order line/Order line item instruction code	60	FTX	C108	4440	M	an..512	1 <i>Path:</i> ORDERS.SG28.FTX.C108.4440(1200:040:01)
370	BDTG00000251		0 .. 1	Order line item instruction description <i>Path:</i> Order/Order line/Order line item instruction description	60	FTX	C108	4440	M	an..512	1 <i>Path:</i> ORDERS.SG28.FTX.C108.4440(1200:040:01)
371	BDT00000566		1 .. 1	Total requested quantity content	54	QTY	C186	6060	M	an..35	48

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path: Order/Order line/Total requested quantity/Total requested quantity content</i>							<i>Path: ORDERS.SG28.QTY.C186.6060(1080:010:02)</i>
372	BDTG00000608		0 .. 1	Measurement unit code <i>Path: Order/Order line/Total requested quantity/Measurement unit code</i>	54	QTY	C186	6411	D	an..3	H87 <i>Path: ORDERS.SG28.QTY.C186.6411(1080:010:03)</i>
373	BDT00000606		1 .. 1	Trade item net price content <i>Path: Order/Order line/Trade item net price/Trade item net price content</i>	61	PRI	C509	5118	R	n..15	14.58 <i>Path: ORDERS.SG28.SG32.PRI.C509.5118(1330:010:02)</i>
374	BDTG00000590		0 .. 1	Currency code <i>Path: Order/Order line/Trade item net price/Currency code</i>	62	CUX	C504	6345	R	an..3	GBP <i>Path: ORDERS.SG28.SG32.CUX.C504.6345(1340:010:02)</i>
375	BDT00000605		1 .. 1	Trade item list price content <i>Path: Order/Order line/Trade item list price/Trade item list price content</i>	61	PRI	C509	5118	R	n..15	14.58 <i>Path: ORDERS.SG28.SG32.PRI.C509.5118(1330:010:02)</i>
376	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path: Order/Order line/Trade item list price/Currency code/Currency code content</i>	62	CUX	C504	6345	R	an..3	GBP <i>Path: ORDERS.SG28.SG32.CUX.C504.6345(1340:010:02)</i>
377	BDT00000660		1 .. 1	Line item net monetary amount content <i>Path: Order/Order line/Line item net monetary amount/Line item net monetary amount content</i>	57	MOA	C516	5004	R	n..35	1253.42 <i>Path: ORDERS.SG28.MOA.C516.5004(1120:010:02)</i>
378	BDT00000667		1 .. 1	Monetary amount excluding all taxes content <i>Path: Order/Order line/Monetary amount excluding all taxes/Monetary amount excluding all taxes content</i>	57	MOA	C516	5004	R	n..35	1253.42 <i>Path: ORDERS.SG28.MOA.C516.5004(1120:010:02)</i>
379	BDT00000668		1 .. 1	Monetary amount including all taxes content <i>Path: Order/Order line/Monetary amount including all taxes/Monetary amount including all taxes content</i>	57	MOA	C516	5004	R	n..35	1253.42 <i>Path: ORDERS.SG28.MOA.C516.5004(1120:010:02)</i>
380	BDT00000414		1 .. 1	Trade item price base quantity content <i>Path: Order/Order line/Trade item price base quantity/Trade item price base quantity content</i>	61	PRI	C509	5284	D	n..9	1 <i>Path: ORDERS.SG28.SG32.PRI.C509.5284(1330:010:05)</i>

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
381	BDTG00000608		0 .. 1	Measurement unit code <i>Path:</i> Order/Order line/Trade item price base quantity/Measurement unit code	61	PRI	C509	6411	D	an..3	001 <i>Path:</i> ORDERS.SG28.SG32.PRI.C509.6411(1330:010:06)
382	BDT00000711		1 .. 1	Free goods quantity content <i>Path:</i> Order/Order line/Free goods quantity/Free goods quantity content	54	QTY	C186	6060	M	an..35	48 <i>Path:</i> ORDERS.SG28.QTY.C186.6060(1080:010:02)
383	BDTG00000608		0 .. 1	Measurement unit code <i>Path:</i> Order/Order line/Free goods quantity/Measurement unit code	54	QTY	C186	6411	D	an..3	H87 <i>Path:</i> ORDERS.SG28.QTY.C186.6411(1080:010:03)
384	BDT00000670	.. 70	1 .. 1	Notation content <i>Path:</i> Order/Order line/Notation/Notation content	60	FTX	C108	4440	M	an..512	1 <i>Path:</i> ORDERS.SG28.FTX.C108.4440(1200:040:01)
385	BDT00000066	14 .. 14	0 .. 1	Global trade item number, GTIN <i>Path:</i> Order/Order line/Requested trade item information/Global trade item number, GTIN	50	LIN	C212	7140	R	an..35	4000862141404 <i>Path:</i> ORDERS.SG28.LIN.C212.7140(1040:030:01)
386	BDT00000516	.. 80	1 .. 1	Additional trade item identification content <i>Path:</i> Order/Order line/Requested trade item information/Additional trade item identification/Additional trade item identification content	51	PIA	C212	7140	R	an..35	ABC <i>Path:</i> ORDERS.SG28.PIA.C212.7140(1050:020:01)
387	BDTG00000519		0 .. unbounded	Additional trade item identification type code <i>Path:</i> Order/Order line/Requested trade item information/Additional trade item identification/Additional trade item identification type code	51	PIA	C212	7143	R	an..3	IN <i>Path:</i> ORDERS.SG28.PIA.C212.7143(1050:020:02)
388	BDT00000684	.. 70	1 .. 1	Trade item description content <i>Path:</i> Order/Order line/Requested trade item information/Trade item description/Trade item description content	52	IMD	C273	7008	O	an..256	OXO <i>Path:</i> ORDERS.SG28.IMD.C273.7008(1060:030:04)
389	BDTG00000523		0 .. 1	Language code <i>Path:</i> Order/Order line/Requested trade item information/Trade item description/Language code	52	IMD	C273	3453	O	an..3	AA <i>Path:</i> ORDERS.SG28.IMD.C273.3453(1060:030:06)
390	BDTG00000226		0 .. 1	Item type code	52	IMD	C273	7009	O	an..17	CU

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order/Order line/Requested trade item information/Item type code							<i>Path:</i> ORDERS.SG28.IMD.C273.7009(1060:030:01)
391	BDT00000007		0 .. 1	Available for sale date <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Available for sale date	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDERS.SG28.DTM.C507.2380(1110:010:02)
392	BDT00000008	.. 80	0 .. 1	Batch number <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/ Batch number	58	GIN	C208	7402	M	an..35	1 <i>Path:</i> ORDERS.SG28.GIN.C208.7402(1140:020:01)
393	BDT00000011		0 .. 1	Best before date <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Best before date	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDERS.SG28.DTM.C507.2380(1110:010:02)
394	BDTG00000180		0 .. 1	Country of origin <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/ Country of origin	55	ALI		3239	O	an..3	AD <i>Path:</i> ORDERS.SG28.ALI.3239(1100:010)
395	BDT00000057		0 .. 1	Expiration date <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/ Expiration date	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDERS.SG28.DTM.C507.2380(1110:010:02)
396	BDT00000104		0 .. 1	Packaging date <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/ Packaging date	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDERS.SG28.DTM.C507.2380(1110:010:02)
397	BDT00000116		0 .. 1	Production date <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/ Production date	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDERS.SG28.DTM.C507.2380(1110:010:02)
398	BDT00000120		0 .. 1	Sell by date	56	DTM	C507	2380	R	an..35	19930910

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Sell by date							<i>Path:</i> ORDERS.SG28.DTM.C507.2380(1110:010:02)
399	BDT00000121	.. 20	0 .. unbounded	Serial number <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Serial number	58	GIN	C208	7402	M	an..35	1 <i>Path:</i> ORDERS.SG28.GIN.C208.7402(1140:020:01)
400	BDT00000122	.. 80	0 .. 1	Shelf life <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Shelf life	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDERS.SG28.DTM.C507.2380(1110:010:02)
401	BDT00000663	.. 80	1 .. 1	Packaging terms and conditions code content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Packaging terms and conditions code/Packaging terms and conditions code content	66	PAC	C531	7073	O	an..3	1 <i>Path:</i> ORDERS.SG28.SG34.PAC.C531.7073(1440:020:03)
402	BDT00000664	.. 80	1 .. 1	Package type code content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Package type code/Package type code content	66	PAC	C202	7065	A	an..17	CS <i>Path:</i> ORDERS.SG28.SG34.PAC.C202.7065(1440:030:01)
403	BDT00000665	.. 80	1 .. 1	Returnable package return transport payment code content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Returnable package return transport payment code/Returnable package return transport payment code content	66	PAC	C532	8395	O	an..3	1 <i>Path:</i> ORDERS.SG28.SG34.PAC.C532.8395(1440:050:01)
404	BDT00000728		1 .. 1	Trade item weight content	53	MEA	C174	6314	O	an..18	1

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content							<i>Path:</i> ORDERS.SG28.MEA.C174.6314(1070:030:02)
405	BDTG00000608		0 .. 1	Measurement unit code <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item weight information/Measurement unit code	53	MEA	C174	6411	M	an..3	KGM <i>Path:</i> ORDERS.SG28.MEA.C174.6411(1070:030:01)
406	BDTG00000237		1 .. 1	Measurement type code <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item weight information/Measurement type code	53	MEA	C502	6313	A	an..3	A <i>Path:</i> ORDERS.SG28.MEA.C502.6313(1070:020:01)
407	BDT00000752		1 .. 1	Trade item volume content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item volume information/Trade item volume content	53	MEA	C174	6314	O	an..18	1 <i>Path:</i> ORDERS.SG28.MEA.C174.6314(1070:030:02)
408	BDTG00000608		1 .. 1	Measurement unit code <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item volume information/Measurement unit code	53	MEA	C174	6411	M	an..3	KGM <i>Path:</i> ORDERS.SG28.MEA.C174.6411(1070:030:01)
409	BDTG00000237		1 .. 1	Measurement type code <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item volume information/Measurement type code	53	MEA	C502	6313	A	an..3	A <i>Path:</i> ORDERS.SG28.MEA.C502.6313(1070:020:01)
410	BDT00000092		0 .. 1	Maximum value <i>Path:</i> Order/Order line/Requested trade item	58	GIN	C208	7402	O	an..35	ABC <i>Path:</i> ORDERS.SG28.GIN.C208.7402#2(1140:020:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
411	BDT00000094		0 .. 1	information/Dynamic trade item information/ Serial number range/Maximum value Minimum value <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/ Serial number range/Minimum value	58	GIN	C208	7402	M	an..35	1 <i>Path:</i> ORDERS.SG28.GIN.C208.7402(1140:020:01)
412	BDT000000661		1 .. 1	Depth measurement content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/ Trade item measurements information/Depth measurement/Depth measurement content	53	MEA	C174	6314	O	an..18	1 <i>Path:</i> ORDERS.SG28.MEA.C174.6314(1070:030:02)
413	BDTG000000608		0 .. 1	Measurement unit code <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/ Trade item measurements information/Depth measurement/Measurement unit code	53	MEA	C174	6411	M	an..3	KGM <i>Path:</i> ORDERS.SG28.MEA.C174.6411(1070:030:01)
414	BDT000000650		1 .. 1	Height measurement content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/ Trade item measurements information/Height measurement/Height measurement content	53	MEA	C174	6314	O	an..18	1 <i>Path:</i> ORDERS.SG28.MEA.C174.6314(1070:030:02)
415	BDTG000000608		0 .. 1	Measurement unit code <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/ Trade item measurements information/Height measurement/Measurement unit code	53	MEA	C174	6411	M	an..3	KGM <i>Path:</i> ORDERS.SG28.MEA.C174.6411(1070:030:01)
416	BDT000000662		1 .. 1	Width measurement content <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/ Trade item measurements information/Width measurement/Width measurement content	53	MEA	C174	6314	O	an..18	1 <i>Path:</i> ORDERS.SG28.MEA.C174.6314(1070:030:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
417	BDTG00000608		0 .. 1	Measurement unit code <i>Path:</i> Order/Order line/Requested trade item information/Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code	53	MEA	C174	6411	M	an..3	KGM <i>Path:</i> ORDERS.SG28.MEA.C174.6411(1070:030:01)
418	BDT00000006		0 .. 1	Allowance percentage <i>Path:</i> Order/Order line/Allowance information/Allowance percentage	85	PCD	C501	5482	R	n..10	1 <i>Path:</i> ORDERS.SG28.SG43.SG45.PCD.C501.5482(1860:010:02)
419	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Order/Order line/Allowance information/Calculation sequence number	80	ALC		1227	O	an..3	1 <i>Path:</i> ORDERS.SG28.SG43.ALC.1227(1790:040)
420	BDTG00000153		1 .. 1	Allowance type code <i>Path:</i> Order/Order line/Allowance information/Allowance type code	80	ALC	C552	5189	O	an..3	1 <i>Path:</i> ORDERS.SG28.SG43.ALC.C552.5189(1790:020:02)
421	BDTG00000308		1 .. 1	Settlement allowance code <i>Path:</i> Order/Order line/Allowance information/Settlement allowance code	80	ALC		4471	O	an..3	1 <i>Path:</i> ORDERS.SG28.SG43.ALC.4471(1790:030)
422	BDTG00000150		0 .. 1	Allowance monetary amount <i>Path:</i> Order/Order line/Allowance information/Allowance monetary amount	87	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDERS.SG28.SG43.SG46.MOA.C516.5004(1890:010:02)
423	BDT00000529		1 .. 1	Allowance monetary amount per unit content <i>Path:</i> Order/Order line/Allowance information/Allowance monetary amount per unit/Allowance monetary amount per unit content	57	MOA	C516	5004	R	n..35	1253.42 <i>Path:</i> ORDERS.SG28.MOA.C516.5004(1120:010:02)
424	BDTG00000146		0 .. 1	Allowance basis monetary amount <i>Path:</i> Order/Order line/Allowance information/Allowance basis monetary amount	87	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDERS.SG28.SG43.SG46.MOA.C516.5004(1890:010:02)
425	BDTG00000318		0 .. 1	Special service type code <i>Path:</i> Order/Order line/Allowance information/Special service type code	80	ALC	C214	7161	R	an..3	AA <i>Path:</i> ORDERS.SG28.SG43.ALC.C214.7161(1790:050:01)
426	BDT00000537	.. 80	1 .. 1	Tax category code content	91	TAX		5305	D	an..3	A

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order/Order line/Allowance information/ Applicable tax information/Tax category code/Tax category code content							<i>Path:</i> ORDERS.SG28.SG43.SG48.TAX.5305(1950:060)
427	BDT00000371		0 .. 1	Tax rate <i>Path:</i> Order/Order line/Allowance information/ Applicable tax information/Tax rate	91	TAX	C243	5278	R	an..17	1 <i>Path:</i> ORDERS.SG28.SG43.SG48.TAX.C243.5278(1950:050:04)
428	BDT00000377		0 .. 1	Tax point date <i>Path:</i> Order/Order line/Allowance information/ Applicable tax information/Tax point date	82	DTM	C507	2380	R	an..35	19930101 <i>Path:</i> ORDERS.SG28.SG43.DTM.C507.2380(1810:010:02)
429	BDTG00000329		0 .. 1	Taxable monetary amount <i>Path:</i> Order/Order line/Allowance information/ Applicable tax information/Taxable monetary amount	87	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDERS.SG28.SG43.SG46.MOA.C516.5004(1890:010:02)
430	BDTG00000367		0 .. 1	Tax monetary amount <i>Path:</i> Order/Order line/Allowance information/ Applicable tax information/Tax monetary amount	87	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDERS.SG28.SG43.SG46.MOA.C516.5004(1890:010:02)
431	BDTG00000322		0 .. 1	Tax description <i>Path:</i> Order/Order line/Allowance information/ Applicable tax information/Tax description	91	TAX	C241	5152	O	an..35	1 <i>Path:</i> ORDERS.SG28.SG43.SG48.TAX.C241.5152(1950:020:04)
432	BDTG00000328		0 .. 1	Tax type code <i>Path:</i> Order/Order line/Allowance information/ Applicable tax information/Tax type code	91	TAX	C241	5153	O	an..3	VAT <i>Path:</i> ORDERS.SG28.SG43.SG48.TAX.C241.5153(1950:020:01)
433	BDTG00000309		1 .. 1	Settlement charge code <i>Path:</i> Order/Order line/Charge information/Settlement charge code	80	ALC		4471	O	an..3	1 <i>Path:</i> ORDERS.SG28.SG43.ALC.4471(1790:030)
434	BDT00000018		0 .. 1	Charge percentage <i>Path:</i> Order/Order line/Charge information/Charge percentage	85	PCD	C501	5482	R	n..10	1 <i>Path:</i> ORDERS.SG28.SG43.SG45.PCD.C501.5482(1860:010:02)
435	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Order/Order line/Charge information/Calculation sequence number	80	ALC		1227	O	an..3	1 <i>Path:</i> ORDERS.SG28.SG43.ALC.1227(1790:040)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
436	BDTG00000171		1 .. 1	Charge type code <i>Path:</i> Order/Order line/Charge information/Charge type code	80	ALC	C552	5189	O	an..3	1 <i>Path:</i> ORDERS.SG28.SG43.ALC.C552.5189(1790:020:02)
437	BDTG00000168		0 .. 1	Charge monetary amount <i>Path:</i> Order/Order line/Charge information/Charge monetary amount	87	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDERS.SG28.SG43.SG46.MOA.C516.5004(1890:010:02)
438	BDTG00000164		0 .. 1	Charge basis monetary amount <i>Path:</i> Order/Order line/Charge information/Charge basis monetary amount	87	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDERS.SG28.SG43.SG46.MOA.C516.5004(1890:010:02)
439	BDTG00000318		0 .. 1	Special service type code <i>Path:</i> Order/Order line/Charge information/Special service type code	80	ALC	C214	7161	R	an..3	AA <i>Path:</i> ORDERS.SG28.SG43.ALC.C214.7161(1790:050:01)
440	BDTG00000321		0 .. 1	Tax category code <i>Path:</i> Order/Order line/Charge information/Applicable tax information/Tax category code	91	TAX		5305	D	an..3	A <i>Path:</i> ORDERS.SG28.SG43.SG48.TAX.5305(1950:060)
441	BDT00000371		0 .. 1	Tax rate <i>Path:</i> Order/Order line/Charge information/Applicable tax information/Tax rate	91	TAX	C243	5278	R	an..17	1 <i>Path:</i> ORDERS.SG28.SG43.SG48.TAX.C243.5278(1950:050:04)
442	BDT00000377		0 .. 1	Tax point date <i>Path:</i> Order/Order line/Charge information/Applicable tax information/Tax point date	82	DTM	C507	2380	R	an..35	19930101 <i>Path:</i> ORDERS.SG28.SG43.DTM.C507.2380(1810:010:02)
443	BDTG00000329		0 .. 1	Taxable monetary amount <i>Path:</i> Order/Order line/Charge information/Applicable tax information/Taxable monetary amount	87	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDERS.SG28.SG43.SG46.MOA.C516.5004(1890:010:02)
444	BDTG00000367		0 .. 1	Tax monetary amount <i>Path:</i> Order/Order line/Charge information/Applicable tax information/Tax monetary amount	87	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDERS.SG28.SG43.SG46.MOA.C516.5004(1890:010:02)
445	BDTG00000322		0 .. 1	Tax description <i>Path:</i> Order/Order line/Charge information/Applicable tax information/Tax description	91	TAX	C241	5152	O	an..35	1 <i>Path:</i> ORDERS.SG28.SG43.SG48.TAX.C241.5152(1950:020:04)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
446	BDTG00000328		0 .. 1	Tax type code <i>Path:</i> Order/Order line/Charge information/Applicable tax information/Tax type code	91	TAX	C241	5153	O	an..3	VAT <i>Path:</i> ORDERS.SG28.SG43.SG48.TAX.C241.5153(1950:020:01)
447	BDT00000687	.. 80	1 .. 1	Transport means type code content <i>Path:</i> Order/Order line/Shipment transportation information/Transport means type code/Transport means type code content	93	TDT	C228	8179	D	an..8	1 <i>Path:</i> ORDERS.SG28.SG49.TDT.C228.8179(1980:040:01)
448	BDT00000625	.. 80	0 .. 1	Transport means identification content <i>Path:</i> Order/Order line/Shipment transportation information/Transport means identification/Transport means identification content	93	TDT	C222	8213	O	an..9	A <i>Path:</i> ORDERS.SG28.SG49.TDT.C222.8213(1980:080:01)
449	BDT00000688	.. 80	1 .. 1	Transport mode code content <i>Path:</i> Order/Order line/Shipment transportation information/Transport mode code/Transport mode code content	93	TDT	C220	8067	R	an..3	100 <i>Path:</i> ORDERS.SG28.SG49.TDT.C220.8067(1980:030:01)
450	BDT00000626	.. 80	1 .. 1	Transport route identification content <i>Path:</i> Order/Order line/Shipment transportation information/Transport route identification/Transport route identification content	93	TDT		8028	O	an..17	1 <i>Path:</i> ORDERS.SG28.SG49.TDT.8028(1980:020)
451	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Global location number, GLN	93	TDT	C040	3127	A	an..17	1 <i>Path:</i> ORDERS.SG28.SG49.TDT.C040.3127(1980:050:01)
452	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Order line/Shipment transportation information/Carrier party information/Address information/Party name	93	TDT	C040	3128	O	an..35	A <i>Path:</i> ORDERS.SG28.SG49.TDT.C040.3128(1980:050:04)
453	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Global location number GLN	77	NAD	C082	3039	M	an..35	5412345000013 <i>Path:</i> ORDERS.SG28.SG39.NAD.C082.3039(1660:020:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
454	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/City name	77	NAD		3164	D	an..35	A <i>Path:</i> ORDERS.SG28.SG39.NAD.3164(1660:060)
455	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/County code	77	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDERS.SG28.SG39.NAD.C819.3229(1660:070:01)
456	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/Party name	77	NAD	C080	3036	M	an..35	A <i>Path:</i> ORDERS.SG28.SG39.NAD.C080.3036(1660:040:01)
457	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/Post office box number	77	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDERS.SG28.SG39.NAD.C059.3042(1660:050:01)
458	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/Postal code	77	NAD		3251	D	an..17	A <i>Path:</i> ORDERS.SG28.SG39.NAD.3251(1660:080)
459	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/Province identity	77	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDERS.SG28.SG39.NAD.C819.3229(1660:070:01)
460	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/State	77	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDERS.SG28.SG39.NAD.C819.3229(1660:070:01)
461	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order/Order line/Ultimate customer delivery	77	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDERS.SG28.SG39.NAD.C059.3042(1660:050:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
462	BDT00000130	.. 200	0 .. 1	information/Ultimate customer party information/Address information/Street address one Street address two <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address two	77	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDERS.SG28.SG39.NAD.C059.3042#2(1660:050:02)
463	BDT00000129	.. 200	0 .. 1	information/Ultimate customer party information/Address information/Street address two Street address three <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address three	77	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDERS.SG28.SG39.NAD.C059.3042#3(1660:050:03)
464	BDTG00000179		0 .. 1	Country code <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Address information/Country code	77	NAD		3207	D	an..3	GB <i>Path:</i> ORDERS.SG28.SG39.NAD.3207(1660:090)
465	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Person name	78	CTA	C056	3412	O	an..35	1 <i>Path:</i> ORDERS.SG28.SG39.SG42.CTA.C056.3412(1760:020:02)
466	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/ Department name	78	CTA	C056	3412	O	an..35	1 <i>Path:</i> ORDERS.SG28.SG39.SG42.CTA.C056.3412(1760:020:02)
467	BDTG00000178		0 .. 1	Contact type code <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Contact	78	CTA		3139	R	an..3	IC <i>Path:</i> ORDERS.SG28.SG39.SG42.CTA.3139(1760:010)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
468	BDTG00000175		1 .. 1	type code Communication channel code <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication information/Communication channel code	79	COM	C076	3155	M	an..3	EM <i>Path:</i> ORDERS.SG28.SG39.SG42.COM.C076.3155(1770:010:02)
469	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order/Order line/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication information/Communication channel identification	79	COM	C076	3148	M	an..512	1 <i>Path:</i> ORDERS.SG28.SG39.SG42.COM.C076.3148(1770:010:01)
470	BDTG00000186		0 .. 1	Delivery date according to schedule <i>Path:</i> Order/Order line/Delivery date according to schedule	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDERS.SG28.DTM.C507.2380(1110:010:02)
471	BDTG00000229		0 .. 1	Latest delivery date <i>Path:</i> Order/Order line/Latest delivery date	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDERS.SG28.DTM.C507.2380(1110:010:02)
472	BDT00000065	.. 29	0 .. 1	Global returnable asset identifier, GRAI <i>Path:</i> Order/Order line/Returnable asset identification information/Global returnable asset identifier, GRAI	71	GIN	C208	7402	M	an..35	1 <i>Path:</i> ORDERS.SG28.SG34.SG36.GIN.C208.7402(1550:020:01)
473	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order/Order line/Referenced promotional deal information/Entity identification	64	RFF	C506	1154	R	an..70	123 <i>Path:</i> ORDERS.SG28.SG33.RFF.C506.1154(1390:010:02)
474	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order/Order line/Referenced promotional deal information/Business document creation date time	65	DTM	C507	2380	R	an..35	19930831 <i>Path:</i> ORDERS.SG28.SG33.DTM.C507.2380(1400:010:02)
475	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Order line/Referenced promotional deal	64	RFF	C506	1156	O	an..6	1 <i>Path:</i> ORDERS.SG28.SG33.RFF.C506.1156(1390:010:03)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
476	BDT00000056	.. 80	1 .. 1	information/Document line number Entity identification <i>Path:</i> Order/Order line/Referenced purchase conditions information/Entity identification	64	RFF	C506	1154	R	an..70	123 <i>Path:</i> ORDERS.SG28.SG33.RFF.C506.1154(1390:010:02)
477	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order/Order line/Referenced purchase conditions information/Business document creation date time	65	DTM	C507	2380	R	an..35	19930831 <i>Path:</i> ORDERS.SG28.SG33.DTM.C507.2380(1400:010:02)
478	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Order line/Referenced purchase conditions information/Document line number	64	RFF	C506	1156	O	an..6	1 <i>Path:</i> ORDERS.SG28.SG33.RFF.C506.1156(1390:010:03)
479	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order/Order line/Referenced material specification information/Entity identification	64	RFF	C506	1154	R	an..70	123 <i>Path:</i> ORDERS.SG28.SG33.RFF.C506.1154(1390:010:02)
480	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order/Order line/Referenced material specification information/Business document creation date time	65	DTM	C507	2380	R	an..35	19930831 <i>Path:</i> ORDERS.SG28.SG33.DTM.C507.2380(1400:010:02)
481	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Order line/Referenced material specification information/Document line number	64	RFF	C506	1156	O	an..6	1 <i>Path:</i> ORDERS.SG28.SG33.RFF.C506.1156(1390:010:03)
482	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order/Order line/Referenced contract information/Entity identification	64	RFF	C506	1154	R	an..70	123 <i>Path:</i> ORDERS.SG28.SG33.RFF.C506.1154(1390:010:02)
483	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order/Order line/Referenced contract information/Business document creation date time	65	DTM	C507	2380	R	an..35	19930831 <i>Path:</i> ORDERS.SG28.SG33.DTM.C507.2380(1400:010:02)
484	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Order line/Referenced contract information/Document line number	64	RFF	C506	1156	O	an..6	1 <i>Path:</i> ORDERS.SG28.SG33.RFF.C506.1156(1390:010:03)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
485	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order/Order line/Referenced despatch advice information/Entity identification	64	RFF	C506	1154	R	an..70	123 <i>Path:</i> ORDERS.SG28.SG33.RFF.C506.1154(1390:010:02)
486	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order/Order line/Referenced despatch advice information/Business document creation date time	65	DTM	C507	2380	R	an..35	19930831 <i>Path:</i> ORDERS.SG28.SG33.DTM.C507.2380(1400:010:02)
487	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Order line/Referenced despatch advice information/Document line number	64	RFF	C506	1156	O	an..6	1 <i>Path:</i> ORDERS.SG28.SG33.RFF.C506.1156(1390:010:03)
488	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order/Order line/Referenced customer document information/Entity identification	64	RFF	C506	1154	R	an..70	123 <i>Path:</i> ORDERS.SG28.SG33.RFF.C506.1154(1390:010:02)
489	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order/Order line/Referenced customer document information/Business document creation date time	65	DTM	C507	2380	R	an..35	19930831 <i>Path:</i> ORDERS.SG28.SG33.DTM.C507.2380(1400:010:02)
490	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Order line/Referenced customer document information/Document line number	64	RFF	C506	1156	O	an..6	1 <i>Path:</i> ORDERS.SG28.SG33.RFF.C506.1156(1390:010:03)
491	BDTG00000321		0 .. 1	Tax category code <i>Path:</i> Order/Order line/Applicable tax information/Tax category code	75	TAX		5305	D	an..3	S <i>Path:</i> ORDERS.SG28.SG38.TAX.5305(1620:060)
492	BDT00000371		0 .. 1	Tax rate <i>Path:</i> Order/Order line/Applicable tax information/Tax rate	75	TAX	C243	5278	R	an..17	12.5 <i>Path:</i> ORDERS.SG28.SG38.TAX.C243.5278(1620:050:04)
493	BDTG00000329		0 .. 1	Taxable monetary amount <i>Path:</i> Order/Order line/Applicable tax information/Taxable monetary amount	76	MOA	C516	5004	R	n..35	32.43 <i>Path:</i> ORDERS.SG28.SG38.MOA.C516.5004(1630:010:02)
494	BDTG00000367		0 .. 1	Tax monetary amount <i>Path:</i> Order/Order line/Applicable tax information/Tax	76	MOA	C516	5004	R	n..35	32.43 <i>Path:</i> ORDERS.SG28.SG38.MOA.C516.5004(1630:010:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
495	BDTG00000322		0 .. 1	monetary amount Tax description <i>Path:</i> Order/Order line/Applicable tax information/Tax description	75	TAX	C241	5152	O	an..35	1 <i>Path:</i> ORDERS.SG28.SG38.TAX.C241.5152(1620:020:04)
496	BDTG00000328		0 .. 1	Tax type code <i>Path:</i> Order/Order line/Applicable tax information/Tax type code	75	TAX	C241	5153	O	an..3	VAT <i>Path:</i> ORDERS.SG28.SG38.TAX.C241.5153(1620:020:01)
497	BDTG00000777		0 .. 1	Duty regime type code <i>Path:</i> Order/Order line/Applicable customs duty information/Duty regime type code	55	ALI		9213	O	an..3	1 <i>Path:</i> ORDERS.SG28.ALI.9213(1100:020)
498	BDTG00000321		0 .. 1	Tax category code <i>Path:</i> Order/Order line/Applicable customs duty information/Tax category code	75	TAX		5305	D	an..3	S <i>Path:</i> ORDERS.SG28.SG38.TAX.5305(1620:060)
499	BDTG00000374		0 .. 1	Customs duty rate <i>Path:</i> Order/Order line/Applicable customs duty information/Customs duty rate	75	TAX	C243	5278	R	an..17	12.5 <i>Path:</i> ORDERS.SG28.SG38.TAX.C243.5278(1620:050:04)
500	BDTG00000329		0 .. 1	Taxable monetary amount <i>Path:</i> Order/Order line/Applicable customs duty information/Taxable monetary amount	76	MOA	C516	5004	R	n..35	32.43 <i>Path:</i> ORDERS.SG28.SG38.MOA.C516.5004(1630:010:02)
501	BDTG00000367		0 .. 1	Tax monetary amount <i>Path:</i> Order/Order line/Applicable customs duty information/Tax monetary amount	76	MOA	C516	5004	R	n..35	32.43 <i>Path:</i> ORDERS.SG28.SG38.MOA.C516.5004(1630:010:02)
502	BDTG00000322		0 .. 1	Tax description <i>Path:</i> Order/Order line/Applicable customs duty information/Tax description	75	TAX	C241	5152	O	an..35	1 <i>Path:</i> ORDERS.SG28.SG38.TAX.C241.5152(1620:020:04)
503	BDTG00000378		0 .. 1	Customs duty description <i>Path:</i> Order/Order line/Applicable customs duty information/Customs duty description	75	TAX	C241	5152	O	an..35	1 <i>Path:</i> ORDERS.SG28.SG38.TAX.C241.5152(1620:020:04)
504	BDTG00000373		0 .. 1	Customs duty and import tax monetary amount <i>Path:</i> Order/Order line/Applicable customs duty	76	MOA	C516	5004	R	n..35	32.43 <i>Path:</i> ORDERS.SG28.SG38.MOA.C516.5004(1630:010:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				information/Customs duty and import tax monetary amount							
505	BDTG00000179		0 .. 1	Country code <i>Path:</i> Order/Order line/Applicable customs duty information/Country code	55	ALI		3239	O	an..3	AD <i>Path:</i> ORDERS.SG28.ALI.3239(1100:010)
506	BDTG00000328		0 .. 1	Tax type code <i>Path:</i> Order/Order line/Applicable customs duty information/Tax type code	75	TAX	C241	5153	O	an..3	VAT <i>Path:</i> ORDERS.SG28.SG38.TAX.C241.5153(1620:020:01)
507	BDT000000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order/Order line/Referenced related order information/Entity identification	64	RFF	C506	1154	R	an..70	123 <i>Path:</i> ORDERS.SG28.SG33.RFF.C506.1154(1390:010:02)
508	BDT000000047		0 .. 1	Business document creation date time <i>Path:</i> Order/Order line/Referenced related order information/Business document creation date time	65	DTM	C507	2380	R	an..35	19930831 <i>Path:</i> ORDERS.SG28.SG33.DTM.C507.2380(1400:010:02)
509	BDT000000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Order line/Referenced related order information/Document line number	64	RFF	C506	1156	O	an..6	1 <i>Path:</i> ORDERS.SG28.SG33.RFF.C506.1156(1390:010:03)
510	BDT000000047		0 .. 1	Business document creation date time <i>Path:</i> Order/Order line/Referenced additional information/Business document creation date time	65	DTM	C507	2380	R	an..35	19930831 <i>Path:</i> ORDERS.SG28.SG33.DTM.C507.2380(1400:010:02)
511	BDT00000135	.. 200	1 .. 1	Business document reference identification <i>Path:</i> Order/Order line/Referenced additional information/Business document reference identification	64	RFF	C506	1154	R	an..70	123 <i>Path:</i> ORDERS.SG28.SG33.RFF.C506.1154(1390:010:02)
512	BDTG00000347		1 .. 1	Referenced document type code <i>Path:</i> Order/Order line/Referenced additional information/Referenced document type code	64	RFF	C506	1153	M	an..3	PL <i>Path:</i> ORDERS.SG28.SG33.RFF.C506.1153(1390:010:01)
513	BDTG00000291		0 .. 1	Requested delivery date time <i>Path:</i> Order/Order line/Order line item shipping details	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDERS.SG28.DTM.C507.2380(1110:010:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
514	BDTG00000297		0 .. 1	information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time Requested ship date time <i>Path:</i> Order/Order line/Order line item shipping details	56	DTM	C507	2380	R	an..35	19930910
515	BDTG00000290		0 .. 1	information/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time Requested date time for pick up <i>Path:</i> Order/Order line/Order line item shipping details	56	DTM	C507	2380	R	an..35	19930910
516	BDT00000687	.. 80	1 .. 1	information/Ordered trade item logistical information/Requested delivery date time information/Requested date time for pick up Transport means type code content <i>Path:</i> Order/Order line/Order line item shipping details	93	TDT	C228	8179	D	an..8	1
517	BDTG00000350		0 .. 1	information/Ordered trade item logistical information/Requested delivery date time information/Requested date time for pick up information/Shipment transportation information/Transport means type code/ Transport means type code content Transport means identification <i>Path:</i> Order/Order line/Order line item shipping details	93	TDT	C222	8213	O	an..9	A
518	BDTG00000352		0 .. 1	information/Ordered trade item logistical information/Requested delivery date time information/Requested date time for pick up information/Shipment transportation information/Transport means identification information/Transport mode code Transport mode code <i>Path:</i> Order/Order line/Order line item shipping details	93	TDT	C220	8067	R	an..3	100
519	BDTG00000353		0 .. 1	information/Ordered trade item logistical information/Requested delivery date time information/Requested date time for pick up information/Shipment transportation information/Transport mode code information/Transport route identification Transport route identification <i>Path:</i> Order/Order line/Order line item shipping details	93	TDT		8028	O	an..17	1

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order; 0.1; Draft - Guide(ORDERSMapp)
 Root Element: **Order**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
 Guide: **ORDERS (EAN010) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
520	BDT00000063	13 .. 13	0 .. 1	information/Ordered trade item logistical information/Shipment transportation information/Transport route identification Global location number, GLN <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Global location number, GLN	93	TDT	C040	3127	A	an..17	1 <i>Path:</i> ORDERS.SG28.SG49.TDT.C040.3127(1980:050:01)
521	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order/Order line/Order line item shipping details information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Party name	93	TDT	C040	3128	O	an..35	A <i>Path:</i> ORDERS.SG28.SG49.TDT.C040.3128(1980:050:04)
522	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order/Order line/Order line item shipping details information/Referenced purchase conditions information/Entity identification	64	RFF	C506	1154	R	an..70	123 <i>Path:</i> ORDERS.SG28.SG33.RFF.C506.1154(1390:010:02)
523	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order/Order line/Order line item shipping details information/Referenced purchase conditions information/Business document creation date time	65	DTM	C507	2380	R	an..35	19930831 <i>Path:</i> ORDERS.SG28.SG33.DTM.C507.2380(1400:010:02)
524	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order/Order line/Order line item shipping details information/Referenced purchase conditions information/Document line number	64	RFF	C506	1156	O	an..6	1 <i>Path:</i> ORDERS.SG28.SG33.RFF.C506.1156(1390:010:03)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used