



The Global Language of Business

GS1 Product Image Specification Standard

establishes rules for the storage of digital images associated to products and provides details on all aspects of digital imaging storage

Release 4.5, Ratified, Apr 2026

Document Summary

Document Item	Current Value
Document Name	GS1 Product Image Specification Standard
Document Date	Apr 2026
Document Version	4.5
Document Issue	
Document Status	Ratified
Document Description	establishes rules for the storage of digital images associated to products and provides details on all aspects of digital imaging storage

Contributors

Last Name	Company
Raquel Abrantes	GS1 Portugal
Adel Mounir Achir	GS1 France
Mirva Alatyppö	GS1 Finland
Lindsey Allen	Coca-Cola Company (The)
Marija Andjelkovic	Mondelez International
Lucelena Angarita	GS1 US
Phil Archer	GS1 Global Office
Guillaume Arnal	ANDROS FRANCE SNC
Kelly Arthurs	GS1 New Zealand
Andrea Ausili	GS1 Italy
Fauzi Bajuri	Procter & Gamble Co.
Kasia Bando	Campbell Soup Company
Simão Baptista	GS1 Portugal
Toni Baxter Juenger	Procter & Gamble Co.
Brian Becker	Wegmans Food Markets
Amy Behm	GS1 US
Dieter Beitz	CSB-System SE
Juergen Belke	Nestlé
Zaid Nen Hmad	Decathlon
Dana Benson	GS1 US
Jon Bergh	Target Corporation
Helene Bernhard	Nestlé
Robert Besford	GS1 UK
Sven Böckelmann	benelog GmbH & Co. KG
Oliver Bradley	Neem
Cecilia Brander	GS1 Sweden
Elsa Braz (lead editor)	GS1 Global Office
Clémence Brel	Andros France SNC



Last Name	Company
Scott Brown	1WorldSync, Inc.
David Buckley	GS1 Global Office
Chris Cain	GS1 US
Phuong Cao	GS1 Germany
Marjolein Christiaanse	GS1 Netherlands
Wladislaw Chudinovskykh	GS1 Germany
Benjamin Couty	GS1 France
Jeff Cowan	GS1 US
Hannah Cox	Dot Foods, Inc.
Jeffrey Cree	Ahold (USA)
Oscar Cruz	GS1 Mexico
Chase Cunningham	Wal-Mart Stores, Inc.
Mirjana Cvijetinovic	Mondelez Europe Services GmbH
Sara Daniel	Schawk, Inc.
Tarryn Daniels	GS1 South Africa
Saskia De Stobbeleir	Colruyt Group NV
Nicolas Delabrouille	Mars PF France
Georgi Duev	PGZ International B.V.
Nordine Eddaoudi	GS1 France
Guitta El Alam	EQUADIS SA
Alexis Elloso	GS1 Australia
Filipe Esteves	GS1 Portugal
Mikkel Fiskers	GS1 Denmark
Allison Fregans	Johnson & Johnson
Vuyolwethu Gawula	GS1 South Africa
Eric Ginsburg	Sazerac Company, Inc.
Vanessa Giulieri	GS1 Italy
Nicole Golestani	GS1 Canada
Tobias Granqvist	GS1 Sweden
Lena Grönlund	GS1 Sweden
Georgina Grozier	Kingfisher PLC
Jean-Francois Guerrand	Andros France SNC
Haoyang Guo	GS1 China
David Hackbarth	Procter & Gamble Co.
Carla Hamrick	Coca-Cola Company (The)
Natasha Helleur	GS1 New Zealand
JR Hernandez	Sysco Corporation
Yvonne Hoeting	Mars, Inc.
Frank Hogema	GS1 Netherlands
Zoltan Homan	Cook Medical Inc.
Matthew Hooyman	Johnson & Johnson



Last Name	Company
Jessica Horst	The J.M. Smucker Company
Tomi Ihalainen	GS1 Finland
Yoshihiko Iwasaki	GS1 Japan
Marek Jagielo	Procter & Gamble Co.
James Jellings	NielsenIQ
Frederik Jensen	GS1 Denmark
Han Jie	GS1 China
Alex Joly	Coca-Cola Enterprises
Martin Kairu	GS1 South Africa
Iliada Karali	GS1 Association Greece
Betsy Kephart	Ahold (USA)
Niklas Kihlman	GS1 Sweden
Diana Knight	Sgsc
Emmanouil Kritikos	Mondelez Europe Services GmbH
Steffen Kujus	REWE Group
Paul Laan	SRC Systems Integrators B.V.
David Lambert	NielsenIQ Brandbank
Yves Le Breton	Inside Ideas Group
Nathan Lehn	GS1 Australia
Kathy Leski	SGK
Ivana Leskur	Mondelez Europe Services GmbH
Kayla Lewis	Sam's Club
Nathan Libby	Procter & Gamble Co.
Burkhard Lorry	atrify GmbH
Henrik Lundin	GS1 Sweden
Yan Luo	GS1 China
Emil Magnusson	GS1 Sweden
Sally McKinley	GS1 US
Jan Merckx	GS1 Netherlands
Joanne Metcalf	Essity North America Inc
Federico Mittersteiner	GS1 Italy
Doug Moody	PepsiCo, Inc.
Gena Morgan	GS1 US
Naoko Mori	GS1 Japan
Reiko Moritani	GS1 Japan
Mike Mowad	Docuvera
Megan Myers	Retail Business Services, LLC
Mao Nagata	GS1 Japan
Prince Namane	GS1 South Africa
Steven Nelson	Tyson
Thendo Netshishivhe	GS1 South Africa



Last Name	Company
Rebecca Nichols	Wakefern Food Corporation
Tammy ODonnell	Beam Suntory Inc
Yomi Oladokun	GS1 Netherlands
Claudilena Oliveira	GS1 Brasil
Nobuhiro Oshima	GS1 Japan
Michele Padayachee	GS1 South Africa
Sergio Pastrana	GS1 Mexico
Andrew Pearl	Profitero
Roger Peterson	Arthrex Inc.
Elia Picelli	GS1 Italy
Bo Pincket	GS1 Belgium & Luxembourg
Christian Przybilla	GS1 Germany
Kerry Przybylski	Essity North America Inc
Jaroslav Przybyszewski	BlissPoint.Space
Jiangfeng Qiu	GS1 China
Jazzmyne Reed	GS1 US
Dagmara Repkova	Mondelez Belgium bvba
Cindy Robins	GS1 New Zealand
Uwe Ruedel	GS1 Switzerland
Kristina Salaj-Fuckalo	Mondelez Europe Services GmbH
Sofia Salcedo	Logyca
José João Sampaio	Salsify
Tyler Sampson	Target Corporation
Alexander Sanchez	GS1 Mexico
Caryn Scaduto	Peapod Digital Labs
Armand Schins	Ahold Delhaize
Georg Schlüter	Dr. August Oetker Nahrungsmittel KG
Tom Eric Schmidt	August Storck KG
Domenic Schneider	GS1 Switzerland
Rene Schweinzger	GS1 Austria
Eugen Sehorz	GS1 Austria
Patrícia Simas	GS1 Portugal
Brandi Smith	GS1 US
Ana Sramek	Mondelez International
Shogo s-takano	GS1 Japan
Sylvia Stein	GS1 Netherlands
Lian Stevenson	SGK
Georgette Suggs (co-chair)	Sitation, LLC.
Taishi Takaoka	GS1 Japan
Patricia Thibaudet (co-chair)	Nestlé France SAS
Holger Thiemann	atrify GmbH

Last Name	Company
Thomas Thijs	Katambar (Wycams)
Kate Thiruchelvam	Mondelez International
Margaret Thompson	PepsiCo Beverages Canada
Tomas Tluchor	GS1 Czech Republic
Angelina Tolbert	GS1 US
David Tollett	Sysco Corporation
Gina Tomassi	PepsiCo, Inc.
Viet Tran	GS1 Vietnam
Alec Tubridy	GS1 Australia
Vivian Valks	Arla Foods AMBA
Tom Van Damme	Hubo België
Henda van der Walt	Tilda Ltd
Melissa Veldman-Broekhuizen	GS1 Netherlands
Chunguang Wang	GS1 China
Lei Wang	GS1 China
Wenyu Wang	GS1 China
Jiayi Wang	GS1 China
Di Wang	GS1 China
Jens Weller	Salsify
Cornelia Willutzki	GS1 Switzerland
Holly Wilson	Sazerac Company, Inc.
Huang Xin	GS1 China
Belle Yang	GS1 Chinese Taipei
Xin Yang	GS1 China
Ying Yu	GS1 China
Christian Zaeske	METRO Group
Yanis Zhi	GS1 China
Bo Zhou	GS1 China
Dejan Zivkovic	Mondelez International

Log of Changes

Release	Date of Change	Changed By	Summary of Change
2006 06 29	2006 29 June	D. Buckley	Converted 'VICS Product Image Specification' into GS1-GSMP template format
2006 07 11	2006 11 July	R. Laur	Updated information for CR submission to GSMP
1	2006 08 December	GDSN/GSMP Imaging Specification Work Group	See analysis documentation.
2	2007 11 January	GDSN/GSMP Imaging Specification Work Group	See comment resolution document from GSMP Public Review



Release	Date of Change	Changed By	Summary of Change
2.1	2007 07 February	GDSN/GSMP Imaging Specification Work Group	Errata to fix examples.
2.2	2007 13 February	GDSN BRG	Clarification of examples 4-2, 4-3, 4-4
2.3	2008 26 February	D.Clark	Clarification to planogram naming structure 2.1.5
2.4	2013 08 30	GDSN/GSMP Imaging Specification Work Group	WR # 12-046; 12-244; 12-253; 12-254; 12-255; 12-256; 12-257; 12-258; 12-259; 12-310; 12-312; 12-313; 12-322; 13-018; 13-040; 13-105
2.5	2014 03 11	Errata	Corrections to wording and examples added
2.6	2014 10 01	GDSN/GSMP Imaging Specification Work Group	WR #14-076; 14-023; 14-038; 14-055; 14-099
2.7	2015 03 02	GDSN/GSMP Imaging Specification Work Group	WR # 15-004 rendered images
2.8	Sept 2015	D.Buckley & D.Clark	Applied new GS1 branding prior to publication and WR # 14-071 (Metadata added); 14-184 (style sheet to identify facing level below each); 14-200 & 14-201 (GDTI Based Naming added); 15-154 (descriptions added to the image capture types for still shot single & multiple GTIN)
3.0	Jun 2017	D.Buckley & D.Clark	Document re-design based on WR 16-219
3.1	Nov 2017	D.Clark	WR 17-083: Add new Section 2.5.5 Sample (Prototype) Image type I and WR17-196 Update for Product Label Images
3.2	Jul 2018	D.Clark	WR 18-054 updates to Section 3.2 and 18-088: updates to Section 2.2 & 2.8 for images saved with transparent backgrounds.
3.3	Feb 2019	D.Buckley & D.Clark	WR 18-228 Updates based upon Consumer Product Variant (CPV) WR 18-321 Updates based upon GS1 Mobile Ready Hero Images Guideline
3.4	Feb 2020	D.Buckley & D.Clark	WR 18-088, errata fix updated section 2.9 (Clipping paths) WR 19-140, updates for 360-degree image WR 19-152, update to section 2.6 to allow JPG for label images WR 19-153, new section 2.5.6.7 on Certification Seals/Claims WR 19-166, Update to section 3.2 on naming convention for size comparison WR 19-180 new section 2.5.6.8 Preparation Instructions WR 19-219, new section on Petfood Feeding Instructions/Ingredients WR 19-225, new section on Secondary images WR 19-227, update to section A4. For meta data WR 19-232, new section on Margins WR 19-285, update to GTIN naming for Pallet/Display Errata: updated list of contributors, section 5 added missing description.
3.4.1	Mar 2020	D.Buckley & D.Clark	WR 20-046, errata fix Ambience/Mood in section 3.2

Release	Date of Change	Changed By	Summary of Change
3.5	May 2020	D.Buckley, R.Burd & D.Clark	WR 19-308 align pack shot and for Mobile Ready Hero Images WR 20-050 Reposition information about Photography WR 20-080 Section 3.2 Open Case "M" fixes Errata fix Section 3.2 (Full flat E → L)
3.6	Jul 2020	D.Buckley & D.Clark	WR 20-164: Full Flat Packaging Label Images- Unstitched WR 20-165: Full Flat Packaging Label Images - Stitched WR 20-166: Safe Handling Instructions WR 20-167 Hero Optimised Images WR 20-168: Sidekick Images WR 20-169: 3D Rendered file types
3.7	Dec 2020	D.Buckley & D.Clark	WR 20-310: Secondary images WR-20-314: Special cases WR-20-315: Montage (Composite) WR-20-316: Detail (Technology)
4.0	Mar 2021	D.Clark	WR 20-410: Product Image name to include fileType WR 21-079 update layout for HTML and refresh WR 21-166 clipping path and background optional
4.0.1	Aug 2021	D.Buckley	WR21-266 Errata fix in Annex A (Social Media listed as "R". It is "K')
4.1	Jan 2022	E.Braz & D.Buckley	WR 21-306 Add "Alt Text" in section 7.2 (metadata list) Errata fix section 5.3 (serialisation)
4.2	Jan 2023	E.Braz & D.Buckley	Errata fix section 5.12 (example name) WR 22-142 Clarity on clipping paths WR 22-231 clarity in section 4 on optimised and mobile ready image definition WR 22-291 Pharmaceutical Images WR 22-292 Improvements and fixes WR 22-298 Harmonise file sizes for Secondary Product Images WR 22-275 New values for Supplemental, Drug and Lighting facts label WR 22-304 new value (Q) Formed

Release	Date of Change	Changed By	Summary of Change
4.3	Sep 2023	J. Gladu, A. Bhathal, E.Braz & D.Buckley	Errata fixes WR 22-378 section 6.5 updates for file naming for images of components and its dosage/unit of use WR 22-385 section 5.17, updated definition of sidekick image WR 23-023 section 6.3.2 corrected file size for full flat images WR 23-030 Remove "within one pixel device" WR 23-031 Definition for related image WR 23-038 Definition for Secondary Images WR 23-039 Social Media WR 23-043 Clarify Application & Ambiance/mood WR 23-045 Clarify wording around nutritional image WR 23-046 Clarify wording around certification seals/claims WR 23-047 Clarify wording around preparation instructions WR 23-053 Clarify Montage images definition WR 23-137 Clarify 2D and Linear barcode images WR 23-303 2D barcodes linking to online content
4.4	Apr 2024	E.Braz & D.Buckley	WR 23-278, section 5.3, Detail/Technology image definition WR 23-320, section 5.21, Sustainability images added WR 24-026 added abbreviations and clarifications in section 6.6 Component level & Sequence component level
4.5	Apr 2026	E.Braz & D.Buckley	WR 24-225, section 4.2 introduced the term Optimised Pack Image WR 24-279, multiple sections shorten state description in position 19 (C) to "Raw/uncooked" WR 24-320, section 4 harmonisation of permitted image size and format WR 24-399, multiple sections add more image examples to the Product Image Specification WR 25-196, section 2.3 more precise wording for clipping path WR 25-238, section 2.3 more precise wording for margins WR 26-063, section 4.4 "3D Rendered" to "3D Model"

Disclaimer

GS1 seeks to minimise barriers to the adoption of its standards and guidelines by making the intellectual property required to implement them available, to the greatest extent possible, on a royalty-free basis, or when necessary, under a RAND licence. Such royalty-free and RAND licences are provided pursuant to the GS1 IP Policy (available here: <https://www.gs1.org/standards/ip>), which governs the work of work group participants who contribute to drafting standards and guidelines, including this document. In addition to licences, the GS1 IP Policy provides various benefits and obligations that apply to all implementers of GS1 standards and guidelines, and all implementations of GS1 standards are subject to those terms.

Nevertheless, please note the possibility that an implementation of one or more features of this standard or guideline may be the subject of a patent or other intellectual property right that is not covered by the licences granted pursuant to the IP Policy. In addition, the licences granted under the IP Policy do not include the IP rights or claims of third parties who were not participants in the corresponding standard development work group.

Accordingly, GS1 recommends that any person or organisation developing an implementation of this standard or guideline should determine whether any patents or other intellectual property may encompass such implementation, and whether a



licence under a patent or other IP right is needed. The implementer should determine the potential need for licensing in view of the details of the specific implementation being designed in consultation with that party's patent counsel.

The official versions of all GS1 standards and guidelines are provided as PDF files on GS1's online reference directory (<https://ref.gs1.org>) (the "GS1 Reference"). Any other representations of standards or guidelines in any other format (e.g., web pages) are provided for convenience and descriptive purposes only, and in the event of a conflict, the GS1 Reference document shall govern.

THIS DOCUMENT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NONINFRINGEMENT, FITNESS FOR PARTICULAR PURPOSE, ACCURACY OR COMPLETENESS, OR ANY WARRANTY OTHERWISE ARISING OUT OF THIS DOCUMENT. GS1 disclaims all liability for any damages arising from any use or misuse of this document, whether special, indirect, consequential, or compensatory damages, and including liability for infringement of any intellectual property rights, relating to use of information in or reliance upon this document.

GS1 makes no commitment to update the information contained herein, and retains the right to make changes to this document at any time, without notice. GS1® and the GS1 logo are registered trademarks of GS1 AISBL.

Table of Contents

- 1 Introduction 15**
 - 1.1 Images in this document..... 15
 - 1.2 Determining the front face 15
 - 1.2.1 Default front face..... 15
 - 1.3 Clipping paths..... 16
 - 1.4 Differentiating Photographic Images from Rendered Images..... 16
 - 1.4.1 Photographic images 16
 - 1.4.2 Rendered images..... 17
 - 1.4.3 Differentiation of images..... 17
 - 1.4.4 Image Differentiation Decision Tree 17
- 2 Technical recommendations 18**
 - 2.1 Photography recommendations..... 18
 - 2.2 Product views 18
 - 2.3 Editing recommendations..... 18
 - 2.4 Multi-lingual images 19
- 3 Primary Images 20**
 - 3.1 Product Image (web) primary image 20
 - 3.1.1 File format 20
 - 3.1.2 File size 20
 - 3.1.3 Views 20
 - 3.1.4 Backgrounds and clipping path 20
 - 3.1.5 File Naming..... 20
 - 3.2 Product Image with Supporting Elements (web)..... 21
 - 3.2.1 File format 22
 - 3.2.2 File size 22
 - 3.2.3 Views 22
 - 3.2.4 Backgrounds and clipping path 22
 - 3.2.5 File Naming..... 22
 - 3.3 Product Image (High Resolution)..... 24
 - 3.3.1 File format 24
 - 3.3.2 File size 24
 - 3.3.3 Views 24
 - 3.3.4 Backgrounds and clipping path 24
 - 3.3.5 File Naming..... 24
 - 3.4 Product Image with Supporting Elements (High Resolution)..... 25
 - 3.4.1 File format 26
 - 3.4.2 File size 26
 - 3.4.3 Views 26
 - 3.4.4 Backgrounds and clipping path 26
 - 3.4.5 File Naming..... 26
 - 3.5 Primary images States..... 28
- 4 Optimised Images..... 32**
 - 4.1 Mobile Ready Hero Image (MRHI) 32
 - 4.1.1 File format 32

- 4.1.2 File size 32
- 4.1.3 Views 32
- 4.1.4 Backgrounds and cropping 32
- 4.1.5 File Naming..... 32
- 4.2 Optimised Pack Images..... 33
 - 4.2.1 File format 33
 - 4.2.2 File size 33
 - 4.2.3 Views 33
 - 4.2.4 Backgrounds and cropping 34
 - 4.2.5 File Naming..... 34
- 4.3 Product Image 360°/3D 35
 - 4.3.1 File format 35
 - 4.3.2 File size 35
 - 4.3.3 Backgrounds and cropping 35
 - 4.3.4 Number of images 35
 - 4.3.5 Direction of rotation 35
 - 4.3.6 Plunge angle indicator 35
 - 4.3.7 Image sequence (Arc position) 36
 - 4.3.8 File naming 36
- 4.4 3D Model 37
 - 4.4.1 File naming 37

5 Secondary Images 39

- 5.1 Secondary images file sizes and formats 39
- 5.2 Content/Texture 40
 - 5.2.1 File format & size..... 40
 - 5.2.2 Backgrounds and cropping 40
 - 5.2.3 File naming 40
- 5.3 Detail/Technology 41
 - 5.3.1 Backgrounds and cropping 41
 - 5.3.2 File naming 41
- 5.4 Montage/Composition 42
 - 5.4.1 File format & size..... 42
 - 5.4.2 Backgrounds and cropping 43
 - 5.4.3 File naming 43
- 5.5 Social Media 44
- 5.6 Application 44
 - 5.6.1 File format & size..... 44
 - 5.6.2 Backgrounds and cropping 44
 - 5.6.3 File naming 44
- 5.7 Ambience/Mood 45
 - 5.7.1 File format & size..... 45
 - 5.7.2 Backgrounds and cropping 45
 - 5.7.3 File naming 45
- 5.8 Size Comparison 46
 - 5.8.1 File format & size..... 46
 - 5.8.2 Backgrounds and cropping 46
 - 5.8.3 File naming 46
- 5.9 Nutritional Label 47



- 5.9.1 File format & size..... 47
- 5.9.2 Backgrounds and cropping 47
- 5.9.3 File naming 48
- 5.10 Ingredients 48
 - 5.10.1 File format & size..... 48
 - 5.10.2 Backgrounds and cropping 49
 - 5.10.3 File naming 49
- 5.11 Nutritional/Ingredients combined 49
 - 5.11.1 File format & size..... 50
 - 5.11.2 Backgrounds and cropping 50
 - 5.11.3 File naming 50
- 5.12 Marketing Content Code (QR Code) 50
- 5.13 Certification Seals/Claims..... 51
 - 5.13.1 File format & size..... 51
 - 5.13.2 Backgrounds and cropping 51
 - 5.13.3 File naming 51
- 5.14 Preparation Instructions..... 52
 - 5.14.1 File format & size..... 52
 - 5.14.2 File size 52
 - 5.14.3 Backgrounds and cropping 52
 - 5.14.4 File naming 52
- 5.15 Petfood Feeding Instructions/Ingredients 53
 - 5.15.1 File format & size..... 53
 - 5.15.2 Backgrounds and cropping 53
 - 5.15.3 File naming 53
- 5.16 Safe Handling Instructions 54
 - 5.16.1 File format & size..... 54
 - 5.16.2 Backgrounds and cropping 54
 - 5.16.3 File naming 54
- 5.17 Sidekick Images..... 55
 - 5.17.1 File format & size..... 55
 - 5.17.2 Backgrounds and cropping 55
 - 5.17.3 File naming 55
- 5.18 Drug Fact Label..... 56
 - 5.18.1 File format & size..... 56
 - 5.18.2 Backgrounds and cropping 56
 - 5.18.3 File naming 57
- 5.19 Supplement Fact Label..... 57
 - 5.19.1 File format & size..... 57
 - 5.19.2 Backgrounds and cropping 58
 - 5.19.3 File naming 58
- 5.20 Lighting Fact Label 59
 - 5.20.1 File format & size..... 59
 - 5.20.2 Backgrounds and cropping 59
 - 5.20.3 File naming 59
- 5.21 Sustainability..... 60
 - 5.21.1 File format & size..... 60
 - 5.21.2 Backgrounds and cropping 60
 - 5.21.3 File naming 60

6	Technical Images.....	62
6.1	Planogram Image and Data Field Specifications	62
6.1.1	File format	62
6.1.2	File size	62
6.1.3	Views	62
6.1.4	Backgrounds and cropping	64
6.1.5	File naming	64
6.2	Sample/Mock-up	67
6.2.1	File format	67
6.2.2	File size	67
6.2.3	Backgrounds and cropping	68
6.2.4	File naming	68
6.3	Full Flat	68
6.3.1	File format	68
6.3.2	File size	68
6.3.3	Backgrounds and cropping	68
6.3.4	File naming	68
6.4	Linear barcode	69
6.4.1	File format	69
6.4.2	File size	69
6.4.3	Backgrounds and cropping	69
6.4.4	File naming	69
6.5	2D barcode	70
6.5.1	File format	70
6.5.2	File size	70
6.5.3	Backgrounds and cropping	70
6.5.4	File naming	70
6.6	Pharmaceutical Drugs/Medical Devices.....	71
7	Identification and Metadata.....	74
7.1	Identification	74
7.2	Metadata list	74
8	Image Types	79
9	Abbreviations	84

1 Introduction

This GS1 standard establishes rules for the storage of digital images associated to products. The product identification number used is the Global Trade Item Number (GTIN) and this document provides details on all aspects of digital imaging storage. This document does not specify how the images should be delivered via electronic commerce.

These standards focus on the highest quality and size of image which should be stored to enable any output format that may be requested internally or externally for various applications. There is no 'one size fits all' for images, but by having access to a larger more content rich base file, other formats may be derived.

It is important to note that digital assets (e.g., images) are only one part of what is needed. Data, both meta and associated, are essential for the timely and accurate usage of the assets. Additional information on minimum data requirements are outlined in the TIIG (Trade Item Implementation Guideline).



Note:

- Image delivery is out of scope.
- For more information on pharmaceuticals/over-the-counter pharmaceuticals, nutritional supplements and medical products refer to the [GS1 Pharmaceutical Image Implementation Guideline](#):
 - Legal aspects must be considered. It is the responsibility of the brand owner that any image meets local legal requirements. Refer to local government bodies and MOs for additional details.

1.1 Images in this document


Many of the images in this document have been provided courtesy of [NIO Brandbank](#), [GS1 Canada](#), [SGK](#) & [Syndigo](#). They show fictitious products and have been created specifically to illustrate this standard.

1.2 Determining the front face

All product images are important, so too the exchange of information between trading partners. To ensure what is identified meets what is expected, an agreed upon identification structure is required. The first step is the determination of the front face of an item.

1.2.1 Default front face

The front facing of the products is determined by the [GS1 Package and Product Measurement Standard](#) on determining the default front. All other facings are taken in relation to the front face and are identified with a numerical extension identifying that face. Merchandisable facings are automatically captured as the numerical extension allows multiple images (and facings) for the same GTIN.



1.3 Clipping paths

A clipping path is a closed vector path or shape used to cut out a subject or element of a 2D image in an image editing software. Anything inside the clipping path can be kept and the elements outside of the clipping path can be removed if desired. This means that the original background of the product image can be removed and then the object can be positioned in front of any desired background.

- ✔ **Note:** CGI (Computer Generated Imagery) programs allow for files to be rendered/saved with transparent backgrounds, making applying a clipping path redundant.
- ✔ **Note:** The TIFF files can be saved with transparent background, to avoid creation the clipping path in an image editing software, the action of removal of the background would be possible with the opened layer on subject. However, its strongly recommended adding the clipping path and flatten images with a white background to help manage image size for storage and delivery.

1.4 Differentiating Photographic Images from Rendered Images

The differentiation of images as to their being photographic or rendered in nature is somewhat subjective and while it can be reasonably argued that a photographic image once digitally stored and retouched ceases to be photographic; striking a balance between the two becomes necessary when identical product images exist in a single system as both photographic and rendered particularly when the associative nomenclature within the existing guidance calls for both files to be identically named. When this occurs there must be a definitive process in order to determine the difference between the two when both are expected to exist simultaneously in the same environment.

1.4.1 Photographic images

Photographic image: the result of the electronic or chemical capture of a likeness of a physical object with the use of a camera.

Photographic images may become digitised, stored in a digital format or can be immediately stored in a digital format directly from within the camera itself. Where photographic images were retouched physically even colourised, this process can take place with a photographic image within specialised software. While these images may reside and may have been altered in a digital environment, they were at one time a physical capture of object and light as captured by a camera with a photographer and should be considered 'photographic images'.

1.4.2 Rendered images

Rendered image: the result of the creation of a digital likeness of a physical object with the use of a computer and software.


Rendered images often do not begin with a photographic device. While rendered images do have the traits necessary to be physically transferred to paper or film, they often reside forever within a digital environment, viewed only by way of a projection device such as a monitor, phone or projector. Where photographic images were once retouched physically, similar processes for rendered images take place almost entirely within specialised software. While a rendered image may contain (data) once contained by a 'photograph' once the image is digitised, edited, scaled, coloured, lit and posed within a digital composition, it becomes a rendered image, which is not to say that a photograph retouched with specialised software does not remain photographic, that distinction is left to the brand owner.

1.4.3 Differentiation of images


While arguments can certainly be made as to the nature of images, be they photographic or rendered; given the preceding paragraphs and considering that even rendered images may contain information (data) once contained by a 'photograph'; discernment or differentiation between photographic and rendered images is at the discretion of the brand owner, in other words, identifying an image as being photographic or rendered when one or the other exists is optional. Differentiation between photographic and rendered images becomes recommended, though not required, when they both exist in the same file system when the file system is the brand owners or shared between Trading Partners.

1.4.4 Image Differentiation Decision Tree


1. Was the image created with a device other than a camera?



2. Was the image significantly altered (not 'retouched') using software?



3. Was the composition of the image digitally created or enhanced?



2 Technical recommendations

2.1 Photography recommendations

Professional equipment optimises results:


- The preferred equipment is a DSLR camera equipped with full frame CCD sensor (avoid Point and shoot and smart phone cameras).
- Product packaging should be framed using 80% of the sensor.
- The image should be captured with appropriate lens to avoid wide angle distortion.
- The lens aperture should be set to deliver a large depth of field so that the whole product is sharp.
- Controlled white balance, no colour casts.
- The lighting of product should be uniform when the image is taken.
- Contrast and exposure should be balanced over-all; avoid high contrast effects.
- Reflections should be realistic without looking “blown-out” in highlights hiding product information.
- Image should not be over sharpened in the (digital) image processing.
- All instance or batch specific data SHOULD be removed, or replaced with a placeholder null value, from the image (e.g., best before date, serial number, etc.).

2.2 Product views

Decisions as to whether products should be photographed in the package, out of package, or both, should be made based on the presentation of the product in a live sale scenario (i.e., box of cereal on a shelf vs. a lawnmower on display). If there are doubts as to which state is most appropriate to best represent the product, both should be taken and appropriately identified. This decision should be taken with the data provider.

15°Elevation (3D images)

- All products should have 3 separate views when warranted per marketable face – language
- Centre front view taken at **15° top elevation** is preferred
- Left and right **15° rotation** views when warranted **0°Elevation (2D images) and other exception**
- Some products may require a **steeper or shallower** angle to display effectively. For images of products with negligible depth properties, a 0-degree plunge angle is best. (i.e., blister packs)



2.3 Editing recommendations

- No colour casts. Colour should be as rich, vibrant and eye-catching as possible.
- Contrast should be balanced over-all and not “blown-out” in highlights.

- Reflections & shadows areas on the product should put emphases to details/shape without hiding text or logos.
- Retouching should be as seamless and undetectable as possible and be convincing at a minimum of 100% magnification (i.e., removal of expiration/best before dates).
- The clipping path must be closed and should be created close to the edge, slightly within the depicted product, so that all anchor points lie inside. The clipping can then be done without issue.
- Subject should be centred in Margins to cover 95% on the canvas. Margins are the empty spaces around the subject of the product in the image. Margins are not used where the image type has a background that are neither white nor transparent.
- Graphic rendering of a packaging should be realistic.
- No layers, guides or rulers should be left on the images.
- Background should be white (RGB 255,255,255) or transparent.
- No signatures, “finger printing” or visible watermarks. No compression artifacts. No interpolation (“resizing up”).
- No transfer functions or postscript colour management.

2.4 Multi-lingual images

If your image set is multi-lingual then the language indicator should be used in the image file name where the instructions are available in multiple languages or bi or multi-lingual images, this is not necessary.

3 Primary Images

Primary Images are images which can, on their own, represent the product in an e-commerce application, these include Product Image (web & High resolution) with or without supporting elements.

3.1 Product Image (web) primary image

There will be instances where photography, other than “product” photography will be needed. Situations may arise where product shots are needed at a size or resolution that exceeds the identified standards. In these cases, it will be up to the customer to either originate the photography themselves or work out arrangements with the vendor to supply said photography on an “as needed” basis. ALL supplied photography should conform to the guidelines listed below.

✔ **Note:** Marketing Images applies to both digital images captured through use of a digital camera or other digital imaging devices as well as rendered images.

✔ **Note:** Rendered images are computer generated images which can be comprised of graphic renderings and/or digital images to create a lifelike product semblance.

Product Image (Single GTIN): which is an image of a product on a white or transparent background, with no other elements in the frame.

3.1.1 File format

Storage: LZW Compressed TIFF

3.1.2 File size

900 x 900 – 2400 x 2400 pixels

3.1.3 Views

- 0 - Not applicable
- 1 - Front
- 2 - Left
- 3 - Top
- 7 - Back
- 8 - Right
- 9 - Bottom

3.1.4 Backgrounds and clipping path

Clipping path is recommended; background should be removed to white (RGB 255/255/255).

For images saved with a transparent background (e.g., TIFF), clipping path is optional (see section [1.3](#)).

3.1.5 File Naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-19 are mandatory for the Product Image type

Mandatory

Position	1-14	15	16	17	18	19
Data	GTIN	Underscore	Image Type	Facing	Orientation	State
value	(n14)	_	A - Primary Image Web	0 - Not applicable	C - Centre	(1) In packaging
				1 - Front	L - Left	(0) Out of packaging
				2 - Left	R - Right	(A) Case
				3 - Top	N - No plunge angle	(B) Innerpack
				7 - Back		(C) Raw/uncooked
				8 - Right		(D) Prepared
				9 - Bottom		(M) Open Case
						(P) Pallet/Display

Optional


Position	20	21+				
Data	Underscore	Language	Image End Date	Serialisation	Rendered Image	CPV
Value	_		(MMYY)	s(n2)	R	CPV(an...20)

✔ Position 20+ are optional components, each must be preceded by an underscore '_'

Examples of product naming:



<GTIN>_A1N1_en_s01.tif



<GTIN>_A1N1_en_s01.tif



<GTIN>_A1N1_en_s01.tif

3.2 Product Image with Supporting Elements (web)

There will be instances where photography, other than “product” photography will be needed. Situations may arise where product shots are needed at a size or resolution that exceeds the identified standards. In these cases, it will be up to the customer to either originate the photography

themselves or work out arrangements with the vendor to supply said photography on an “as needed” basis. ALL supplied photography should conform to the guidelines listed below.

✔ **Note:** Marketing Images applies to both digital images captured through use of a digital camera or other digital imaging devices as well as rendered images.

✔ **Note:** Rendered images are computer generated images which can be comprised of graphic renderings and/or digital images to create a lifelike product semblance.

Product Image with Supporting Elements in Image: which is an image of a product on a white or transparent background, with additional elements that are not including when selling the product. The additional elements are to strengthen the product, not to create a ‘Beauty shot’ also referred to as a staged shot. It should incorporate additional items which enhance the product, (e.g., a glass of wine and stem of grapes with a bottle of wine (GTIN); fresh vegetables surrounding a bottled sauce (GTIN); a cooked and plated version of the product being sold in the same frame as the item, etc.)

3.2.1 File format

Storage: LZW Compressed TIFF

3.2.2 File size

900 x 900 – 2400 x 2400 pixels

3.2.3 Views

- 0 - Not applicable
- 1 - Front
- 2 - Left
- 3 - Top
- 7 - Back
- 8 - Right
- 9 - Bottom

3.2.4 Backgrounds and clipping path

Clipping path is recommended; background should be removed to white (RGB 255/255/255).

For images saved with a transparent background (e.g., TIFF), clipping path is optional see section [1.3](#)).

3.2.5 File Naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-19 are mandatory for the Product Image type

Mandatory

Position	1-14	15	16	17	18	19
Data	GTIN	Underscore	Image Type	Facing	Orientation	State
Value	(n14)	_	B - Primary Image Web w/ supporting elements.	0 - Not applicable	C - Centre	(1) In packaging
				1 - Front	L - Left	(0) Out of packaging
				2 - Left	R - Right	(A) Case
				3 - Top	N - No plunge angle	(B) Innerpack
				7 - Back		(C) Raw/uncooked
				8 - Right		(D) Prepared
				9 - Bottom		(E) Plated
						(F) Styled
						(G) Staged
						(H) Held
						(J) Worn
						(K) Used
						(L) Family
						(M) Open Case
						(P) Pallet/Display
						(Q) Formed

Optional

Position	20	21+				
Data	Underscore	Language	Image End Date	Serialisation	Rendered Image	CPV
Value	_	(a2) or (a2-A2)	(MMYY)	s(n2)	R	CPV(an...20)

Position 20+ are optional components, each must be preceded by an underscore '_'

Examples of product naming:



<GTIN>_B1N1_en_s01.tif



<GTIN>_B1N1_en_s01.tif



<GTIN>_B1N1_en_s01.tif

3.3 Product Image (High Resolution)

There will be instances where photography, other than “product” photography will be needed. Situations may arise where product shots are needed at a size or resolution that exceeds the identified standards. In these cases, it will be up to the customer to either originate the photography themselves or work out arrangements with the vendor to supply said photography on an “as needed” basis. ALL supplied photography should conform to the guidelines listed below.



Note: Marketing Images applies to both digital images captured through use of a digital camera or other digital imaging devices as well as rendered images.



Note: Rendered images are computer generated images which can be comprised of graphic renderings and/or digital images to create a lifelike product semblance.

Product Image (Single GTIN): which is an image of a product on a white or transparent background, with no other elements in the frame.

3.3.1 File format

Storage: LZW Compressed TIFF

3.3.2 File size

2401 x 2401 – 4800 x 4800 pixels

3.3.3 Views

- 0 - Not applicable
- 1 - Front
- 2 - Left
- 3 - Top
- 7 - Back
- 8 - Right
- 9 - Bottom

3.3.4 Backgrounds and clipping path

Clipping path is recommended; background should be removed to white (RGB 255/255/255).

For images saved with a transparent background (e.g., TIFF), clipping path is optional (see section [1.3](#)).

3.3.5 File Naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-19 are mandatory for the Product Image type


Mandatory

Position	1-14	15	16	17	18	19
Data	GTIN	Underscore	Image Type	Facing	Orientation	State
value	(n14)	_	C - Primary Image High Resolution	0 - Not applicable	C - Centre	(1) In packaging
				1 - Front	L - Left	(0) Out of packaging
				2 - Left	R - Right	(A) Case
				3 - Top	N - No plunge angle	(B) Innerpack
				7 - Back		(C) Raw/uncooked
				8 - Right		(D) Prepared
				9 - Bottom		(M) Open Case
						(P) Pallet/Display


Optional

Position	20	21+				
Data	Underscore	Language	Image End Date	Serialisation	Rendered Image	CPV
Value	_		(MMYY)	s(n2)	R	CPV(an...20)

Position 20+ are optional components, each must be preceded by an underscore ' _ '
 Examples of product naming:



<GTIN>_C1N1_en_s01.tif





<GTIN>_C1N1_en_s01.tif



<GTIN>_C1N1_en_s01.tif

3.4 Product Image with Supporting Elements (High Resolution)

There will be instances where photography, other than “product” photography will be needed. Situations may arise where product shots are needed at a size or resolution that exceeds the identified standards. In these cases, it will be up to the customer to either originate the photography themselves or work out arrangements with the vendor to supply said photography on an “as needed” basis. ALL supplied photography should conform to the guidelines listed below.

- 
Note: Marketing Images applies to both digital images captured through use of a digital camera or other digital imaging devices as well as rendered images.
- 
Note: Rendered images are computer generated images which can be comprised of graphic renderings and/or digital images to create a lifelike product semblance.

Product Image with Supporting Elements in Image: which is an image of a product on a white or transparent background, with additional elements that are not including when selling the product. The additional elements are to strengthen the product, not to create a 'Beauty shot' also referred to as a staged shot. It should incorporate additional items which enhance the product, (e.g., a glass of wine and stem of grapes with a bottle of wine (GTIN); fresh vegetables surrounding a bottled sauce (GTIN); a cooked and plated version of the product being sold in the same frame as the item, etc.)

3.4.1 File format

Storage: LZW Compressed TIFF

3.4.2 File size

2401 x 2401 – 4800 x 4800 pixels

3.4.3 Views

- 0 - Not applicable
- 1 - Front
- 2 - Left
- 3 - Top
- 7 - Back
- 8 - Right
- 9 - Bottom

3.4.4 Backgrounds and clipping path

Clipping path is recommended; background should be removed to white (RGB 255/255/255).

For images saved with a transparent background (e.g., TIFF), clipping path is optional (see section [1.3](#)).

3.4.5 File Naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-19 are mandatory for the Product Image type

Mandatory

Position	1-14	15	16	17	18	19
Data	GTIN	Underscore	Image Type	Facing	Orientation	State

Position	1-14	15	16	17	18	19
value	(n14)	_	D - Primary Image High resolution w/ supporting elements.	0 - Not applicable	C - Centre	(1) In packaging
				1 - Front	L - Left	(0) Out of packaging
				2 - Left	R - Right	(A) Case
				3 - Top	N - No plunge angle	(B) Innerpack angle
				7 - Back		(C) Raw/uncooked
				8 - Right		(D) Prepared
				9 - Bottom		(E) Plated
						(F) Styled
						(G) Staged
						(H) Held
						(J) Worn
						(K) Used
						(L) Family
						(M) Open Case
						(P) Pallet/Display
						(Q) Formed

Optional


Position	20	21+				
Data	Underscore	Language	Image End Date	Serialisation	Rendered Image	CPV
Value	_	(a2) or (a2-A2)	(MMYY)	s(n2)	R	CPV(an...20)

Position 20 and beyond are optional, each component must be preceded by an underscore '_'

Examples of product naming:



<GTIN>_D1N1_en_s01.tif



















<GTIN>_D1N1_en_s01.tif












<GTIN>_D1N1_en_s01.tif



3.5 Primary images States

Image States define the condition, presentation, or usage context of the product as shown in a primary image, using standardized values and corresponding file naming conventions.

Value	Description	Example
1	In packaging - A shot of the product fully enclosed in its primary packaging as it would appear at the point of sale, with no packaging opened, altered, or removed.	    <GTIN>_A1C1.tif <GTIN>_A1N1.tif <GTIN>_A1R1.tif <GTIN>_A1R1.tif
0	Out of packaging (i.e., the product as it first arrives "out of packaging" not how it appears after it has been processed or prepared).	    <GTIN>_A1C0.tif <GTIN>_A1C0.tif <GTIN>_A1R0.tif <GTIN>_A1R0.tif
A	Case – A shot of the product in its case as it would appear to the operator upon delivery.	    <GTIN>_A1RA.tif <GTIN>_A1RA.tif <GTIN>_A1RA.tif <GTIN>_A1RA.tif
B	Innerpack – A shot of the product as it would appear inside its packaging inside the case.	   <GTIN>_A1RB.tif <GTIN>_A1RB.tif <GTIN>_A1RB.tif
C	Raw/uncooked – A shot of a product that has not been cooked or processed or that needs to be cooked or further prepared.	 <GTIN>_B3CC.tif

Value	Description	Example
D	Prepared - A shot of a product that has been taken from a raw or uncooked state to a cooked state according to the appropriate method of preparation (e.g., baked, fried, grilled or boiled).	 <GTIN>_B3CD.tif
E	Plated - Prepared food arranged simply on a serving plate, dish or bowl for better visibility. May include an additional step, such as garnishing, icing, seasoning or other enhancement.	 <GTIN>_B3CE.tif
F	Styled - Carefully and artfully arranged for an attractive visual presentation, and designed to suggest the taste, aroma and appeal of the actual dish. May include complementary items (e.g., an entrée and sides) to present the impression of a complete meal. May also include an additional step, such as garnishing, icing, seasoning or other enhancement. May be presented with different backgrounds and at different angles. Typically applied to food or grocery items.	 <GTIN>_B3CF.tif
G	Staged - A shot of a product that has been arranged for display in such a way as to provide clear visibility. The product may be propped up if necessary for optimum viewing, but it should not be held or used in any way by a person. Typically applied to non-food items.	 <GTIN>_B1CG.tif

Value	Description	Example
H	Held - A shot of a product that has been held out for display by one hand or a pair of hands. When relevant, proper grip should be demonstrated. Apart from the hands and forearms, no part of the person holding the item should be visible.	 <GTIN>_B1CH.tif
J	Worn - A shot of a product, such as a protective item or article of clothing, which is worn by a person. The complete product should be visible inside the frame, but the individual wearing it should be cropped out as much as possible.	 <GTIN>_B1CJ.tif
K	Used - A shot of a product as it is meant to be used in its appropriate environment. Small utensils may be held in a hand or hands and used for their intended purpose.	 <GTIN>_B1CK.tif
L	Family - A shot of a number of related products (e.g., matched sets, place settings) arranged together in a single picture.	 <GTIN>_B1CL.tif
M	Open Case - A shot of a case, flaps open, that shows how the product(s) would look when an operator receives the product and opens the case.	 <GTIN>_A1RM.tif <GTIN>_A1RM.tif <GTIN>_A1RM.tif <GTIN>_A1RM.tif

Value	Description	Example
P	Pallet/Display – An image comprised of the product in a display or pallet configuration.	 <p data-bbox="528 528 722 555"><GTIN>_A1RP.tif</p> <p data-bbox="767 528 962 555"><GTIN>_A1RP.tif</p> <p data-bbox="1007 528 1201 555"><GTIN>_A1RP.tif</p> <p data-bbox="1246 528 1441 555"><GTIN>_A1RP.tif</p>
Q	Formed - An image of a product that has the supporting shape/form (for example a model, mannequin, hanger) removed to give the product a 3-D look.	 <p data-bbox="517 813 711 840"><GTIN>_B1CQ.tif</p>

4 Optimised Images

4.1 Mobile Ready Hero Image (MRHI)

This image type addresses issues concerning the presentation of products in online retail environments on small screens, typically alongside 'add to basket' functions. The factors of screen size and limited attention span augment many of the problems already faced in desktop-centric online retail environments and can easily lead to a poor consumer experience. See [GS1 Mobile Ready Hero Images Guideline](#).

Mobile Ready Hero Images are a rendering of the real product image that differs from a standard pack shot (front face image of the product) to maintain the physical pack's key elements: who is the Brand; what is the product; which variety is represented and; how much.

4.1.1 File format

Storage: JPG/PNG

4.1.2 File size

600 x 600 pixels - 4800 x 4800 pixels

4.1.3 Views

1 - Front

4.1.4 Backgrounds and cropping

Background should be removed to white (RGB 255/255/255) if applicable.

4.1.5 File Naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-19 are mandatory for the Mobile Ready Hero Image type

Mandatory


Position	1-14	15	16	17	18	19
Data	GTIN	Underscore	Image Type	Facing	Orientation	State
value	(n14)	_	H - MRHI	1 - Front	C - Centre	(1) In packaging
					L - Left	(0) Out of packaging
					R - Right	
					N - No plunge angle	

Optional


Position	20	21+				
Data	underscore	Language	Image End Date	Serialisation	Rendered Image	CPV
Value	_	(a2) or (a2-A2)	(MMYY)	s(n2)	R	CPV(an...20)

Position 20 and beyond are optional, each component must be preceded by an underscore '_'

Examples of product naming:



<GTIN>_H1N1_en_s01.jpg



<GTIN>_H1N1_en_s01.jpg



<GTIN>_H1N1_en_s01.jpg

4.2 Optimised Pack Images

This image type is to support retail, consumers, distributors and foodservice operators in completing their online sites. These images will assist consumers to identify specific information about the products they are purchasing.

The image is a representation of a real-world product, built specifically for use on larger screens that may differ from a standard pack shot, but that maintains the majority of the physical pack's key elements of design, shape and colour, and is therefore recognisable on a digital shelf.

4.2.1 File format

Any
(JPG/PNG recommended)

4.2.2 File size

600 x 600 pixels - 4800 x 4800 pixels

4.2.3 Views

- 0 - Not applicable
- 1 - Front
- 2 - Left
- 3 - Top
- 7 - Back
- 8 - Right
- 9 - Bottom

4.2.4 Backgrounds and cropping

Background should be removed to white (RGB 255/255/255) if applicable.

4.2.5 File Naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-19 are mandatory for the Optimised Pack Image type

Mandatory


Position	1-14	15	16	17	18	19
Data	GTIN	Underscore	Image Type	Facing	Orientation	State
Value	(n14)	_	U - Optimised Pack	0 - Not applicable	C - Centre	(1) In packaging
				1 - Front	L - Left	(0) Out of packaging
				2 - Left	R - Right	(A) Case
				3 - Top	N - No plunge angle	(B) Innerpack
				7 - Back		(C) Raw/uncooked
				8 - Right		(D) Prepared
				9 - Bottom		(E) Plated
						(F) Styled
						(G) Staged
						(H) Held
						(J) Worn
						(K) Used
						(L) Family
						(M) Open Case
						(P) Pallet/Display
						(Q) Formed

Optional


Position	20	21+				
Data	Underscore	Language	Image End Date	Serialisation	Rendered Image	CPV
Value	_	(a2) or (a2-A2)	(MMYY)	s(n2)	R	CPV(an...20)

Position 20 and beyond are optional, each component must be preceded by an underscore '_'

Examples of product naming:



<GTIN>_U1N1_en_s01.jpg



<GTIN>_U1N1_en_s01.jpg



<GTIN>_U1N1_en_s01.jpg

4.3 Product Image 360°/3D

360° degree imaging is product photography on a single axis – the product rotates on a single axis while the camera takes pictures at specified degree intervals. All images should be captured with the same plunge angle to ensure a smooth 360 result.

3D imaging is multiple 360° image series, with different plunge angles or rotational axes. These images series, or orbits, are then compiled in software to allow a left-right and up-down motion for product display and interaction.

4.3.1 File format

JPG/PNG

4.3.2 File size

400 x 400 (minimum) pixels


4.3.3 Backgrounds and cropping

Clipping path is optional

White Background recommended

4.3.4 Number of images

Minimum of 24 images (Maximum 360)

 **Note:** Larger items would benefit from an increased number of images to ensure a fluidity of motion. Industry applications should be considered for total image count.

4.3.5 Direction of rotation

The direction of rotation for image capture should be Clockwise.

Direction is determined from observing the sequence of images of the item from a centre top vantage point, looking down upon the object.

4.3.6 Plunge angle indicator

The 19-21st characters in the naming are 'R' and a two-digit numeric plunge angle respectively. The plunge angle is measured from horizontal, with 0* placing the camera horizontally aligned with the product and 90* placing the camera perpendicular to the front face of the item.

4.3.7 Image sequence (Arc position)

The image sequence should be identified in the image name, or associated data, and should follow the stitching sequence used to complete the 360° pattern or mapping.

4.3.8 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimize the chances of rendering the file unreadable.

The naming convention for these images should be the following, where "R" is the Row and "C" is the column. The Row relates to the Plunge angle and the Column relates to the position in the arc around the item.

Example: **09520123456764_E1_R01_C01**

- 18th - _ (underscore)
- 19th - R (Plunge Angle Indicator)
- 20th-21st - 2-digit Row number
- 22nd - _ (underscore)
- 23rd - C (Arc Position Indicator)
- 24th-25th - 2-digit Column Number

Mandatory


Position	1-14	15	16	17	18	19	20-21	22	23	24-25
Data	GTIN	Under score	Image Type	Facing	Under score	Row (plunge)	Row number	Under score	Arc Pos.	Arc Value
Value	(n14)	_	E - 360°/3D	0 - Not applicable	_	R	00-90	_	C	01-24
				1 - Front						
				2 - Left						
				3 - Top						
				7 - Back						
				8 - Right						
				9 - Bottom						

Optional

Position	26	27+	
Data	Underscore	Serialisation	CPV
Value	_	s(n2)	CPV(an...20)

Position 26 and beyond are optional, each component must be preceded by an underscore '_'

Examples of product naming:



<GTIN>_E1_R04_C01.jpg

4.4 3D Model

3D models, or Digital Twins, are digital constructs which can be inserted into video files, or from which product still shots can be extracted. These are standalone files, rather than digital images.

4.4.1 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimize the chances of rendering the file unreadable.

Position 1-16 are mandatory for the 3D Model file type.

GDTI Is recommended for the elements within the file.



Mandatory

Position	1-14	15	16-18
Data	GTIN	Under score	Image Type
Value	(n14)	_	3DR

Optional

Position	19	20+			
Data	Underscore	Language	Image End Date	Serialisation	CPV

Position	19	20+			
Value	–	(a2) or (a2-A2)	(MMYY)	s(n2)	CPV(an...20)



5 Secondary Images

Secondary Images, unlike the Primary Images, do not necessary include the product, or product packaging, itself in the image. These images provide additional information to help make a purchase decision.

5.1 Secondary images file sizes and formats

Image Type		File Size (Legacy version)	File Size (Current version)	File Format (Legacy version)	File Format (Current version)
T	Content/Texture	300 x 300 - 4800 x 4800 pixels	600 x 600 pixels - 4800 x 4800 pixels	Any (Storage: LZW Compressed TIFF; JPG; PNG; GIF)	Any
F	Detail/Technology	300 x 300 - 4800 x 4800 pixels	600 x 600 pixels - 4800 x 4800 pixels	Any (Storage: LZW Compressed TIFF; JPG; PNG; GIF)	Any
M	Montage/Composition	900 x 900 - 2400 x 2400 pixels	600 x 600 pixels - 4800 x 4800 pixels	LZW Compressed TIFF	Any
N	Application	300 x 300 - 4800 x 4800 pixels	600 x 600 pixels - 4800 x 4800 pixels	Any (Storage: LZW Compressed TIFF; JPG; PNG; GIF)	Any
R	Ambience/Mood	300 x 300 - 4800 x 4800 pixels	600 x 600 pixels - 4800 x 4800 pixels	Any (Storage: LZW Compressed TIFF; JPG; PNG; GIF)	Any
Q	Size Comparison	300 x 300 - 4800 x 4800 pixels	600 x 600 pixels - 4800 x 4800 pixels	Any (Storage: LZW Compressed TIFF; JPG; PNG; GIF)	Any
L2	Nutritional Label	600 x 600 (minimum) pixels	600 x 600 pixels - 4800 x 4800 pixels	Storage: LZW Compressed TIFF/JPG	Any
L4	Ingredients	600 x 600 (minimum) pixels	600 x 600 pixels - 4800 x 4800 pixels	Storage: LZW Compressed TIFF/JPG	Any
L5	Nutritional/Ingredients combined	600 x 600 (minimum) pixels	600 x 600 pixels - 4800 x 4800 pixels	Storage: LZW Compressed TIFF/JPG	Any
L7	Certification Seals/Claims	600 x 600 (minimum) pixels	600 x 600 pixels - 4800 x 4800 pixels	Storage: LZW Compressed TIFF/JPG	Any
L8	Preparation Instructions	600 x 600 (minimum) pixels	600 x 600 pixels - 4800 x 4800 pixels	Storage: LZW Compressed TIFF/JPG	Any
L9	Petfood Feeding Instructions/Ingredients	600 x 600 (minimum) pixels	600 x 600 pixels - 4800 x 4800 pixels	Storage: LZW Compressed TIFF/JPG	Any

Image Type		File Size (Legacy version)	File Size (Current version)	File Format (Legacy version)	File Format (Current version)
L10	Safe Handling Instructions	600 x 600 (minimum) pixels	600 x 600 pixels - 4800 x 4800 pixels	Storage: LZW Compressed TIFF/JPG	Any
L11	Drug Fact Label	n/a	600 x 600 pixels - 4800 x 4800 pixels	n/a	Any
L12	Supplement Fact Label	n/a	600 x 600 pixels - 4800 x 4800 pixels	n/a	Any
L13	Lighting Fact Label	n/a	600 x 600 pixels - 4800 x 4800 pixels	n/a	Any
S	Sidekick Images	300 x 300 - 4200 x 4200 pixels	600 x 600 pixels - 4800 x 4800 pixels	Any (JPG/PNG/GIF recommended)	Any
J	Sustainability	300 x 300 - 4200 x 4200 pixels	600 x 600 pixels - 4800 x 4800 pixels	Any (JPG/PNG/GIF recommended)	Any



Note: The current version of images file size and format should be used for all new images, but legacy images file size and format stored before the end of March 2023 can retain their original resolution.

For storage, images should be saved with high quality and best practice is not to enlarge the image size.

5.2 Content/Texture

The 'content/texture' image type shows images that depict the content or texture of a product. The image should be designed in such a way that the texture can be experienced by the end user similarly to in stationary retail, e.g., creme, lipstick.

5.2.1 File format & size

See section [5.1, Secondary images file sizes and formats](#)

5.2.2 Backgrounds and cropping

Clipping path is optional; background may be removed to white (RGB 255/255/255)

5.2.3 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimize the chances of rendering the file unreadable.

Position 1-16 are mandatory for the Content/Texture Image type.

Mandatory

Position	1-14	15	16
Data	GTIN	Under score	Image Type
Value	(n14)	_	T - Content/Texture

Optional

Position	17	18+				
Data	Underscore	Language	Image End Date	Serialisation	Rendered Image	CPV
Value	_	(a2) or (a2-A2)	(MMYY)	s(n2)	R	CPV(an...20)

Position 17 and beyond are optional, each component must be preceded by an underscore '_ '.

Examples of product naming:



<GTIN>_T_s01.jpg



<GTIN>_T_s01.jpg



<GTIN>_T_s01.jpg

5.3 Detail/Technology

A Detail (Technology) image is a photo, line art or other graphic representation of a specific product feature or characteristic. It is used to highlight that specific detail of an item. This type of image includes variations such as an image to reveal the internal components, layers, or structures of an object (cut-away), details of the inside of a trade item, or a representation of a portion of a trade item. File format & size

See section [5.1, Secondary images file sizes and formats](#)

5.3.1 Backgrounds and cropping

Clipping path is optional; background may be removed to white (RGB 255/255/255)

5.3.2 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimize the chances of rendering the file unreadable.

Position 1-16 are mandatory for the Detail/Technology Image type.

Mandatory

Position	1-14	15	16
Data	GTIN	Under score	Image Type
Value	(n14)	_	F - Detail/Technology

Optional

Position	17	18+				
Data	Underscore	Language	Image End Date	Serialisation	Rendered Image	CPV
Value	_	(a2) or (a2-A2)	(MMYY)	s(n2)	R	CPV(an...20)

Position 17 and beyond are optional, each component must be preceded by an underscore '_'

Examples of product naming:



<GTIN>_F_s01.jpg



<GTIN>_F_s01.jpg



<GTIN>_F_s01.jpg

5.4 Montage/Composition

A Montage (composite) image is a composition of distinct elements included the packaging. These are images of all the components of the product, and should only contain contents of the packaging that are included when selling the product. This image gives additional information regarding the components of the product to help consumers in their purchasing decisions.

Examples of Montages image type include:

Image with all the components of a garden tool set with all the elements included in the kit.

Image showing outer packaging (primary image) with the element included in the packaging in front of it.

5.4.1 File format & size

See section [5.1, Secondary images file sizes and formats](#)

5.4.2 Backgrounds and cropping

Clipping path is recommended; background should be removed to white (RGB 255/255/255)

5.4.3 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimize the chances of rendering the file unreadable.

Position 1-17 are mandatory for the Montage/Composition Image type.

Mandatory

Position	1-14	15	16	17
Data	GTIN	Underscore	Image Type	Facing
Value	(n14)	_	M - Montage/Composition	1 - Front
				2 - Left
				3 - Top
				7 - Back
				8 - Right
				9 - Bottom

Note: The orientation should be based on the primary image.

Optional

Position	18	19+		
Data	Underscore	Language	Serialisation	CPV
Value	_	(a2) or (a2-A2)	s(n2)	CPV(an...20)

Position 18 and beyond are optional, each component must be preceded by an underscore '_'

Examples of product naming:



<GTIN>
_M1_s01.jpg



<GTIN>
_M1_s02.jpg



<GTIN>
_M1_s03.jpg



<GTIN>
_M1_s04.jpg



<GTIN>
_M1_s05.jpg



<GTIN>
_M1_s06.jpg



<GTIN>_M1_en.jpg



<GTIN>_M1_en_s01.jpg

5.5 Social Media

Prior to 2023, this standard included the image type “Social Media” defined as: The ‘social media’ image type shows assets with media content. The Value “K” can continue to be used for legacy images in position 16.

5.6 Application

The ‘Application’ image type is used to depict how the product itself is used. The image will include the product itself in use. The image is intended to transmit practical information on the application of the product to potential consumers.

5.6.1 File format & size

See section [5.1, Secondary images file sizes and formats](#)

5.6.2 Backgrounds and cropping

Clipping path is optional; background may be removed to white (RGB 255/255/255)

5.6.3 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-16 are mandatory for the Application Image type.

Mandatory

Position	1-14	15	16
Data	GTIN	Underscore	Image Type

Position	1-14	15	16
Value	(n14)	_	N - Application

Optional

Position	17	18+				
Data	Underscore	Language	Image End Date	Serialisation	Rendered Image	CPV
Value	_	(a2) or (a2-A2)	(MMYY)	s(n2)	R	CPV(an...20)

Position 17 and beyond are optional, each component must be preceded by an underscore '_'

Examples of product naming:



<GTIN>_N_en.jpg



<GTIN>_N_en_s01.jpg

5.7 Ambience/Mood

The 'ambience/mood' image type shows images used as 'mood images'. They are primarily used to communicate a lifestyle, or other emotional reactions, to potential consumers. It is optional to include the product itself.

5.7.1 File format & size

See section [5.1, Secondary images file sizes and formats](#)

5.7.2 Backgrounds and cropping

Clipping path is optional; background may be removed to white (RGB 255/255/255)

5.7.3 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-16 are mandatory for the Ambience/Mood Image type.

Mandatory

Position	1-14	15	16
Data	GTIN	Underscore	Image Type
Value	(n14)	_	R – Ambiance/Mood

Optional

Position	17	18+				
Data	Underscore	Language	Image End Date	Serialisation	Rendered Image	CPV
Value	_	(a2) or (a2-A2)	(MMYY)	s(n2)	R	CPV(an...20)

Position 17 and beyond are optional, each component must be preceded by an underscore ‘_’

Examples of product naming:



<GTIN>_R_s01.jpg



<GTIN>_R_s01.jpg



<GTIN>_R_s01.jpg

5.8 Size Comparison

The ‘size comparison’ image type makes clear the actual size of the product, e.g., via a schematic depiction of a person or well-known object (e.g., one-euro coin) in the background.

5.8.1 File format & size

See section [5.1, Secondary images file sizes and formats](#)

5.8.2 Backgrounds and cropping

Clipping path is optional; background may be removed to white (RGB 255/255/255)

5.8.3 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-16 are mandatory for the Size Comparison Image type.

Mandatory

Position	1-14	15	16
Data	GTIN	Underscore	Image Type
Value	(n14)	_	Q - Size Comparison

Optional

Position	17	18+				
Data	Underscore	Language	Image End Date	Serialisation	Rendered Image	CPV
Value	_	(a2) or (a2-A2)	(MMYY)	s(n2)	R	CPV(an...20)

Position 17 and beyond are optional, each component must be preceded by an underscore '_'

Examples of product naming:



<GTIN>_Q_0622_s01.png

5.9 Nutritional Label

The Nutritional Label is a portion of the full flat layout, specifically identifying the regulated information related to a product’s nutritional composition. Given the nature of the content, this image type only applies to consumable food products. Regulated Nutritional label must follow the local regulations. Background colours may be used.

5.9.1 File format & size

See section [5.1, Secondary images file sizes and formats](#)

5.9.2 Backgrounds and cropping

Clipping path is optional

5.9.3 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-17 are mandatory for the Nutritional Label Image type.

Mandatory

Position	1-14	15	16-17
Data	GTIN	Underscore	Image Type PACKAGING
Value	(n14)	_	L2 – Nutritional Label

Optional

Position	18	19+		
Data	Underscore	Language	Serialisation	CPV
Value	_	(a2) or (a2-A2)	s(n2)	CPV(an...20)

Position 18 and beyond are optional, each component must be preceded by an underscore '_'

Examples of product naming:



<GTIN>_L2_s01_CPV123ABC.tif

5.10 Ingredients

The Ingredients image is a list of ingredients printed on the packaging. It may be separated by language in multiple areas on the product and should be identified with the language expressed in the metadata associated and the appropriate position for GTIN based naming.

5.10.1 File format & size

See section [5.1, Secondary images file sizes and formats](#)

5.10.2 Backgrounds and cropping

Clipping path is optional

5.10.3 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-17 are mandatory for the Ingredients Image type.

Mandatory

Position	1-14	15	16-17
Data	GTIN	Underscore	Image Type - PACKAGING
Value	(n14)	_	L4 -Ingredients

Optional

Position	18	19+		
Data	Underscore	Language	Serialisation	CPV
Value	_	(a2) or (a2-A2)	s(n2)	CPV(an...20)

Position 18 and beyond are optional, each component must be preceded by an underscore '_'

Examples of product naming:



<GTIN>_L4_fr_s01_CPV123ABC.jpg

5.11 Nutritional/Ingredients combined

Where regulations permit the combination of nutritional and ingredients, the Nutritional/Ingredients Combined image type will be used.

The language expressed should be identified in the metadata associated and the appropriate position for GTIN based naming.

5.11.1 File format & size

See section [5.1, Secondary images file sizes and formats](#)

5.11.2 Backgrounds and cropping

Clipping path is optional

5.11.3 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-17 are mandatory for the Nutritional/Ingredients Image type.

Mandatory


Position	1-14	15	16-17
Data	GTIN	Underscore	Image Type - PACKAGING
Value	(n14)	_	L5 -Nutritional/Ingredients combined

Optional

Position	18	19+		
Data	Underscore	Language	Serialisation	CPV
Value	_	(a2) or (a2-A2)	s(n2)	CPV(an...20)

Position 18 and beyond are optional, each component must be preceded by an underscore '_'

Examples of product naming:



<GTIN>_L5_s17_CPV123ABC.jpg

5.12 Marketing Content Code (QR Code)

See section [6.5, 2D barcode](#)

5.13 Certification Seals/Claims

The certification seal or claim image (one or many) would be used to specifically identify the information related to a product’s certifications, claims or seals (regulatory, marketing, etc.) showing the logo of the certification body, that appears on any level of a products hierarchy (case, inner, each). Any claim that appears on the product, even if related to [Sustainability](#), SHALL be part of this Certification Seals/Claims image type. General information about Sustainability included in an image that does not imply a Certification or Claim should use the Sustainability Image type. The image may contain text to further describe or explain the claim or seal presented in the image.

5.13.1 File format & size

See section [5.1, Secondary images file sizes and formats](#)

5.13.2 Backgrounds and cropping

Clipping path is optional

5.13.3 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-17 are mandatory for the Certification Seals/Claims Image type.

Mandatory

Position	1-14	15	16-17
Data	GTIN	Underscore	Image Type PACKAGING
Value	(n14)	_	L7 -Certification Seals/Claims

Optional

Position	18	19+		
Data	Underscore	Language	Serialisation	CPV
Value	_	(a2) or (a2-A2)	s(n2)	CPV(an...20)

Position 18 and beyond are optional, each component must be preceded by an underscore ‘_’

Examples of product naming:



<GTIN>_L7_fr.jpg

5.14 Preparation Instructions

The Preparation Instructions would be used to provide information to a consumer related to a product's recommended preparation steps (for example food preparation). This image can contain visuals or text or both and is meant to support consumer purchasing decisions or understanding how the product is intended to be prepared.

5.14.1 File format & size

See section [5.1, Secondary images file sizes and formats](#)

5.14.2 File size

600 x 600 – 4800 x 4800 pixels

5.14.3 Backgrounds and cropping

Clipping path is optional

5.14.4 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-17 are mandatory for the Preparation Instructions Image type.

Mandatory

Position	1-14	15	16-17
Data	GTIN	Underscore	Image Type PACKAGING
Value	(n14)	_	L8 - Preparation Instructions


Optional

Position	18	19+		
Data	Underscore	Language	Serialisation	CPV

Position	18	19+		
Value	_	(a2) or (a2-A2)	s(n2)	CPV(an...20)

Position 18 and beyond are optional, each component must be preceded by an underscore '_'

Examples of product naming:



<GTIN>_L8_en_CPV123ABC.jpg

5.15 Petfood Feeding Instructions/Ingredients

The feeding recommendations would identify suggested quantities and frequency of feeding based on age and weight. The Ingredients or guaranteed analysis image is a list of ingredients or breakdown of composition printed on the packaging.

The language indicator should be used where the instructions are available in multiple languages.

5.15.1 File format & size

See section [5.1, Secondary images file sizes and formats](#)

5.15.2 Backgrounds and cropping

Clipping path is optional

5.15.3 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-17 are mandatory for the Pet Feeding Instructions/Ingredients Image type.

Mandatory

Position	1-14	15	16-17
Data	GTIN	Underscore	Image Type PACKAGING
Value	(n14)	_	L9 - Petfood Feeding Instructions/Ingredients

Optional

Position	18	19+		
Data	Underscore	Language	Serialisation	CPV
Value	_	(a2) or (a2-A2)	s(n2)	CPV(an...20)

Position 18 and beyond are optional, each component must be preceded by an underscore ‘_’

Examples of product naming:

EXPECTED PUPPY BODY WEIGHT	2-3 Months	4-6 Months	1-2 Years
	Gms/Day	Gms/Day	Gms/Day
Small Breeds (Below 10 Kg)	40g	100g	120g
Medium Breeds (11-25 Kg)	175g	240g	325g
Large Breeds (25-45 Kg)	200g	325g	425g
Large Breeds (46 Kg and Above)	275g	475g	475g

*Divide daily amount into 3-4 meals for puppies under 6 months

<GTIN>_L9_en.jpg

WEIGHT	AMOUNT (GR)
>1Kg	80-110g
1-1.2Kg	120-150g
1.3-1.9Kg	180-240g
2-2.5Kg	270-330g
2.6-4Kg	370-450g
<5Kg	550g

<GTIN>_L9_en_s01.jpg

5.16 Safe Handling Instructions

These images should be of Safe Handling Instructions as they would appear somewhere on any hierarchy level of the product packaging or a sheet that may accompany the product (physically or digitally).

5.16.1 File format & size

See section [5.1, Secondary images file sizes and formats](#)

5.16.2 Backgrounds and cropping

Clipping path is optional

5.16.3 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-18 are mandatory for the Safe Handling Instructions Image type.

Mandatory

Position	1-14	15	16-18
Data	GTIN	Underscore	Image Type PACKAGING
Value	(n14)	_	L10 - Safe Handling Instructions

Optional

Position	19	20+		
Data	Underscore	Language	Serialisation	CPV
Value	_	(a2) or (a2-A2)	s(n2)	CPV(an...20)

Position 19 and beyond are optional, each component must be preceded by an underscore '_'

Examples of product naming:



<GTIN>_L10_en_s01_CPV123ABC.jpg

5.17 Sidekick Images

This image type is used to inform customer of benefits of a product/a short storyteller. A supplementary image or graphic, generally used to support the Primary image or the Mobile Ready Hero image. It can be created as single image or be a sequence of multiple images to best help customers making decision for their online transaction.

For images with the prime purpose of general Sustainability information see section [5.21](#)

[For images addressing Certifications or Claims see section 5.5](#)

5.17.1 File format & size

See section [5.1](#), [Secondary images file sizes and formats](#)

5.17.2 Backgrounds and cropping

Clipping path is optional; background may be removed to white (RGB 255/255/255)

5.17.3 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-16 are mandatory for the Sidekick Image type.

Mandatory


Position	1-14	15	16
Data	GTIN	Underscore	Image Type
Value	(n14)	_	S - Sidekick

Optional

Position	17	20+		
Data	Underscore	Language	Serialisation	CPV
Value	_	(a2) or (a2-A2)	s(n2)	CPV(an...20)

Position 17 and beyond are optional, each component must be preceded by an underscore '_'

Examples of product naming:



<GTIN>_S_en_s01_CPV123ABC.jpg



<GTIN>_S_en_s01.jpg



<GTIN>_S_en.jpg

5.18 Drug Fact Label

Visual representation of the drug fact panel of the trade item. A drug fact label usually contains such items as active ingredients, uses, warnings, purpose, directions, etc.

5.18.1 File format & size

See section [5.1, Secondary images file sizes and formats](#)

5.18.2 Backgrounds and cropping

Clipping path is optional

5.18.3 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-18 are mandatory for the Drug Fact Label Image type.

Mandatory


Position	1-14	15	16-18
Data	GTIN	Underscore	Image Type
Value	(n14)	_	L11 – Drug Fact Label

Optional

Position	19	20+		
Data	Underscore	Language	Serialisation	CPV
Value	_	(a2) or (a2-A2)	s(n2)	CPV(an...20)

Position 19 and beyond are optional, each component must be preceded by an underscore ‘_’

Examples of product naming:



<GTIN>_L11_en_s01_CPV123ABC.jpg



Note: The drug fact label image(s) must meet all the local legal requirements. This may require multiple images to deal with factors like multiple language or a large amount of information which would not be clearly legible on a single image.

5.19 Supplement Fact Label

Visual representation of the product label containing information related to the supplement or nutrient product. The supplement facts label provides about what active/nutritional ingredients are used in the formula along with dosage recommendations for dietary supplements.

5.19.1 File format & size

See section [5.1, Secondary images file sizes and formats](#)

5.19.2 Backgrounds and cropping

Clipping path is optional

5.19.3 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-18 are mandatory for the Supplement Fact Label Image type.

Mandatory

Position	1-14	15	16-18
Data	GTIN	Underscore	Image Type
Value	(n14)	_	L12 – Supplemental Fact Label

Optional

Position	19	20+		
Data	Underscore	Language	Serialisation	CPV
Value	_	(a2) or (a2-A2)	s(n2)	CPV(an...20)

Position 19 and beyond are optional, each component must be preceded by an underscore ‘_’

Examples of product naming:

Supplement Facts	
Serving Size 2 Gummies Servings Per Bottle 70	
Amount Per Serving	% Daily Value
Calories	15
Total Carbohydrate	4 g 1% †
Sugar Alcohol	4 g **
Melatonin	3 mg **
Passion Flower (<i>Passiflora incarnata</i>) 4:1 extract	4.25 mg **
Chamomile Flower (<i>Chamomilla recutita</i>) 4:1 extract	4.25 mg **
Lemon Balm Leaf (<i>Melissa officinalis</i>) 4:1 extract	4 mg **
† Percent Daily Values are based on a 2,000 calorie diet. ** Daily Value not established.	

Other ingredients: Maltitol, gelatin, water; less than 2% of: blend of oils (coconut and/or palm) with beeswax and/or carnauba wax, citric acid, color (annatto extract), lactic acid, natural flavors, and sucralose. **Contains: tree nuts (coconut).**

Processed in a facility with products that contain egg, fish, shellfish, soy and tree nuts.

<GTIN>_L12_en_s01_CPV123ABC.jpg

5.20 Lighting Fact Label

Visual representation of the product label containing information related to the light characteristics of the product. The lighting facts label makes it easy to compare bulb characteristics such as brightness, colour, life, and estimated operating cost for the year.

5.20.1 File format & size

See section [5.1, Secondary images file sizes and formats](#)

5.20.2 Backgrounds and cropping

Clipping path is optional

5.20.3 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-18 are mandatory for the Lighting Fact Label Image type.

Mandatory

Position	1-14	15	16-18
Data	GTIN	Underscore	Image Type
Value	(n14)	_	L13 – Lighting Fact Label

Optional

Position	19	20+		
Data	Underscore	Language	Serialisation	CPV
Value	_	(a2) or (a2-A2)	s(n2)	CPV(an...20)

Position 19 and beyond are optional, each component must be preceded by an underscore '_'

Examples of product naming:

Lighting Facts Per Bulb	
Brightness	800 lumens
Estimated Yearly Energy Cost \$1.32	
Based on 3 hrs/day, 11¢/kWh Cost depends on rates and use	
Life	22.8 years
Based on 3 hrs/day	
Light Appearance	
Warm	Cool
2700 K	
Energy Used	11 watts

<GTIN>_L13_en_s01_CPV123ABC.jpg

5.21 Sustainability

The sustainability image emphasizes the features or characteristics of the product related to recyclability, reusability, product and packaging components, environmental impact etc.

It differs from [Sidekick Images](#) due to its prime focus on the sustainability benefits of the product.

The use of an image classed as a Sustainability Image in no way implies any related Certification or Claim. This only indicates the image contains Sustainability related information.

If the sustainability claim appears on the product itself, then the image type for [Certification Seals/Claims](#) SHALL be used.

5.21.1 File format & size

See section [5.1, Secondary images file sizes and formats](#)

5.21.2 Backgrounds and cropping

Clipping path is optional

5.21.3 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-16 are mandatory for the Sustainability Image type.

Mandatory

Position	1-14	15	16
Data	GTIN	Underscore	Image Type
Value	(n14)	_	J - Sustainability

Optional

Position	17	18+		
Data	Underscore	Language	Serialisation	CPV
Value	_	(a2) or (a2-A2)	s(n2)	CPV(an...20)

Position 17 and beyond are optional, each component must be preceded by an underscore '_'

Examples of product naming:



<GTIN>_J.jpg

6 Technical Images

Technical Images, unlike the Primary or Secondary Images, are not consumer facing and often have specific specification due to the nature and application of these images.

6.1 Planogram Image and Data Field Specifications

A planogram is a visual merchandising tool. Planograms are detailed drawings of a store layout with special attention on product placement. Planogram images and associated data are loaded into software to generate a replica of a store shelf or layout, adjusting the images based on the associated data (such as height, width, depth, nesting, peg hole, etc...) to estimate the number of products which can fill the marketable space available.

6.1.1 File format

File formats must be as follows:

- Targa 16-32 bit (If 32 then alpha must be I/O), no compression
- PNG (must be alpha channel compatible and have a transparent background)
- JPEG, level of compression to be at 10 or above



Note: JPEG images are not alpha channel compatible with all imaging software.


6.1.2 File size

Minimum image size for all marketable face planogram images shall be 20kB minimum (50kB for Targa images)

6.1.3 Views

All products that are produced in a package should be represented with up to 6 views of the In-Package consumer pack, with 3 views as a minimum straight-on front, straight-on top, and straight-on left side views. Items that are not produced in a package, such as hammers, must be represented with the same above 3 views. An additional straight-on front view of an inner pack should be available when appropriate. The [GS1 Package and Product Measurement Standard](#) defines what the 'Default Front' of a product is.

Valid image views are:



09520123456788.1
straight on, front shot



09520123456788.2
straight on, left view



09520123456788.3
straight on, top view

Optional image views:



09520123456788.7
straight on, back shot



09520123456788.8
straight on, right view



09520123456788.9
straight on, bottom view

6.1.4 Backgrounds and cropping

Images for contour products must appear with a transparent background. Images for contour and non- contour products must also be cropped to products' edge. No props or additional products are allowed within the primary image areas.

- Boxes type products are cropped to the edge and represented on a white background
- Hard corner boxes, were the cropped image leaves no background for close cropping alpha channel identification, shall be saved without a transparent layer level.
- Rounded or odd shaped type products should be contoured and represented with a transparent background
- Rounded or odd shaped type products can also be cropped to the products edge and represented on a white background.

6.1.5 File naming

First 14 characters are the GTIN of the product (required). After the first period, the planogram view indicator will be present (required).

The standard image naming indicators are:



(GTIN) .1 front face



(GTIN) .2 left of front



(GTIN) .3 top



(GTIN) .7 back



(GTIN) .8 right of front



(GTIN) .9 bottom



Note: For peg hole flat products: If the product side 2,3,8 and 9 are less than 1/2cm and have no viewable marketing information images may be omitted.

6.1.5.1 Additional naming for Alternate/Display/Tray

In the subsections you will find examples for additional sub-naming rules for use with items that may require additional image/data for accurate planogramming.

6.1.5.1.1 Alternate naming

In some instances, more than one 'front' exists due to alternate graphics.

GTINs with multiple graphic layouts that do not conflict with the GTIN allocation rules should be identified with 'A' for Alternative.

Examples:



Product



.1 Image

09520123456795.1



Product



.1 Image

09520123456795A.1

6.1.5.1.2 Display Naming (retail ready packaging)

If the GTIN is unique to a display the image will be named using the display GTIN as well as the inner product GTIN followed by its appropriate identifier ('T' for tray , 'D' for display, and 'A' for alternate)

Retail ready packaging, also known as shelf ready packaging, is ready-to-sell secondary packaging. Primary packaging contains the product and secondary packaging protects the primary packaging. RRP is placed directly onto the shelf without the need for unpacking the inner contents.



09520123456702T.1



Note: A display may also be considered a tray (e.g., a box of chocolate bars) Where this is the case, if there is a marketing 'flap' or display component which alters the dimensions compared to the dimensions of the unopened tray, the identifier 'Display' should be used.

6.1.5.1.3 Tray Naming (retail ready packaging)

If the GTIN is unique to a tray the image will be named using the tray GTIN as well as the inner product GTIN followed by its appropriate identifier ('T' for tray , 'D' for display, and 'A' for alternate)

Retail ready packaging, also known as shelf ready packaging, is ready-to-sell secondary packaging. Primary packaging contains the product and secondary packaging protects the primary packaging. RRP is placed directly onto the shelf without the need for unpacking the inner contents.



09520123456719T.1



09520123456719T.2



Note: A tray may also be considered a display (e.g., a box of chocolate bars) Where this is the case, if there is a marketing 'flap' or display component which alters the dimensions compared to the dimensions of the unopened tray, the identifier 'Display' should be used.

6.2 Sample/Mock-up

The Sample (Prototype)/Mock-up Image is generally created whether the product is ready for ordering or is still in production (pre-production) stage.

It can be a sketch (line art drawing) an image or a computer-generated rendering. The drawing should only depict the style and be free of dimensions and other technical details.

The image is intended exclusively for internal use and communication between business partners (b2b) and is used to conceptualize the product for the ordering process.



Note: Due to the nature of the image, only GDTI naming may be employed for this image type.

6.2.1 File format

JPG, PDF

6.2.2 File size

n/a (generally 500kb or less)

6.2.3 Backgrounds and cropping

Clipping path is optional

6.2.4 File naming

GDTI

6.3 Full Flat

A Full Flat is the term used for the final print layout of a product's packaging. It is generally the print layout for any and all information that will appear on the final product. These images may include images of cans, jars, trays, etc. and should be STITCHED or UNSTITCHED images. If these images are sent unstitched, sequencing would be recommended to be utilised.

6.3.1 File format

Storage: LZW Compressed TIFF; JPG, PDF

6.3.2 File size

Square aspect ratio not required for this technical image type, therefore, there is no minimum pixel size. However, the image must be clearly legible.

6.3.3 Backgrounds and cropping

Clipping path is optional

6.3.4 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-17 are mandatory for the Full Flat Image type.

Mandatory


Position	1-14	15	16-17
Data	GTIN	Underscore	Image Type PACKAGING
Value	(n14)	_	L1 - Full Flat

Optional

Position	18	19+		
Data	Underscore	Language	Serialisation	CPV
Value	_	(a2) or (a2-A2)	s(n2)	CPV(an...20)

Position 18 and beyond are optional, each component must be preceded by an underscore '_'

Examples of product naming:



09520123456733_L1_en_s01.tif

6.4 Linear barcode

The linear barcode image is used for any symbol applied to the product. Multiple linear barcodes may exist on the product, in such cases more than one image may be required and SHOULD be differentiated with the serialisation tag in GTIN based naming.

6.4.1 File format

Storage: Any format.

6.4.2 File size

600 x 600 (minimum) pixels; Square aspect ratio not required.

6.4.3 Backgrounds and cropping

Clipping path optional.

6.4.4 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-17 are mandatory for the Barcode Image type.

Mandatory

Position	1-14	15	16-17
Data	GTIN	Underscore	Image Type PACKAGING
Value	(n14)	_	L3 - Linear barcode

Optional

Position	18	19+		
Data	Underscore	Language	Serialisation	CPV
Value	_	(a2) or (a2-A2)	s(n2)	CPV(an...20)

Position 18 and beyond are optional, each component must be preceded by an underscore '_'


Examples of product naming:



09520123456740_L3_s01_CPV123ABC.jpg

6.5 2D barcode

Formerly known as the "Marketing Content Code image", the 2D barcode image is used for 2D barcodes applied to the product (e.g., A QR Code with GS1 Digital Link URL syntax or GS1 DataMatrix).

- 
Note: Images of 2D barcodes linking to online content are likely to be scanned at any point in time by any partner or consumer of the image. It is important to keep the image current when the barcode's content is updated.

If multiple 2D barcodes are on the product, more than one image may be required, and SHOULD be differentiated with the serialisation tag in GTIN based naming.

6.5.1 File format

Storage: Any format.

6.5.2 File size

600 x 600 (minimum) pixels.

6.5.3 Backgrounds and cropping

Clipping path is optional.

6.5.4 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-17 are mandatory for the 2D barcode image type.

Mandatory

Position	1-14	15	16-17
Data	GTIN	Underscore	Image Type PACKAGING
value	(n14)	_	L6 - 2D barcode

Optional

Position	18	19+		
Data	Underscore	Language	Serialisation	CPV
Value	_	(a2) or (a2-A2)	s(n2)	CPV(an...20)

Position 18 and beyond are optional, each component must be preceded by an underscore '_'

Examples of product naming:



(01)09506000134352

09506000134352_L6.png

6.6 Pharmaceutical Drugs/Medical Devices

The Pharmaceutical Drugs/Medical Devices images refers to products (medical devices or pharmaceutical drugs and components) used in the diagnosis, treatment or prevention of disease that achieves its primary intended purpose through pharmacological, immunological or metabolic means within or on the body. Includes medical equipment and supplies, all drugs, biologicals or therapeutic nutritional for human applications.

These are high-resolution images of packaging levels and components - down to the product or unit of use - to support internal applications and different business processes. The multiple product views provide a good visual representation for identification and validation capabilities.

6.6.1 File format

JPG

6.6.2 File size

1500 x 1500 pixels

6.6.3 Backgrounds and cropping

Clipping path is recommended; background should be removed to white (RGB 255/255/255)

6.6.4 File naming

A filename (or file name) is a name used to uniquely identify a computer file stored in a file system. Different file systems impose different restrictions on filename lengths and the allowed characters within filenames.

The components required to identify a file varies across operating systems, as does the syntax and format for a valid filename.

For the purposes of this document, the filename discussion shall focus on the base name of the file excluding the file format/extension. File format/extensions should only be added by the software generating or modifying the file to minimise the chances of rendering the file unreadable.

Position 1-21 are mandatory for the Barcode Image type.

Mandatory

Position	1-14	15	16	17	18	19	20	21
Data	GTIN	Underscore	Component level	Sequence component level	Component type	Underscore	Image Type	Facing
value	(n14)	_	(n)	(n)	0 – Product-	_	G - Pharmaceutical Drugs/Medical Devices	0 - Not applicable
					1 – Peel			1 - Front
					2 – Accessories			2 - Left
					3 – Unit of use			3 - Top
					4 – Oral solid Dosage			7 – Back
					5 – 9 (place holder)			8 – Right
								9 - Bottom

Position 16 and 17

Component images need to be structured in the right sequence, specifying the packaging level, sequence of components within each level and their respective component types.

Component Level – Refers to products with several components inside of a single packaging.



Component level (1)



Component level (2)



Component level (3)

Sequence Component Level – Identifies the different component levels inside the packaging. In cases where the packaging contains multiple products belonging to the same component type, such as two different accessories, this differentiation is made at the sequence component level.



Sequence Component level (1)



Sequence Component level (2)

Optional

Position	22	23+
Data	Underscore	Language
Value	_	(a2) or (a2-A2)

Position 22 and beyond are optional, each component must be preceded by an underscore '_'

Examples of product naming:

Outer Packaging

00000000000000_110_G1 00000000000000_110_G2 00000000000000_110_G7 00000000000000_110_G3 00000000000000_110_G8 00000000000000_110_G9

Unit of use

00000000000000_213_G1 00000000000000_213_G2 00000000000000_213_G7 00000000000000_213_G8

Accessory

00000000000000_222_G1 00000000000000_222_G2 00000000000000_222_G3 00000000000000_222_G7

7 Identification and Metadata

7.1 Identification

Identification of an image or file is different than naming of the same, when properly assigned and embedded within the file's metadata, identification can survive renaming. File identification should be unique, the current file naming structure allows for reuse to ensure that a new image can be easily introduced into the process with minimal effort.

GDTI (Global Document Type Identifier) is the recommended identification method, to uniquely identify a file.

7.2 Metadata list

When leveraging the ability for a file (image, document, etc...) to contain its own micro database, the list below should be used; its composition should include comparative and explorative items it assists in finding and matching the document to its associated data.

Metadata Attribute	Definition	R/O/D	GS1 Web Vocabulary Name	GS1 Web Vocabulary Definition
GDTI	A GS1 GDTI, a unique document identifier for the digital asset. This may or may not be the same value as the filename.	Recommended	gs1:gdti	
Brand Name	The Brand Name of the product in the image.	Recommended	gs1:brandName	The brand name of the product that appears on the consumer package.
Product Name	The name of the product.	Recommended	gs1:productName	Consumer friendly short description of the product suitable for compact presentation.
Valid From Date	Earliest date from when the image can be used or may be shown.	Recommended	gs1:referencedFileEffectiveStartDateTime	The date upon which the target of this external link begins to be effective for use.
GTIN	Global Trade Item Number	Recommended	gs1:gtin	The GS1 identification key used to identify trade items. The key comprises a GS1 Company Prefix followed by an Item Reference Number and a check digit.
Alternative Text (Alt Text)	Provide text alternatives for any non-text content so that it can be changed into other forms people need, such as large print, braille, speech, symbols or simpler language	Optional	gs1:alternativeText	Guidance on the use of Alternative Text (Alt Text) can be found on https://www.w3.org/standards/webdesign/accessibility
Angle Indicator	Angle at which the image was taken when compared to the front face of the product.	Optional	gs1:referencedFileImageAngle	PROPOSED Web Vocabulary attribute.

Metadata Attribute	Definition	R/O/D	GS1 Web Vocabulary Name	GS1 Web Vocabulary Definition
Article Variant		Optional	gs1:productionVariantDescription	Free text assigned by the manufacturer to describe the production variant. Examples are: package series X, package series Y.
Camera Data		Optional		
Clipping Path Name		Optional		PROPOSED: gs1:referencedFileImageClippingPathName
Colour Mode		Recommended		
Copyright		Optional		
Create Date		Recommended		
Description		Optional	gs1:productDescription	An understandable and useable description of a trade item using brand and other descriptors. This attribute is filled with as little abbreviation as possible while keeping to a reasonable length. Free form text field, this data element is repeatable for each language used and must be associated with a valid ISO language code. Field length is 178 characters. This should be a meaningful description of the trade item with full spelling to facilitate message processing. Retailers can use this description as the base to fully understand the brand, flavour, scent etc. of the specific GTIN in order to accurately create a product description as needed for their internal systems. Examples: GS1 Brand Base Invisible Solid Deodorant AP Stick Spring Breeze GS1 Brand Laundry Detergent Liquid Compact Regular Instant Stain 1 GS1 Brand Hair Colour Liquid Light to Medium Blonde.
Expiration Date	After this time, the image is not be shown	Optional	gs1:referencedFileEffectiveEndTime	The date upon which the target of this external link ceases to be effective for use.
Facing Indicator	Value to denote which way the product is facing within the image.	Optional	gs1:referencedFileFacingIndicatorType	PROPOSED Web Vocabulary attribute.
File/Nature Type	Explanation of the type of image shot taken.	Optional	gs1:referencedFileImageNatureType	PROPOSED Web Vocabulary attribute
Filename	The filename of the digital asset. GDTI is preferred.	Dependent	gs1:referencedFileName	The name of the file that contains the external information

Metadata Attribute	Definition	R/O/D	GS1 Web Vocabulary Name	GS1 Web Vocabulary Definition
Functional Name		Optional	Gs1:functionalName	Describes use of the product or service by the consumer. Should help clarify the product classification associated with the GTIN.
GEO Coordinates	(Longitude, Latitude, Height)	Optional	gs1:latitude / gs1:longitude	PROPOSED: gs1altitude
Image Quality Assurance Date	The date when the image was verified to meet GS1 global standard.	Optional		PROPOSED: gs1:referencedFileImageQuality AssuranceDate
Indication Clipping Path Present		Optional		PROPOSED: gs1:referencedFileHasImageClippingPath
Legal Owner	Owner of the digital file	Optional	gs1:legalOwner	PROPOSED: expects a value of gs1:Organisation (which can relate to a gs1:PostalAddress and a gs1:ContactPoint)
Legal Owner Contact Information	Contact information for the legal owner	Optional	gs1:contactPoint	Relates a gs1:Organisation to a gs1:ContactPoint class That specifies contact information (e.g., email, fax, telephone) and a gs1:contactType or gs1:responsibility (free-form text string, which could be 'legal owner of image' Recommendation: Create additional web vocabulary to align to this requirement - gs1:legalOwner expects a value of gs1:Organisation (which can relate to a gs1:PostalAddress and a gs1:ContactPoint)
Max Avail Height		Optional		
Max Avail Width		Optional		
Net Content	what quantity of product is provided	Optional	Gs1:netContent	The amount of the trade item contained by a package, usually as claimed on the label. For example, Water 750ml - net content = "750 MLT" ; 20 count pack of diapers, net content = "20 ea.". In case of multi-pack, indicates the net content of the total trade item. For fixed value trade items use the value claimed on the package, to avoid variable fill rate issue that arises with some trade item which are sold by volume or weight, and whose actual content may vary slightly from batch to batch. In case of variable quantity trade items, indicates the average quantity.
Number of the image	e.g., "001V" for the front view of the promotional-optimised product image.	Optional		PROPOSED: gs1:referencedFileImageNumber





Metadata Attribute	Definition	R/O/D	GS1 Web Vocabulary Name	GS1 Web Vocabulary Definition
Packaging Type	The dominant means used to transport, store, handle or display the product as defined by the data source	Optional	gs1:hasPackaging	Datatype = Packaging
Product Net Content	Net Content of the product in text	Optional	gs1:netContent	Datatype = gs1:QuantitativeValue
Product Supplier	The Name of the product's supplier/manufacturer.	Optional	gs1:manufacturer	Datatype: Organisation
Product URL	URL link to additional information (i.e., Detail page of the digital file).	Optional		
Rights of Use	No Entry of the right to use means an unrestricted right to use the product image.	Optional		
Special Rights	Special rights should be defined as free text	Optional		
Variant Description		Optional	Gs1:variantDescription	Free text field used to identify the variant of the product. Variants are the distinguishing characteristics that differentiate products with the same brand and size including such things as the particular flavour, fragrance, taste.
Version Number	A version number is assigned for each product image, starting with value 1	Optional	gs1:consumerProductVariantIdentification	The identification for a particular Consumer Product Variant . This identification is based upon guidelines and assignment to the GS1 General Specifications.
Referenced File Type Code	Code to describe the placement of the product and its associated packaging.	Optional	gs1:referencedFileTypeCode	Suggest to define additional instances of gs1:ReferencedFileTypeCode in addition to existing values such as: gs1:ReferencedFileTypeCode-PRODUCT_LABEL_IMAGE gs1:ReferencedFileTypeCode-LOGO Gs1:ReferencedFileTypeCode-PRODUCT_IMAGE





Metadata Attribute	Definition	R/O/D	GS1 Web Vocabulary Name	GS1 Web Vocabulary Definition
URI	Uniform Resource Identifier	Optional	gs1:referencedUniformResourceIdentifier	Simple text string that refers to a resource on the internet, URLs may refer to documents, resources, people, etc.
Related Image	A link to any image that depicts or relates to the identified entity (e.g., trade item, assets, business process, patient record, location, organisation, etc.)	Optional	gs1:relatedImage	





8 Image Types





	Section	16th	Image type
Primary	3.1	A	Product Image (web) primary image
Primary	3.2	B	Product Image with Supporting Elements (web)
Primary	3.3	C	Product Image (High Resolution)
Primary	3.4	D	Product Image with Supporting Elements (High Resolution)
Optimised	4.1	H	Mobile Ready Hero Image (MRHI)
Optimised	4.2	U	Optimised Pack Images
Optimised	4.3	E	Product Image 360°/3D
Optimised	4.4	3DR	3D
Secondary	5.2	T	Content/Texture
Secondary	5.3	F	Detail/Technology
Secondary	5.4	M	Montage/Composition
Secondary	5.6	N	Application
Secondary	5.7	R	Ambience/Mood
Secondary	5.8	Q	Size Comparison
Secondary	5.9	L2	Nutritional Label
Secondary	5.10	L4	Ingredients
Secondary	5.11	L5	Nutritional/Ingredients combined
Secondary	5.13	L7	Certification Seals/Claims
Secondary	5.14	L8	Preparation Instructions
Secondary	5.15	L9	Petfood Feeding Instructions/Ingredients
Secondary	5.16	L10	Safe Handling Instructions
Secondary	5.17	S	Sidekick Images
Secondary	5.18	L11	Drug Fact Label
Secondary	5.19	L12	Supplement Fact Label
Secondary	5.20	L13	Lighting Fact Label
Secondary	5.21	J	Sustainability
Technical	6.1	N/A	Planogram Image and Data Field Specifications
Technical	6.2	N/A	Sample/Mock-up
Technical	6.3	L1	Full Flat
Technical	6.4	L3	Linear barcode
Technical	6.5	L6	2D barcode
Technical	6.6	G	Pharmaceutical Drugs/Medical Devices

Character position	Value	Description
18 Only one may be used	C	C - Centre
	L	L - Left
	R	R - Right
	N	N - No plunge angle
	_	(underscore)

Character position	Value	Description
	(N3)	Serialisation/Sequence Number (3 character numeric)
19 Only one may be used	1	<p>In packaging - A shot of the product fully enclosed in its primary packaging as it would appear at the point of sale, with no packaging opened, altered, or removed.</p>  <p><GTIN>_A1C1.tif <GTIN>_A1N1.tif <GTIN>_A1R1.tif <GTIN>_A1R1.tif</p>
	0	<p>Out of packaging (i.e., the product as it first arrives "out of packaging" not how it appears after it has been processed or prepared).</p>  <p><GTIN>_A1C0.tif <GTIN>_A1C0.tif <GTIN>_A1R0.tif <GTIN>_A1R0.tif</p>
	A	<p>Case - A shot of the product in its case as it would appear to the operator upon delivery.</p>  <p><GTIN>_A1RA.tif <GTIN>_A1RA.tif <GTIN>_A1RA.tif <GTIN>_A1RA.tif</p>
	B	<p>Innerpack - A shot of the product as it would appear inside its packaging inside the case.</p>  <p><GTIN>_A1RB.tif <GTIN>_A1RB.tif <GTIN>_A1RB.tif</p>

Character position	Value	Description
	C	<p>Raw/uncooked – A shot of a product that has not been cooked or processed or that needs to be cooked or further prepared.</p>  <p><GTIN>_B3CC.tif</p>
	D	<p>Prepared - A shot of a product that has been taken from a raw or uncooked state to a cooked state according to the appropriate method of preparation (e.g., baked, fried, grilled or boiled).</p>  <p><GTIN>_B3CD.tif</p>
	E	<p>Plated - Prepared food arranged simply on a serving plate, dish or bowl for better visibility. May include an additional step, such as garnishing, icing, seasoning or other enhancement.</p>  <p><GTIN>_B3CE.tif</p>
	F	<p>Styled - Carefully and artfully arranged for an attractive visual presentation, and designed to suggest the taste, aroma and appeal of the actual dish. May include complementary items (e.g., an entrée and sides) to present the impression of a complete meal. May also include an additional step, such as garnishing, icing, seasoning or other enhancement. May be presented with different backgrounds and at different angles. Typically applied to food or grocery items.</p> <p>Prepared - A shot of a product that has been taken from a raw or uncooked state to a cooked state according to the appropriate method of preparation (e.g., baked, fried, grilled or boiled).</p>  <p><GTIN>_B3CF.tif</p>

Character position	Value	Description
	G	<p><u>Staged - A shot of a product that has been arranged for display in such a way as to provide clear visibility. The product may be propped up if necessary for optimum viewing, but it should not be held or used in any way by a person. Typically applied to non-food items.</u></p>  <p><GTIN>_B1CG.tif</p>
	H	<p><u>Held - A shot of a product that has been held out for display by one hand or a pair of hands. When relevant, proper grip should be demonstrated. Apart from the hands and forearms, no part of the person holding the item should be visible.</u></p>  <p><GTIN>_B1CH.tif</p>
	J	<p><u>Worn - A shot of a product, such as a protective item or article of clothing, which is worn by a person. The complete product should be visible inside the frame, but the individual wearing it should be cropped out as much as possible.</u></p>  <p><GTIN>_B1CJ.tif</p>
	K	<p><u>Used - A shot of a product as it is meant to be used in its appropriate environment. Small utensils may be held in a hand or hands and used for their intended purpose.</u></p>  <p><GTIN>_B1CK.tif</p>

Character position	Value	Description
	L	<p>Family - A shot of a number of related products (e.g., matched sets, place settings) arranged together in a single picture.</p>  <p><GTIN>_B1CL.tif</p>
	M	<p>Open Case - A shot of a case, flaps open, that shows how the product(s) would look when an operator receives the product and opens the case.</p>  <p><GTIN>_A1RM.tif <GTIN>_A1RM.tif <GTIN>_A1RM.tif <GTIN>_A1RM.tif</p>
	P	<p>Pallet/Display – An image comprised of the product in a display or pallet configuration.</p>  <p><GTIN>_A1RP.tif <GTIN>_A1RP.tif <GTIN>_A1RP.tif <GTIN>_A1RP.tif</p>
	Q	<p>Formed - An image of a product that has the supporting shape/form (for example a model, mannequin, hanger) removed to give the product a 3-D look.</p>  <p><GTIN>_B1CQ.tif</p>
*After mandatory elements	(a2) or (a2-A2)	Language Indicator (2 character alpha):ISO639 format - Example syntax for populating a country variation of a Language Code attribute: aa or optionally aa-AA where aa = ISO 639-1 code list, must be lower case where AA =ISO 3166-1 Country Code, 2 Alpha character representation, must be upper case to be used only if multiple faces of dissimilar languages occur.
	s(N2)	Serialisation/Sequence Number (3 character alphanumeric): lowercase 's' followed by 2 numeric digits for Sequence number will be added at the end of file name with the following format: xxxx_sNN (underscore, lowercase "s" and then 2 numeric mandatory).

9 Abbreviations

Term	Abbreviation	Definition
Alphanumeric	an	A character set that contains alphabetic characters (letters), numeric digits (numbers) and other characters, such as punctuation marks.
Consumer Product Variant	CPV	An alphanumeric attribute of a GTIN assigned to a retail consumer trade item variant for its lifetime.
Global Document Type Identifier	GDTI	The GS1 identification key used to identify a document type. The key comprises a GS1 Company Prefix, document type, check digit and optional serial number.
Global Trade Item Number	GTIN	The GS1 identification key used to identify trade items. The key comprises a GS1 Company Prefix, an item reference and check digit.
Lempel-Ziv-Welch compressed Tagged Image File Format	LZW Compressed TIFF	A method used to reduce the size of Tag Image File Format (TIFF) files without significant loss of image quality.
Numeric	n	A character set exclusively composed of numerical digits (0-9). Numeric values are utilized for representing quantities or measurements in a numerical format, without alphabetic characters or other symbols.
Tag Image File Format	TIFF	A computer file used to store raster graphics and image information.
Trade Item Implementation Guide	TIIG	Supplements the formal GS1 Global Data Synchronisation Network (GDSN) standards with advice on their implementation and operation.