

The Global Language of Business

Clinical Trial Kit Status Change Business Message Standard (BMS)

Release 3.7, Ratified, Mar 2025



Document Summary

Document Item	Current Value
Document Name	Clinical Trial Kit Status Change Business Message Standard (BMS)
Document Date	Mar 2025
Document Version	3.7
Document Issue	1
Document Status	Ratified

Work Request Reference

Date of WR Submission to GSMP:	WR Submitter(s):	Refer to Work Request (WR) Number(s):

Business Requirements Document (BRAD) Reference

BRAD Title	BRAD Issue Date	BRAD Version

Document Change History

Date of Change	Version	Changed By	Reason for Change	Summary of Change
3-Apr-2020	BMS 3.4.2	Mark Van Eeghem	Initial Draft	Initial Draft
10-Aug-2020	BMS 3.4.2.	Piergiorgio Licciardello	Updates after group revision	Structure changes, classes and attributes definition, examples added
24-Sep-2020	BMS 3.4.2	Piergiorgio Licciardello	Group review	
29-Oct-2020	BMS 3.4.2	Piergiorgio Licciardello	Errata corrige	message definition in GDD report missing. Used the one in the purpose. KitStatusChangeInstruction definition missing
15-Jan-2021	BMS 3.5	Miklos Bolyky	BMS Release 3.5	See summary of changes
05-Jan-2022	BMS 3.5.1	Miklos Bolyky	BMS Release 3.5.1	See summary of changes
01-Mar-2023	BMS 3.6	Miklos Bolyky	BMS Release 3.6	See summary of changes
15-Mar-2025	BMS 3.7	Miklos Bolyky	BMS Release 3.7	See summary of changes

Disclaimer

GS1 seeks to minimise barriers to the adoption of its standards and guidelines by making the intellectual property required to implement them available, to the greatest extent possible, on a royalty-free basis, or when necessary, under a RAND licence. Such royalty-free and RAND licences are provided pursuant to the GS1 IP Policy (available here: <https://www.gs1.org/standards/ip>), which governs the work of work group participants who contribute to drafting standards and guidelines, including this document. In addition to licences, the GS1 IP Policy provides various benefits and obligations that apply to all implementers of GS1 standards and guidelines, and all implementations of GS1 standards are subject to those terms.

Nevertheless, please note the possibility that an implementation of one or more features of this standard or guideline may be the subject of a patent or other intellectual property right that is not covered by the licences granted pursuant to the IP Policy. In addition, the licences granted under the IP Policy do not include the IP rights or claims of third parties who were not participants in the corresponding standard development work group.

Accordingly, GS1 recommends that any person or organisation developing an implementation of this standard or guideline should determine whether any patents or other intellectual property may encompass such implementation, and whether a licence under a patent or other IP right is needed. The implementer should determine the potential need for licensing in view of the details of the specific implementation being designed in consultation with that party's patent counsel.

The official versions of all GS1 standards and guidelines are provided as PDF files on GS1's online reference directory (<https://ref.gs1.org>) (the "GS1 Reference"). Any other representations of standards or guidelines in any other format (e.g., web pages) are provided for convenience and descriptive purposes only, and in the event of a conflict, the GS1 Reference document shall govern.

THIS DOCUMENT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NONINFRINGEMENT, FITNESS FOR PARTICULAR PURPOSE, ACCURACY OR COMPLETENESS, OR ANY WARRANTY OTHERWISE ARISING OUT OF THIS DOCUMENT. GS1 disclaims all liability for any damages arising from any use or misuse of this document, whether special, indirect, consequential, or compensatory damages, and including liability for infringement of any intellectual property rights, relating to use of information in or reliance upon this document.

GS1 makes no commitment to update the information contained herein, and retains the right to make changes to this document at any time, without notice. GS1® and the GS1 logo are registered trademarks of GS1 AISBL.

Table of Contents

1	Business Domain View	6
1.1	Introduction	6
1.2	References	6
2	Business Context.....	7
3	Business Transaction View	7
4	Business Information View	10
4.1	Clinical Trial Kit Status Change	10
4.2	Enumerations (message specific)	14
4.3	Code Lists	14
5	Business Message Examples.....	14
5.1	Examples	14
6	Implementation Considerations	15
6.1	User Guide	15
6.2	Message Specific Considerations	16
7	Summary of Changes	16
7.1	BMS Release 3.4.2	16
7.2	BMS Release 3.5	16
7.3	BMS Release 3.5.1	16
7.4	BMS Release 3.6	17
7.5	BMS Release 3.7	17
8	Appendices.....	18
9	Acknowledgements	18
9.1.1	Work Group	18
9.1.2	Development Team Members	20

1 Business Domain View

1.1 Introduction

Purpose

The Kit Status Change is designed to convey an instruction to make a change in kit status or to confirm a kit status has changed.

This Kit Status Change File Business Message Standard is one part of a suite of documents designed to provide the detailed technical mappings to GS1 message formats for EDI messages being implemented for Clinical Trials.

The other documents in this suite are:

- Inventory Release
- Shipment Request
- Shipment Notification
- Shipment Confirmation
- Despatch Advice
- Receiving Advice
- Request for Inventory Report
- Inventory Report
- Dispensing Advice

Scope

The scope of this work includes all messages identified in [the GS1 Pharmaceutical Clinical Trial Electronic Messaging Standard Implementation Guideline](#), hereafter called 'the Guideline', section 4.2.

Considerations

The workgroup developing this mapping document has ensured that the messages and associated mappings are technology and sponsor agnostic.

It is important that organisations implementing electronic business messaging in line with this guideline undertake an appropriate assessment to ensure that the blinding status of the trial is respected in the messages exchanged.

Messaging communications with transport providers/couriers/carriers are considered out of scope because there are already electronic processes in place and altering them would not add value.

1.2 References

Reference Name	Description
GS1 Pharmaceutical Clinical Trial Electronic Messaging Standard Implementation Guideline ,	The guideline details the business requirement of the clinical trials context, both in terms of process design and data set shared between the actors

2 Business Context

Context Category	Value(s)
Industry	Healthcare, Pharmaceuticals & Medical Devices
Geopolitical	All
Product	All
Process	Clinical Trials
System Capabilities	GS1 System
Official Constraints	None

3 Business Transaction View

Business Process Participants

As detailed in *the Guideline*, section 4.1, the diagram and table below provide an overview of the main actors involved in the process.




Table 3-1 Roles and responsibilities

Role	Responsibility in process
Manufacturer/sponsor	Has overall responsibility for the trial, and produces the Investigational Product (IP)
Contract Manufacturing Organisation (CMO)	Manufactures and may package IP and IP kits at the direction of the manufacturer/sponsor
Packaging site	Packages and labels the IP and IP kits
Distributor (with warehouse)	Warehouses and distributes the IP kits as needed to the sites
Carrier (transporting the goods)	Logistics provider moving the IP kits at the request of other stakeholders
Clinical trial site	The healthcare provider location where the trial is conducted and dispensing to the patient typically occurs
Return facility	Responsible for receipt of any IP kits returned from trial sites

Distribution Management Entity (DME)	A term used to identify the system(s) managing, distribution, and disposition of clinical supplies. In many cases this is the interactive technology IRT system, portal, a set of tools or different databases used to share information during a clinical trial, etc.
--------------------------------------	--

Use Case Diagram

N/A

Use Case Description

Below is the use case detailed in *the Guideline, section 7.7.2*

Performance goals	To ensure useable inventory levels are aligned across the study stakeholders.												
Preconditions	Unique identification of locations, trade items and logistics units. Correct identification of sender (Ship To) and receiver (Ship From) are in place.												
Post conditions	None identified												
Scenario	<p>Begins when the sponsor identifies goods in a shipment that need to be put on hold.</p> <p>Continues with...</p> <table><tr><th>Step #</th><th>Actor</th><th>Activity step</th></tr><tr><td>1</td><td>Sponsor/trial site/DC</td><td>Advises DC or trial site of the IP kit numbers of the on-hold goods and specifies action to be taken, e.g., destroy, return, hold, etc.</td></tr><tr><td>2</td><td>DC/trial site</td><td>Acknowledges advice and acts.</td></tr><tr><td>3</td><td>Sponsor</td><td>Advises Ship From of the corrective actions, e.g., ship more IP kits.</td></tr></table> <p>Ends when ship from takes appropriate action.</p>	Step #	Actor	Activity step	1	Sponsor/trial site/DC	Advises DC or trial site of the IP kit numbers of the on-hold goods and specifies action to be taken, e.g., destroy, return, hold, etc.	2	DC/trial site	Acknowledges advice and acts.	3	Sponsor	Advises Ship From of the corrective actions, e.g., ship more IP kits.
Step #	Actor	Activity step											
1	Sponsor/trial site/DC	Advises DC or trial site of the IP kit numbers of the on-hold goods and specifies action to be taken, e.g., destroy, return, hold, etc.											
2	DC/trial site	Acknowledges advice and acts.											
3	Sponsor	Advises Ship From of the corrective actions, e.g., ship more IP kits.											
Alternative scenario	If it is a DC or site reporting goods to be placed on hold, this would more likely be incident report being, related to temperature issues, for example, flooding, etc.												
Related requirements	The term damaged goods has a QA implication for some organisations 'Quarantined' also has a QA implication for some organisations but not others.												
Related rules	None identified												

Activity Diagram(s)

Not applicable

Sequence Diagram(s)

Not applicable






4 Business Information View

4.1 Clinical Trial Kit Status Change

Class diagram



The content of the ClinicalTrialKitStatusChange class, its structure and component definitions can be accessed in the GS1 Navigator:

[Navigator link](#)

Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Constraints
ClinicalTrialKitStatusChange				The Kit Status Change is designed to convey an instruction to make a change in kit status or to confirm a kit status has changed.	
ASSOCIATION	GENERALIZATION	EcomDocument	1..1		
ASSOCIATION	clinicalTrialKitStatusChangeIdentification	Ecom_EntityIdentification	1..1	The identification of the Status Change message	
ASSOCIATION	originalKitStatusChangeIdentification	Ecom_EntityIdentification	0..1	The identification of the original Kit status change instruction when generating a response message	
ASSOCIATION	sender	Ecom_PartyIdentification	0..1	The entity sending the message, i.e. DME vendor or third-party depot system	
ASSOCIATION	receiver	Ecom_PartyIdentification	0..1	The entity receiving the message	
ASSOCIATION		KitStatusChangeInstruction	1..*	Kit status change instructions	
ATTRIBUTE	protocolID	string	1..1	The unique identification of the protocol	{1..20}
ATTRIBUTE	protocolOwner	GLN	1..1	The identification of the protocol sponsor	
ATTRIBUTE	instructionOrResponseEnumeration	InstructionOrResponseEnumeration	1..1	The type of message, i.e instruction to change or response to a change request	
KitStatusChange Instruction					
ASSOCIATION	storageLocation	Ecom_PartyIdentification	0..1	The physical site where the kit is stored	WR 22-354
ASSOCIATION	kitStatusChangeShipmentID	Ecom_ShipmentIdentification	0..1	The identification of the shipment used on the stickers applied on the medication kits	WR 22-354



Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Constraints
ATTRIBUTE	investigationalProductIdentification	gtin	1..1	The GTIN of the investigational product	
ATTRIBUTE	kitLotNumber	string	1..1	The lot number of the kit subject to the change	{1..20}
ATTRIBUTE	kitSerialNumber	string	0..1	The serial number of the kit subject to the change.	{1..20}
ATTRIBUTE	statusChangeCode	StatusCode	1..1	The new status of the kit after the change	
ATTRIBUTE	newExpiryDate	Date	0..1	The new expiry date assigned after the shelf life modification	WR 22-354
ATTRIBUTE	kitStatusChangeScenarioCode	KitStatusChangeScenarioCode	0..1	The code specifying the type of application scenario the message is referred to	WR 22-354
ATTRIBUTE	labellingInstructionCode	LabellingInstructionCode	0..1	The code identifying if the relabelling is needed and who is in charge of the process	WR 22-354
ATTRIBUTE	newKitLotNumber	String	0..1	The new identification eventually assigned to a lot as a result of the shelf life modification	{1..20} WR 22-354
ATTRIBUTE	quantityOfKitsToLeaveUnchanged	integer	0..1	The quantity of medication kits in the stock that should not be subject to change requested	WR 22-354
ATTRIBUTE	effectiveQuantityOfKitsProcessed	Integer	0..1	The quantity of medication kits to which the requested change has been applied	WR 22-354
ATTRIBUTE	bundleIdentificationNumber	String	0..1	The identification of a bundle	{1..20} WR 22-354

4.2 Enumerations (message specific)

Class	Codelist	Values
ClinicalTrialKitStatusChange	InstructionOrResponseEnumeration	https://navigator.gs1.org/edi/codelist-details?&name=InstructionOrResponseEnumeration

4.3 Code Lists

Class	Codelist	Navigator Link
KitStatusChangeInstruction	StatusCode	
KitStatusChangeInstruction	KitStatusChangeScenarioCode	https://navigator.gs1.org/edi/codelist-details?&name=KitStatusChangeScenarioCode
KitStatusChangeInstruction	LabellingInstructionCode	https://navigator.gs1.org/edi/codelist-details?&name=LabellingInstructionCode



Note: Refer to the GS1 Navigator (Navigator) for the code values.

5 Business Message Examples

5.1 Examples

Example 1: The DME requiring a clinical site a status change on a specific batch

Example 2: The clinical site respond to the DME confirming the change

Party Information

GS1 Global Location Number	Party Type
9520000000028	DME
9520000000127	Organization receiving the request
9520000000004	Sponsor
9520000000127	Location

Message Example 1

Attribute	Value
kitStatusChange	
<i>clinicalTrialKitStatusChangeIdentification</i>	
entityIdentification	121
<i>sender</i>	
GLN	9520000000028
<i>receiver</i>	
GLN	9520000000127
protocolID	PROT1

Attribute	Value
protocolOwner	9520000000004
instructionOrResponseEnumeration	INSTRUCTION
KitStatusChangeInstruction	
storageLocation	
GLN	9520000000127
investigationalProductIdentification	9520000000530
kitLotNumber	L001
kitSerialNumber	0001
statusChangeCode	DO_NOT_DISPENSE

Message Example 2

Attribute	Value
kitStatusChange	
clinicalTrialKitStatusChangeIdentification	
entityIdentification	154
originalKitStatusChangeIdentification	
entityIdentification	121
sender	
GLN	9520000000127
receiver	
GLN	9520000000028
protocolID	PROT1
protocolOwner	9520000000004
instructionOrResponseEnumeration	RESPONSE
KitStatusChangeInstruction	
storageLocation	
GLN	9520000000127
investigationalProductIdentification	9520000000530
kitLotNumber	L001
kitSerialNumber	0001
statusChangeCode	DO_NOT_DISPENSE


6 Implementation Considerations

6.1 User Guide

All implementation considerations are discussed in [the GS1 Pharmaceutical Clinical Trial Electronic Messaging Standard Implementation Guideline](#).

6.2 Message Specific Considerations

The detail section of the Kit Status Change message provide a list of batch/lot numbers and, eventually, serial numbers. If the message type is INSTRUCTION, the statusChangeCode represents the requested status. If the message is a RESPONSE, the statusChangeCode represents the actual status of the kits after the execution of the request



7 Summary of Changes

Any change in the GS1 standards is done based on the Work Request (WR) submitted by the GS1 User Companies or Member Organisations. All Work Requests are documented in the Work Request system available on the GS1 website: <http://wr.gs1.org>. The system is accessible to registered users. New visitors need to register first, to be able to access it. WRs can be searched by the number referenced in tables below, see: Search Work Requests. The number starts with the two last digits of the year when it was submitted, followed by the consecutive number within that year.



Note: WRs submitted earlier than February 2012 should be searched in Old Change Requests.

7.1 BMS Release 3.4.2

Change	Associated CR Number
■ Initial Draft	

7.2 BMS Release 3.5

No work requests. Indirect changes due to upgrade to new Shared and eCom Common libraries.

7.3 BMS Release 3.5.1

No work requests. Indirect changes due to upgrade to new Shared and eCom Common libraries.

7.4 BMS Release 3.6

Change	Associate d CR Number
<ul style="list-style-type: none"> newExpiryDate added as a new attribute to KitStatusChangeInstruction class with cardinality 0..1 	WR 22-354
<ul style="list-style-type: none"> kitStatusChangeScenarioCode added as a new codelist to KitstatusChangeInstruction class with cardinality of 0..1 , see CodeList section for potential values 	WR 22-354
<ul style="list-style-type: none"> labellingInstructionCode added as a new codelist to KitstatusChangeInstruction class with cardinality of 0..1 , see CodeList section for potential values 	WR 22-354
<ul style="list-style-type: none"> newKitLotNumber added as a new attribute to KitStatusChangeInstruction class with cardinality 0..1 	WR 22-354
<ul style="list-style-type: none"> quantityOfKitsToLeaveUnchanged integer added as a new attribute to KitStatusChangeInstruction class with cardinality 0..1 	WR 22-354
<ul style="list-style-type: none"> effectiveQuantityOfKitsProcessed integer added as a new attribute to KitStatusChangeInstruction class with cardinality 0..1 	WR 22-354
<ul style="list-style-type: none"> bundleIdentificationNumber added as a new attribute as a string to KitStatusChangeInstruction class with cardinality 0..1 	WR 22-354
<ul style="list-style-type: none"> storageLocation association cardinality change from 1..1 to 0..1 	WR 22-354
<ul style="list-style-type: none"> new association introduced to Ecom_ShipmentIdentification, named as kitStatusChangeShipmentID 	WR 22-354
<ul style="list-style-type: none"> Please see above changes in the image below: 	WR 22-354

7.5 BMS Release 3.7

Change	Associated CR Number
<ul style="list-style-type: none"> Changed the cardinality of sender and receiver from 1..1 to 0..1 	WR-24-000186

8 Appendices

Not Applicable

9 Acknowledgements

9.1.1 Work Group

Function	Name	Company / organisation
WG chair	Olivia Chauvel (Chair)	CH Victor Dupouy
WG chair	Pierre Fernandez-Barbureau (Chair)	SANOFI
WG chair	Hans von Steiger (Chair)	Pfizer
WG member	Jean-Michel Descoutures	International Hospital Federation (IHF)
WG member	Feargal Mc Groarty	St. James's Hospital
WG member	Vincent Puglia	endpoint clinical
WG member	Mike Meakin	DHL
WG member	Sylvain Alberola	SANOFI
WG member	Céline Bordes-Terrier	CREAPHARM
WG member	Giedré Bracaité	F. Hoffmann-La Roche Ltd.
WG member	Doris Cadart	SANOFI
WG member	Pedro Carvalho	Ipsen
WG member	Robert Giguere	AbbVie
WG member	Nicolas Gryspeert	F. Hoffmann-La Roche Ltd.
WG member	Michael Hoefling	Boehringer Ingelheim Pharma GmbH & Co.KG
WG member	Richard Hwang	Pfizer
WG member	Marco Inserra	CSL Behring GmbH
WG member	Jason James	Bristol-Myers Squibb
WG member	Matthias Kallmeyer	Boehringer Ingelheim Pharma GmbH & Co.KG
WG member	Nicolas Le Rudlier	CREAPHARM
WG member	Yann Montcourt	Ipsen
WG member	Barry Moore	GlaxoSmithKline
WG member	Marianne Perdrijat	DBV TECHNOLOGIES
WG member	Amy Rupp	CSL Behring GmbH
WG member	Amanda Scott	Biogen
WG member	Jodi Smith-Gick	Eli Lilly and Company
WG member	Richard Austin	PAREXEL International GmbH
WG member	Nick Bobrinskoy	nCoup, Inc.
WG member	Arpad Boldis	Deloitte
WG member	Preedee Chenhansa	Tenthpin
WG member	Robert Celeste	Center for Supply Chain Studies
WG member	Dilip Daswani	Qliktag Software (formally Zeebric LLC)
WG member	Andreas Geissler	PAREXEL International GmbH

Function	Name	Company / organisation
WG member	Mark Hanly	Almac Clinical Technologies
WG member	Mike Hutton	Almac Clinical Technologies
WG member	Kelly Knowles	Bracket Global
WG member	Jitendra Kumar	Thermo Fisher Scientific
WG member	Cherish Lallone	McCreadie Group
WG member	Charlotte Meuldermans	Deloitte
WG member	Fabiana Monaco	PAREXEL International GmbH
WG member	Josef Preishuber-Pflügl	CISC Semiconductor GmbH
WG member	Theodora Sarver	Almac Clinical Technologies
WG member	Michael schlesselman	McCreadie Group
WG member	Colette Thorold	PAREXEL International GmbH
WG member	Elizabeth Waldorf	TraceLink
WG member	Stefan Zietze	PAREXEL International GmbH
WG member	Andrea Zobel	PAREXEL International GmbH
WG member	Shreenidhi Bharadwaj	Syndigo
WG member	Tony Zhang	Syndigo
WG member	Richard Perkins	eClinical Forum
WG member	Olivier Mary	COLCA Medical & Scientific
WG member	Poppy Abeto Kiese	GS1 Austria
WG member	Andrea Arozamena	GS1 Mexico
WG member	Mahdi Barati	GS1 Iran
WG member	Jiraporn Chalermjirarat	GS1 Thailand
WG member	Shawn Chen	GS1 Thailand
WG member	Mignone Cheng	GS1 Hong Kong, China
WG member	Luiz Costa	GS1 Brasil
WG member	Sandra Couto	GS1 Canada
WG member	Jesper Kervin Franke	GS1 Denmark
WG member	Stefan Gathmann	GS1 Ireland
WG member	Nicole Golestani	GS1 Canada
WG member	Rami Habbal	GS1 UAE
WG member	Michaela Hähn	GS1 Germany
WG member	Christine Horvath-Hanko	GS1 Hungary
WG member	Anna Klapper	GS1 Germany
WG member	Catherine Koetz	GS1 Australia
WG member	Anne-Claire Krid	GS1 France
WG member	Camille Labeaune	GS1 France
WG member	Ildikó Lieber	GS1 Hungary
WG member	Valerie Marchand	GS1 France
WG member	Adrien Molines	GS1 France
WG member	Zubair Nazir	GS1 Canada
WG member	Alice Nguyen	GS1 Vietnam

Function	Name	Company / organisation
WG member	James Perng	GS1 Chinese Taipei
WG member	James Perng	GS1 Chinese Taipei
WG member	Paul Reid	GS1 UK
WG member	Sylvia Reingardt	GS1 Germany
WG member	Sue Schmid	GS1 Australia
WG member	Julian Sin	GS1 Hong Kong, China
WG member	Mig Smith	GS1 UK
WG member	Peter Sturtevant	GS1 US
WG member	Flora Sue	GS1 China
WG member	Sarah Torrance	GS1 UK
WG member	Koichi Uemura	GS1 Japan
WG member	Amber Walls	GS1 US
WG member	Connie Wong	GS1 Canada
WG member	Pete Alvarez	GS1 Global Office
WG member	Jean-Luc Champion	GS1 Global Office
WG member	Steven Keddie	GS1 Global Office
WG member	Neil Piper	GS1 Global Office
WG member	Greg Rowe	GS1 Global Office
WG member	Tania Snioch	GS1 Global Office

9.1.2 Development Team Members

Function	Name	Organisation
GSMP Process Lead	David Buckley	GS1 Global Office
Technical Development Lead	Miklos Bolyky	GS1 Global Office
Peer Review	Mark Van Eeghem	GS1 Global Office