



The Global Language of Business

GS1 XML 3.7 (EDI) Project Working Document

Release 3.7, Ratified, Mar 2025

Document Summary

Document Item	Current Value
Document Name	GS1 XML 3.7 (EDI) Project Working Document
Document Date	Mar 2025
Document Version	3.7
Document Issue	
Document Status	Release 1
Document Description	

Log of Changes

Release	Date of Change	Changed By	Summary of Change
3.7	March 15	Miklos Bolyky	Release 1

Disclaimer

GS1 seeks to minimise barriers to the adoption of its standards and guidelines by making the intellectual property required to implement them available, to the greatest extent possible, on a royalty-free basis, or when necessary, under a RAND licence. Such royalty-free and RAND licences are provided pursuant to the GS1 IP Policy (available here: <https://www.gs1.org/standards/ip>), which governs the work of work group participants who contribute to drafting standards and guidelines, including this document. In addition to licences, the GS1 IP Policy provides various benefits and obligations that apply to all implementers of GS1 standards and guidelines, and all implementations of GS1 standards are subject to those terms.

Nevertheless, please note the possibility that an implementation of one or more features of this standard or guideline may be the subject of a patent or other intellectual property right that is not covered by the licences granted pursuant to the IP Policy. In addition, the licences granted under the IP Policy do not include the IP rights or claims of third parties who were not participants in the corresponding standard development work group.

Accordingly, GS1 recommends that any person or organisation developing an implementation of this standard or guideline should determine whether any patents or other intellectual property may encompass such implementation, and whether a licence under a patent or other IP right is needed. The implementer should determine the potential need for licensing in view of the details of the specific implementation being designed in consultation with that party's patent counsel.

The official versions of all GS1 standards and guidelines are provided as PDF files on GS1's online reference directory (<https://ref.gs1.org>) (the "GS1 Reference"). Any other representations of standards or guidelines in any other format (e.g., web pages) are provided for convenience and descriptive purposes only, and in the event of a conflict, the GS1 Reference document shall govern.

THIS DOCUMENT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NONINFRINGEMENT, FITNESS FOR PARTICULAR PURPOSE, ACCURACY OR COMPLETENESS, OR ANY WARRANTY OTHERWISE ARISING OUT OF THIS DOCUMENT. GS1 disclaims all liability for any damages arising from any use or misuse of this document, whether special, indirect, consequential, or compensatory damages, and including liability for infringement of any intellectual property rights, relating to use of information in or reliance upon this document.

GS1 makes no commitment to update the information contained herein, and retains the right to make changes to this document at any time, without notice. GS1® and the GS1 logo are registered trademarks of GS1 AISBL.

Table of Contents

1	Introduction	4
1	Work request & Impact Analysis.....	4
2	Changes applied to GS1 XML 3.7	7
2.1	Warehouse Outbound Instruction and Noitification	7
2.1.1	Overview	7
2.2	Warehousing Inbound Instruction and Notification.....	13
2.2.1	Overview	13
2.3	Order.....	18
2.3.1	Overview	18
2.4	Shipment Request – Clinical Trials.....	20
2.4.1	Overview	20
2.5	Clinical Trial Despatch Advice	22
2.5.1	Overview	22
2.6	Clinical trial Inventory Report	24
2.6.1	Overview	24
2.7	Clinical Trial Receiving Advice	26
2.7.1	Overview	26
2.8	Dispensing Advice – Clinical Trials	28
2.8.1	Overview	28
2.9	Inventory Release File – Clinical Trials	30
2.9.1	Overview	30
2.10	Kit Status Change – Clinical Trials	32
2.10.1	Overview	32
2.11	Request For Inventory Report - Clinical Trials	34
2.11.1	Overview	34
2.12	Shipment Confirmation – Clinical Trials	36
2.12.1	Overview	36
2.13	Shipment Notification – Clinical Trials	38
2.13.1	Overview	38
2.14	Item Data Notification.....	39
2.14.1	Overview	39
2.15	Order Response	42
2.15.1	Overview	42

1 Introduction

This document will be used to coordinate all design decisions be made as part of GS1 XML 3.7 EDI release.

The document contains the list of:

- Work requests originating the changes
- Changes to GS1 XML 3.7 BMS documents

This document is not a formal deliverable, so will not go through any community review or eBallot. Its main purpose is to support the coordinated internal review process in the EDI SMG. The resulting updated BMS documents are the deliverables that will undergo community review and eBallot.

1 Work request & Impact Analysis

WR#	Requirement	Impacted BMS
23-000170	Add the "dangerousgoodsinformation" class to the "warehouse outbound instruction" & "warehouse outbound notification" messages	Warehouse Outbound Instruction and Notification
23-000271	Add "countryKitsReleasedTo" and "doNotShipAfter" to line item level	Clinical Trials Inventory Report
23-000286	Extend the XML schema of the Inventory Release File and Inventory Report messages to support the required data set.	Clinical Trials Inventory Report and Clinical Trials Inventory Release File
23-000292	Update the Shipment Request XML schema	Shipment Request
23-000316	To be able to do that I need the same subset of attributes in both the standards (EANCOM and GS1 XML).	Order
23-000319	In the Request for Inventory Report schema, I request that all fields in the InventoryReportRequestInformation section be optional to allow for more flexibility to request an Inventory Report for the entire protocol if desired.	Clinical Trials Inventory Report



WR#	Requirement	Impacted BMS
23-000350	Request to expand the Inventory Report message to include a field for the Kit's Sequence Number	Clinical Trials Inventory Report
24-000020	The initialOrderNumber field should be changed from Mandatory to Optional because when the attributeStatusCode = REJECTED, the initial order number does not exist	Clinical Trials Shipment Confirmation
24-000030	The Inventory Release File, a field for "doNotShipAfter" was added in Release 3.6 for a new date field. The same field will also be added to the Inventory Report in Release 3.7 via WR-23-000271. The proposal is to add an accompanying field for "doNotShipDays" because the number of days is sometimes preferred over the actual date.	Clinical Trials Inventory Release File
24-000035	The requestedReceivingDateTime field should be changed from Mandatory to Optional because the same field in the Shipment Request is also Optional	Clinical Trials Shipment Confirmation
24-000077	Proposal is to add the segment carrierTrackAndTraceInformation under logisticUnit. This automatically brings it into the warehousing messages (instruction and notification) for inbound goods and outbound goods.	Warehousing messages (inbound instruction and notification and outbound instruction and notification)
24-000186	Proposal to make the sender and receiver fields optional	All Clinical trials messages
24-000208	Request to expand the Inventory Report message to include a field for the Material ID	Clinical Trials Inventory Report
24-000237	Proposal to add Quantity fields at the following levels: 1. ClinicalTrialDespatchAdviceLineItem level to be a quantity of Kits for that specific line item 2. ClinicalTrialDespatchAdvice (header) level to be a quantity of Kits for the entire shipment	Clinical Trials Despatch Advice
24-000251	Add a material master interface to the GS1 Standards for Clinical Trials.	Item Data Notification




WR#	Requirement	Impacted BMS
WR 24-390	Adding TransactionalReferenceTypeCode through the TransactionalGenericReference to the OR message same was as in DA	Order Response

2 Changes applied to GS1 XML 3.7

2.1 Warehouse Outbound Instruction and Noitification


2.1.1 Overview



- Added **new association** to ecom:common dangerous goods information to Line item:


Associated
CR
Number


**23-
000170**







▪ Added new association to ecom:carrierTrackAndTraceInformation to shipment and shipment item level as optional fields.	24-000077
--	------------------





Associated
CR
Number



2.2 Warehousing Inbound Instruction and Notification


2.2.1 Overview





Change	Associated CR Number
--------	----------------------



■ Added new association of carrierTrackAndTraceInformation to shipment level as optional fields in both Warehousing Instruction and Notification	24-000077
--	------------------



Change	Associated CR Number
<p>■ Added new association of carrierTrackAndTraceInformation to shipment item level in both Warehousing Instruction and Notification.</p> <div data-bbox="185 320 1023 796"> <p>class WarehousingInboundInstruction_ShipmentItem</p>  <pre> classDiagram class WarehousingCommon_WarehousingShipmentItem class WarehousingInboundInstructionShipmentItem { +plannedReceiptQuantity: Quantity [0..1] +crossDockIndicator: boolean [0..1] } class WarehousingCommon_WarehousingServiceInstruction { } class eComCommonComponents_CarrierTrackAndTraceInformation { } WarehousingCommon_WarehousingShipmentItem < -- WarehousingInboundInstructionShipmentItem WarehousingInboundInstructionShipmentItem --> "0..*" WarehousingCommon_WarehousingServiceInstruction : +inlineServiceInstruction WarehousingInboundInstructionShipmentItem --> "0..1" eComCommonComponents_CarrierTrackAndTraceInformation </pre> </div> <p>■</p> <div data-bbox="185 810 1041 1227"> <p>class WarehousingInboundNotification_ShipmentItem</p>  <pre> classDiagram class WarehousingCommon_WarehousingShipmentItem class WarehousingInboundNotificationShipmentItem { +warehousingInboundExceptionCode: WarehousingInboundExceptionCode [0..*] +actualReceiptQuantity: Quantity [0..1] +actualAcceptedQuantity: Quantity [0..1] +plannedReceiptQuantity: Quantity [0..1] +communicatedDespatchQuantity: Quantity [0..1] } class WarehousingCommon_WarehousingQuantityVariance { } class eComEntityIdentification_eComCommonComponents_Ecom_DocumentReference { } class eComCommonComponents_CarrierTrackAndTraceInformation { } WarehousingCommon_WarehousingShipmentItem < -- WarehousingInboundNotificationShipmentItem WarehousingInboundNotificationShipmentItem --> "0..*" WarehousingCommon_WarehousingQuantityVariance : +inboundQuantityVariance WarehousingInboundNotificationShipmentItem --> "0..*" eComEntityIdentification_eComCommonComponents_Ecom_DocumentReference : +warehousingInboundInstruction WarehousingInboundNotificationShipmentItem --> "0..1" eComCommonComponents_CarrierTrackAndTraceInformation </pre> </div>	<p>24-000077</p>

2.3 Order


2.3.1 Overview

Change

- Re-used existing class **listPriceDiscounted** to line item
- The attribute is optional and an 'amount' data type

Associated CR Number


23-000316



2.4 Shipment Request – Clinical Trials

2.4.1 Overview


Change	Associated CR Number
■ Changed the cardinality of sender and receiver from 1..1 to 0..1	24-000186
■ Added an existing attribute unblindedKitTypeCode to the class freepickingfromprelabelledstock. Added an existing attribute unblindedKitTypeDescription to the class freepickingfromprelabelledstock as an optional description1000 field.	23-000292
■ Changed the cardinality of kitLotNumber from 1..1 to 0..1	23-000292



2.5 Clinical Trial Despatch Advice

2.5.1 Overview


Change	Associated CR Number
■ Changed the cardinality of sender and receiver from 1..1 to 0..1	24-000186
■ Added quantity to express the quantity of kits to the line item level and to the shipment level. These quantity fields are mandatory, aligned with the model.	24-000237




2.6 Clinical trial Inventory Report

2.6.1 Overview

Change	Associated CR Number
<ul style="list-style-type: none"> Changed the cardinality of sender and receiver from 1..1 to 0..1 	24-000186
<ul style="list-style-type: none"> Re-used and added countryKitReleasedTo and doNotShipAfter to line item as optional 0..unbounded 	23-000271
<ul style="list-style-type: none"> Added new attributes to line item: unblindedKitTypeCode (optional , type code) unblindedKitTypeDescription (optional description1000) , blindingGroup (optional description200) , blindingGroupDescription (optional description200), isSerializedCFGFlag (optional description200) , isPooledCFGFlag (optional description200) 	23-000286
<ul style="list-style-type: none"> Changed the cardinality of GLN in root level and GTIN in line level from 1..1 to 0..1 	23-000319
<ul style="list-style-type: none"> Added a new attribute doNotShipAfterDays to the line level as 0..unbounded 	24-000030
<ul style="list-style-type: none"> Added a new attribute clinicalTrialMaterialID to line item level as an optional string with {1..20} 	24-000208




Change	Associated CR Number
<div> <div>class InventoryReportingLineItem</div>  </div>	

2.7 Clinical Trial Receiving Advice

2.7.1 Overview


Change	Associated CR Number
<ul style="list-style-type: none"> Changed the cardinality of sender and receiver from 1..1 to 0..1 	24-000186



2.8 Dispensing Advice – Clinical Trials

2.8.1 Overview


Change	Associated CR Number
■ Changed the cardinality of sender and receiver from 1..1 to 0..1	24-000186



2.9 Inventory Release File – Clinical Trials

2.9.1 Overview


Change	Associated CR Number
<ul style="list-style-type: none"> Added new attributes to Serialized/Non Serialized kit information: unblindedKitTypeCode (optional , type code) unblindedKitTypeDescription (optional description1000) , blindingGroup (optional description200) , blindingGroupDescription (optional description200), isSerializedCFGFlag (optional description200) , isPooledCFGFlag (optional description200) 	23-000286
<ul style="list-style-type: none"> Changed the cardinality of sender and receiver from 1..1 to 0..1 	24-000186
<ul style="list-style-type: none"> Added a new attribute doNotShipAfterDays to the Serialized/Non Serialized kit information class, as 0..unbounded changed the cardinality of doNotShipAfter to 0..unbounded 	24-000030



2.10 Kit Status Change – Clinical Trials

2.10.1 Overview


Change	Associated CR Number
■ Changed the cardinality of sender and receiver from 1..1 to 0..1	24-000186



2.11 Request For Inventory Report - Clinical Trials

2.11.1 Overview


Change	Associated CR Number
<ul style="list-style-type: none">Changed the cardinality of sender and receiver from 1..1 to 0..1	24-000186



2.12 Shipment Confirmation – Clinical Trials


2.12.1 Overview

Change	Associate d CR Number
■ Changed the cardinality of sender and receiver from 1..1 to 0..1	24- 000186
■ Changed the cardinality of initialOrderNumber from 1..1 to 0..1	24- 000020
■ Changed the canrdinality of requestedReceivingDateTime from 1..1 to 0..1	24- 000035



2.13 Shipment Notification – Clinical Trials

2.13.1 Overview

Change	Associated CR Number
<ul style="list-style-type: none"> Changed the cardinality of sender and receiver from 1..1 to 0..1 	24-000186
<div> <div>class ShipmentNotification</div>  <pre> classDiagram class ShipmentNotification { +protocolID: string = {1..20} +protocolOwner: GLN } class EcomDocument class Ecom_EntityIdentification class Ecom_PartyIdentification ShipmentNotification < -- EcomDocument ShipmentNotification --> Ecom_EntityIdentification : +shipmentRequestIdentification 1..1 ShipmentNotification --> Ecom_EntityIdentification : +shipmentNotificationIdentification 1..1 ShipmentNotification --> Ecom_PartyIdentification : +sender 0..1 ShipmentNotification --> Ecom_PartyIdentification : +receiver 0..1 </pre> <p>The diagram shows the ShipmentNotification class structure. It is a root class with attributes protocolID (string, 1..20) and protocolOwner (GLN). It inherits from EcomDocument. It has two associations with Ecom_EntityIdentification: shipmentRequestIdentification (1..1) and shipmentNotificationIdentification (1..1). It also has two associations with Ecom_PartyIdentification: sender (0..1) and receiver (0..1).</p> </div>	


2.14 Item Data Notification


2.14.1 Overview

Change	Associated CR Number
<ul style="list-style-type: none"> Added a new class clinicalTrialsItemDataNotificationLineItemDetails to ItemDataNotificationLineItem as optional. 	24-000251
<ul style="list-style-type: none"> Added the following new attributes to the clinicalTrialsItemDataNotificationLineItemDetails class: <ul style="list-style-type: none"> clinicalTrialMaterialID as an optional string with {1..20} length. protocolID re-used as an optional string with {1..20} length. protocolOwner re-used as an optional GLN. clinicalTrialAuthorityAuthorizationNumber as an optional string with {1..20} length. iMPTTypeDefinition as an optional description200 field. blindedKitDescription as an optional description200. unblindedKitDescription as an optional description200. blindingGroupDescription as an optional description200. clinicalTrialShippingConditionGrouping as an optional description200. 	24-000251

Change

Associated CR Number





2.15 Order Response

2.15.1 Overview

Change	Associated CR Number
■ Adding TransactionalGenericReference association to root class with 0..* cardinality	WR 24-390

