



The Global Language of Business

# Product Recall Business Message Standard (BMS)

*Release 3.7, Ratified, Mar 2025*



## Document Summary

Document Item	Current Value
Document Name	Product Recall Business Message Standard (BMS)
Document Date	Mar 2025
Document Version	3.7
Document Issue	1
Document Status	Ratified

## Work Request Reference

Date of WR Submission to GSMP:	WR Submitter(s):	Refer to Work Request (WR) Number(s):
11-Jun-2009	GS1 Canada	09-000165
25-Jun-2014	GS1 GO	14-000110
03-Oct-2018	GS1 GO	18-000319

## Business Requirements Document (BRAD) Reference

BRAD Title	BRAD Issue Date	BRAD Version
Product Recall	June 6, 2011	Draft 7

## Document Change History

Date of Change	Version	Changed By	Reason for Change	Summary of Change
12-Jan-2012	BMS 3.0 – Issue 1	Mark Van Eeghem	BMS Release 3.0	See summary of changes
01-May-2013	BMS 3.1 – Issue 1	Coen Janssen	BMS Release 3.1	See summary of changes
15-Sep-2014	BMS 3.2 – Issue 1	Ewa Iwicka	BMS Release 3.2	See summary of changes
01-Mar-2017	BMS 3.3 – Issue 1	Ewa Iwicka	BMS Release 3.3	See summary of changes
15-Oct-2018	BMS 3.4 – Issue 1	Ewa Iwicka	BMS Release 3.4	See summary of changes
04-Feb-2021	BMS 3.5 – Issue 1	Miklos Bolyky	BMS Release 3.5	See summary of changes
05-Jan-2022	BMS 3.5.1 – Issue 1	Miklos Bolyky	BMS Release 3.5.1	See summary of changes
01-Mar-2023	BMS 3.6 – Issue 1	Miklos Bolyky	BMS Release 3.6	See summary of changes
15-Mar-2025	BMS 3.7 – Issue 1	Miklos Bolyky	BMS Release 3.7	See summary of changes

## Disclaimer

GS1 seeks to minimise barriers to the adoption of its standards and guidelines by making the intellectual property required to implement them available, to the greatest extent possible, on a royalty-free basis, or when necessary, under a RAND licence. Such royalty-free and RAND licences are provided pursuant to the GS1 IP Policy (available here: <https://www.gs1.org/standards/ip>), which governs the work of work group participants who contribute to drafting standards and guidelines, including this document. In addition to licences, the GS1 IP Policy provides various benefits and obligations that apply to all implementers of GS1 standards and guidelines, and all implementations of GS1 standards are subject to those terms.

Nevertheless, please note the possibility that an implementation of one or more features of this standard or guideline may be the subject of a patent or other intellectual property right that is not covered by the licences granted pursuant to the IP Policy. In addition, the licences granted under the IP Policy do not include the IP rights or claims of third parties who were not participants in the corresponding standard development work group.

Accordingly, GS1 recommends that any person or organisation developing an implementation of this standard or guideline should determine whether any patents or other intellectual property may encompass such implementation, and whether a licence under a patent or other IP right is needed. The implementer should determine the potential need for licensing in view of the details of the specific implementation being designed in consultation with that party's patent counsel.

The official versions of all GS1 standards and guidelines are provided as PDF files on GS1's online reference directory (<https://ref.gs1.org>) (the "GS1 Reference"). Any other representations of standards or guidelines in any other format (e.g., web pages) are provided for convenience and descriptive purposes only, and in the event of a conflict, the GS1 Reference document shall govern.

THIS DOCUMENT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NONINFRINGEMENT, FITNESS FOR PARTICULAR PURPOSE, ACCURACY OR COMPLETENESS, OR ANY WARRANTY OTHERWISE ARISING OUT OF THIS DOCUMENT. GS1 disclaims all liability for any damages arising from any use or misuse of this document, whether special, indirect, consequential, or compensatory damages, and including liability for infringement of any intellectual property rights, relating to use of information in or reliance upon this document.

GS1 makes no commitment to update the information contained herein, and retains the right to make changes to this document at any time, without notice. GS1® and the GS1 logo are registered trademarks of GS1 AISBL.

# Table of Contents

<b>1</b>	<b>Business Domain View .....</b>	<b>6</b>
1.1	Introduction .....	6
<b>2</b>	<b>Business Context .....</b>	<b>6</b>
<b>3</b>	<b>Business Transaction View .....</b>	<b>6</b>
3.1	Business Collaboration – Perform Traceability .....	6
3.1.1	Business Process – Recall Product .....	8
<b>4</b>	<b>Business Information View .....</b>	<b>13</b>
4.1	Product Recall Notification .....	13
4.1.1	Product Recall Notification Distribution Details .....	18
4.1.2	Product Recall Notification Handling Instructions .....	20
4.1.3	Product Recall Notification Manufacturing Details .....	21
4.1.4	Product Recall Notification Public Relations Instructions .....	22
4.1.5	Product Recall Notification Reimbursement Instructions .....	24
4.1.6	Product Recall Notification Traceable Item .....	25
4.1.7	ProductRecallNotificationTradeItem .....	29
4.2	Product Removal Confirmation .....	32
4.3	Product Recall Closeout Notification .....	36
4.4	Product Recall Common .....	39
4.4.1	Product Recall Common – Product Recall Distribution Area .....	39
4.4.2	Product Recall Common – Product Recall Market Detail .....	40
4.4.3	Product Recall Common – Product Recall Party .....	41
4.4.4	Product Recall Common – Product Recall Tracking Key .....	42
4.4.5	Product Recall Common – Data Types .....	45
4.5	Enumerations (message specific) .....	46
4.6	Code Lists .....	46
<b>5</b>	<b>Business Message Examples .....</b>	<b>47</b>
5.1	Example 1 .....	47
5.2	Example 2 .....	51
5.3	Example 3 .....	52
<b>6</b>	<b>Implementation Considerations .....</b>	<b>54</b>
6.1	User Guide .....	54
6.2	Message Specific Considerations .....	54
<b>7</b>	<b>Summary of Changes .....</b>	<b>55</b>
7.1	BMS Release 3.0 .....	55
7.2	BMS Release 3.1 .....	55
7.3	BMS Release 3.2 .....	55
7.4	BMS Release 3.3 .....	58
7.5	BMS Release 3.4 .....	58
7.6	BMS Release 3.5 .....	59
7.7	BMS Release 3.5.1 .....	59
7.8	BMS Release 3.6 .....	59

---

7.9	BMS Release 3.7 .....	59
<b>8</b>	<b>Appendices .....</b>	<b>59</b>
<b>9</b>	<b>Acknowledgements.....</b>	<b>59</b>
9.1	Work Group.....	59
9.2	Development Team Members.....	61

# 1 Business Domain View

## 1.1 Introduction

### Message Definition

#### Product Recall Notification Message Definition

The Product Recall Notification message notifies involved parties in the supply chain of the need to remove specific products (traceable items) which may pose a health and safety risk to consumers.

#### Product Removal Confirmation Message Definition

The Product Removal Confirmation message enables involved parties to confirm which products (traceable items) they removed from the supply chain based on the request in the Product Recall Notification.

#### Product Recall Closeout Notification Message Definition

Product Recall Closeout Notification enables the Product Recall Initiator to communicate that an earlier issued Product Recall Notification is no longer active / has been completed.

### Principles

Organisations, consumer / end users and regulators in markets around the world have an interest in establishing a common method to recall products at various points of the supply chain. The need exists for a standard set of business processes and the supporting data, enabling traceability partners in a supply chain to quickly and efficiently initiate a Product Recall and track its progress through to its conclusion (meaning the identified product is no longer available in the supply chain).

This BMS is a part of the global GS1 standard for product recall enabling the effective communication and process to conduct a product recall.

# 2 Business Context

Context Category	Value(s)
Industry	All
Geopolitical	All
Product	All
Process	Traceability sub process product recall process
System Capabilities	GS1 System
Official Constraints	None


# 3 Business Transaction View

## 3.1 Business Collaboration – Perform Traceability

### Use Case Diagram



**Note:** Purple fonts represent changes to Global Traceability Standard (GTS)



### Use Case Definition

Use Case ID	UC-1
Use Case Name	Perform traceability
Use Case Description	Provides the processes involved to perform traceability.
Actors (Goal)	Traceability Partner's goal is to perform traceability. Product Creator, Product Source, Product Recipient, Transporter, Brand Owner, Traceability Data Creator, Traceability Data Source, Traceability Data Recipient, and Trace Request Initiator. Product Recall Initiator, Product Recall Approver, Product Recall Recipient
Performance Goals	The ability to track and trace items across the supply chain. At each step in the process there is basic data that needs to be collected from Traceability Data Source and kept and shared with Traceability Data Recipient. All Traceability Partners involved in the supply chain must systematically associate the physical flow of materials, intermediate and finished products with the information flow. To ensure the continuity of the information flow, each Traceability Partner must communicate pre-defined and agreed traceability data to the next Traceability Partner.
Preconditions	Traceability Partners in the supply chain have planned and organized their systems and processes to perform traceability.
Post conditions	Traceability Partners in the supply chain are able to perform traceability.
Scenario	<u>Perform Traceability</u> Begins when: Traceability Partner wishes to conduct future business. (Template Form) Continues with... Step # Primary Actor Secondary Actor (If necessary) Activity Step  Step: 1 Actor: Traceability Partner Activity Step: Align master data  Step: 2 Actor: Traceability Partner

	<p>Activity Step: Record traceability data</p> <p>Step: 3 Actor: Traceability Partner Activity Step: Request Trace</p> <p>Ends when: The trace request initiator receives the requested information or receives the message that the information cannot be found unless the following step is enacted.</p> <p>Step: 4 Actor: Traceability Partner Activity Step: Recall Product</p> <p>Ends when: The Product Recall Closeout Acknowledgement is returned to the Product Recall Initiator.</p>
Alternative Scenario	No alternative scenarios
Related Requirements	Related Business Requirements contained in sub use cases.
Related Rules	Related Business Rules contained in sub use cases.

#### Activity Diagram

Not applicable

#### Sequence Diagrams

Not Applicable


### 3.1.1 Business Process – Recall Product



**Note:** The Product Recall Use Case sections below are new additions to GTS.



## Use Case Diagram



## Use Case Definition

Use Case ID	UC-1.4
Use Case Name	Recall Product
Use Case Description	Provides the processes involved to recall a product.
Actors (Goal)	Product Recall Initiator, Product Recall Approver, Product Recall Recipient goal is to fulfil the Product Recall process.
Performance Goals	The traceability partner's goal is to draft and issue a Product Recall Notification, take action regarding the Product Recall Notification, issue a Product Removal Confirmation, draft and issue Product Recall Closeout, and close out the Product Recall.
Preconditions	The Product Recall Initiator confirms there is a need to issue a Product Recall Notification.
Post conditions	Traceability Partners confirms the Product Recall Closeout.
Scenario	<p>Recall Product</p> <p>Begins when: There is a need for Product Recall.</p> <p>Step: 1a</p> <p>Primary Actor: Product Recall Initiator</p> <p>Activity Step: Initiates the draft Product Recall Notification (PRN).</p> <p>Step: 1b</p>


Use Case ID	UC-1.4
	<p>Primary Actor: Product Recall Approver  Secondary Actor: Product Recall Initiator  Activity Step:  Product Recall Approver reviews draft PRN and either approves or rejects it.  Product Recall Approver approves draft PRN.  Product Recall Approver sends approval to Product Recall Initiator and issues PRN to the Product Recall Recipient.</p> <p>Step: 2a  Primary Actor: Product Recall Recipient  Activity Step:  Product Recall Recipient receives PRN and records internally.</p> <p>Step: 2b  Primary Actor: Product Recall Recipient  Secondary Actor: Product Recall Approver and/or Product Recall Initiator  Activity Step:  Product Recall Recipient sends Receipt Acknowledgement (RA)  Product Recall Approver and/or Product Recall Initiator receive RA. Note some initiator organisation system can automatically receive a message.</p> <p>Step: 3a  Primary Actor: Product Recall Recipient  Activity Step:  Product Recall Recipient begins executing product recall.  i) Stops forward logistics  ii) Identifies product quantity in control of recipients  iii) Defines success criteria  iv) Executes reverse logistics or disposal</p> <p>Step 3b  Primary Actor: Product Recall Recipient  Secondary Actor: Product Recall Approver  Activity Step:  Product Recall Recipient sends a Product Removal Confirmation (PRC).  Product Recall Approver receives PRC.</p> <p>Step 4a  Primary Actor: Product Recall Initiator  Secondary Actor: Product Recall Approver  Activity Step:  Product Recall Initiator initiates draft Product Recall Closeout Notification (PRCN).  Product Recall Initiator sends draft PRCN to Product Recall Approver</p> <p>Step: 4b  Primary Actor: Product Recall Approver  Secondary Actor: Product Recall Initiator  Activity Step:  Product Recall Approver receives draft PRCN from Product Recall Initiator.  Product Recall Approver reviews draft PRCN and either approve or reject it.  Product Recall Approver approves draft PRCN.  Product Recall Approver sends approval to Product Recall Initiator.</p>

Use Case ID	UC-1.4
	<p>Product Recall Initiator sends PRCN to Product Recall Recipient.</p> <p>Step: 5a  Primary Actor: Product Recall Recipient  Secondary Actor: Product Recall Approver  Activity Step:  Product Recall Recipient receives PRCN  Product Recall Recipient records internally</p> <p>Step: 5b  Primary Actor: Product Recall Recipient  Secondary Actor: Product Recall Approver  Activity Step:  Product Recall Recipient sends RA  Product Recall Approver receives RA</p> <p>Ends: Step: 6  Primary Actor: Product Recall Approver, Product Recall Initiator, Product Recall Recipient  Activity Step:  Product Recall Approver, Product Recall Initiator, Product Recall Recipient execute closeout.</p>
Alternative Scenario	No alternative scenarios
Related Requirements	None
Related Rules	<i>None</i>

### Activity Diagram

Not applicable

## Sequence Diagrams




### **6 Step Initial Product Recall Process.**

1. Issue Product Recall Notification
2. Receive Product Recall Notification
3. Issue Product Removal Confirmation and remove Product
4. Issue Product Recall Closeout Notification
5. Receive Product Recall Closeout Notification
6. Execute Closeout Record internally

## 4 Business Information View

### 4.1 Product Recall Notification

#### Class diagram



**Report**

The content of the ProductRecallNotification class, its structure and component definitions can be accessed in the GS1 Navigator: [Navigator link](#)

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
ProductRecallNotification				Contains the product recall notification details.	
Association		ProductRecallNotificationDistributionDetails	0..1	Provides the product recall notification distribution details.	brad_product_recall:PRN.76
Association		ProductRecallNotificationTradeItem	1..*	Provides the product recall notification trade item details.	brad_product_recall:PRN.37
Association		ProductRecallNotificationReimbursementInstructions	0..1	Provides the product recall notification reimbursement instructions.	brad_product_recall:PRN.134
Association		ProductRecallMarketDetail	0..1	Provides the product recall market details.	brad_product_recall:PRN.8
Generalization		EcomDocument		Basic information about the content of the message including version number, creation date and time.	WR 14-000110
Association	productRecallImpactedRecipient	ProductRecallParty	1..*	Provides the party identification, address information of the organisation receiving the Product Recall or Withdrawal Notification.	brad_product_recall:PRN.59,60,61,64,65,66,67,68,69,70
Association		ProductRecallNotificationHandlingInstructions	0..1	Provides the handling instructions.	brad_product_recall:PRN.128
Association		ProductRecallNotificationManufacturingDetails	0..1	Provides the product recall notification manufacturing details.	brad_product_recall:PRN.54
Association		ProductRecallReason	1..*	Describes why the product recall or withdrawal notification is being issued.	brad_product_recall:PRN.28

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
Association		ProductRecallNotificationPublicRelationsInstructions	0..1	Provides the public relations instructions.	brad_product_recall:PRN.113
Association		ProductRecallSafetyStandardAgency	0..1	Provides the product recall safety standards agency.	brad_product_recall:PRN.19
Association	productRecallInitiator	ProductRecallParty	1..1	Provides the party identification, address information of the organisation issuing the Product Recall or Withdrawal Notification.	brad_product_recall:PRN.59,60,61,64,65,66,67,68,69,70
Attribute	originalPRNIdentification	GDTI	1..1	This is the identification of the first product recall notification created. Each product recall or withdrawal notification created is assigned a globally unique GDTI for accurate identification of each notification record, to better track updates and for global interoperability. A GDTI (Global Document Type Identifier) is a GS1 Key that provides unique document type identification.	brad_product_recall:PRN.2
Attribute	pRNIdentification	GDTI	1..1	Each product recall or withdrawal notification created is assigned a globally unique Global Document Type Identifier (GDTI) for accurate identification of each notification record, to better track updates and for global interoperability. A GDTI is a GS1 Key that provides unique document type identification.	brad_product_recall:PRN.1
Attribute	pRNStatusCode	ProductRecallNotificationStatusEnumeration	1..1	This is the current status of the Product Recall or Withdrawal Notification.	brad_product_recall:PRN.18
Attribute	pRNTitle	Description80	1..*	The title or name of the issued product recall or withdrawal notification used to briefly describe the product recall.	brad_product_recall:PRN.3_PRCN.11
Attribute	pRNVersionStatusCode	ProductRecallNotificationVersionStatusEnumeration	1..1	Indicates if the Product Recall or Withdrawal Notification is Initial or an Update.	brad_product_recall:PRN.4



Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
Attribute	associatedPRN Identification	GDTI	0..*	References specific Product Recall or Withdrawal Identification(s) used before in a earlier Product Recall or Withdrawal Notification.	brad_product_recall:PRN.6
Attribute	incidentRiskLevelCode	ProductRecallIncidentRiskLevelCode	0..1	An assessment of the threat and liability level from a list of classes or categories, if the known level of threat for the recalled / withdrawn traceable item is available.	brad_product_recall:PRN.14
Attribute	isPRNIssuingOrganisationTheBrandOwner	NonBinaryLogicEnumeration	0..1	Specifies whether the organisation issuing the product recall or withdrawal notification is the traceable item brand owner.	brad_product_recall:PRN.62
Attribute	isPRNIssuingOrganisationThePrimaryRecallOrganisation	NonBinaryLogicEnumeration	0..1	Specifies whether the organisation issuing the product recall or withdrawal notification assumes primary responsibility.	brad_product_recall:PRN.63
Attribute	lastUpdatedPRNDateTime	dateTime	0..1	This is the date time the notification was last updated by a user in your organisation.	brad_product_recall:PRN.5
Attribute	pRNUpdateReason	Description80	0..*	Provide the reason why this notification has been extended, updated, or expanded. Typical reasons could include additional batches have been found to be defective, or additional distribution areas have been identified.	brad_product_recall:PRN.5
Attribute	subsequentPRNIdentification	GDTI	0..1	Identifies what update(s) have been created based upon a given Product Recall or Withdrawal Notification.	brad_product_recall:PRN.7
Attribute	totalNumberOfAttachments	positiveInteger	0..1	Provides the total number of attachments included in the Product Recall Notification.	brad_product_recall:PRN.36
Attribute	updatedBy	string	0..1	The first name and last name of the individual who updated the Product Recall or withdrawal notification.	brad_product_recall:PRN.17
ProductRecallSafetyStandardAgency				Contains the product recall safety standards agency details.	






Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
Attribute	isItRequiredToNotifyYourRecallJurisdictionSafetyStandardAgency	NonBinaryLogicEnumeration	1..1	An indication that there is a requirement based on the type of traceable item, classification of recall, or other criteria for the local recall jurisdiction regulatory body or safety standards agency to be notified of this product recall notification.	brad_product_recall:PRN.19
Attribute	isProductRecallVoluntary	NonBinaryLogicEnumeration	1..1	Indicates if the product recall is voluntary or mandatory. A voluntary recall is any product recall that is not required by regulations.	brad_product_recall:PRN.22
Attribute	isTraceableItemReportableFood	NonBinaryLogicEnumeration	0..1	An indication that the traceable item is a reportable food for this recall notification.	brad_product_recall:PRN.20
Attribute	regulatorySafetyAgencyReferenceIdentification	string	0..1	A responsible party is required to submit a safety reference number to their local recall jurisdiction safety standards agency.	brad_product_recall:PRN.21
ProductRecallReason				Describes why the product recall or withdrawal notification is being issued.	
Attribute	productRecallReasonCode	ProductRecallReasonCode	1..1	Describes why the product recall or withdrawal notification is being issued.	brad_product_recall:PRN.28
Attribute	productRecallReasonDescription	Description80	0..*	Provide additional information pertaining to the recalled traceable item.	brad_product_recall:PRN.30
Attribute	explanationForProductRecall	Description80	0..*	Brief explanations as to what prompted this product recall notification to be issued.	brad_product_recall:PRN.29

## 4.1.1 Product Recall Notification Distribution Details

### Class Diagram



### Report

The content of the ProductRecallNotificationDistributionDetails class, its structure and component definitions can be accessed in the GS1 Navigator: [Navigator link](#)


Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
ProductRecallNotificationDistributionDetails				Provides the product recall notification distribution details.	brad_product_recall:PRN.76
Association		ProductRecallDistributionArea	0..*	Provides the product recall distribution area details.	brad_product_recall:PRN.23.24.25.26.27



Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
Association		ProductRecallNotificationDistributorDetail	0..*	Provides the product recall distribution details.	
Attribute	isTraceableItemExported	NonBinaryLogicEnumeration	0..1	Indicates whether the traceable item being recalled is also exported to other countries.	brad_product_recall:PRN.76
Attribute	isTraceableItemSoldViaDistributorship	NonBinaryLogicEnumeration	0..1	Specifies whether the traceable item is sold via distributorship.	brad_product_recall:PRN.71
ProductRecallNotificationDistributorDetail				Contains the product recall distribution details.	
Association		SourceReference	0..*	This is the file name to provide more details regarding the distributor information impacted by the recalled traceable item.	brad_product_recall:PRN.74
Association		ProductRecallParty	0..1	This is a list of first external customer including Business Name, Contact Name, Contact Number and Address (as minimum).	brad_product_recall:PRN.73
Attribute	hasDistributorBeenNotified	NonBinaryLogicEnumeration	0..1	Specifies if the distributor has been contacted regarding the product recall or withdrawal notification.	brad_product_recall:PRN.72

## 4.1.2 Product Recall Notification Handling Instructions

### Class Diagram



### Report


The content of the ProductRecallNotificationHandlingInstructions class, its structure and component definitions can be accessed in the GS1 Navigator: [Navigator link](#)

Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
ProductRecallNotificationHandlingInstructions				Contains the product recall handling instruction details.	
Association	inTransitSpecialHandlingInstructions	HandlingInstruction	0..*	Provides specific handling Instruction for the recalled traceable item in transit.	brad_product_recall:PRN.131
Association	warehouseSpecialHandlingInstructions	HandlingInstruction	0..*	Provides specific handling Instruction in warehouse for the recalled traceable item.	brad_product_recall:PRN.130
Association	storeSpecialHandlingInstructions	HandlingInstruction	0..*	Provides specific handling Instruction in store for the recalled traceable item.	brad_product_recall:PRN.129
Association	specialHandlingInstructions	HandlingInstruction	0..*	Special Handling Instructions describes when the recalled traceable item needs to be managed in a particular manner. It covers both shipping, handling and hazardous information requirements.	brad_product_recall:PRN.128

Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
Attribute	isSpecialHandlingInstructionsRequiredForRecalledTraceableItem	NonBinaryLogicEnumeration	0..1	Indicate if recalled traceable item requires special handling. Special handling includes instructions for hazardous material.	brad_product_recall:PRN.128

### 4.1.3 Product Recall Notification Manufacturing Details

#### Class Diagram



#### Report

The content of the ProductRecallManufacturingDetails class, its structure and component definitions can be accessed in the GS1 Navigator:


[Navigator link](#)

Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
ProductRecallNotificationManufacturingDetails				Contains the product recall manufacturing details.	
Association	manufacturing Location	ProductRecallParty	0..*	Provides the name and address information of the manufacturing locations involved in the product recall.	brad_product_recall:PRN.75

Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
Attribute	countryOfOrigin	CountryCode	0..*	The country code (codes) in which the goods have been produced or manufactured, according to criteria established for the purposes of application of the value may or may not be presented on the trade item label.	brad_product_recall:PRN.54

#### 4.1.4 Product Recall Notification Public Relations Instructions

##### Class Diagram



##### Report

The content of the ProductRecallNotificationPublicRelationsInstructions class, its structure and component definitions can be accessed in the GS1 Navigator: [Navigator link](#)


Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
ProductRecallNotificationPublicRelationsInstructions				Contains the product recall public relations instruction details.	

Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
Association	consumerContact	CommunicationChannel	0..*	The Product Recall Consumer Hotline telephone number provided by the Initiating Organisation responsible to handle consumers/customer questions as needed or requested.	brad_product_recall:PRN.86,87
Association	pressRelease	SourceReference	0..*	Provides the press release files information.	Brad_product_recall:PRN.115,116,117,118,119,126
Attribute	pressReleaseDateTime	dateTime	1..1	The date time related to the media information release.	brad_product_recall:PRN.112
Attribute	pressReleaseTemplate	string	1..1	Provides the template for a press release.	brad_product_recall:PRN.113
Attribute	productRecallPublicWebsiteURL	string	1..1	Simple text string which refers to an internet resource for this recall notification. URLs may refer to documents, resources, people, etc.	brad_product_recall:PRN.110
Attribute	anyReportedInjuriesOrIllnessFromRecalledTraceableItem	NonBinaryLogicEnumeration	0..1	Has there been any reported case of injury / illness associated with any traceable item in this Recall.	brad_product_recall:PRN.120
Attribute	consumerInstructions	Description1000	0..*	Provides comprehensive instruction on physical handling for consumer regarding the recalled traceable item.	brad_product_recall:PRN.133
Attribute	detectionMethod	Description80	0..*	Details on how the problem with the recalled traceable item was detected.	brad_product_recall:PRN.122
Attribute	doSafetyStandardsAgencyHaveAuthorityToUseRecalledTraceableItemImage	NonBinaryLogicEnumeration	0..1	An indicator which determines if the safety standards agency has authority to use the images provided in this Product Recall or Withdrawal Notification to be disseminated via the internet or other electronic means.	brad_product_recall:PRN.121
Attribute	printAdvertisementDateTime	dateTime	0..1	Provides the date and time the print media will appear.	brad_product_recall:PRN.114
Attribute	reportedInjuries	Description80	0..*	Provides the reported case of injury and or illness associated with the traceable item in this Recall.	brad_product_recall:PRN.124

Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
Attribute	shouldSafetyStandardsAgencyDraftPressReleaseOnYourBehalf	NonBinaryLogicEnumeration	0..1	An indicator which determines if the safety standards agency should draft a press release on behalf of the Product Recall or Withdrawal Notification Issuing Organisation.	brad_product_recall:PRN.120
Attribute	testResults	Description80	0..*	Provides any testing on the traceable item in this Recall.	brad_product_recall:PRN.125

#### 4.1.5 Product Recall Notification Reimbursement Instructions

##### Class Diagram



##### Report

The content of the **ProductRecallNotificationReimbursementInstructions** class, its structure and component definitions can be accessed in the GS1 Navigator: [Navigator link](#)

Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
ProductRecallNotificationReimbursementInstructions				Contains the product recall reimbursement instruction details.	
Attribute	productRecallReimbursementReason	ProductRecallReimbursementReasonCode	1..1	The return request to be used by the organisation requesting the reimbursement.	brad_product_recall:PRN.134






Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
Attribute	reimbursementProofInstruction	Description80	1..*	Product Recall issuer will dictate what proof is satisfactory to issue a reimbursement.	brad_product_recall:PRN.135
Attribute	areTaxesIncludedInSalesPrice	NonBinaryLogicEnumeration	0..1	Have taxes been imposed on the sale price of the traceable item.	brad_product_recall:PRN.35
Attribute	reimbursementAdditionalInformation	Description80	0..*	Add any additional information that would assist reimbursing organisation in the reimbursement process.	brad_product_recall:PRN.136

#### 4.1.6 Product Recall Notification Traceable Item

##### Class Diagram



**Report**

The content of the ProductRecallNotificationTraceableItem class, its structure and component definitions can be accessed in the GS1 Navigator:  
[Navigator link](#)


Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
ProductRecallNotificationTraceableItem				Contains the product recall traceable item details.	
Association		ProductRecallNotificationRecipientDetail	0..*	Provides the product recall recipient details.	
Association		ProductRecallTrackingKey	0..*	Provides the tracking information.	brad_product_recall:PRN.44
Association		Ecom_LogisticUnitIdentification	0..*	Provides the logistic Unit Identification.	brad_product_recall:PRN.design phase WR 15-000314
Association		ProductRecallNotificationExportDetail	0..*	Provides the product recall export details.	
Attribute	countryOfOrigin	CountryCode	0..*	The country code (codes) in which the goods have been produced or manufactured, according to criteria established for the purposes of application of the value may or may not be presented on the trade item label.	brad_product_recall:PRN.54
Attribute	totalQuantityAffected	Quantity	0..1	The total number of quantity that are affected by the Product Recall or Withdrawal Notification.	brad_product_recall:PRN.56
Attribute	avpList	Ecom_AttributeValuePairList	0..1	Temporary attributes introduced between minor versions.	WR 14-000110
Attribute	totalQuantityUnderManufacturersControl	Quantity	0..1	The total quantity that are under control of the manufacturing organisation affected by the Product Recall or Withdrawal Notification.	brad_product_recall:PRN.57
ProductRecallNotificationRecipientDetail				Contains the product recall notification recipient details.	
Association		ProductRecallParty	0..1	Provides the product recall party details.	



Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
Attribute	totalShippedQuantity	Quantity	0..1	The total quantity that have shipped from the manufacturer affected by the Product Recall or Withdrawal Notification.	brad_product_recall:PRN.58
ProductRecallNotificationExportDetail				Contains the product recall export details.	
Attribute	exportCountry	CountryCode	1..1	Indicates to which countries the traceable item was exported to.	brad_product_recall:PRN.77
Attribute	totalExportedQuantity	Quantity	0..1	Indicate the traceable item quantities exported to each country with the unit of measure.	brad_product_recall:PRN.78

## 4.1.7 ProductRecallNotificationTradeItem

### Class Diagram



The content of the ProductRecallNotificationTradeItem class, its structure and component definitions can be accessed in the GS1 Navigator: [Navigator link](#)

Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
ProductRecallNotificationTradeItem				Contains the product recall trade item details.	
Association		Ecom_TradeItemId entification	1..1	A globally unique number that identifies the traceable item that is being recalled.	brad_product_recall:PRN.40,4 1 WR 15-000314




Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
Association		ProductRecallPackagingDetail	0..*	Provides the product packaging details.	
Association		ProductRecallNotificationTraceableItem	0..*	Provides the product recall notification traceable item information.	
Association	tradeItemImage	SourceReference	0..*	Image/picture of the traceable item being recalled, which is embedded in the product recall or withdrawal notification.	brad:product_recall.31,32
Association	relatedFile	SourceReference	0..*	Provides the related files.	brad:product_recall.33,34
Attribute	tradeItemName	string	1..1	A distinct traceable item name that provides an accurate description of the recalled product. A recognized product name by the end user or consumer. This excludes Brand Name.	brad_product_recall:PRN.37
Attribute	tradeItemUnitDescriptorCode	TradeItemUnitDescriptorCode	1..1	Provides the unit descriptor.	added during design
Attribute	avpList	Ecom_AttributeValuePairList	0..1	Temporary attributes introduced between minor versions.	WR 14-000110
Attribute	additionalPRNTradeItemInformation	Description80	0..*	Any additional information regarding this traceable that may be of used by receiving organisations.	brad_product_recall:PRN.42
Attribute	additionalTradeItemClassificationCode	AdditionalTradeItemClassificationCode	0..*	The Product Classification that best describes the traceable item being recalled/withdrawn.	brad_product_recall:PRN.38
Attribute	brandName	string	0..1	The recognizable name used by a brand owner to uniquely identify a line of traceable item or services. This is recognizable by the consumer.	brad_product_recall:PRN.39
Attribute	dataCarrierTypeCode	DataCarrierTypeCode	0..*	The GS1 data carrier on the Recalled Traceable Item..	brad_product_recall:PRN.43
Attribute	gpcCategoryCode	string	0..1	A code that identifies a category in the GPC product classification.	
Attribute	gpcCategoryName	string	0..1	The name associated with the GPC product classification.	



Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
Attribute	numberOfConsumerUnitsPerItem	Quantity	0..1	The number of consumer units contained in each case.	brad_product_recall:PRN.55
Attribute	tradeItemSize	Measurement	0..*	The size and unit of measure identified on the recalled traceable item.	brad_product_recall:PRN.51
ProductRecallPackagingDetail				Contains the product recall packaging details.	
Attribute	packageTypeCode	PackageTypeCode	1..*	The code identifying the type of package used as a container of the traceable item.	brad_product_recall:PRN.52
Attribute	packagingMaterialCode	MaterialTypeCode	1..*	The code identifying the packaging material for the packaging type of the traceable item.	brad_product_recall:PRN.53

## 4.2 Product Removal Confirmation

### Class Diagram





## Report

The content of the ProductRemovalConfirmation class, its structure and component definitions can be accessed in the GS1 Navigator: [Navigator link](#)

Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
ProductRemovalConfirmation				Contains the product removal confirmation details.	
Generalization		EcomDocument		Basic information about the content of the message including version number, creation date and time.	WR 14-000110
Association		ProductRecallMarketDetail	0..1	The target market to which the recalled traceable item is targeted.	brad_product_recall:PRC.12
Association	productRemovalConfirmationIssuer	ProductRecallParty	1..1	The party identification of the product removal confirmation initiating organisation.	brad_product_recall:PRC.2,3
Association	productRemovalConfirmationRecipient	ProductRecallParty	1..1	The globally unique identification of the product removal confirmation recipient organisation.	brad_product_recall:PRC.7
Association		ProductRemovalConfirmationTradeItem	1..*	Provides the product removal confirmation trade item details.	
Attribute	originalPRNIdentification	GDTI	1..1	This is the identification of the first product recall notification created. Each product recall or withdrawal notification created is assigned a globally unique GDTI for accurate identification of each notification record, to better track updates and for global interoperability. A GDTI (Global Document Type Identifier) is a GS1 Key that provides unique document type identification.	brad_product_recall:PRC.9
Attribute	prcIdentification	GDTI	1..1	Each product removal confirmation created is assigned a globally unique GDTI for accurate identification of each notification record, to better track updates and for global interoperability. A GDTI (Global Document Type Identifier) is a GS1 Key that provides unique document type identification.;	brad_product_recall:PRC.8




Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
Attribute	pRCStatusCode	ProductRecallNotificationStatusEnumeration	1..1	This is the current status of the product removal confirmation.	brad_product_recall:PRC.21
Attribute	associatedPRNIdentification	GDTI	0..*	References specific Product Recall or Withdrawal Identification(s) used before in an other earlier Product Recall or Withdrawal Notification.	brad_product_recall:PRC.11
Attribute	originalPRNIssueDateTime	dateTime	0..1	This is the date and time in which the Product Recall / Withdrawal Notification was issued to selected recipients.	brad_product_recall:PRC.13
Attribute	pRNTitle	Description80	0..*	The title or name of the issued product recall or withdrawal notification used to briefly describe the product recall.	brad_product_recall:PRC.10
Attribute	pRNUpdateReason	Description80	0..*	Provide the reason why this notification has been extended, updated, or expanded. Typical reasons could include additional batches have been found to be defective, or additional distribution areas have been identified.	brad_product_recall:PRC.20
Attribute	updatedBy	string	0..1	The individual who updated the product removal confirmation.	brad_product_recall:PRC.4
ProductRemovalConfirmationTradeItem				Contains the product removal trade item details.	
Association		TradeItemIdentification	1..1	Provides the trade item identification.	brad_product_recall:PRC.15, 16
Association		ProductRemovalConfirmationTraceableItem	1..*	Provides the product removal confirmation traceable item details.	
Attribute	dispositionDisclosure	Description80	1..1	A text field to provide how the recipient has handled the removal of the traceable item from the supply chain.	brad_product_recall:PRC.22
Attribute	tradeItemName	string	1..1	A distinct traceable item name that provides an accurate description of the recalled product. A recognized product name by the end user or consumer.	brad_product_recall:PRN.17
Attribute	avpList	Ecom_AttributeValuePairList	0..1	Temporary attributes introduced between minor versions.	WR 14-000110



Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
Attribute	additionalTradeItemClassificationCode	AdditionalTradeItemClassificationCode	0..*	The trade item classification code that best describes the traceable item being recalled/withdrawn.	brad_product_recall:PRN.18
Attribute	additionalTradeItemInformation	Description500	0..1	Provide additional information pertaining to the recalled traceable item.	brad_product_recall:PRC.19
Attribute	gpcCategoryCode	string	0..1	A code that identifies a category in the GPC product classification	
Attribute	gpcCategoryName	string	0..1	The name associated with the GPC product classification.	
ProductRemovalConfirmationTraceableItem				Contains the product removal traceable item details.	
Association		LogisticUnitIdentification	0..*	Provides the logistic unit identification.	
Association		ProductRecallTrackingKey	0..*	Provides the traceable item tracking information.	brad_product_recall:PRN.24, 25,26
Attribute	totalQuantityRemoved	Quantity	1..1	The total quantity of traceable item removed.	brad_product_recall:PRC.23

## 4.3 Product Recall Closeout Notification

### Class Diagram



### Report

The content of the ProductRecallCloseoutNotification class, its structure and component definitions can be accessed in the GS1 Navigator: [Navigator link](#)

Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
ProductRecallCloseoutNotification				Contains the product recall closeout notification details.	



Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
Association		ProductRecallMarketDetail	0..1	The target market to which the recalled traceable item is targeted.	brad_product_recall:PRCN.13
Association	productRecallInitiator	ProductRecallParty	1..1	Provides the product recall closeout initiator identification and address.	brad_product_recall:PRCN.1,2,3,5,6
Generalization		EcomDocument		Basic information about the content of the message including version number, creation date and time.	WR 14-000110
Association		ProductRecallCloseoutNotificationTradeItem	1..*	Provides the product recall closeout notification trade item details.	
Association	productRecallImpactedRecipient	ProductRecallParty	1..*	The globally unique identification of the product recall or withdrawal closeout recipient organisation.	brad_product_recall:PRCN.7
Attribute	originalPRNIdentification	GDTI	1..1	This is the identification of the first product recall notification created. Each product recall or withdrawal notification created is assigned a globally unique GDTI for accurate identification of each notification record, to better track updates and for global interoperability. A GDTI (Global Document Type Identifier) is a GS1 Key that provides unique document type identification.	brad_product_recall:PRCN.10
Attribute	prCNIdentification	GDTI	1..1	Each product recall or withdrawal closeout created is assigned a globally unique GDTI for accurate identification of each notification record, to better track updates and for global interoperability. A GDTI (Global Document Type Identifier) is a GS1 Key that provides unique document type identification.	brad_product_recall:PRCN.8
Attribute	prCNStatusCode	ProductRecallNotificationStatusEnumeration	1..1	This is the current status of the product recall or withdrawal closeout.	brad_product_recall:PRCN.9
Attribute	associatedPRNIdentification	GDTI	0..*	References specific Product Recall or Withdrawal Identification(s) used before in an other earlier Product Recall or Withdrawal Notification.	brad_product_recall:PRCN.12




Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
Attribute	originalPRNIssueDateTime	dateTime	0..1	This is the date and time in which the Product Recall / Withdrawal Notification was issued to selected recipients.	brad_product_recall:PRCN.14
Attribute	pRNTitle	Description80	0..1	The title or name of the issued product recall or withdrawal notification used to briefly describe the product recall.	brad_product_recall:PRN.11
Attribute	updatedBy	string	0..1	The individual who updated the product recall or withdrawal closeout.	brad_product_recall:PRCN.4
ProductRecallCloseoutNotificationTradeItem				Contains the product recall closeout trade item details.	
Association		Ecom_TradeItemIdentification	1..1	Provides the trade item identification.	brad_product_recall:PRCN.16,17 WR 15-000314
Attribute	tradeItemName	string	1..1	A distinct traceable item name that provides an accurate description of the recalled product. A recognized product name by the end user or consumer	brad_product_recall:PRCN.18
Attribute	additionalTradeItemClassificationCode	AdditionalTradeItemClassificationCode	0..*	The additional trade item classification code.	brad_product_recall:PRCN.19
Attribute	avpList	Ecom_AttributeValuePairList	0..1	Temporary attributes introduced between minor versions.	WR 14-000110
Attribute	gpcCategoryCode	string	0..1	A code that identifies a category in the GPC product classification.	
Attribute	gpcCategoryName	string	0..1	The name associated with the GPC product classification.	

## 4.4 Product Recall Common

### 4.4.1 Product Recall Common – Product Recall Distribution Area

#### Class Diagram



#### Report

The content of the **ProductRecallDistributionArea** class, its structure and component definitions can be accessed in the GS1 Navigator: [Navigator link](#)


Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
ProductRecallDistributionArea				Contains the product recall distribution area details.	
Association	distributionDateRangeForTraceableItem	DateTimeRange	0..1	This date reflects the start and end of distribution to the market place (supply chain) specific to the recalled traceable item. It includes in-transit traceable item. The date distribution ends is the point at which the last traceable item leaves the manufacturer's control.	brad_product_recall:PRN.23,24
Attribute	distributionAreaCountryCode	CountryCode	0..1	Indicates geographic range of distribution.	brad_product_recall:PRN.25



Attribute	distributionAreaSubdivisionCode	CountrySubdivision Code	0..1	Indicates geographic range of distribution.	brad_product_recall:PRN.25
Attribute	distributionAreaDescription	Description80	0..*	The geographic regions the traceable item may be distributed in.	brad_product_recall:PRN.26,27

#### 4.4.2 Product Recall Common – Product Recall Market Detail

##### Class Diagram



##### Report

The content of the ProductRecallMarketDetail class, its structure and component definitions can be accessed in the GS1 Navigator: [Navigator link](#)

Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
ProductRecallMarketDetail				Contains the product recall market details.	
Association	productRecallTargetMarket	TargetMarket	0..1	The target market to which the recalled traceable item is targeted.	brad_product_recall:PRN.9






Association	sectorAttachment	SourceReference	0..1	Any file that needs to accompany a specific Target Name.	brad:product_recall.PRN.13
Attribute	additionalTargetMarketForRegulatoryUse	Description80	0..*	Provide additional Potential Markets served by these distributors.	brad:product_recall.PRN.11
Attribute	productRecallPotentialTargetMarket	Description80	0..*	Provide an indication of the potential markets served by these traceability partners.	brad_product_recall:PRN.10
Attribute	sectorDescription	Description80	0..*	The industry sector to which the recalled traceable item is marketed.	brad_product_recall:PRN.8

#### 4.4.3 Product Recall Common - Product Recall Party

##### Class Diagram




## Report

The content of the ProductRecallParty class, its structure and component definitions can be accessed in the GS1 Navigator: [Navigator link](#)

Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
ProductRecallParty				Contains the product recall party details.	
Association		Contact	0..*	Information about the contact for the party involved in the business transaction.	
Association		Address	0..1	Address of the party involved in the business transaction.	
Association		DutyFeeTaxRegistration	0..*	Provides the duty fee tax registration information.	Based on Community Review
Attribute	gln	GLN	0..1	The Global Location Number (GLN) is a structured Identification of a physical location, legal or functional entity within an enterprise. The GLN is the primary party identifier. Each party identified in the trading relationship must have a primary party Identification..	brad_product_recall:PRN.60
Attribute	additionalPartyIdentification	AdditionalPartyIdentification	0..*	Identification of a party by use of a code other than the Global Location Number.	brad_product_recall:PRN.61

### 4.4.4 Product Recall Common – Product Recall Tracking Key

#### Class Diagram





**Report**


The content of the ProductRecallTrackingKey class, its structure and component definitions can be accessed in the GS1 Navigator: [Navigator link](#)

Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
ProductRecallTrackingKey				Contains the product recall tracking key details.	
Association	trackingKeyImage	SourceReference	0..1	This is an image of the tracking code as it appears on the recalled traceable item and textual description.	brad_product_recall:PRN.49,50
Attribute	productTrackingKeyCode	ProductRecallTrackingTypeCode	1..1	A Tracking Code is a code used to identify affected traceable item. This is the type of code found on the package.	brad_product_recall:PRN.45
Attribute	productTrackingKeyValue	string	1..1	This is the value associated to the Tracking Code.	brad_product_recall:PRN.46
Attribute	isProductTrackingKeyInDataCarrier	NonBinaryLogicEnumeration	0..1	Provides Indication of whether the product tracking key is contained in the AIDC data carrier (bar code or RFID tag) or not.	Community Review Change
Attribute	productTrackingKeyDescription	Description80	0..*	Explanation of how to interpret the consumer Unit manufacturing code.	brad_product_recall:PRN.47
Attribute	productTrackingKeyLocation	string	0..1	The location on the packaging where the identified tracking code(s) can be found.	brad_product_recall:PRN.48



## 4.4.5 Product Recall Common – Data Types

### Class Diagram



## 4.5 Enumerations (message specific)

Not applicable

## 4.6 Code Lists

Class	Codelist	Navigator Link
ProductRecallNotification, ProductRecallCloseoutNotif ication, ProductRemovalConfirmati on	ProductRecallNotificatio nStatusEnumeration	<a href="https://navigator.gs1.org/edi/codelist-details?&amp;name=ProductRecallNotificationStatusEnumeration">https://navigator.gs1.org/edi/codelist- details?&amp;name=ProductRecallNotificationStatusEnumeration</a>
ProductRecallNotification	ProductRecallNotificatio nVersionStatusEnumera tion	<a href="https://navigator.gs1.org/edi/codelist-details?&amp;name=ProductRecallNotificationVersionStatusEnumera&lt;br/&gt;tion">https://navigator.gs1.org/edi/codelist- details?&amp;name=ProductRecallNotificationVersionStatusEnumera tion</a>
ProductRecallNotification, ProductRecallNotificationDi stributionDetails, ProductRecallNotificationH andlingInstructions, ProductRecallNotificationP ublicRelationsInstructions, ProductRecallTrackingKey, ProductRecallNotificationR eimbursementInstructions	NonBinaryLogicEnumera tion	<a href="https://navigator.gs1.org/edi/codelist-details?&amp;name=NonBinaryLogicEnumeration">https://navigator.gs1.org/edi/codelist- details?&amp;name=NonBinaryLogicEnumeration</a>
ProductRecallDistributionA rea, ProductRecallNotificationEx portDetail, ProductRecallNotificationM anufacturingDetails, ProductRecallNotificationTr aceableItem	CountryCode	<a href="https://navigator.gs1.org/edi/codelist-details?&amp;name=CountryCode">https://navigator.gs1.org/edi/codelist- details?&amp;name=CountryCode</a>
ProductRecallDistributionA rea	CountrySubdivisionCode	<a href="https://navigator.gs1.org/edi/codelist-details?&amp;name=CountrySubdivisionCode">https://navigator.gs1.org/edi/codelist- details?&amp;name=CountrySubdivisionCode</a>
ProductRecallTrackingKey	ProductRecallTrackingTy peCode	<a href="https://navigator.gs1.org/edi/codelist-details?&amp;name=ProductRecallTrackingTypeCode">https://navigator.gs1.org/edi/codelist- details?&amp;name=ProductRecallTrackingTypeCode</a>
ProductRecallCloseoutNotif icationTradeItem, ProductRecallNotificationTr adeItem	AdditionalTradeItemClas sificationCode	<a href="https://navigator.gs1.org/edi/datatype-details?name=AdditionalTradeItemClassificationCode">https://navigator.gs1.org/edi/datatype- details?name=AdditionalTradeItemClassificationCode</a>
ProductRecallNotification	ProductRecallIncidentRis kLevelCode	<a href="https://navigator.gs1.org/edi/codelist-details?&amp;name=ProductRecallIncidentRiskLevelCode">https://navigator.gs1.org/edi/codelist- details?&amp;name=ProductRecallIncidentRiskLevelCode</a>
ProductRecallNotificationR eimbursementInstructions	ProductRecallReimburse mentReasonCode	<a href="https://navigator.gs1.org/edi/codelist-details?&amp;name=ProductRecallReimbursementReasonCode">https://navigator.gs1.org/edi/codelist- details?&amp;name=ProductRecallReimbursementReasonCode</a>
ProductRecallNotificationTr adeItem	DataCarrierTypeCode	<a href="https://navigator.gs1.org/edi/codelist-details?&amp;name=ProductRecallReimbursementReasonCode">https://navigator.gs1.org/edi/codelist- details?&amp;name=ProductRecallReimbursementReasonCode</a>
ProductRecallNotificationTr adeItem	TradeItemUnitDescripto rCode	<a href="https://navigator.gs1.org/edi/codelist-details?&amp;name=TradeItemUnitDescriptorCode">https://navigator.gs1.org/edi/codelist- details?&amp;name=TradeItemUnitDescriptorCode</a>
ProductRecallPackagingDet ail	MaterialTypeCode	<a href="https://navigator.gs1.org/edi/codelist-details?&amp;name=MaterialTypeCode">https://navigator.gs1.org/edi/codelist- details?&amp;name=MaterialTypeCode</a>
ProductRecallPackagingDet ail	PackageTypeCode	<a href="https://navigator.gs1.org/edi/codelist-details?&amp;name=PackageTypeCode">https://navigator.gs1.org/edi/codelist- details?&amp;name=PackageTypeCode</a>
ProductRecallReason	ProductRecallReasonCod e	<a href="https://navigator.gs1.org/edi/codelist-details?&amp;name=ProductRecallReasonCode">https://navigator.gs1.org/edi/codelist- details?&amp;name=ProductRecallReasonCode</a>



**Note:** Refer to the GS1 Navigator (Navigator) for the code values.

## 5 Business Message Examples

### 5.1 Example 1

This is an example of the Product Recall Notification message.



**Note:** Data is for sample purpose only. Not all elements have been used in the sample data.



**Note:** Use column is for reference purpose ONLY: Helps to identify what is mandatory (M) / optional (O).



Attribute	Value	Use
<b>ProductRecallNotification</b>		
creationDateTime	2011-08-20T16:00:00	M
documentStatusCode	ORIGINAL	M
documentActionCode	ADD	O
documentStructureVersion	3.0	O
pRNIdentification (GDTI)	0857674002331CP855	M
originalPRNIdentification (GDTI)	0857674002331	M
pRNStatusCode	ISSUED	M
pRNTitle (English)	Pink Product Recall	M
pRNVersionStatusCode	INITIAL	M
incidentRiskLevelCode	CLASS_2	O
isPRNIssuingOrganisationThePrimaryRecallOrganisation	TRUE	O
<b>ProductRecallParty(+productRecallInitiator)</b>		M
gln	0857674002003	O
<b>Contact</b>		O
personName	Casey Crow	O
jobTitle	Director Process Control	O
contactTypeCode	PRODUCT_RECALL_CONTACT	O
<b>Communication Channel (1X)</b>		O
communicationChannelCode	TELEPHONE	M
communicationValue	333-123-4444	M
<b>Communication Channel (2X)</b>		O
communicationChannelCode	EMAIL	M
communicationValue	<a href="mailto:sgarcia@org1.org">sgarcia@org1.org</a>	M
<b>Communication Channel (+afterHourCommunicationChannel)</b>		O
communicationChannelCode	TELEPHONE	M
communicationValue	333-123-4445	M
<b>ProductRecallParty (+productRecallImpactedRecipient)</b>		M
additionalPartyIdentification	BUYER_ASSIGNED_IDENTIFIER_FOR_A_PARTY	O
additionalPartyIdentificationValue	7777777	O
<b>Address</b>		O
city	Town USA	O
streetAddressOne	999 Main Street	O
state	LA	O
postalCode	56324	O
<b>Contact</b>		O
personName	Athena Gilbert	O
jobTitle	Vice President Operations	O



<b>Communication Channel (1X)</b>		O
communicationChannelCode	TELEPHONE	M
communicationValue	777-123-4444	M
<b>ProductRecallReason (1X)</b>		M
productRecallReasonCode	ALLERGY_HAZARD_PEANUTS	M
explanationForRecallReason	Traces of peanuts were discovered in the product.	O
<b>ProductRecallReason (2X)</b>		O
productRecallReasonCode	ALLERGY_HAZARD_GLUTEN	M
explanationForRecallReason	Traces of peanuts were discovered in the product.	O
<b>ProductRecallMarketdetail</b>		O
productRecallPotentialTargetMarket (1X)	South East United States	O
productRecallPotentialTargetMarket (2X)	LA, GA, FL, SC	O
additionalTargetMarketForRegulatoryUse	School	O
sectorDescription	Consumer Packaged Goods	O
<b>ProductRecallNotificationDistributionDetails</b>		O
isTraceableItemExported	FALSE	O
isTraceableItemSoldViaDistributorship	FALSE	O
<b>ProductRecallDistributionArea</b>		O
distributionAreaCountryCode	USA	O
distributionAreaSubdivisionCode	LA	O
<b>DateTimeRange (+distributionDateRangeForTraceableItem)</b>		O
beginDate	2011-07-04	O
endDate	2011-07-23	O
<b>ProductRecallNotificationTradeItem</b>		M
tradeItemName	Pink Product	M
tradeItemunitDescriptorCode	BASE_UNIT_OR_EACH	M
dataCarrierTypeCode	GS1_DATA_MATRIX	O
brandName	<b>Brand ZZ</b>	<b>O</b>
tradeItemSize	<b>535 (Grams)</b>	<b>O</b>
<b>TradeItemIdentification</b>		M
gtin	00857674002010	M
<b>SourceReference (+tradeItemImage)</b>		O
referenceURI	<a href="http://www.productinfo.com">www.productinfo.com</a>	O
referenceIdentifier	Provides the product details	O
<b>ProductRecallPackagingDetail</b>		O
packageTypeCode	BO	M
packagingMaterialCode (1X)	COLOURED_GLASS	M
packagingMaterialCode (2X)	BIO_PLASTIC	O



<b>ProductRecallNotificationTraceableItem</b>		O
totalQuantityAffected	3050	O
totalQuantityUnderManufacturersControl	2000	O
<b>ProductRecallTrackingKey (1X)</b>		O
productTrackingKeyCode	SELL_BY_DATE	M
productTrackingKeyValue	2011-12-25	M
productTrackingKeyLocation	Bottom of bottle	O
<b>SourceReference(+trackingKeyImage)</b>		O
referenceURI	www.business.org	O
isProductTrackingKeyInDataCarrier	TRUE	O
<b>ProductRecallTrackingKey (2X)</b>		O
productTrackingKeyCode	BATCH_LOT_CODE	M
productTrackingKeyValue	72A	M
productTrackingKeyLocation	On the label	O
<b>ProductRecallNotificationRecipientDetail</b>		O
totalShippedQuantity	53	O
<b>ProductRecallParty</b>		O
additionalPartyIdentification	BUYER_ASSIGNED_IDENTIFIER_FOR_A_PARTY	O
additionalPartyIdentificationValue	7777777	O
<b>ProductRecallSafetyStandardAgency</b>		O
isItRequiredToNotifyYourRecallJurisdictionSafetyStandardsAgency	FALSE	M
isProductRecallVoluntary	TRUE	M
isTraceableItemAReportableFood	FALSE	O
<b>ProductRecallNotificationReimbursementInstructions</b>		O
productRecallReimbursementReason	LP_LABEL_PROBLEM	M
reimbursementProofInstruction	Issues with label quality.	M
<b>ProductRecallNotificationHandlingInstructions</b>		O
<b>HandlingInstruction (+specialHandlingInstructions)</b>		O
handlingInstructionCode	SLT	O
<b>temperatureRange (+storageTemperature)</b>		O
maximumTemperature	66 Fahrenheit	O
minimumTemperature	33 Fahrenheit	O
<b>HandlingInstruction (+inTransitSpecialHandlingInstructions)</b>		O
handlingInstructionCode	TRD	O
handlingInstructionText	Hold for cross dock delivery at point of distribution.	O

<b>ProductRecallNotificationPublicRelationsInstructions</b>		O
pressReleaseDateTime	2011-08-31T16:00:00	M
pressReleaseTemplate	Template 33	M
productRecallPublicWebsiteURL	<a href="http://www.publicsite.com">www.publicsite.com</a>	M

## 5.2 Example 2

This is an example of the Product Removal Confirmation message.



**Note:** Data is for sample purpose only. Not all elements have been used in the sample data.

### Message example 2

Attribute	Value	Use
<b>ProductRemovalConfirmation</b>		
creationDateTime	2011-08-20T16:00:00	M
documentStatusCode	ORIGINAL	M
documentActionCode	ADD	O
documentStructureVersion	3.0	O
originalPRNIdentification (GDTI)	0857674002331	M
pRCIdentification (GDTI)	0766907890129	M
pRCStatusCode	ISSUED	M
pRNTitle (English)	Pink Product Recall	O
<b>ProductRecallParty (+productRemovalConfirmationIssuer)</b>		M
gln	0766907000115	O
<b>Contact</b>		O
personName	Matthew Lee	O
jobTitle	VP Product Safety	O
contactTypeCode	PRODUCT_RECALL_CONTACT	O
<b>Communication Channel (1X)</b>		O
communicationChannelCode	TELEPHONE	M
communicationValue	777-123-4444	M
<b>Communication Channel (2X)</b>		O
communicationChannelCode	EMAIL	M
communicationValue	matthewlee@organisation.org	M
<b>Communication Channel (+afterHourCommunicationChannel)</b>		O
communicationChannelCode	TELEPHONE	M
communicationValue	777-123-4445	M
<b>ProductRecallParty (+productRemovalConfirmationRecipient)</b>		O
gln	0857674002003	O
<b>Contact</b>		O

Attribute	Value	Use
personName	Casey Crow	O
jobTitle	Director Process Control	O
<b>Communication Channel (1X)</b>		O
communicationChannelCode	TELEPHONE	M
communicationValue	333-123-4444	M
<b>ProductRecallMarketdetail</b>		O
productRecallPotentialTargetMarket (1X)	South East United States	O
productRecallPotentialTargetMarket (2X)	LA, GA, FL, SC	O
additionalTargetMarketForRegulatoryUse	School	O
sectorDescription	Consumer Packaged Goods	O
<b>ProductRemovalConfirmationTradeItem</b>		M
dispositionDisclosure	Destroy in field.	M
tradeItemName	Pink Product	M
<b>TradeItemIdentification</b>		M
gtin	00857674002010	M
<b>ProductRemovalConfirmationTraceableItem</b>		M
totalQuantityRemoved	33	M
ProductRecallTrackingKey		O
productTrackingKeyCode	SELL_BY_DATE	M
productTrackingKeyValue	2011-12-25	M
productTrackingKeyLocation	Bottom of bottle	O
<b>SourceReference (+trackingKeyImage)</b>		O
referenceURI	www.business.org	O

### 5.3 Example 3

This is an example of the Product Recall Closeout Notification message.



**Note:** Data is for sample purpose only. Not all elements have been used in the sample data.

#### Message example 3

Attribute	Value	Use
<b>ProductRecallCloseoutNotification</b>		
creationDateTime	2011-09-20T16:00:00	M
documentStatusCode	ORIGINAL	M
documentActionCode	ADD	O
documentStructureVersion	3.0	O
originalPRNIdentification (GDTI)	0857674002331	M
prcniIdentification (GDTI)	0857674002447	M
prcnStatusCode	CLOSED	M
originalPRNIssueDateTime	2011-08-20T16:00:00	O



Attribute	Value	Use
pRNTitle (English)	Pink Product Recall	O
<b>ProductRecallParty(+productRecallInitiator)</b>		M
gln	0857674002003	O
<b>Contact</b>		O
personName	Casey Crow	O
jobTitle	Director Process Control	O
contactTypeCode	PRODUCT_RECALL_CONTACT	O
<b>Communication Channel (1X)</b>		O
communicationChannelCode	TELEPHONE	M
communicationValue	333-123-4444	M
<b>Communication Channel (2X)</b>		O
communicationChannelCode	EMAIL	M
communicationValue	<a href="mailto:sgarcia@org1.org">sgarcia@org1.org</a>	M
<b>Communication Channel (+afterHourCommunicationChannel)</b>		O
communicationChannelCode	TELEPHONE	M
communicationValue	333-123-4445	M
<b>ProductRecallParty (+productRecallImpactedRecipient)</b>		M
additionalPartyIdentification	BUYER_ASSIGNED_IDENTIFIER_FOR_A_PARTY	O
additionalPartyIdentificationValue	7777777	O
<b>Address</b>		O
city	Town USA	O
streetAddressOne	999 Main Street	O
state	LA	O
postalCode	56324	O
<b>Contact</b>		O
personName	Athena Gilbert	O
jobTitle	Vice President Operations	O
<b>Communication Channel (1X)</b>		O
communicationChannelCode	TELEPHONE	M
communicationValue	777-123-4444	M
<b>ProductRecallMarketdetail</b>		O
productRecallPotentialTargetMarket (1X)	South East United States	O
productRecallPotentialTargetMarket (2X)	LA, GA, FL, SC	O
additionalTargetMarketForRegulatoryUse	School	O
sectorDescription	Consumer Packaged Goods	O
<b>ProductRecallCloseoutNotificationTradeItem</b>		M
tradeItemName	Pink Product	M
<b>TradeItemIdentification</b>		M
gtin	00857674002010	M

## 6 Implementation Considerations

### 6.1 User Guide

The Functional User Guide contains more information about the structure and content of the Product Recall message: [http://www.gs1.org/docs/ecom/xml/3/3.4/eCom-Trade\\_messages.html#ProductRecall](http://www.gs1.org/docs/ecom/xml/3/3.4/eCom-Trade_messages.html#ProductRecall)

### 6.2 Message Specific Considerations

Not Applicable

## 7 Summary of Changes

Any change in the GS1 standards is done based on the Work Request (WR) submitted by the GS1 User Companies or Member Organisations. All Work Requests are documented in the Work Request system available on the GS1 website: <http://wr.gs1.org>. The system is accessible to registered users. New visitors need to register first, to be able to access it. WRs can be searched by the number referenced in tables below, see: Search Work Requests. The number starts with the two last digits of the year when it was submitted, followed by the consecutive number within that year.



**Note:** WRs submitted earlier than February 2012 should be searched in Old Change Requests.

### 7.1 BMS Release 3.0

Change	Associated CR Number
First release	Not Applicable

### 7.2 BMS Release 3.1

No work requests. Indirect changes due to upgrade to new Shared and eCom Common libraries.

### 7.3 BMS Release 3.2

Change	Associated WR
<p>Added Attribute Value Pair at the root, line item and sub line item levels</p> <div> <div>class ProductRecallNotification - maintenance view</div> <div> <div>«root»</div> <div>ProductRecallNotification</div> <div> + originalPRNIdentification :GDTI  + pRNIdentification :GDTI  + pRNStatusCode :ProductRecallNotificationStatusEnumeration  + pRNTitle :Description80 [1..*]  + pRNVersionStatusCode :ProductRecallNotificationVersionStatusEnumeration  + associatedPRNIdentification :GDTI [0..*]  + incidentRiskLevelCode :ProductRecallIncidentRiskLevelCode [0..1]  + isPRNIssuingOrganisationTheBrandOwner :NonBinaryLogicEnumeration [0..1]  + isPRNIssuingOrganisationThePrimaryRecallOrganisation :NonBinaryLogicEnumeration [0..1]  + lastUpdatedPRNDateTime :dateTime [0..1]  + pRNUpdateReason :Description80 [0..*]  + subsequentPRNIdentification :GDTI [0..1]  + totalNumberOfAttachments :positiveInteger [0..1]  + updatedBy :string [0..1] = {1..80} </div> <div>maintenance</div> <div>Change: (Verified) 3.2 changed generalisation from Document to eComDocument class to include AVP (WR 14-110)</div> </div> </div>	<b>14-000110</b>

Change	Associated WR
<div>Added Attribute Value Pair at the root, line item and sub line item levels</div> <div><div>class ProductRecallNotificationTradeltem - maintenance view</div><div><div>ProductRecallNotificationTradeltem</div><div><div>+ tradeltemName: string = {1..80}</div><div>+ tradeltemUnitDescriptorCode: TradeltemUnitDescriptorCode</div><div>+ additionalPRNtradeltemInformation: Description80 [0..*]</div><div>+ additionalTradeltemClassificationCode: AdditionalTradeltemClassificationCode [0..*]</div><div>+ brandName: string [0..1] = {1..80}</div><div>+ dataCarrierTypeCode: DataCarrierTypeCode [0..*]</div><div>+ gpcCategoryCode: string [0..1] = {\d{8}}</div><div>+ gpcCategoryName: string [0..1] = {1..105}</div><div>+ numberOfConsumerUnitsPerItem: Quantity [0..1]</div><div>+ tradeltemSize: Measurement [0..*]</div><div>«association»</div><div>+ avpList: Ecom_AttributeValuePairList [0..1]</div></div><div><div>maintenance</div><div>Change: (Verified) 3.2 added +avpList (WR 14-110)</div></div></div></div> <div>14-000110</div>	
<div>Added Attribute Value Pair at the root, line item and sub line item levels</div> <div><div>class ProductRecallNotificationTraceableItem - maintenance ...</div><div><div>ProductRecallNotificationTraceableItem</div><div><div>+ countryOfOrigin :CountryCode [0..*]</div><div>+ «association» avpList :Ecom_AttributeValuePairList [0..1]</div><div>+ totalQuantityAffected :Quantity [0..1]</div><div>+ totalQuantityUnderManufacturersControl :Quantity [0..1]</div></div><div><div>maintenance</div><div>Change: (Verified) 3.2 added +avpList (WR 14-110)</div></div></div></div> <div>14-000110</div>	
<div>Added Attribute Value Pair at the root, line item and sub line item levels</div> <div><div>class ProductRecallICloseoutNotification - maintenance view</div><div><div>«root» ProductRecallICloseoutNotification</div><div><div>+ originalPRNIdentification :GDTI</div><div>+ pRCNIdentification :GDTI</div><div>+ pRCNStatusCode :ProductRecallNotificationStatusEnumeration</div><div>+ associatedPRNIdentification :GDTI [0..*]</div><div>+ originalPRNIssueDateTime :dateTime [0..1]</div><div>+ pRNTitle :Description80 [0..1]</div><div>+ updatedBy :string [0..1] = {1..80}</div></div><div><div>maintenance</div><div>Change: (Verified) 3.2 changed generalisation from Document to eComDocument class to include AVP (WR 14-110)</div></div></div></div> <div>14-000110</div>	



Change	Associated WR
<div>Added Attribute Value Pair at the root, line item and sub line item levels</div> <div><div>class ProductRecallCloseoutNotificationTradeltem - maintenance view</div><div><div>ProductRecallCloseoutNotificationTradeltem</div><div><div>+ tradeltemName: string = {1..80}</div><div>+ additionalTradeltemClassificationCode: AdditionalTradeltemClassificationCode [0..*]</div><div>+ gpcCategoryCode: string [0..1] = {\d{8}}</div><div>+ gpcCategoryName: string [0..1] = {1..105}</div><div>«association»</div><div>+ avpList: Ecom_AttributeValuePairList [0..1]</div></div><div><div>maintenance</div><div>Change: (Verified) 3.2 added +avpList (WR 14-110)</div></div></div></div>	14-000110
<div>Added Attribute Value Pair at the root, line item and sub line item levels</div> <div><div>class ProductRemovalConfirmation - maintenance view</div><div><div>«root» ProductRemovalConfirmation</div><div><div>+ originalPRNIdentification :GDTI</div><div>+ pRCIdentification :GDTI</div><div>+ pRCStatusCode :ProductRecallNotificationStatusEnumeration</div><div>+ associatedPRNIdentification :GDTI [0..*]</div><div>+ originalPRNIssueDateTime :dateTime [0..1]</div><div>+ pRNTitle :Description80 [0..*]</div><div>+ pRNUpdateReason :Description80 [0..*]</div><div>+ updatedBy :string [0..1] = {1..80}</div></div><div><div>maintenance</div><div>Change: (Verified) 3.2 changed generalisation from Document to eComDocument class to include AVP (WR 14-110)</div></div></div></div>	14-000110
<div>Added Attribute Value Pair at the root, line item and sub line item levels</div> <div><div>class ProductRemovalConfirmationTradeltem - maintenance view</div><div><div>ProductRemovalConfirmationTradeltem</div><div><div>+ dispositionDisclosure: Description80</div><div>+ tradeltemName: string = {1..80}</div><div>+ additionalTradeltemClassificationCode: AdditionalTradeltemClassificationCode [0..*]</div><div>+ additionalTradeltemInformation: Description500 [0..1]</div><div>+ gpcCategoryCode: string [0..1] = {\d{8}}</div><div>+ gpcCategoryName: string [0..1] = {1..105}</div><div>«association»</div><div>+ avpList: Ecom_AttributeValuePairList [0..1]</div></div><div><div>maintenance</div><div>Change: (Verified) 3.2 added +avpList (WR 14-110)</div></div></div></div>	14-000110

## 7.4 BMS Release 3.3

Change	Associated WR
<p>Created Ecom_ TradeItemIdentification class and changed association from the previous TradeItemIdentification</p> <pre> class ProductRecallCloseoutNotification - maintenance view     class ProductRecallCloseoutNotificationTradeItem         + tradeItemName :string = {1..80}         + additionalTradeItemClassificationCode :AdditionalTradeItemClassificationCode [0..*]         + gpcCategoryCode :string [0..1] = {\d(8)}         + gpcCategoryName :string [0..1] = {1..105}         «association»         + avpList :Ecom_AttributeValuePairList [0..1]         maintenance         Change: (Complete) 3.2 added +avpList (WR 14-110)         Change: (New) 3.3 changed associations from TradeItemIdentification to Ecom_TradeItemIdentification (WR 15-314)     end class end class                     </pre>	<p><b>15-000314</b></p> <p>Make GS1 identification keys optional in GS1 EDI XML</p>
<p>Created Ecom_ TradeItemIdentification class and changed association from the previous TradeItemIdentification</p> <pre> class ProductRemovalConfirmation - maintenance view     class ProductRemovalConfirmationTradeItem         + dispositionDisclosure :Description80         + tradeItemName :string = {1..80}         + additionalTradeItemClassificationCode :AdditionalTradeItemClassificationCode [0..*]         + additionalTradeItemInformation :Description500 [0..1]         + gpcCategoryCode :string [0..1] = {\d(8)}         + gpcCategoryName :string [0..1] = {1..105}         «association»         + avpList :Ecom_AttributeValuePairList [0..1]         maintenance         Change: (Complete) 3.2 added +avpList (WR 14-110)         Change: (New) 3.3 changed associations from TradeItemIdentification to Ecom_TradeItemIdentification (WR 15-314)     end class end class                     </pre>	<p><b>15-000314</b></p> <p>Make GS1 identification keys optional in GS1 EDI XML</p>
<p>Created Ecom_ TradeItemIdentification class and changed association from the previous TradeItemIdentification</p> <pre> class ProductRecallNotificationTradeItem - maintenance view     class ProductRecallNotificationTradeItem         + tradeItemName :string = {1..80}         + tradeItemUnitDescriptorCode :TradeItemUnitDescriptorCode         + additionalPRNTTradeItemInformation :Description80 [0..*]         + additionalTradeItemClassificationCode :AdditionalTradeItemClassificationCode [0..*]         + brandName :string [0..1] = {1..80}         + dataCarrierTypeCode :DataCarrierTypeCode [0..*]         + gpcCategoryCode :string [0..1] = {\d(8)}         + gpcCategoryName :string [0..1] = {1..105}         + numberOfConsumerUnitsPerItem :Quantity [0..1]         + tradeItemSize :Measurement [0..*]         «association»         + avpList :Ecom_AttributeValuePairList [0..1]         maintenance         Change: (Complete) 3.2 added +avpList (WR 14-110)         Change: (New) 3.3 changed associations from TradeItemIdentification to Ecom_TradeItemIdentification (WR 15-314)     end class end class                     </pre>	<p><b>15-000314</b></p> <p>Make GS1 identification keys optional in GS1 EDI XML</p>
<p>Created Ecom_ LogisticUnitIdentification class and changed association from the previous LogisticUnitIdentification</p> <pre> class ProductRecallNotificationTraceableItem - maintenance view     class ProductRecallNotificationTraceableItem         + countryOfOrigin :CountryCode [0..*]         + totalQuantityAffected :Quantity [0..1]         + totalQuantityUnderManufacturersControl :Quantity [0..1]         «association»         + avpList :Ecom_AttributeValuePairList [0..1]         maintenance         Change: (Complete) 3.2 added +avpList (WR 14-110)         Change: (New) 3.3 changed association from LogisticUnitIdentification to Ecom_LogisticUnitIdentification (WR 15-314)     end class end class                     </pre>	<p><b>15-000314</b></p> <p>Make GS1 identification keys optional in GS1 EDI XML</p>

## 7.5 BMS Release 3.4

No work requests. Indirect changes due to upgrade to new Shared and eCom Common libraries.

## 7.6 BMS Release 3.5

No work requests. Indirect changes due to upgrade to new Shared and eCom Common libraries.

## 7.7 BMS Release 3.5.1

No work requests. Indirect changes due to upgrade to new Shared and eCom Common libraries.

## 7.8 BMS Release 3.6

No work requests. Indirect changes due to upgrade to new Shared and eCom Common libraries.

## 7.9 BMS Release 3.7

No work requests. Indirect changes due to upgrade to new Shared and eCom Common libraries.

# 8 Appendices

Not Applicable

# 9 Acknowledgements

## 9.1 Work Group

Function	Name	Company / organisation
Co-chair	Rossner (Pottier), Natascha	GS1 France
Co-chair	Schmidt, Tom Eric	August Storck KG
Member	Bemrose, Jonathan	R&R Ice Cream
Member	Bodemer, Petra	dm-drogerie markt GmbH + Co. KG
Member	Boikanyo, Rebene	GS1 South Africa / Consumer Goods Council of South Africa
Member	Canada, ON	M3B 3L1
Member	Carlson, Jim	General Mills, Inc.
Member	Chresta, Richard	GS1 Switzerland
Member	Cook, Don	Wal-Mart Stores, Inc.
Member	Cox, Marc	Philips Electronics N.V.
Member	Darnell, David	Systrends
Member	De Flou, Nele	GS1 Belgium & Luxembourg
Member	Dicks, Arne	GS1 Germany
Member	Duvinger, Karina	GS1 Sweden
Member	Foerderer, Klaus	GS1 Germany
Member	Gathmann, Stefan	GS1 Ireland
Member	Grangard, Anders	GS1 Global Office
Member	Harpell, Eileen	GS1 Community Room Staff
Member	Hand, Phil	JDA Software
Member	Herregodts, Kurt	GS1 Belgium & Luxembourg
Member	Kempkes, Fred	Unilever N.V.

Function	Name	Company / organisation
Member	Kernan, Brendan	GS1 Ireland
Member	Kidd, Robin	Nestle
Member	Krid, Anne-Claire	GS1 France
Member	Lanoue, Tom	General Mills, Inc.
Member	Laur, Rita	GS1 Canada
Member	Lenman, Mia	GS1 Sweden
Member	Lerch, Hanjoerg	METRO Group
Member	Moberg, Dale	Axway
Member	Montes de Oca, Alejandra	GS1 Mexico
Member	Ng, Ella	GS1 Australia
Member	Peelen, Esther	GS1 Netherlands
Member	Pelekies, Andreas	GS1 Germany
Member	Perrier, Patricia	GS1 France
Member	Przybilla, Christian	GS1 Germany
Member	Pujol, Xavier	GS1 Spain
Member	Racek, Greg	Wal-Mart Stores, Inc.
Member	Repetto, Mirko	GS1 Italy
Member	Robba, Steven	1WorldSync Holdings, Inc.
Member	Rosell, Pere	GS1 Spain
Member	Rosenberg, Steven	GS1 US
Member	Schmid, Sue	GS1 Australia
Member	Schneider, Christian	GS1 Switzerland
Member	Sehorz, Eugen	GS1 Austria
Member	Sharma, Vishal	General Mills, Inc.
Member	Shimazaki, Ayako	GS1 Japan
Member	Sion, Emilie	GS1 France
Member	Souza, Nadia	GS1 Brasil
Member	Strand, Roman	GS1 Germany
Member	Tan, Milton	GS1 Malaysia
Member	Tompsett, Simon	Waitrose
Member	Trelle, Ute	1WorldSync Holdings, Inc.
Member	Tse, Steve	GS1 Hong Kong
Member	Tyson, Betty	Knouse Foods Cooperative, Inc
Member	Van den Bergh, Senne	GS1 Belgium & Luxembourg
Member	Van der Eijk, Pim	OASIS - Sonnenglanz Consulting BV
Member	Veldhuis, Saskia	Procter & Gamble Co.
Member	Welch, Shan	GS1 UK
Member	Westerkamp, Jan	GS1 Netherlands
Member	Wilson, Mary	GS1 US
Member	Windsperger, Bekki	Best Buy Co., Inc.
Member	Yang, Shaopeng	GS1 China

Function	Name	Company / organisation
Member	Yusdiar, Dani	GS1 Indonesia
Member	Zwanziger, Greg	SUPERVALU

## 9.2 Development Team Members

Function	Name	Organisation
GSMP Process Lead	David Buckley	GS1 Global Office
Technical Development Lead	Miklos Bolyky	GS1 Global Office
Peer Review	Mark Van Eeghem	GS1 Global Office