



The Global Language of Business

Order Response Business Message Standard (BMS)

Release 3.7.1, Ratified, May 2025



Document Summary

Document Item	Current Value
Document Name	Order Response Business Message Standard (BMS)
Document Date	May 2025
Document Version	3.7.1
Document Issue	1
Document Status	Ratified

Work Request Reference

Date of WR Submission to GSMP	WR Submitter	Work Request (WR) Number
03-May-2012	GS1 Australia	12-000212
05-Jul-2012	GS1 Australia	12-000213
05-Jul-2012	GS1 Australia	12-000251
15-Oct-2009	Philips	09-000248
15-Oct-2009	GS1 Australia, GS1 Germany, GS1 Netherlands	09-000240
15-Oct-2009	GS1 Australia, GS1 Germany, GS1 Netherlands	09-000238
15-Oct-2009	GS1 Australia, GS1 Germany, GS1 Netherlands	09-000236
06-May-2009	Stef Spaan, GS1 Netherlands	09-000134
20-Aug-2008	John Ryu, GS1	08-000209
14-Mar-2008	Troy Denyer, GS1 Australia	08-000053
14-Jan-2008	Troy Denyer, GS1 Australia	08-000009
14-Jan-2008	Troy Denyer, GS1 Australia	08-000008
03-Oct-2007	Eric Maree, Accenture	07-000338
31-Ju-2007	John Ryu, GS1 Global Office	07-000300
25-Jan-2007	Rob Heather, GS1 UK	07-000026
25-Jan-2007	Rob Heather, GS1 UK	07-000027
25-Jan-2007	Rob Heather, GS1 UK	07-000031
31-Jan-2005	IRT Upstream Standard	05-000023
30-Oct-2003	Unilever on behalf of OFSCI (Foodservice Supply Chain Initiative)	03-000145
07-Feb-2014	GS1 Germany	14-000044
20-Mar-2014	GS1 Slovenia	14-000021
25-Jun-2014	GS1 Global Office	14-000110
03-Oct-2018	GS1 GO	18-000319

Business Requirements Document (BRAD) Reference

BRAD Title	BRAD Issue Date	BRAD Version
BRAD Order Response Document and Reason Code	14 Mar 2007	BRAD Version 0.0.2
BRD for UK Food Service Ordering	24 Nov 2004	BRAD Version 0.8
BRAD for Upstream Standards Demand & Supply Signals	01 Nov 2004	BRAD Version 0.1.0
BRAD for Upstream Standards Demand & Supply Signals	07 Apr 2005	BMS Release Version 2.0.2 and BMS Document Version 0.1.13
BRAD eCom Maintenance Release 2 BMS 2.6.0	29-Jun-2009	Version 0.1.1
BRAD for Current Requirements Queue (Major Release 3)	23 Nov 2010	BRAD Version 0.2.0

Document Change History

Date of Change	Version	Changed By	Reason for Change	Summary of Change
12-Jan-2012	BMS 3.0 – Issue 1	Mark Van Eeghem	BMS Release 3.0	See summary of changes
01-May-2013	BMS 3.1 – Issue 1	Coen Janssen	BMS Release 3.1	See summary of changes
15-Sep-2014	BMS 3.2 – Issue 1	Ewa Iwicka	BMS Release 3.2	See summary of changes
10-Mar-2017	BMS 3.3 – Issue 1	Ewa Iwicka	BMS Release 3.3	See summary of changes
15-Oct-2018	BMS 3.4 – Issue 1	Ewa Iwicka	BMS Release 3.4	See summary of changes
02-Feb-2021	BMS 3.5 – Issue 1	Miklos Bolyky	BMS Release 3.5	See summary of changes
05-Jan-2022	BMS 3.5.1 – Issue 1	Miklos Bolyky	BMS Release 3.5.1	See summary of changes
01-Mar-2023	BMS 3.6 – Issue 1	Miklos Bolyky	BMS Release 3.6	See summary of changes
15-Mar-2025	BMS 3.7 – Issue 1	Miklos Bolyky	BMS Release 3.7	See summary of changes
05-May-2025	BMS 3.7.1 – Issue 1	Miklos Bolyky	BMS Release 3.7.1	See summary of changes

Disclaimer

GS1 seeks to minimise barriers to the adoption of its standards and guidelines by making the intellectual property required to implement them available, to the greatest extent possible, on a royalty-free basis, or when necessary, under a RAND licence. Such royalty-free and RAND licences are provided pursuant to the GS1 IP Policy (available here: <https://www.gs1.org/standards/ip>), which governs the work of work group participants who contribute to drafting standards and guidelines, including this document. In addition to licences, the GS1 IP Policy provides various benefits and obligations that apply to all implementers of GS1 standards and guidelines, and all implementations of GS1 standards are subject to those terms.

Nevertheless, please note the possibility that an implementation of one or more features of this standard or guideline may be the subject of a patent or other intellectual property right that is not covered by the licences granted pursuant to the IP Policy. In addition, the licences granted under the IP Policy do not include the IP rights or claims of third parties who were not participants in the corresponding standard development work group.

Accordingly, GS1 recommends that any person or organisation developing an implementation of this standard or guideline should determine whether any patents or other intellectual property may encompass such implementation, and whether a licence under a patent or other IP right is needed. The implementer should determine the potential need for licensing in view of the details of the specific implementation being designed in consultation with that party's patent counsel.

The official versions of all GS1 standards and guidelines are provided as PDF files on GS1's online reference directory (<https://ref.gs1.org>) (the "GS1 Reference"). Any other representations of standards or guidelines in any other format (e.g., web pages) are provided for convenience and descriptive purposes only, and in the event of a conflict, the GS1 Reference document shall govern.

THIS DOCUMENT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NONINFRINGEMENT, FITNESS FOR PARTICULAR PURPOSE, ACCURACY OR COMPLETENESS, OR ANY WARRANTY OTHERWISE ARISING OUT OF THIS DOCUMENT. GS1 disclaims all liability for any damages arising from any use or misuse of this document, whether special, indirect, consequential, or compensatory damages, and including liability for infringement of any intellectual property rights, relating to use of information in or reliance upon this document.

GS1 makes no commitment to update the information contained herein, and retains the right to make changes to this document at any time, without notice. GS1® and the GS1 logo are registered trademarks of GS1 AISBL.

Table of Contents

1	Business Domain View	6
1.1	Introduction	6
2	Business Context	6
3	Business Transaction View	6
3.1	Business Transaction – Processing Order Response	6
4	Business Information View	9
4.1	Order Response	9
4.2	Order Response Line Item	13
4.3	Order Response Line Item Detail	16
4.4	Enumerations (message specific)	18
4.5	Code Lists	18
5	Business Message Examples	19
5.1	Example 1	19
5.2	Example 2	19
5.3	Example 3	20
6	Implementation Considerations	22
6.1	User Guide	22
6.2	Use of Order Response Line Item Detail	22
6.3	Guidance on amounts in Order Response Line Item	23
7	Summary of Changes	24
7.1	BMS Release 3.0	24
7.2	BMS Release 3.1	25
7.3	BMS Release 3.2	26
7.4	BMS Release 3.3	27
7.5	BMS Release 3.4	27
7.6	BMS Release 3.5	28
7.7	BMS Release 3.5.1	29
7.8	BMS Release 3.6	29
7.9	BMS Release 3.7	29
8	Appendices	29
9	Acknowledgements	30
9.1	Work Group	30
9.2	Development Team Members	33

1 Business Domain View

1.1 Introduction

Message Definition

The Order Response provides the ability for a supplier to respond to an order previously sent by the buyer.

Principles

The Order Response allows the seller to inform the buyer about:

- The acceptance of the entire order as transmitted or
- The acceptance of the order with modifications on items (substitutes), quantities, prices and or dates or
- The rejection of the entire order.

The same Order Response is used to respond both to the Order and Configure to Order messages.

2 Business Context


Context Category	Value(s)
Industry	All
Geopolitical	All
Product	All
Process	Order
System Capabilities	All
Official Constraints	None

3 Business Transaction View

3.1 Business Transaction – Processing Order Response

Use Case Diagram

Figure 3-1 Processing Order Response Use Case Diagram



Use Case Description


Use Case ID	UC-1
--------------------	------

Use Case Name	Processing Order Response														
Use Case Description	<p>The seller needs to inform the buyer about the:</p> <ul style="list-style-type: none">Acceptance of the entire order as transmitted.The acceptance of the order with modifications on items (substitutes), quantities, prices and/or dates with modification reason.Rejection of the entire order with rejection reason.														
Actors (Goal)	Buyer (Process Order Response) Seller (Process Order Response)														
Performance Goals	None														
Preconditions	<p>The following information should be pre aligned:</p> <ul style="list-style-type: none">Master Data AlignmentA trading partner agreement is in place that identifies pre-agreed product substitution.A trading partner agreement may exist regarding Response Receipt Lead Time: The agreed on time that is allowed to elapse between when a Buyer sent an Order to the Seller and the Seller is to send an Order Response. To the BuyerThe Seller has received the Order from the Buyer														
Post conditions	<ul style="list-style-type: none">Acceptance of the entire order as transmitted_ :<ul style="list-style-type: none">Buyer – Knows that the order has been accepted and has received an Order ResponseSeller – Has agreed to fulfil the order in fullAcceptance of the order with modifications :<ul style="list-style-type: none">Buyer – Knows that the order has been accepted and has received an Order Response.Seller – Has agreed to fulfil the order with modifications on items (substitutes), quantities, prices and/or dates with modification reasonRejection of the entire order.<ul style="list-style-type: none">Buyer – Knows that the order has been rejected and has received an Order ResponseSeller – Has rejected the order in full with rejection reason														
Scenario	<p>Begins when the seller receives an order from the buyer</p> <p>Continues with...</p> <table><tr><th>Step #</th><th>Actor</th><th>Activity Step</th></tr><tr><td>1</td><td>Seller</td><td>Decides to accept the order with no modifications</td></tr><tr><td>2</td><td>Seller</td><td>If not, the Seller decides:<ul style="list-style-type: none">to accept the order with modifications on items (substitutes), quantities, prices and/or dates with modification reasonwhether to reject the entire order with rejection reason</td></tr><tr><td>3</td><td>Seller</td><td>Sends an Order Response</td></tr></table> <p>Ends when the buyer has received the order response from the seller.</p>			Step #	Actor	Activity Step	1	Seller	Decides to accept the order with no modifications	2	Seller	If not, the Seller decides: <ul style="list-style-type: none">to accept the order with modifications on items (substitutes), quantities, prices and/or dates with modification reasonwhether to reject the entire order with rejection reason	3	Seller	Sends an Order Response
Step #	Actor	Activity Step													
1	Seller	Decides to accept the order with no modifications													
2	Seller	If not, the Seller decides: <ul style="list-style-type: none">to accept the order with modifications on items (substitutes), quantities, prices and/or dates with modification reasonwhether to reject the entire order with rejection reason													
3	Seller	Sends an Order Response													
Alternative Scenario	None														
Related Requirements	None														
Related Rules	1	If the order is accepted as transmitted, there is no item level information needed in the order response. The response status submitted within the order response must be ACCEPTED.													
	2	If the order is accepted with modifications on the item level, only the changed items need to be included in the order response.													

		For each changed item, all product attributes, not only the changed ones, have to be transmitted in the order response. A reference to the line number in the original order must be used. If a substitute article with a new GTIN is used, the GTIN of the new article is indicated in the substituteItemInformation. The response status within the order response must be MODIFIED, and the seller may provide the modification reason.
	3	If the order is accepted with modifications in the orderLogisticalDateGroup, the whole group including all attributes, not only the changed ones, must be transmitted in the order response. The response status within the order response must be MODIFIED, and the seller may provide the modification reason.
	4	In the case of substitutions, the order line will be returned with the product identification associated with the substituted item, quantity and the original line number. This will detail the new product and quantity based on the agreed substitution rules (as per trading partner agreement)
	5	If the order is rejected, there is no item level information needed in the order response. The response status submitted within the order response must be REJECTED, and the seller may provide the rejection reason.

Business Transaction Activity Diagram

Figure 3-3 Order Response Activity Diagram






4 Business Information View

4.1 Order Response

Class diagram



Report

The content of the OrderResponse class, its structure and component definitions can be accessed in the GS1 Navigator: [Navigator link](#)




Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
OrderResponse				Provides the ability for a supplier to respond to an order previously sent by the buyer.	
Association	orderResponseIdentification	Ecom_EntityIdentification	1..1	The unique identification of the Order Response.	WR 15-000314
Association		AllowanceCharge	0..*	Provide the ability to share details regarding the allowance and charges.	
Association		OrderResponseLineItem	0..*	Contains the modifications per line item on items (substitutes), quantities, prices of the original order.	
Association	salesOrder	Ecom_DocumentReference	0..1	Reference number assigned by the supplier to a buyer's purchase order.	WR 15-000314
Generalization		EcomDocument		Basic information about the content of the message including version number, creation date and time.	WR 14-000110
Association	buyer	TransactionalParty	1..1	Identifies the party to which products or services are sold.	
Association	shipTo	TransactionalParty	0..1	Identifies the destination location to which goods will be shipped.	
Association	pickupFrom	TransactionalParty	0..1	Identifies location where goods will be pick up from.	WR 20-269
Association		DeliveryTerms	0..1	The applicable legal, customs, financial and insurance terms that have been agreed for a goods delivery.	
Association	seller	TransactionalParty	1..1	Identifies the party which sells products or services to a buyer.	
Association	originalOrder	Ecom_DocumentReference	1..1	Reference to the order on which the response is based.	WR 15-000314
Association	amendedDateTimeValue	OrderLogisticalDateInformation	0..1	Contains the modifications on dates or date ranges of the original order.	
Association	billTo	TransactionalParty	0..1	Identifies the party which receives the invoice.	

Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
Association		TransactionalGenericReference	0..*	Reference to an associated information in support of related business processes. E.g. any kind of internal reference, such as a cost center. The type of references are defined in the TransactionalReferenceTypeCode list.	WR 24-390
Attribute	responseStatusCode	ResponseStatusCode	1..1	Code specifying the type of response. Example: Accepted.	
Attribute	orderResponseReasonCode	ErrorOrWarningCode	0..*	Order Response Reason Code is defined as the code identifying the reason for the order response rejection or modification.	
Attribute	totalMonetaryAmountExcludingTaxes	Amount	0..1	The total monetary amount of the purchase order excluding all taxes.	renamed from totalMonetaryAmountOfOrderExcludingTaxes
Attribute	totalMonetaryAmountIncludingTaxes	Amount	0..1	The total monetary amount of the Purchase Order including all Taxes. This field is needed to allow effective purchase order and invoice total value reconciliation.	
Attribute	totalTaxAmount	Amount	0..1	The total tax amount of the purchase order.	
Attribute	note	Description500	0..1	Free text used to convey information that is not processed by applications. Only meant to present the information to a user as on a screen, in a browser, etc.	BRAD RQ 09.236.F

4.2 Order Response Line Item

Class Diagram



Report

The content of the OrderResponseLineItem class, its structure and component definitions can be accessed in the GS1 Navigator: [Navigator link](#)

Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
OrderResponseLineItem				Contains the modifications per line item on items (substitutes), quantities, prices and/or of the original order.	
Association	substituteItemInformation	TransactionalTradeItem	0..1	The substitute trade item associated to the Order Response Line Item. This item replaces the item that was originally requested.	
Association		OrderResponseLineItemDetail	0..*	Allows the identification of various shipping details by Order Response Line Item, for example in case of split deliveries.	
Association		TransactionalTradeItem	1..1	The trade item associated to the Order Response Line Item.	
Association		AllowanceCharge	0..*	Provide the ability to share details regarding the allowance and charges.	
Association		LeviedDutyFeeTax	0..1	The tax applicable to the Order Line Item.	
Association	backOrderInformation	OrderResponseLineItemDetail	0..1	Contains the information for units that are unable to be shipped at this time. These units will be shipped at a later time.	
Association		ShipmentTransportationInformation	0..1	Contains the identification of the carrier and mode associated with the transportation of the goods or services.	
Association		TransactionalGenericReference	0..*	Reference to an associated information in support of related business processes. E.g. any kind of internal reference, such as a cost center. The type of references are defined in the TransactionalReferenceTypeCode list.	WR 25-152




Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
Attribute	lineItemNumber	positiveInteger	1..1	Provides the line number associated to the Order Response Line Item.	
Attribute	confirmedQuantity	Quantity	1..1	The quantity which has been confirmed by the seller.	MR3 renamed from requestedQuantity
Attribute	lineItemActionCode	LineItemActionCode	0..1	Provides the activity required by the recipient on the line item of this order line item.	
Attribute	lineItemChangeIndicator	ResponseStatusCode	0..1	Provides the response in the order response line item level.	
Attribute	originalOrderLineItemNumber	positiveInteger	0..1	A reference to the original order line item number.	
Attribute	orderResponseReasonCode	ErrorOrWarningCode	0..*	Order Response Reason Code is defined as the code identifying the reason for the order response rejection or modification.	
Attribute	additionalOrderLineInstruction	Description200	0..1	Additional Order Line Instruction captures information that has not been previously synchronised and is ad-hoc in nature. This field should only be used in exception circumstances if the information cannot be codified. Examples of Purchase Order Line: Use chrome hinges (not standard brass hinges) Please use timber; Please prime (paint) door and jamb and pre-hang door	
Attribute	deliveryDateTime	dateTime	0..1	Provides the delivery date time the goods will be delivered to the desired destination.	
Attribute	deviatingQuantity	Quantity	1..1	The quantity that deviates from the requested quantity.	WR 20-270
Attribute	possibleDeliveryDate	dateTime	0..1	The first possible delivery date of a trade item.	WR 20-271
Attribute	netAmount	Amount	0..1	Identifies the total net amount of the line item.	

Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
Attribute	netPrice	Amount	0..1	Identifies the net price of the item.	
Attribute	monetaryAmountExcluding Taxes	Amount	0..1	The total monetary amount of the order response line excluding all taxes.	
Attribute	monetaryAmountIncluding Taxes	Amount	0..1	The total monetary amount of the Order Response Line including taxes.	
Attribute	parentLineItemNumber	positiveInteger	0..1	The number of line item containing information about the parent of the current item. It allows establishing hierarchical link between the two items.	WR 14-000021 WR 14-000044
Attribute	note	Description500	0..1	Free text used to convey information that is not processed by applications. Only meant to present the information to a user as on a screen, in a browser, etc.	BRAD RQ 09.236.F
Attribute	avpList	Ecom_AttributeValuePairList	0..1	Temporary attributes introduced between minor versions.	WR 14-000110

4.3 Order Response Line Item Detail

Class Diagram



Report

The content of the OrderResponseLineItemDetail class, its structure and component definitions can be accessed in the GS1 Navigator: [Navigator link](#)

Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
OrderResponseLineItemDetail				Allows the identification of various shipping details by Order Response Line Item.	
Association		OrderLogisticalInformation	1..1	Provides identification of the locations of the parties dealing with the goods associated with the order, as well as the dates or date ranges associated with the order and the transportation of the shipment associated with the order.	
Association	purchaseConditions	Ecom_DocumentReference	0..1	A reference to the purchase conditions. The reference is associated with specific items in the order.	WR 15-000314
Attribute	confirmedQuantity	Quantity	1..1	The quantity which has been confirmed by the seller.	MR3 renamed from requestedQuantity
Attribute	avpList	Ecom_AttributeValuePairList	0..1	Temporary attributes introduced between minor versions.	WR 14-000110

4.4 Enumerations (message specific)

Not applicable

4.5 Code Lists

Class	Codelist	Referenced in
OrderResponse & OrderResponseLine Item	ErrorOrWarningCode	https://navigator.gs1.org/edi/codelist-details?&name=ErrorOrWarningCode
OrderResponse & OrderResponseLine Item	ResponseStatusCode	https://navigator.gs1.org/edi/codelist-details?&name=ResponseStatusCode
OrderResponseLine Item	LineItemActionCode	https://navigator.gs1.org/edi/codelist-details?&name=LineItemActionCode



Note: Refer to the GS1 Navigator (Navigator) for the code values.

5 Business Message Examples

5.1 Example 1

This is an example of the Order Response message that informs that the Order will be fulfilled as requested.

Party Information

GS1 Global Location Number	Party Type
5412345000013	Buyer
4098765000010	Seller

A Seller (GLN 4098765000010) has received an Order (PO3352) from the Buyer (GLN 5412345000013) and is sending response: Acceptance of the entire order as transmitted.

The Order Response identification number is: OR002760 and it is created on March 12th 2011 at 10:00 AM.

Message Example 1

Attribute	Value
OrderResponse	
responseStatusCode	ACCEPTED
Document	
creationDateTime	2011-02-12 10:00
documentStatusCode	ORIGINAL
Entity Identification (+orderResponseIdentification)	
entityIdentification	OR002760
contentOwner	4098765000010
DocumentReference (+originalOrder)	
entityIdentification	PO3352
TransactionalParty (+buyer)	
gln	5412345000013
TransactionalParty (+seller)	
gln	4098765000010

5.2 Example 2

This is an example of the Order Response message that informs that the Order cannot be fulfilled.

Party Information

GS1 Global Location Number	Party Type
5412345000013	Buyer
4098765000010	Seller

A Seller (GLN 4098765000010) has received an Order (PO3352) from the Buyer (GLN 5412345000013) and is sending response: Rejection of the entire order. The reason for rejection is product was discontinued.

The Order Response identification is: OR003895 and it is created on March 12th 2011 at 10:00 AM.

Message Example 2

Attribute	Value
OrderResponse	
responseStatusCode	REJECTED
orderResponseReasonCode	DISCONTINUED_LINE
Document	
creationDateTime	2011-03-12 10:00
documentStatusCode	ORIGINAL
Entity Identification (+orderResponseIdentification)	
entityIdentification	OR003895
contentOwner	4098765000010
DocumentReference (+originalOrder)	
entityIdentification	PO3352
TransactionalParty (+buyer)	
gln	5412345000013
TransactionalParty (+seller)	
gln	4098765000010

5.3 Example 3

This is an example of the Order Response message that informs that the Order can be fulfilled with some modifications.

Party Information

GS1 Global Location Number	Party Type
5412345000013	Buyer
4098765000010	Seller

A Seller (GLN 4098765000010) has received an Order from the Buyer (GLN 5412345000013) and is sending response.

The identification number of the Order is PO3352, it was received on 11th of April 2011, the delivery was requested on the 11th of April 2011.

The buyer ordered the following:

GS1 Global Trade Item Number (GTIN)	Quantity
40987650001336	48
40987650000896	24

The Seller has accepted the order. The item identified with GTIN 40987650000223 can be delivered as requested. However, the trade item identified with GTIN 40987650000346 is not available and it will be substituted by the trade item identified with GTIN 40987650003484. The reason for modification is product is out of stock.

The Order Response identification number is: OR 1211 and it was created on March 12th 2011 at 10:00 AM.

Message Example 3

Attribute	Value
OrderResponse	

Attribute	Value
responseStatusCode	MODIFIED
Document	
creationDateTime	2011-03-12 10:00
documentStatusCode	ORIGINAL
Entity Identification (+orderResponseIdentification)	
entityIdentification	OR1211
contentOwner	4098765000010
DocumentReference (+originalOrder)	
entityIdentification	PO3352
TransactionalParty (+buyer)	
gln	5412345000013
TransactionalParty (+seller)	
gln	4098765000010
OrderResponseLineItem *1	
lineItemNumber	1
confirmedQuantity	48
lineItemChangeIndicator	ACCEPTED
originalOrderLineItemNumber	1
TransactionalTradeItem	
gtin	40987650000223
OrderResponseLineItem *2	
lineItemNumber	2
confirmedQuantity	24
lineItemChangeIndicator	MODIFIED
originalOrderLineItemNumber	2
orderResponseReasonCode	PRODUCT_OUT_OF_STOCK
TransactionalTradeItem	
gtin	40987650000346
TransactionalTradeItem (+substituteItemInformation)	
gtin	409876500003484

6 Implementation Considerations


6.1 User Guide

The Functional User Guide contains more information about the structure and content of the message: http://www.gs1.org/docs/ecom/xml/3/3.4/eCom-Trade_messages.html#OrderResponse

6.2 Use of Order Response Line Item Detail

There are two distinctly different uses of the OrderResponseLineItemDetail class.


Figure 6-1 Class Diagram of OrderResponseLineItem



Usage 1 – Specification of the units are being shipped

Within the OrderResponseLineItemDetail class, the attribute 'confirmedQuantity' represents the quantity being shipped.


Figure 6-2 OrderResponseLineItemDetail



Note: For Reference Purposes only to provide visibility for this example.

Usage 2 – Specification of the units that are placed on backorder

Figure 6-3 OrderResponseLineItemDetail (+backOrderInformation)



The class gets roleName +backOrderInformation. Now, within the OrderResponseLineItemDetail class, the attribute 'confirmedQuantity' represents the quantity that is on backorder, to be shipped at another time. The backorder shipment dates, if known, can be sent in OrderLogisticalInformation which is associated with OrderResponseLineItemDetail.

6.3 Guidance on amounts in Order Response Line Item

The amounts in the order response line item may be applied in combination with each other as follows:

- $\text{netAmount} = \text{requestedQuantity} * \text{netPrice},$
- $\text{amountExcludingTaxes} = \text{netAmount} + (\text{allowances} \ \& \ \text{charges})$
- $\text{amountIncludingTaxes} = \text{netAmount} + (\text{allowances} \ / \ \text{charges}) + (\text{taxes})$

7 Summary of Changes

Any change in the GS1 standards is done based on the Work Request (WR) submitted by the GS1 User Companies or Member Organisations. All Work Requests are documented in the Work Request system available on the GS1 website: <http://wr.gs1.org>. The system is accessible to registered users. New visitors need to register first, to be able to access it. WRs can be searched by the number referenced in tables below, see: Search Work Requests. The number starts with the two last digits of the year when it was submitted, followed by the consecutive number within that year.



Note: WRs submitted earlier than February 2012 should be searched in Old Change Requests.

7.1 BMS Release 3.0

Change	Associated CR Number
For BMS Release 3.0.0: <ul style="list-style-type: none"> Update based on requirements in the Current Requirements Queue. The message has also been remodelled to be consistent with Major Release 3.0.0. Updated class diagrams and Reports, as well as the example and test data sections. After Peer Review: <ul style="list-style-type: none"> Included the code lists and enumerations and reference where they can be found (eCom or Shared Common). The version of the document set to 1.0.0. Document change history wiped clean except for the latest version. In context, Geopolitical set to All instead of Global. Page 12 is not blank anymore Random order issue in Report solved Removed 2 associations from Order Response Line Item to Shipment Detail that do not appear in the model. Associations from OrderResponse to EntityIdentification and Document Reference were missing Multiplicity in both the class diagram and the Report. Set both to 1..1 Missing definitions in Report solved for: OrderResponseLineItemDetail: Documentreference +purchaseConditions / OrderLogisticalInformation After TSD Development: removed in test data reference to non existing elements referenceDocumentType, replaced by entityIdentification	09-236, 09-238, 09-240
For BMS Publication: Updated date in footer Removed year in footer copyright statement Renamed uniqueCreatorIdentification into entityIdentification in examples Changed lowerCamelCase into lowercase for all GS1 keys in examples Replaced architectural principles section with the correct one.	

7.2 BMS Release 3.1

Change	Associated CR
<div> <div>class OrderResponse - maintenance view</div> <div> <div>OrderResponse</div> <div> + responseStatusCode: ResponseStatusCode + orderResponseReasonCode: ErrorOrWarningCode [0..*] + totalMonetaryAmountExcludingTaxes: Amount [0..1] + totalMonetaryAmountIncludingTaxes: Amount [0..1] + totalTaxAmount: Amount [0..1] + note: Description500 [0..1] </div> <div> <div>maintenance</div> <div> Change: (New) 3.1 added association +billTo (WR 09-248) Change: (New) 3.1 added association +salesOrder (WR 12-251) Change: (New) 3.1 added association +shipTo (WR 09-248) Change: (New) 3.1 added association to DeliveryTerms Change: (New) 3.1 added totalMonetaryAmountIncludingTaxes (WR 12-212) </div> </div> </div> </div> <div> <div>class OrderResponseLineItem - maintenance view</div> <div> <div>« »</div> <div>OrderResponseLineItem</div> <div> + lineItemNumber: positiveInteger + confirmedQuantity: Quantity + lineItemActionCode: LineItemActionCode [0..1] + lineItemChangeIndicator: ResponseStatusCode [0..1] + originalOrderLineItemNumber: positiveInteger [0..1] + orderResponseReasonCode: ErrorOrWarningCode [0..*] + additionalOrderLineInstruction: Description200 [0..1] + deliveryDateTime: dateTime [0..1] + netAmount: Amount [0..1] + monetaryAmountExcludingTaxes: Amount [0..1] + monetaryAmountIncludingTaxes: Amount [0..1] + netPrice: Amount [0..1] + note: Description500 [0..1] </div> <div> <div>maintenance</div> <div> Change: (Verified) 3.1 added monetaryAmountExcludingTaxes (WR 12-213) Change: (Verified) 3.1 added monetaryAmountIncludingTaxes (WR 12-213) </div> </div> </div> </div> <div> <ul style="list-style-type: none"> Added 6.2 Guidance on amounts in Order Response Line Item, and corrected the guidance in paragraph 6.1 on Order Response Line Item Detail </div>	09-000248 09-000249 12-000154 12-000212 12-000213 12-000251

7.3 BMS Release 3.2

Change	Associated WR
<p>Added Attribute Value Pair at the root, line item and sub line item levels</p> <div> class OrderResponse - maintenance view <div> <div> «root» OrderResponse </div> <div> + responseStatusCode :ResponseStatusCode + orderResponseReasonCode :ErrorOrWarningCode [0..*] + totalMonetaryAmountExcludingTaxes :Amount [0..1] + totalMonetaryAmountIncludingTaxes :Amount [0..1] + totalTaxAmount :Amount [0..1] + note :Description500 [0..1] </div> <div> maintenance Change: (Complete) 3.1 added association +billTo (WR 09-248) Change: (Complete) 3.1 added association +salesOrder (WR 12-251) Change: (Complete) 3.1 added association +shipTo (WR 09-248) Change: (Complete) 3.1 added association to DeliveryTerms Change: (Complete) 3.1 added totalMonetaryAmountIncludingTaxes (WR 12-212) Change: (Verified) 3.2 changed generalisation from Document to eComDocument class to include AVP (WR 14-110) </div> </div> </div>	14-000110
<ul style="list-style-type: none"> Added a reference to parent line number to all LineItem classes, to support hierarchical items (WRs 14-021 & 14-044) Added Attribute Value Pair at the root, line item and sub line item levels (WR 14-110) <div> class OrderResponseLineItem - maintenance view <div> <div> « » OrderResponseLineItem </div> <div> + lineItemNumber: positiveInteger + confirmedQuantity: Quantity + lineItemActionCode: LineItemActionCode [0..1] + lineItemChangeIndicator: ResponseStatusCode [0..1] + originalOrderLineItemNumber : positiveInteger [0..1] + orderResponseReasonCode: ErrorOrWarningCode [0..*] + additionalOrderLineInstruction: Description200 [0..1] + deliveryDateTime: dateTime [0..1] + netAmount: Amount [0..1] + netPrice: Amount [0..1] + monetaryAmountExcludingTaxes: Amount [0..1] + monetaryAmountIncludingTaxes: Amount [0..1] + parentLineItemNumber: positiveInteger [0..1] + note: Description500 [0..1] «association» + avpList: Ecom_AttributeValuePairList [0..1] </div> <div> maintenance Change: (Complete) 3.1 added monetaryAmountExcludingTaxes (WR 12-213) Change: (Complete) 3.1 added monetaryAmountIncludingTaxes (WR 12-213) Change: (Verified) 3.2 added +avpList (WR 14-110) Change: (Verified) 3.2 added +parentLineItemNumber (WR 14-021 & 14-044) </div> </div> </div>	14-000021 14-000044 14-000110

Change	Associated WR
<div>Added Attribute Value Pair at the root, line item and sub line item levels</div> <div><div>class OrderResponseLineItemDetail - maintenance ...</div><div><div>OrderResponseLineItemDetail</div><div><div>+ confirmedQuantity: Quantity</div><div>«association»</div><div>+ avpList: Ecom_AttributeValuePairList [0..1]</div></div><div><div><i>maintenance</i></div><div>Change: (Verified) 3.2 added +avpList (WR 14-110)</div></div></div></div>	14-000110

7.4 BMS Release 3.3

Change	Associated WR
<ul style="list-style-type: none"> Created Ecom_EntityIdentification class and changed association from the previous EntityIdentification Created Ecom_DocumentReference class and changed association from the previous DocumentReference <div> class OrderResponse - maintenance view <div> <div> <div> eCom GS1 Identification:: Ecom_EntityIdentification maintenance Change: (New) 3.3 New class (WR 15-314) </div> <div> +orderResponseIdentification / 1..1 </div> </div> <div> <div> eCom Common Components::Ecom_DocumentReference maintenance Change: (New) 3.3 added +referencedDocumentUri (WR 16-261) Change: (New) 3.3 New class (WR 15-314) </div> <div> +originalOrder 1..1 +salesOrder 0..1 </div> </div> <div> <div> «root» OrderResponse </div> <div> + responseStatusCode :ResponseStatusCode + orderResponseReasonCode :ErrorOrWarningCode [0..*] + totalMonetaryAmountExcludingTaxes :Amount [0..1] + totalMonetaryAmountIncludingTaxes :Amount [0..1] + totalTaxAmount :Amount [0..1] + note :Description500 [0..1] </div> <div> maintenance Change: (Complete) 3.1 added association +billTo (WR 09-248) Change: (Complete) 3.1 added association +salesOrder (WR 12-251) Change: (Complete) 3.1 added association +shipTo (WR 09-248) Change: (Complete) 3.1 added association to DeliveryTerms Change: (Complete) 3.1 added totalMonetaryAmountIncludingTaxes (WR 12-212) Change: (Complete) 3.2 changed generalisation from Document to eComDocument class to include AVP (WR 14-110) Change: (New) 3.3 changed association from EntityIdentification to Ecom_EntityIdentification (WR 15-314) Change: (New) 3.3 changed associations from DocumentReference to Ecom_DocumentReference (WR 15-314) </div> </div> </div> </div>	15-000314 Make GS1 identification keys optional in GS1 EDI XML
<p>Created Ecom_DocumentReference class and changed association from the previous DocumentReference</p> <div> class OrderResponseLineItemDetail - maintenance view <div> <div> <div> Ecom_EntityIdentification Ecom Common Components::Ecom_DocumentReference maintenance Change: (New) 3.3 added +referencedDocumentUri (WR 16-261) Change: (New) 3.3 New class (WR 15-314) </div> <div> +purchaseConditions 0..1 </div> </div> <div> <div> OrderResponseLineItemDetail </div> <div> + confirmedQuantity :Quantity «association» + avpList :Ecom_AttributeValuePairList [0..1] </div> <div> maintenance Change: (Complete) 3.2 added +avpList (WR 14-110) Change: (New) 3.3 changed association named +purchaseConditions from DocumentReference to Ecom_DocumentReference (WR 15-314) </div> </div> </div> </div>	15-000314 Make GS1 identification keys optional in GS1 EDI XML

7.5 BMS Release 3.4

No work requests. Indirect changes due to upgrade to new Shared and eCom Common libraries.

7.6 BMS Release 3.5

Change	Associated WR																		
<p>New association between root class OrderResponse and TransactionalParty</p> <p>class OrderResponse - maintenance view</p> <p>Change</p> <table> <tr> <td>3.1 added association +billTo (WR 09-248)</td><td>Complete</td></tr> <tr> <td>3.1 added association +salesOrder (WR 12-251)</td><td>Complete</td></tr> <tr> <td>3.1 added association +shipTo (WR 09-248)</td><td>Complete</td></tr> <tr> <td>3.1 added association to DeliveryTerms</td><td>Complete</td></tr> <tr> <td>3.1 added totalMonetaryAmountIncludingTaxes (WR 12-212)</td><td>Complete</td></tr> <tr> <td>3.2 changed generalization from document to ecomDocument class to include A/P (WR 14-110)</td><td>Complete</td></tr> <tr> <td>3.3 changed association from EntityIdentification to ecom_EntityIdentification (WR 15-314)</td><td>Complete</td></tr> <tr> <td>3.3 changed associations from DocumentReference to ecom_DocumentReference (WR 15-314)</td><td>Complete</td></tr> <tr> <td>3.5 added association from OrderResponse to TransactionalParty called pickupFrom (WR 20-269)</td><td>New</td></tr> </table>	3.1 added association +billTo (WR 09-248)	Complete	3.1 added association +salesOrder (WR 12-251)	Complete	3.1 added association +shipTo (WR 09-248)	Complete	3.1 added association to DeliveryTerms	Complete	3.1 added totalMonetaryAmountIncludingTaxes (WR 12-212)	Complete	3.2 changed generalization from document to ecomDocument class to include A/P (WR 14-110)	Complete	3.3 changed association from EntityIdentification to ecom_EntityIdentification (WR 15-314)	Complete	3.3 changed associations from DocumentReference to ecom_DocumentReference (WR 15-314)	Complete	3.5 added association from OrderResponse to TransactionalParty called pickupFrom (WR 20-269)	New	<p>WR 20-269</p>
3.1 added association +billTo (WR 09-248)	Complete																		
3.1 added association +salesOrder (WR 12-251)	Complete																		
3.1 added association +shipTo (WR 09-248)	Complete																		
3.1 added association to DeliveryTerms	Complete																		
3.1 added totalMonetaryAmountIncludingTaxes (WR 12-212)	Complete																		
3.2 changed generalization from document to ecomDocument class to include A/P (WR 14-110)	Complete																		
3.3 changed association from EntityIdentification to ecom_EntityIdentification (WR 15-314)	Complete																		
3.3 changed associations from DocumentReference to ecom_DocumentReference (WR 15-314)	Complete																		
3.5 added association from OrderResponse to TransactionalParty called pickupFrom (WR 20-269)	New																		
<p>New attribute deviatingQuantity to root class added of orderResponseLineItem</p> <p>class OrderResponseLineItem - maintenance view</p> <p>Change</p> <table> <tr> <td>3.1 added monetaryAmountExcludingTaxes (WR 12-213)</td><td>Complete</td></tr> <tr> <td>3.1 added monetaryAmountIncludingTaxes (WR 12-213)</td><td>Complete</td></tr> <tr> <td>3.2 added +avpList (WR 14-110)</td><td>Complete</td></tr> <tr> <td>3.2 added +parentLineItemNumber (WR 14-021 & 14-044)</td><td>Complete</td></tr> <tr> <td>3.5 added deviatingQuantity (WR 20-270)</td><td>New</td></tr> <tr> <td>3.5 added possibleDeliveryDate (WR 20-271)</td><td>New</td></tr> </table>	3.1 added monetaryAmountExcludingTaxes (WR 12-213)	Complete	3.1 added monetaryAmountIncludingTaxes (WR 12-213)	Complete	3.2 added +avpList (WR 14-110)	Complete	3.2 added +parentLineItemNumber (WR 14-021 & 14-044)	Complete	3.5 added deviatingQuantity (WR 20-270)	New	3.5 added possibleDeliveryDate (WR 20-271)	New	<p>WR 20-270</p>						
3.1 added monetaryAmountExcludingTaxes (WR 12-213)	Complete																		
3.1 added monetaryAmountIncludingTaxes (WR 12-213)	Complete																		
3.2 added +avpList (WR 14-110)	Complete																		
3.2 added +parentLineItemNumber (WR 14-021 & 14-044)	Complete																		
3.5 added deviatingQuantity (WR 20-270)	New																		
3.5 added possibleDeliveryDate (WR 20-271)	New																		

Change	Associated WR
<p>New attribute possibleDeliveryDate added to root class of orderResponseLineItem</p> <p>class OrderResponseLineItem - maintenance view</p> <pre> class « * OrderResponseLineItem + additionalOrderLineInstruction: Description200 [0..1] + confirmedQuantity: Quantity + deliveryDateTime: dateTime [0..1] + deviatingQuantity: Quantity [0..1] + lineItemActionCode: LineItemActionCode [0..1] + lineItemChangeIndicator: ResponseStatusCode [0..1] + lineItemNumber: positiveInteger + monetaryAmountExcludingTaxes: Amount [0..1] + monetaryAmountIncludingTaxes: Amount [0..1] + netAmount: Amount [0..1] + netPrice: Amount [0..1] + note: Description500 [0..1] + orderResponseReasonCode: ErrorOrWarningCode [0..*] + originalOrderLineItemNumber: positiveInteger [0..1] + parentLineItemNumber: positiveInteger [0..1] + possibleDeliveryDate: dateTime [0..1] «association» + avpList: Ecom_AttributeValuePairList [0..1] maintenance Change 3.1 added monetaryAmountExcludingTaxes (WR 12-213) Complete 3.1 added monetaryAmountIncludingTaxes (WR 12-213) Complete 3.2 added +avpList (WR 14-110) Complete 3.2 added +parentLineItemNumber (WR 14-021 & 14-044) Complete 3.5 added deviatingQuantity (WR 20-270) New 3.5 added possibleDeliveryDate (WR 20-271) New </pre>	<p>WR 20-271</p>

7.7 BMS Release 3.5.1

No work requests. Indirect changes due to upgrade to new Shared and eCom Common libraries.

7.8 BMS Release 3.6

No work requests. Indirect changes due to upgrade to new Shared and eCom Common libraries.

7.9 BMS Release 3.7

Change	Associated WR
<p>New association between root class OrderResponse and TransactionalGenericReference that aligns with the Despatch Advice structure. 0..*.</p>	<p>WR 24-390</p>

7.10 BMS Release 3.7.1

Change	Associated WR
<p>New association between OrderResponseLineItem and TransactionalGenericReference that aligns with the Despatch Advice structure. 0..*.</p>	<p>WR 25-152</p>

8 Appendices

Not Applicable

9 Acknowledgements

9.1 Work Group

First Name	Last name	Company	Interest Category
Nuno	Azevedo	GS1 Portugal	GS1 MO
Mahdi	Barati	GS1 Iran	GS1 MO
Henri	Barthel	GS1 Global Office	Staff
Salima	Bekraoui	GS1 Italy	GS1 MO
Jonathan	Bemrose	R&R Ice Cream	Manufacturer
Jane	Benjamin	Dairy Crest Ltd	Manufacturer
Martin	Beno	GS1 Slovakia	GS1 MO
Dana	Benson	GS1 US	GS1 MO
Shreenidhi	Bhardwaj	Syndigo	GS1 Certified Data Pool
Rebone	Boikanyo	GS1 South Africa	GS1 MO
Miklos	Bolyky	GS1 Global Office	Staff
Ardetha	Bradley	Georgia Pacific	Manufacturer
Ed	Brindley	Glory Global Solutions, Inc.	Manufacturer
Scott	Brown	1WorldSync, Inc.	GS1 Certified Data Pool
David	Buckley	GS1 Global Office	Staff
Karl	Cegner	GS1 Austria	GS1 MO
Winnie	Chan	GS1 Hong Kong, China	GS1 MO
Anthony	Chan	GS1 Hong Kong, China	GS1 MO
Richard	Chresta	GS1 Switzerland	GS1 MO
Pavla	Cihlarova	GS1 Czech Republic	GS1 MO
Aleksandra	Ciric	GS1 Serbia	GS1 MO
Douglas	Clark	JDA Software Group	Solution Provider
Erik	Clercq	Coca-Cola Enterprises	Manufacturer
Linda	Conniff	Best Buy Co., Inc.	Retailer
Benjamin	Couty	GS1 France	GS1 MO
Marc	Cox	Philips International B.V.	Manufacturer
Bence	Csordás	GS1 Hungary	GS1 MO
David	Darnell	Systrends	Solution Provider
Diana	De Bernardy	GS1 France	GS1 MO
Tomasz	Dębicki	P1 Tomasz Debicki	Solution Provider
Sean	Dennison	GS1 Ireland	GS1 MO
Aihedan	Dilimulati	GS1 France	GS1 MO

First Name	Last name	Company	Interest Category
Valérie	Dumez	GS1 France	GS1 MO
Karina	Duvinger	GS1 Sweden	GS1 MO
Judit	Egri	GS1 Hungary	GS1 MO
Hussam	El-leithy	GS1 US	GS1 MO
Ben	Ensink	GS1 Netherlands	GS1 MO
Juliet andrea	Espinosa martinez	GS1 Colombia	GS1 MO
Ahmed	Faraf	GS1 Denmark	GS1 MO
Ilona	Ferenczffy	dm-drogerie markt GmbH + Co. KG	Retailer
Klaus	Foerderer	GS1 Germany	GS1 MO
Wim	Fransen	EskoArtwork	Solution Provider
Stefan	Gathmann	GS1 Ireland	GS1 MO
Phil	Hand	JDA Software Group	Solution Provider
Eileen	Harpell	GS1 Global Office	Staff
Jenny	Hertzfeldt	GEFEG mbH	Solution Provider
Iris	Ho	GS1 Hong Kong, China	GS1 MO
Peter	Hoberg	Consafe Logistics AB	Solution Provider
Marc	Inderbitzin	Migros-Genossenschafts-Bund	Retailer
Fiona	Jia	GS1 China	GS1 MO
Peter	Jönsson	GS1 Sweden	GS1 MO
Nora	Kaci	GS1 Global Office	Staff
Steven	Keddie	GS1 Global Office	Staff
Anne-claire	Krid	GS1 France	GS1 MO
Alexey	Krotkov	GS1 Russia	GS1 MO
Ekaterina	Kurasheva	GS1 Russia	GS1 MO
Stephen	Lam	GS1 Hong Kong, China	GS1 MO
Ken	Law	GS1 Hong Kong, China	GS1 MO
Kc	Leung	GS1 Hong Kong, China	GS1 MO
Piergiorgio	Licciardello	GS1 Global Office	Staff
Sean	Lockhead	Lockhead Consulting Group LLC	Solution Provider
Marisa	Lu	GS1 Chinese Taipei	GS1 MO
Hans	Lunenborg	GS1 Netherlands	GS1 MO
Julie	Mcgill	FoodLogiQ	Solution Provider
Riad	Mechtari	GS1 Algeria	GS1 MO
Michael	Moise	Nestlé	Manufacturer
Adrien	Molines	GS1 France	GS1 MO
Alexandra	Montagnon	a-sis	Solution Provider
Marco	Mueller-hess	Bison Schweiz AG	Solution Provider
Sophie	Nachman-ghnassia	France Telecom Orange	Solution Provider
Maju	Nair	GS1 New Zealand	GS1 MO

First Name	Last name	Company	Interest Category
Giada	Necci	GS1 Italy	GS1 MO
James	Olsen	Kwikee, A Syndigo Company	Solution Provider
Staffan	Olsson	GS1 Sweden	GS1 MO
Luis	Paniagua	GS1 Costa Rica	GS1 MO
John	Papadopoulos	GS1 UK	GS1 MO
Patrick	Ponsaerts	GS1 Belgium & Luxembourg	GS1 MO
Christian	Przybilla	GS1 Germany	GS1 MO
Xavier	Pujol xargay	GS1 Spain	GS1 MO
Edna melissa	Reina calderon	Logyca	Solution Provider
Mirko	Repetto	GS1 Italy	GS1 MO
Maxim	Ristow	GS1 Germany	GS1 MO
Pere	Rosell plajats	GS1 Spain	GS1 MO
John	Ryu	GS1 Global Office	Staff
Branko	Safaric	GS1 Slovenia	GS1 MO
Sunny	Sanam	GS1 Australia	GS1 MO
Sue	Schmid	GS1 Australia	GS1 MO
Tom eric	Schmidt	August Storck KG	Manufacturer
Marc	Schneider	GS1 Switzerland	GS1 MO
Marco	Schwarzenbach	GS1 Switzerland	GS1 MO
Eugen	Sehorz	GS1 Austria	GS1 MO
Ahmed	Sharif	GS1 US	GS1 MO
Vishal	Sharma	General Mills, Inc.	Manufacturer
Ayako	Shimazaki	GS1 Japan	GS1 MO
Cesar	Silvestre	GS1 Mexico	GS1 MO
Palma	Simbari	Bayer AG - Division Pharma	Manufacturer
Emilie	Sion	GS1 France	GS1 MO
Andy	Siow	GS1 Singapore	GS1 MO
Andy	Siow	GS1 Singapore	GS1 MO
Ralph	Siruet	GS1 Germany	GS1 MO
Olga	Soboleva	GS1 Russia	GS1 MO
Grzegorz	Sokolowski	Institute of Logistics and Warehousing	Association
Hana	Strahlová	GS1 Czech Republic	GS1 MO
Roman	Strand	GS1 Germany	GS1 MO
Rita	Sun	GS1 China	GS1 MO
John	Szabo	GS1 Australia	GS1 MO
Katherine	Tabares VÁisquez	GS1 Colombia	GS1 MO
Elena	Tomanovich	GS1 Global Office	Staff
Alec	Tubridy	GS1 Ireland	GS1 MO
Betty	Tyson	Knouse Foods Cooperative, Inc	Manufacturer
Pim	Van der Eijk	Sonnenglanz Consulting BV	Solution Provider

First Name	Last name	Company	Interest Category
Mark	Van eeghem	GS1 Global Office	Staff
Judit	Vicsai	GS1 Hungary	GS1 MO
Jaco	Voorspuij	GS1 Global Office	Staff
Jan	Westerkamp	GS1 Netherlands	GS1 MO
Tasha	Wiehe	GS1 Global Office	Staff
Stephan	Wijnker	GS1 Australia	GS1 MO
Dirk	Willekens	GS1 Belgium & Luxembourg	GS1 MO
Ellis	Wong	Intagora	Solution Provider
Grace	Yang	GS1 Global Office	Staff
Chi	Yao	GS1 China	GS1 MO
Shi	Yu	Beijing REN JU ZHI HUI Technology Co. Ltd.	Solution Provider
Sergio	Zúñiga	GS1 Mexico	GS1 MO

9.2 Development Team Members

Function	Name	Organisation
GSMP Process Lead	David Buckley	GS1 Global Office
Technical Development Lead	Miklos Bolyky	GS1 Global Office
Peer Review	Mark Van Eeghem	GS1 Global Office